

DAFTAR PUSTAKA

- Achmad, W. 2001. Potensi Limbah Agroindustri sebagai Pakan Sapi Perah. Skripsi. Fakultas Peternakan, Institut Pertanian Bogor. Bogor. 56 hlm.
- Adiati, U., W. Puastuti., dan I. W. Mathius. 2004. Peluang pemanfaatan tepung bulu ayam sebagai bahan pakan ternak ruminansia. *Wartazoa*. 14(1): 39-44.
- Agrahari, S. dan N. Wadhwa. 2010. Degradation of chicken feather a waste product by keratynolytic bacteria isolated from dumping site at Ghazipur Poultry Processing Plant. *International Journal of Poultry science*. 9 (5): 482-489.
- Albanese, A. A. 2012. Protein and Amino Acid Nutrition. Academic Press. USA.
- Alibardi, L. 2007. Keratinization of sheath and calamus cells in developing and regenerating feathers. *Annals of Anatomy-Anatomischer Anzeiger* 189(6): 583-595.
- Alibardi, L., V. L. Dalla, A. Nardi , M. Toni. 2009. Evolution of hard proteins in the sauropsid integument in relation to the cornification of skin derivatives in amniotes. *J Anat*. 214(4): 560–586.
- Andrioli, E., L. Petry, M. Gutteres. 2015. Environmentally friendly hide unhairing:Enzymatic-oxidative unhairing as an alternative touse of lime and sodium sulfid. *Process Safety and Environmental Protection*. 93: 9–17.
- Apodaca, G., McKerrow, J.H., 1989. Purification and characterization of a 27,000-Mr extracellular proteinase from *Trichophyton rubrum*. *Infect. Immun*. 57, 3072–3080.
- Baron, S. 1996. *Medical Microbiology* 4th Edition. University of Texas Medical Branch at Galveston. Galveston.
- Benson. 2001. *Microbial Aplication Laboratory Manual in General Microbiology*. Eight Edition. The McGraw-Hill.
- Bergmeyer, H. V. Dan Grassl. 1983. *Methof of Enzymatic Analisis* 2. Verlag Chemia. Weinhein.
- Bhatt, P. 2019. *Smart Bioremediation Technologies: Microbial Enzymes*. Elsevier and Academic Press. UK.
- Boeckle, B., B. Galunsky dan R. Mueller. 1995. Characterization of a keratinolytic serine proteinase from *Streptomyces pactum* DSM 40530. *Applied and Environmental Microbiology*. 61(10):3705-3710.

- Brandelli, A. dan A. Riffel. 2006. Keratinolytic bacteria isolated from feather waste. *Brazilian Journal Microbiol* 37 (3) : 395 – 399.
- Brandelli, A., D. J. Daroit, dan A. Riffel. 2010. Biochemical features of microbial keratinases and their production and applications. *Journal of Applied Microbiology Biotechnology* 85 : 1735 – 1750.
- Brutt, E.H., dan J. M. Ichida. 1999. Keratinase produced by *Bacillus licheniformis* . US Patent 5,877,000.
- Callegan, M. C., B. D. Novosad., E. Ghelardi, S. Senesi. 2006. Role of swarming migration in the pathogenesis of *Bacillus endophthalmitis*. *Invest Ophthalmol Vis Sci*. 47: 4461–4467.
- Chen, K.N., J. C. Huang, C. I. Chung, W. Y. Kuo, M. J. Chen. 2011. Identification and characterization of H10 enzymes isolated from *Bacillus cereus* H10 with keratinolytic and proteolytic activities. *World J. Microbiol. Biotechnol.* 27: 349–358.
- Cortezi, M., E. M. Cilli, and J. Contiero. 2008. *Bacillus amyloliquefaciens*: a new keratinolytic feather-degrading bacteria. *Current trends in Biotechnology and Pharmacy* 2(1): 170-177.
- Deivasigamani, B., dan K. M. Alagappan. 2008. Industrial application of keratinase and soluble proteins from feather keratins. *Journal of Environmental Biology*. 29(6): 933-936.
- Direktorat Jenderal Peternakan dan Kesehatan Hewan. 2018. Statistik Peternakan dan Kesehatan Hewan 2018. Kementrian Pertanian. Jakarta.
- Eslahi, N., F. Dadashian dan N. H. Nejad. 2013. An investigation on keratin extraction from wool and feather waste by enzymatic hydrolysis. *Preparative Biochemistry and Biotechnology*. 43(7): 624-648.
- Fitriyanto, N. A., V. Oktaria, Y. Erwanto, Rusman, T. Hayakawa, T. Nakagawa, K. Kawai. 2014. Isolation and characterization of protease producing strain *Bacillus cereus* from odorous farm soil in tropical area. *Proceedings of Asian-Australasian Associations of Animal Production Societies*. 16 (2): 1308-1311.
- Fortin, A., A. A. Grunder, J. R. Chambers, dan R. M. G. Hamilton. 1983. Live and carcass characteristics of four strains of male and female geese slaughtered at 173, 180, and 194 days of age. *Poultry Science*. 62(7): 1217-1223.
- Ghosh, A., K. Chakrabarti, D. Chattopadhyay. 2008. Degradation of raw feather by a novel high molecular weight extracellular protease from newly isolated *Bacillus cereus* DCUW. *J Ind Microbiol Biotechnol*. 35:825–834.

- Goldflus, F., M. Ceccantini, dan W. Santos. 2006. Amino acid content of soybean samples collected in different Brazilian states: harvest 2003/2004. *Brazilian Journal of Poultry Science*. 8(2): 105-111.
- Gradisar, H., J. Friedrich, I. Krizaj, R. Jerala. 2005. Similarities and specificities of fungal keratinolytic proteases: comparison of keratinases of *Paecilomyces marquandii* and *Doratomyces microsporus* to some known proteases. *Applied and Environmental Microbiology*. 71(7): 3420-3426.
- Grazziotin, A., F. A. Pimentel, E. V. de Jong, A. Brandeli. 2005. Nutritional improvement of feather protein by treatment with microbial keratinase. *Animal Feed Science and Technology* 126: 135–144.
- Guntoro, S. 2018. *Membuat Pakan Ternak dan Unggas dari Limbah Peternakan*. AgroMedia Pustaka. Jakarta.
- Gupta, A., N. B. Kamarudin, C. Y. G. Kee, dan R. B. M. Yunus. 2012. Extraction of Keratin Protein from Chicken Feather. *J. Chem. Chem. Eng.* 6 (2012) 732-737.
- Gupta, R., dan P. Ramnani. 2006. Microbial keratinases and their prospective applications: an overview. *Appl Microbiol Biotechnol* (2006) 70: 21–33.
- Haake, A. R., G. König, dan R. H. Sawyer. 1984. Avian feather development: relationships between morphogenesis and keratinization. *Developmental biology*. 106(2): 406-413.
- Han, Y. and C.M. Parson. 1991. Protein and amino acid quality of feather meals. *Poult. Sci.* 70: 812-822.
- Hatmanti, A. 2000. Pengenalan *Bacillus* spp. *Oseana*. 25(1): 31-41.
- Haurowitz, F. 1984. *Biochemistry An Introduction Text Book*. John Willey and Sons Inc. New York.
- Horikoshi, K., G. Antranikian, A. T. Bull, F. T. Robb, K. O. Stetter. 2011. *Extremophiles Handbook*. Springer. Jepang.
- Jain, R., A. Jain, N. Rawat, M. Nair, dan R. Gumastha. 2016. Feather hydrolysate from *Streptomyces sampsonii* GS 1322: A potential low cost soil amendment. *Journal of Bioscience and Bioengineering*. 121(6): 672-677.
- Kaluzewska, M., K. Wawrzekiewicz and J. Lobarzewski. 1991. Microscopic Examination of Keratin Substrates Subjected to the Action of the Enzymes of *Streptomyces fradiae*. *International Biodeterioration*. 127:11-26.
- Kim, J. M., W. J. Lim, dan H. J. Suh. 2001. Feather-degrading *Bacillus* species from poultry waste. *Process Biochemistry*. 37(3): 287-291.

- Kim, W. K. and Patterson P. H. 2000. Nutritional value of enzyme or sodium hydroxide-treated feathers from dead hens. *J. Poult. Sci.* 79: 528-534.
- Kim, W. K., E. S. Lorenz, P. H. Patterson. 2002. Effect of enzymatic and chemical treatments on feather solubility and digestibility. *Poultry science.* 81: 95-98.
- Korniłowicz-Kowalska, T. 1997. Studies on the decomposition of keratin wastes by saprotrophic microfungi. P.I. Criteria for evaluating keratinolytic activity. *Acta Mycol.* 32: 51–79.
- Korniłowicz-Kowalska, T. 1999. Studies on the decomposition of keratin waste by saprotrophic microfungi. III. Activity and properties of keratinolytic enzymes. *Acta Mycol.* 34: 65–78.
- Korniłowicz-Kowalska, T. and J. Bohacz. 2011. Biodegradation of keratin waste: theory and practical aspects. *Waste management* 31(8): 1689-1701.
- Krejci, O., P. Mokrejs, and S. Sukop. Preparation and characterization of keratin hydrolysates. In: Proceedings of the 13th WSEAS international conference on mathematical and computational methods in science and engineering, World Scientific and Engineering Academy and Society (WSEAS), Catania, Sicily, Italy, 2011, pp.308–311.
- Lee, G. G., P. R. Ferket and J. C. H. Shih. 1991. Improvement of feather digestibility by bacterial keratinase as a feed additive. *FASEB J.* 59: 1312.
- Letourneau, F., Soussotte, V., Bressollier, P., Branland, P., Verneuil, B., 1998. Keratinolytic activity of *Streptomyces* sp. S.K.1-02: a new isolated strain. *Lett. Appl. Microbiol.* 26: 77–80.
- Li, P., K. Mai, J. Trushenski, and G. Wu. New developments in fish amino acid nutrition: towards functional and environmentally oriented aquafeeds. *Amino acids.* 37(1): 43-53.
- Lin, X., Lee, C. G., Casale, ES., Shih, JCH., 1992. Purification and characterization of a case from a *Bacillus licheniformis* strain. *Appl Environ Microbiol.* 58(10): 3271-3275.
- Manta-Vogli, P. D., K. H. Schulpis, Y. L. Loukas, Y. Dotsikas. 2020. Birth weight related essential, non-essential and conditionally essential amino acid blood concentrations in 12,000 breastfed full-term infants perinatally. *Scandinavian Journal of Clinical and Laboratory Investigation.* 80(7):571-579.
- Mazotto, A. M., A. C. N. de Melo, A. Macrae, A. S. Rosado, R. Peixoto, S.M. L. Cedrola, S. Couri, R. B. Zingali, A. L. V. Villa, L. Rabinovitch, J. Q. Chaves, A. B. Vermelho. 2011. Biodegradation of feather waste

- by extracellular keratinases and gelatinases from *Bacillus* spp.. *World J Microbiol Biotechnol.* 27: 1355–1365.
- Mazotto, A.M., R.R.R. Coelho, S.M.L. Cedrola, M.F. de Lima, S. Couri, E.P. de Souza dan A. B. Vermelho. 2011. Keratinase Production by Three *Bacillus* spp. Using Feather Meal and Whole Feather as Substrate in a Submerged Fermentation. *Enzyme Research* 1-7.
- Murtidjo, B. A. 2003. *Pedoman Beternak Ayam Broiler*. Kanisius, Yogyakarta
- Nair, A. J. 2010. *Principles of Biochemistry and Genetic Engineering*. University Science Press. New Delhi.
- Nam, G.W., Lee, D.W., Lee, H.S., Lee, N.J., Kim, B.C., Choe, E.A., Hwang, J.K., Suhartono, M.T., Pyun, Y.R. 2002. Native-feather keratin degradation by *Fervidobacterium islandicum* AW-1, a newly isolated keratinase producing thermophilic anaerobe. *Arch. Microbiol.* 178:538–547.
- Ng, C.S., P. Wu, J. Foley, A. Foley, M. L. McDonald, W. T. Juan, C. J. Huang, Y. T. Lai, W. S. Lo, C. F. Chen, and S. M. Leal. 2012. The chicken frizzle feather is due to an α -keratin (KRT75) mutation that causes a defective rachis. *PLoS Genet.* 8(7):1002748.
- Nilegaonkar, S.S., V. P. Zambare, P.P. Kanekar, P. K. Dhakephalkar, and S. S. Sarnaik. 2007. Production and partial characterization of dehairing protease from *Bacillus cereus* MCM B-326. *Bioresource Technology*, 98(6): 1238-1245.
- NRC (National Research Council). 1994. *Non-native oysters in the Chesapeake Bay*. National Research Council, National Academies Press, Washington, DC
- Osváth, G., T. Daubner, G. Dyke, T. I. Fuisz, A. Nord, J. Péntzes, D. Vargancsik, C. I. Vágási, O. Vincze, P. L. Pap. 2018. How feathered are birds? Environment predicts both the mass and density of body feathers. *Functional Ecology.* 32(3): 701-712.
- Patra, J. K., C. N. Vishnuprasad, dan G. Das. 2017. *Microbial Biotechnology: Applications in Agriculture and Environment Vol. 1* 1st Edition. Springer. Singapore.
- Petersen, P. H., G. C. Gerrans, R. H. Petersen. 2007. *Encyclopedia of Science and Technology*. New Africa Education. Africa.
- Pommerville, J. C. 2011. *Fundamentals of Mycrobiology: Body Systems Edition Third Edition*. Jones & Bartlet Learning. USA.
- Prinzinger, R., A. Preßmar, and E. Schleucher. 1991. Body temperature in birds. *Comparative Biochemistry and Physiology Part A: Physiology.* 99(4): 499-506.

- Puastuti, W. dan I.W. Mathius. 2007. Efisiensi penggunaan protein pada berbagai taraf substitusi hidrolisat bulu ayam didalam ransum domba. *JITV* 12(3): 189-194.
- Puastuti, W., D. Yulistiani, dan I. W. Mathius. 2004. Bulu ayam yang diproses secara kimia sebagai sumber protein *bypass* rumen. *JITV* 9(2) : 73 – 80.
- Rammani, P. dan R. Gupta. 2007. Keratinases vis-a`-vis conventional proteases and feather degradation. *World J Microbiol Biotechnol.* 23:1537–1540.
- Rasyaf, M. 2011. *Beternak Ayam Kampung*. Penerbit Swadaya. Jakarta.
- Rheinheimer. 1980. *Aquatic Microbiology*, A. willey Inter Science Publication Chichester: 225 pp.
- Roberts, P. L. dan D. Lloyd. 2007 . Virus inactivation by protein denaturants used in affinity chromatography. *Biologicals.* 35: 343-347.
- Rodriguez, M.R., Valdivia, E., Soler, J.J. Vivaldi, M.M., Martin-Platero, A.M., dan Bueno, M., 2009. Symbiotic Bacteria Living in the Hoopoe's Uropygial Gland Prevent Feather Degradation. *J. Exp. Biol.* 212:3621-3626.
- Said, M. I., F. N. Yulianti, M. Sukma. 2019. The effects of acidic and alkaline hydrolysis process on some physical and chemical properties of broiler chicken feathers. *Iranian Journal of Applied Animal Science.* 9(3): 529-540.
- Salleh, A. B., N. Z. R. A. Rahman, M. Basri. 2006. *New Lipase and Protease*. Nova Science Publishers. New York.
- Salveti, S., E. Ghelardi, F. Celandroni, M. Ceragioli, F. Giannesi, S. Senesi. 2007. FlhF, a signal recognition particle-like GTPase, is involved in the regulation of flagellar arrangement, motility behaviour and protein secretion in *Bacillus cereus*. *Microbiology.* 153: 2541–2552.
- Sangali, S. dan A. Brandelli. Isolation and characterization of a novel feather-degrading bacterial strain. *Applied Biochemistry and Biotechnology.* 87(1):17-24.
- Sari, E. P., I. S. T. Putri, R. A. Putri, S. Imanda, D. Elfidasari, R. L. Puspitasari. 2015. Pemanfaatan limbah bulu ayam sebagai pakan ternak ruminansia. *Pros Sem Nas Masy BIODIV Indon.* Vol 1(1): 136-138.
- Savini, V. 2016. *The Diverse Faces of Bacillus cereus*. Academic Press. UK.

- Shabaan, M. T., M. Attia, S. M. El-Sabagh, dan A. A. M. Ahmed. 2014. Isolation, Screening and Selection of Efficient Feather Degrading Bacteria. *Current Science International*. 3(4): 488-498.
- Shih, J. C. H. 1999. Biodegradation and utilization of feather keratin. *Proceedings of 1999 Animal Waste Management Symposium, North Carolina State University, Raleigh, NC, USA*. pp. 165 – 171.
- Shivasankaran , A.V., S. P. Balan, S. Sankar, S. Magibalan, C.M. Dinesh. 2020. Removal of hydrogen sulphide and odour from tannery and textile effluents *N. Materials Today: Proceedings*. 21: 777-781.
- Sonjaya, T. 2001. Nilai retensi nitrogen dan kandungan energi metabolis tepung bulu ayam yang mendapat perlakuan kimiawi, biologis, dan enzimatis. Skripsi. Jurusan Ilmu Nutrisi dan Makanan Ternak Fakultas Peternakan. Institut Pertanian Bogor. Bogor
- Speight, J. G. 2017. *Environmental Inorganic Chemistry for Engineers*. Butterwort-Heinemann. UK.
- Srinivasan, S., S. S. Chhatre, J. O. Guardado, K. C. Park, A. R. Parker, M. F. Rubner, G. H. McKinley, R. E. Cohen. 2014. Quantification of feather structure, wettability and resistance to liquid penetration. *Journal of The Royal Society Interface*. 11(96): 1-11.
- Srivastava, S. dan P. S. Srivastava. 2003. *Understanding Bacteria*. Kluwer Academic Publisher. Netherland.
- Stolerman, I. 2010. *Encyclopedia of Psychopharmacology*. Springer. London.
- Suh, H. J. Dan H. K. Lee. 2001. Characterization of a Keratinolytic Serine Protease from *Bacillus subtilis* KS-1. *Journal of Protein Chemistry*. 20(2):165-169.
- Sun, H.J., H.K. Lee. 2001. Characterization of a Keratinolytic Serine Protease from *Bacillus subtilis* KS-1. *Journal Protein Chemistry* 20:165-169.
- Takiuchi, J., Higuchi, D., Sei, Y., Koga, M., 1982. Isolation of an extracellular proteinase (keratinase) from *Microsporum canis*. *Sabouraudia*. 20: 281–288.
- Tamreihao, K., S. Mukherjee, R. Khunjamayum, L. J. Devi, R. S. Asem, dan D. S. Ningthoujam. 2019. Feather degradation by keratinolytic bacteria and biofertilizing potential for sustainable agricultural production. *Journal of basic microbiology*. 59(1): 4-13.
- Tandtiyanant, C., J. J. Lyons and J. M. vandepopuliere. 1993. Extrusion processing used to convert dead poultry, feathers, eggshells, hatchery waste and mechanically deboned residue into feedstuffs for poultry. *Poult. Sci*. 72: 1515–1527.

- Taylor, J. 2001. *Microorganisms and Biotechnology* 2nd Edition. Nelson Thornes. UK.
- Toni, M. dan L. Alibardi. 2007. Alpha-and beta-keratins of the snake epidermis. *Zoology* 110(1):41–47.
- Tsuboi, R.Y., I. Ko, K. E. Takamori, H. I. Ogawa. 1989. Isolation of a keratinolytic proteinase from *Trichophyton mentagrophytes* with enzymatic activity at acidic pH. *Infection and immunity*. 57(11): 3479-3483.
- Waluyo, L. 2004. *Mikrobiologi Umum*. Universitas Muhammadiyah Malang Press. Malang.
- Wandita, T. G., S. Triatmojo, J. Gumilar, N. A. Fitriyanto. 2016. Production and application of keratinase enzyme from 4 strains of *Bacillus* spp. isolated from Yogyakarta and Garut City. *Asian Jr. of Microbiol. Biotech. Env. Sc.* 18 (2): 71-78
- West, E. S. and W. R. Todd. 1961. *Textbook of Biochemistry*. 3rd Edition. Macmillan. U.S.A.
- Williams, C. L., J. C. Hagelin, dan G. L. Kooyman. 2015. Hidden keys to survival: the type, density, pattern and functional role of emperor penguin body feathers. *Proceedings of the Royal Society B: Biological Sciences*. 282(1817), 20152033.
- William, C. M., C. G. Lee, J. D. Garlich and J. C. H Shih. 1991. Evaluation of a bacterial feather fermentation product, feather -lysate, as a feed protein. *Poultry Sci.* 70: 85 – 94.
- Wittmann, C., J. C. Liao, S. Y. Lee., J. Nielsen, G. Stephanopoulos. 2016. *Industrial Biotechnology: Products and Processes* 1st Edition. Wiley – VCH. German.
- World Health Organization. 2006. *The International Pharmacopoeia* 4th Edition Volume 1. World Health Organization. Geneva.
- Wray, M.I., W.M. Beeson, T.M. Perry, M.T. Mohler and E. Baough. 1979. Effect of soybean, feather and hair meals and fat on the performance of growing-finishing beef cattle. *J. Anim. Sci.* 48: 748.
- Yamamura, S., Morita, Y., Hasan, Q., Yokoyama, K., Tamiya, E., 2002. Keratin degradation: a cooperative action of two enzymes from *Stenotrophomonas* sp.. *Biochem. Biophys. Res. Commun.* 294: 1138–1143.
- Zhang, Y., R. Yang, dan W Zhao. 2014. Improving digestibility of feather meal by steam flash explosion. *Journal of agricultural and food chemistry*. 62(13): 2745-2751.