

DAFTAR PUSTAKA

- Abdel-Mohsen, A.M., Frankova, J., Abdel-Rahman, R.M., Salem, A.A., Sahffie, N.M., Kubena, I., dkk., 2020, Chitosan-glucan complex hollow fibers reinforced collagen wound dressing embedded with aloe vera. II. Multifunctional properties to promote cutaneous wound healing, *International Journal of Pharmaceutics*, 582: 119349.
- Ali, J., Khan, A., Kotta, S., Ansari, S., Sharma, R., dan Kumar, A., 2013, Formulation development, optimization and evaluation of aloe vera gel for wound healing, *Pharmacognosy Magazine*, 9: 6.
- Asmara, A., Daili, S.F., Noegrohowati, T., dan Zubaedah, I., 2012, Vehikulum dalam Dermatoterapi Topikal, *MDVI*, 11(1):25-35.
- Astrini, N., Anah, L., dan Haryono, A., 2016, Pengaruh Metilen Bisakrilamid (MBA) pada Pembuatan Superabsorben Hidrogel Berbasis Selulosa terhadap Sifat Penyerapan Air, *Jurnal kimia dan kemasan*.
- Astuti, D.P., Husni, P., dan Hartono, K., 2017, Formulasi Dan Uji Stabilitas Fisik Sediaan Gel Antiseptik Tangan Minyak Atsiri Bunga Lavender (*Lavandula angustifolia Miller*), *Farmaka*, 15: 176–184.
- Balasaheb, S., Patil, S., dan Kadam, A.T., 2017, Antipsoriatic Activity of gel containing Methylsulphonylmethane Powder and seed oil of *Pongamia pinnata* Linn, *Research Journal of Pharmacology and Pharmacodynamics*, 9: 122.
- Crendhuty, F.D., Sriwidodo, S., dan Wardhana, Y.W., 2021, Sistem Penghantaran Obat Berbasis Biopolimer Kitosan pada Formulasi Film Forming System, *Majalah Farmasetika*, 6: 38–55.
- Dadashzadeh, A., Imani, R., Moghassemi, S., Omidfar, K., dan Abolfathi, N., 2019, Study of hybrid alginate/gelatin hydrogel-incorporated niosomal Aloe vera capable of sustained release of Aloe vera as potential skin wound dressing, *Polymer Bulletin*, 7: 387–403.
- Dadashzadeh, A., Imani, R., Moghassemi, S., Omidfar, K., dan Abolfathi, N., 2020, Study of hybrid alginate/gelatin hydrogel-incorporated niosomal Aloe vera capable of sustained release of Aloe vera as potential skin wound dressing, *Polymer Bulletin*, 77: 387–403.
- Dewi, C.C. dan Saptarini, N.M., 2016, Hidroksi Propil Metil Selulosa Dan Karbomer Serta Sifat Fisikokimianya Sebagai Gelling Agent, *Farmaka*, 14: 1–10.
- Dhurhanian, C., 2019, Penetapan Kadar Metilparaben dan Propilparaben dalam Hand and Body Lotion secara High Performance Liquid Chromatography, *Jurnal Farmasi (Journal of Pharmacy)*, 1: 38.
- Djarot, P., Diana, I., dan Indriati, D., 2020, Formulasi Dan Uji Anti Bakteri Sediaan Gel Ekstrak Daun Mangga Arumanis (*Mangifera indica L.*) sebagai Anti Bakteri *Staphylococcus aureus* dan *Propionibacterium acnes*, *Fitofarmaka Jurnal Ilmiah Farmasi*, 10: 84–96.
- Ekambaram, R. dan Dharmalingam, S., 2020, Fabrication and evaluation of electrospun biomimetic sulphonated PEEK nanofibrous scaffold for human skin cell proliferation and wound regeneration potential, *Materials Science and Engineering: C*, 115: 111150.

- Elmitra, 2017, *Buku Dasar-Dasar Farmasetika dan Sediaan Semi Solid*, Penerbit Deepublish, Yogyakarta.
- Escobar-Sierra, D.M. dan Perea-Mesa, Y.P., 2017, Manufacturing and evaluation of Chitosan, PVA and Aloe Vera hydrogels for skin applications, *DYNA*, 84: 134–142.
- Garg, T., Singh, O., Arora, S., dan Murthy, R., 2012, Scaffold: a novel carrier for cell and drug delivery, *Critical Reviews in Therapeutic Drug Carrier Systems*, 29: 1–63.
- Ghayempour, S., Montazer, M., dan Mahmoudi Rad, M., 2016, Encapsulation of Aloe Vera extract into natural Tragacanth Gum as a novel green wound healing product, *International Journal of Biological Macromolecules*, 93: 344–349.
- Gonzalez, A.C. de O., Costa, T.F., Andrade, Z. de A., dan Medrado, A.R.A.P., 2016, Wound healing - A literature review, *Anais Brasileiros de Dermatologia*, 91: 614–620.
- Hashemi, S. A., Seyyed Abdollah Madani, dan Saied Abediankenari, 2015, The Review on Properties of Aloe Vera in Healing of Cutaneous Wounds, *BioMed Research International*, BioMed Research Internasional.
- Herda, E. dan Puspitasari, D., 2018, Tinjauan Peran Dan Sifat Material Yang Digunakan Sebagai Scaffold Dalam Rekayasa Jaringan, *Jurnal Material Kedokteran Gigi*, 5: 56–63.
- Hoffman, AS, 2012, Hydrogels for biomedical applications, *Adv Drug Deliv Rev*, 64: 18–23.
- Hosseinimehr SJ, Khorasani G, Azadbakht M, Zamani P, Ghasemi M, Ahmadi A., 2010, Effect of aloe cream versus silver sulfadiazine for healing burn wounds in rats, *Acta Dermatovenerol Croat*, 18: 2–7.
- Inpanya, P., Faikrua, A., Ounaron, A., Sittichokechaiwut, A., dan Viyoch, J., 2012, Effects of the blended fibroin/aloe gel film on wound healing in streptozotocin-induced diabetic rats, *Biomedical Materials (Bristol, England)*, 7: 035008.
- Janahmadi, Z., Motlagh, M.R., dan Zaeri, S., 2019, Enhancing rat full-thickness skin wounds with a mixed aloe/chitosan gel, *Formosan Journal of Surgery*, 52: 8.
- Joseph, B. dan Raj, S.J., 2010, Pharmacognostic and Phytochemical Properties of Aloe Vera Linn –An Overview, *International Journal of Pharmaceutical Sciences Review and Research*, 4(2).
- Jouybar, A., Seyedjafari, E., Ardeshtyrlajimi, A., Zandi-Karimi, A., Feizi, N., Khani, M.-M., dkk., 2017, Enhanced Skin Regeneration by Herbal Extract-Coated Poly-L-Lactic Acid Nanofibrous Scaffold, *Artificial Organs*, 41: E296–E307.
- Khan, A.W., Kotta, S., Ansari, S.H., Sharma, R.K., Kumar, A., dan Ali, J., 2013, Formulation development, optimization and evaluation of aloe vera gel for wound healing, *Pharmacognosy Magazine*, 9: S6–S10.
- Koga, A.Y., Felix, J.C., Silvestre, R.G.M., Lipinski, L.C., Carletto, B., Kawahara, F.A., dkk., 2020, Evaluation of wound healing effect of alginate film containing Aloe vera gel and cross-linked with zinc chloride, *Acta Cirúrgica Brasileira*, 35.

- Komatsu, D., Mistura, D.V., Motta, A., Domingues, J.A., Hausen, M.A., dan Duek, E., 2017, Development of a membrane of poly (L-co-D, L lactic acid-co-trimethylene carbonate) with *Aloe vera*: An alternative biomaterial designed to improve skin healing, *Journal of Biomaterials Applications*, 32: 311–320.
- Miguel, S., Ribeiro, M., Coutinho, P., dan Correia, I., 2017, Electrospun Polycaprolactone/Aloe Vera_Chitosan Nanofibrous Asymmetric Membranes Aimed for Wound Healing Applications, *Polymers*, 9.
- Moghassemi S, Hadjizadeh A., 2014, Nano-niosomes as nanoscale drug delivery systems: an illustrated review, *J Control Release*, 185:22–36
- Novyana, R.M. dan Susianti, S., 2016, Lidah Buaya (*Aloe vera*) untuk Penyembuhan Luka, *Jurnal Majority*, 5: 149–153.
- Nurahmanto D., Mahrifah I.R., Firda R., Imaniah N. dan Rosyidi V.A., 2017, Formulasi Sediaan Gel Dispersi Padat Ibuprofen: Studi Gelling Agent dan Senyawa Peningkat, *Ilmiah Manuntung*, 3 (1), 96–105.
- Nuralifah, N., Indradewi, F., Parawansah, P., dan Nasrun, S., 2020, Formulasi Sediaan Krim Anti Jerawat Ekstrak Etanol Biji Pepaya Muda (*Carica papaya L.*) serta Uji Aktivitasnya Terhadap Bakteri *Pseudomonas aeruginosa* ATCC 27825 dan *Staphylococcus aureus* ATCC 25923, *MEDULA*, 7.
- Pathalamuthu, P., Siddharthan, A., Giridev, V.R., Victoria, V., Thangam, R., Sivasubramanian, S., dkk., 2019, Enhanced performance of Aloe vera incorporated chitosan-polyethylene oxide electrospun wound scaffold produced using novel Spirograph based collector assembly, *International Journal of Biological Macromolecules*, 140: 808–824.
- Pereira, R., Carvalho, A., Vaz, D., Gil, H., Mendes, A., dan Bártolo, P., 2012, Development of novel alginate based hydrogel films for wound healing applications, *International journal of biological macromolecules*, 52.
- Prakoso, Y.A., Kurniasih, K., Wijayanti, A., dan Kristianingrum, Y., 2019, Treatment of experimentally induced diabetic wound infected with methicillin-resistant *Staphylococcus aureus* using Aloe vera, *Apium graveolens*, and *Sauropus androgynus* extracts in rats, *International Journal of One Health*, 5: 99–106.
- Prakoso, Y.A., Setiyo Rini, C., dan Wirjaatmadja, R., 2018, Efficacy of Aloe vera, Ananas comosus, and Sansevieria masoniana Cream on the Skin Wound Infected with MRSA, *Advances in Pharmacological Sciences*, e4670569.
- Prasdiantika, R., Agustin, N.C., dan Rohman, A., 2019, Identifikasi Oksida Besi dan Pengaruh Pencucian Material Magnetik Pasir Besi Pantai Jomblo Menggunakan Metode Sonokimia, *Jurnal Presipitasi: Media Komunikasi dan Pengembangan Teknik Lingkungan*, 16: 140–151.
- Prasetyo, Y.A., Husni, P., dan Mita, S.R., 2017, Long-Circulating Nanopartikel Menggunakan Polimer PLGA (*Poly-Lactic-co-Glycolic Acid*) dan Poloxamer, *Farmaka*, 15: 237–247.
- Primadina, N., Basori, A., dan Perdanakusuma, D.S., 2019, Proses Penyembuhan Luka Ditinjau dari Aspek Mekanisme Seluler dan Molekuler, *Qanun Medika - Medical Journal Faculty of Medicine Muhammadiyah Surabaya*, 3: 31-43.

- Pulok K., Neelesh K. Nema, Niladri Maity, Kakali Mukherjee, dan Ranjit K. Harwansh, 2014, Phytochemical and Therapeutic Profile of Aloe vera, *Journal of Natural Remedies*, 14(1).
- Purnama, H., Sriwidodo, S., dan Mita, S.R., 2017, Proses Penyembuhan dan Perawatan Luka: Review Sistematis, *Farmaka*, 15: 251–258.
- Rowe, R. C., P.J. Sheskey, dan M.E. Quinn, 2009, *Handbook of Pharmaceutical Excipients Sixth Edition*, Pharmaceutical Press, London.
- Rusanti, W.D., 2016, Pengaruh Penambahan Lidah Buaya (*Aloe Vera L.*) Terhadap Kekentalan Dan Derajat Keasaman (pH) Pada Minuman Yogurt, *Prosiding Semnastek*.
- Salehi, M., Farzamfar, S., Bastami, F., dan Tajerian, R., 2016, Fabrication and characterization of electrospun plla/collagen nanofibrous scaffold coated with chitosan to sustain release of aloe vera gel for skin tissue engineering, *Biomedical Engineering: Applications, Basis and Communications*, 28: 1650035.
- Suganya, S., Venugopal, J., Agnes Mary, S., Ramakrishna, S., Lakshmi, B.S., dan Giri Dev, V.R., 2014, Aloe vera incorporated biomimetic nanofibrous scaffold: a regenerative approach for skin tissue engineering, *Iranian Polymer Journal*, 23: 237–248.
- Suganya, S., Venugopal, J., Ramakrishna, S., Lakshmi, B.S., dan Dev, V.R.G., 2014, Naturally derived biofunctional nanofibrous scaffold for skin tissue regeneration, *International Journal of Biological Macromolecules*, 68: 135–143.
- Sukmawati, A., Laeha, M.N., dan Suprpto, S., 2019, Efek Gliserin sebagai Humectan Terhadap Sifat Fisik dan Stabilitas Vitamin C dalam Sabun Padat, *Pharmakon: Jurnal Farmasi Indonesia*, 14: 40-47.
- Syafitri, E., Adliani, N., Khoirunnisa, S.M., dan Frima, F.K., 2020, Optimasi Formula Mikroemulsi Berbahan Dasar Crude Palm Oil (CPO) Sebagai Antioksidan Potensial Pada Kulit, *Jurnal Industri Hasil Perkebunan*, 15: 49–60.
- The Asean Secretariat, 2016, *ASEAN Common Technical Requirements (ACTR)*.
- Tricaesario, C. dan Widayati, R.I., 2016, Efektivitas Krim Almond Oil 4% Terhadap Tingkat Kelembapan Kulit, *Diponegoro Medical Journal (Jurnal Kedokteran Diponegoro)*, 5: 599–610.
- Tsabitah, A.F., Zulkarnain, A.K., Wahyuningsih, M.S.H., dan Nugrahaningsih, D.A.A., 2020, Optimasi Carbomer, Propilen Glikol, dan Trietanolamin Dalam Formulasi Sediaan Gel Ekstrak Etanol Daun Kembang Bulan (*Tithonia diversifolia*), *Majalah Farmaseutik*, 16: 111–118.
- Uslu, I., Aytimur, A., dan Serinçay, H., 2013, Preparation of PVA/PAA/PEG/PVP nanofibers with HPMC and *Aloe vera*, *Current Nanoscience*, 9: 489–493.
- Waddad AY, Abbad S, Yu F, Munyendo WL, Wang J, Lv H, Zhou J, 2013, Formulation, characterization and pharmacokinetics of Morin hydrate niosomes prepared from various non-ionic surfactants, *Int J Pharm*, 456(2):446–458.
- Wahyudi, T. dan Sugiyana, D., 2011, Pembuatan Serat Nano Menggunakan Metode Electrospinning, *Balai Besar Tekstil*, 26: 6.



- Yanhendri, Yenny, dan Satya Wydya, 2012, Berbagai Bentuk Sediaan Topikal dalam Dermatologi, *Cermin Dunia Kesehatan*, 39:423-430.
- Zahedi, E., Esmaili, A., Eslahi, N., Shokrgozar, M.A., dan Simchi, A., 2019, Fabrication and Characterization of Core-Shell Electrospun Fibrous Mats Containing Medicinal Herbs for Wound Healing and Skin Tissue Engineering, *Marine Drugs*, 17.