

REFERENCES

- Batista, L. R. *et al.* (2015) *Coffee: Types and Production*. 1st edn, *Encyclopedia of Food and Health*. 1st edn. Elsevier Ltd. doi: 10.1016/B978-0-12-384947-2.00184-7.
- Bragulat, M. R., Abarca, M. L. and Cabanes, F. J. (2001) 'An easy screening method for fungi producing ochratoxin A in pure culture', *International Journal of Food Microbiology*, 71, pp. 139–144.
- Brandt, M. E. and Lockhart, S. R. (2015) 'Recent Taxonomic Developments with *Candida* and Other Opportunistic Yeasts', *Physiology & behavior*, 6(3), pp. 170–177. doi: 10.1007/s12281-012-0094-x.
- Culliau, A. G. L. and Barcello, J. M. (2015) 'Fungal and mycotoxin contamination of coffee beans in Benguet province, Philippines', *Food Additives & Contaminants: Part A*, 32(2), pp. 250–260. doi: 10.1080/19440049.2014.1001796.
- Dharmaputra, O. *et al.* (2019) 'Fungal Infection in Stored Arabica Coffee (*Coffea arabica*) Beans at 4 Various Stages of the Delivery Chain in Sulawesi Province', *Biotropia*, 2(August 2017). doi: 10.11598/btb.2019.26.2.900.
- El-Ghany, T. M. A. and El-Sheikh, H. H. (2018) 'Mycology', 13(July), pp. 8012–8023.
- European Commission (2017) 'COMMISSION REGULATION (EC) No 1881/2006 of 19 December 2006, setting maximum levels for certain contaminants in foodstuffs', *Official Journal of the European Union*, pp. 1–28. Available at: <http://extwprlegs1.fao.org/docs/pdf/eur68134.pdf> (Accessed: 4 January 2021).
- Evangelista, S. R. *et al.* (2014) 'Improvement of coffee beverage quality by using selected yeasts strains during the fermentation in dry process', *Food Research International*. Elsevier Ltd, 61, pp. 183–195. doi: 10.1016/j.foodres.2013.11.033.
- Frisvad, J. C. (2012) 'Media and Growth Conditions for Induction of Secondary Metabolite Production', in *Fungal Secondary Metabolism*, pp. 47–58. doi: 10.1007/978-1-62703-122-6_3.
- Geremew, T. *et al.* (2016) 'Occurrence of toxigenic fungi and ochratoxin A in Ethiopian coffee for local consumption', *Food Control*, 69, pp. 65–73. doi: 10.1016/j.foodcont.2016.04.025.
- Gil-Serna, J. *et al.* (2011) 'Mechanisms involved in reduction of ochratoxin A produced by *Aspergillus westerdijkiae* using *Debaryomyces hansenii* CYC 1244', *International Journal of Food Microbiology*, 151(1), pp. 113–118. doi: 10.1016/j.ijfoodmicro.2011.08.012.

- Haile, M. and Kang, W. H. (2019) 'Isolation, identification, and characterization of pectinolytic yeasts for starter culture in coffee fermentation', *Microorganisms*, 7(10). doi: 10.3390/microorganisms7100401.
- Herman, P. K. (2002) 'Stationary phase in yeast', *Current Opinion in Microbiology*, 5(6), pp. 602–607. doi: 10.1016/S1369-5274(02)00377-6.
- Hui, Y.H. *et al.* (2008) 'Handbook of Fruits and Fruit Processing', pp. 145-179.
- ICO, I. C. O. (2009) 'Code of Practice for prevention and reduction of ochratoxin A contamination in coffee', 69(September), pp. 1–10.
- Kapetanakou, A. E. *et al.* (2012) 'Inhibition of *A. carbonarius* growth and reduction of ochratoxin A by bacteria and yeast composites of technological importance in culture media and beverages', *International Journal of Food Microbiology*, 152(3), pp. 91–99. doi: 10.1016/j.ijfoodmicro.2011.09.010.
- Kuntawee, S. and Akarapisan, A. (2015) 'Isolation and Identification of *Aspergillus* Species Producing Ochratoxin A in Arabica Coffee Beans', 11(5), pp. 1235–1242.
- Kurtzman, C. P. *et al.* (2011) *Methods for isolation, phenotypic characterization and maintenance of yeasts*, *The Yeasts*. Elsevier B.V. doi: 10.1016/B978-0-444-52149-1.00007-0.
- Land, G. A. *et al.* (1979) 'Evaluation of the new API 20C strip for yeast identification against a conventional method', *Journal of Clinical Microbiology*, 10(3), pp. 357–364. doi: 10.1128/jcm.10.3.357-364.1979.
- Latouche, G. N. *et al.* (1997) 'Comparison of use of phenotypic and genotypic characteristics for identification of species of the anamorph genus *Candida* and related teleomorph yeast species', *Journal of Clinical Microbiology*, 35(12), pp. 3171–3180. doi: 10.1128/jcm.35.12.3171-3180.1997.
- Leong, S. L. *et al.* (2007) 'Ochratoxin A-producing *Aspergilli* in Vietnamese green coffee beans', 45, pp. 301–306. doi: 10.1111/j.1472-765X.2007.02189.x.
- Masoud, W. and Kaltoft, C. H. (2006) 'The effects of yeasts involved in the fermentation of *Coffea arabica* in East Africa on growth and ochratoxin A (OTA) production by *Aspergillus ochraceus*', *International Journal of Food Microbiology*, 106(2), pp. 229–234. doi: 10.1016/j.ijfoodmicro.2005.06.015.
- Masoud, W., Poll, L. and Jakobsen, M. (2005) 'Influence of volatile compounds produced by yeasts predominant during processing of *Coffea arabica* in East Africa on growth and ochratoxin A (OTA) production by *Aspergillus ochraceus*', *Yeast*, 22(14), pp. 1133–1142. doi: 10.1002/yea.1304.
- Money, N. P. (2016). *Fungal Diversity. The Fungi*, pp. 1–36. doi:10.1016/b978-0-12-382034-1.00001-3.
- Nigam, P.S. and Singh, A. (2014) 'METABOLIC PATHWAYS | Production of Secondary Metabolites – Fungi | Encyclopedia of Food Microbiology 2nd

- Edition', pp. 570-578. doi: 10.1016/B978-0-12-384730-0.00202-0.
- de Melo Pereira, G. V. *et al.* (2014) 'Isolation, selection and evaluation of yeasts for use in fermentation of coffee beans by the wet process', *International Journal of Food Microbiology*, 188, pp. 60–66. doi: 10.1016/j.ijfoodmicro.2014.07.008.
- de Melo Pereira, G. V. *et al.* (2015) 'Microbial Ecology and Starter Culture Technology in Coffee Processing', *Critical Reviews in Food Science and Nutrition*. doi: 10.1080/10408398.2015.1067759.
- de Melo Pereira, G. V. *et al.* (2019) 'Exploring the impacts of postharvest processing on the aroma formation of coffee beans – A review', *Food Chemistry*, 272, pp. 441–452. doi: 10.1016/j.foodchem.2018.08.061.
- Moulia, M. N. *et al.* (2014) 'Penicillium Species Isolated From Cocoa, Coffee Beans, and Dried Cassava in Yogyakarta Indonesia and Their Ochratoxin Production', *Indonesian Food and Nutrition Progress*, 13(1), p. 1. doi: 10.22146/jifnp.115.
- Noonim, P. *et al.* (2008) 'Isolation, identification and toxigenic potential of ochratoxin A-producing *Aspergillus* species from coffee beans grown in two regions of Thailand', *International Journal of Food Microbiology*, 128(2), pp. 197–202. doi: 10.1016/j.ijfoodmicro.2008.08.005.
- Pederson, C. S. and Breed, R. S. (1946) 'Fermentation of Coffee', *Journal of Food Science*, 11(2), pp. 99–106. doi: 10.1111/j.1365-2621.1946.tb16331.x.
- Ponsone, M. L. *et al.* (2011) 'Biocontrol as a strategy to reduce the impact of ochratoxin A and *Aspergillus* section *Nigri* in grapes', *International Journal of Food Microbiology*, 151(1), pp. 70–77. doi: 10.1016/j.ijfoodmicro.2011.08.005.
- Ramos, D. M. B. *et al.* (2010) 'In vitro inhibition of toxigenic filamentous fungi by *Pichia* sp. and *Debaryomyces* sp. isolates from coffee (*Coffea arabica*) fruits', *Acta Scientiarum. Agronomy*, 32(3), pp. 397–402. doi: 10.4025/actasciagron.v32i3.3361.
- Rao, V. K. *et al.* (2013) 'Culture Media and Factors Influencing Ochratoxin A Production by Two Species of *Penicillium* Isolated from Poultry Feeds', *National Academy Science Letters*, 36, pp. 101–110. doi: 10.1007/s40009-012-0096-9.
- Samson, A. R. *et al.* (2011) 'Introduction to Food and Airborne Fungi 7th Edition', pp. 78-79. ISBN: 90-70351-52-8.
- Serna, J. G. *et al.* (2009) 'Biocontrol of *Aspergillus ochraceus* by yeasts', pp. 368–372. doi: 10.1142/9789812837554_0077.
- Silva, E. G. *et al.* (2005) 'Pectinolytic enzymes secreted by yeasts from tropical fruits', *FEMS Yeast Research*, 5, pp. 859–865. doi: 10.1016/j.femsyr.2005.02.006.

- Silva, C. F. et al. (2013) 'Evaluation of a potential starter culture for enhance quality of coffee fermentation', *World Journal of Microbiology and Biotechnology*, 29(2), pp. 235–247. doi: 10.1007/s11274-012-1175-2.
- de Souza, M. L. et al. (2017) 'Uso de leveduras selvagens como agente de biocontrole contra fungos toxigênicos e produção de OTA', *Acta Scientiarum - Agronomy*, 39(3), pp. 349–358. doi: 10.4025/actasciagron.v39i3.32659.
- Varga, J. et al. (2010) 'Chemical, physical and biological approaches to prevent ochratoxin induced toxicoses in humans and animals', *Toxins*, 2(7), pp. 1718–1750. doi: 10.3390/toxins2071718.
- Velmourougane, K. et al. (2011) 'Management of *Aspergillus ochraceus* and Ochratoxin-A contamination in coffee during on-farm processing through commercial yeast inoculation', *Biological Control*, 57(3), pp. 215–221. doi: 10.1016/j.biocontrol.2011.03.003.
- Visagie, C. M. et al. (2014) 'Ochratoxin production and taxonomy of the yellow aspergilli (*Aspergillus* section *Circumdati*)', *Studies in Mycology*, 78(1), pp. 1–61. doi: 10.1016/j.simyco.2014.07.001.
- Zhu, C. et al. (2015) 'Inhibition of the growth and ochratoxin A production by *Aspergillus carbonarius* and *Aspergillus ochraceus* in vitro and in vivo through antagonistic yeasts', *Food Control*, 50, pp. 125–132. doi: 10.1016/j.foodcont.2014.08.042.