

DAFTAR PUSTAKA

Agrawal, C. M., Ong, J., Appleford, M. R., & Mani, G. (2014). *Introduction to Biomaterials: Basic Theory with Engineering Applications. Journal of Biomaterials and Nanobiotechnology* (Vol. 6). United Kingdom: Cambridge University Press.

Anjarsari, Dahlan, K., Suptijah, P., & Kemala, T. (2016). Sintesis dan Karakterisasi Biokomposit BCP/Kolagen Sebagai Material Perancah Tulang. *Jphpi*, 19(3), 356 – 361. doi:10.17844/jphpi.2016.19.3.356

Anwar, A., Asghar, M. N., Kanwal, Q., Kazmi, M., & Sadiqa, A. (2016). Low temperature synthesis and characterization of carbonated hydroxyapatite nanocrystals. *Journal of Molecular Structure*, 1117, 283–286. doi:10.1016/j.molstruc.2016.03.061

Bang, L. T., Long, B. D., & Othman, R. (2014). Carbonate Hydroxyapatite and Silicon-Substituted Carbonate Hydroxyapatite: Synthesis, Mechanical Properties, and Solubility Evaluations. *The Scientific World Journal*, (January 2015). doi:10.1155/2014/969876

Barinov, S. M., Rau, J. V., Cesaro, S. N., Durisini, J., Fadeeva, I. V., Ferro, D., ... Trionfetti, G. (2006). Carbonate release from carbonated hydroxyapatite in the wide temperature range, 597–604. doi:10.1007/s10856-006-9221-y

Barralet, J., Best, S., & Bonfield, W. (1998). Carbonate substitution in precipitated hydroxyapatite: An investigation into the effects of reaction temperature and bicarbonate ion concentration. *Journal of Biomedical Materials Research*, 41(1), 79–86. doi:10.1002/(SICI)1097-4636(199807)41:1<79::AID-JBM10>3.0.CO;2-C

Barralet, J. E., Best, S. M., & Bonfield, W. (2000). Effect of sintering parameters on the density and microstructure of carbonate hydroxyapatite, 1, 719–724.

Barralet, J., Knowles, J. C., & Best, S. M. (2002). Thermal decomposition of synthesised carbonate hydroxyapatite, (July). doi:10.1023/A

Chang, Q., Ru, H. Q., Chen, D. L., Yue, X. Y., Yu, L., & Zhang, C. P. (2011). An in-

vitro Investigation of Iron-Containing Hydroxyapatite/Titanium Composites. *Journal of Materials Science and Technology*, 27(6), 546–552. doi:10.1016/S1005-0302(11)60106-0

Ezekiel, I., Kasim, S. R., Ismail, Y. M. B., & Noor, A. F. M. (2018). Nanoemulsion synthesis of carbonated hydroxyapatite nanopowders: Effect of variant CO₃²⁻/PO₄³⁻ molar ratios on phase, morphology, and bioactivity. *Ceramics International*, 44(11), 13082–13089. doi:10.1016/j.ceramint.2018.04.128

Filippov, Y. Y., Klimashina, E. S., Ankudinov, A. B., & Putlayev, V. I. (2011). Carbonate substituted hydroxyapatite (CHA) powder consolidated at 450°C. *Journal of Physics: Conference Series*, 291(1). doi:10.1088/1742-6596/291/1/012036

Gibson, I. R., & Bonfield, W. (2001). Novel synthesis and characterization of an AB-type carbonate-substituted hydroxyapatite, (April). doi:10.1002/jbm.10044

Haryati, E., Dahlan, K., Togibasa, O., & Dahlan, K. (2019). Protein and Minerals Analyses of Mangrove Crab Shells (*Scylla serrata*) from Merauke as a Foundation on Bio-ceramic Components. *Journal of Physics: Conference Series*, 1204(1). doi:10.1088/1742-6596/1204/1/012031

Jayasree, R., Madhumathi, K., Rana, D., Ramalingam, M., Nankar, R. P., Doble, M., & Kumar, T. S. S. (2018). Development of Egg Shell Derived Carbonated Apatite Nanocarrier System for Drug Delivery. *Journal of Nanoscience and Nanotechnology*, 18(4), 2318–2324. doi:10.1166/jnn.2018.14377

Kee, C. C., Ismail, H., & Mohd Noor, A. F. (2013). Effect of synthesis technique and carbonate content on the crystallinity and morphology of carbonated hydroxyapatite. *Journal of Materials Science and Technology*, 29(8), 761–764. doi:10.1016/j.jmst.2013.05.016

Kovaleva, E. S., Shabanov, M. P., Putlyaev, V. I., Tretyakov, Y. D., Ivanov, V. K., & Silkin, N. I. (2009). Bioresorbable carbonated hydroxyapatite Ca_{10-x}Nax (PO₄)_{6-x}(CO₃)_x (OH)₂ powders for bioactive materials preparation. *Central European Journal of Chemistry*, 7(2), 168–174. doi:10.2478/s11532-009-0018-y

Landi, E., Celotti, G., Logroscino, G., & Tampieri, A. (2003). Carbonated

hydroxyapatite as bone substitute, 23, 2931–2937. doi:10.1016/S0955-2219(03)00304-2

Landi, E., Tampieri, A., Celotti, G., Vichi, L., & Sandri, M. (2004). Influence of synthesis and sintering parameters on the characteristics of carbonate apatite. *Biomaterials*, 25(10), 1763–1770. doi:10.1016/j.biomaterials.2003.08.026

Liao, S., Watari, F., Xu, G., Ngiam, M., Ramakrishna, S., & Chan, C. K. (2007). Morphological effects of variant carbonates in biomimetic hydroxyapatite. *Materials Letters*, 61(17), 3624–3628. doi:10.1016/j.matlet.2006.12.007

Liu, Q., Matinlinna, J. P., Chen, Z., Ning, C., Ni, G., Pan, H., & Darvell, B. W. (2015). Effect of thermal treatment on carbonated hydroxyapatite: Morphology, composition, crystal characteristics and solubility. *Ceramics International*, 41(5), 6149–6157. doi:10.1016/j.ceramint.2014.11.062

Ma, G., & Liu, X. Y. (2009). Hydroxyapatite: Hexagonal or monoclinic? *Crystal Growth and Design*, 9(7), 2991–2994. doi:10.1021/cg900156w

Miguel Galván Ruiz, Rodríguez-García, J. H. L. B. J. N.-M. and M. E. (2009). Characterization of Calcium carbonate, calcium oxide, and calcium hydroxide as starting point to the improvement of lime for their use in construction. *Journal of Materials in Civil Engineering*, 21(11), 694–698. doi:10.1061/(ASCE)0899-1561(2009)21:11(694)

Nakamura, M., Hiratai, R., Hentunen, T., Salonen, J., & Yamashita, K. (2016). Hydroxyapatite with High Carbonate Substitutions Promotes Osteoclast Resorption through Osteocyte-like Cells. *ACS Biomaterials Science and Engineering*, 2(2), 259–267. doi:10.1021/acsbomaterials.5b00509

Ooi, C. Y., Hamdi, M., & Ramesh, S. (2007). Properties of hydroxyapatite produced by annealing of bovine bone. *Ceramics International*, 33(7), 1171–1177. doi:10.1016/j.ceramint.2006.04.001

Othman, R., Mustafa, Z., Loon, C. W., & Noor, A. F. M. (2016). Effect of Calcium Precursors and pH on the Precipitation of Carbonated Hydroxyapatite. *Procedia Chemistry*, 19, 539–545. doi:10.1016/j.proche.2016.03.050

Pieters, I. Y., Van den Vreken, N. M. F., Declercq, H. A., Cornelissen, M. J., & Verbeeck, R. M. H. (2010). Carbonated apatites obtained by the hydrolysis of monetite: Influence of carbonate content on adhesion and proliferation of MC3T3-E1 osteoblastic cells. *Acta Biomaterialia*, 6(4), 1561–1568. doi:10.1016/j.actbio.2009.11.002

Ratnayake, J. T. B., Mucalo, M., & Dias, G. J. (2017). Substituted hydroxyapatites for bone regeneration: A review of current trends. *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, 105(5), 1285–1299. doi:10.1002/jbm.b.33651

Ratner, B. D., Hoffman, A. S., Schoen, F. J., & Lemons, J. E. (2013). *Introduction - Biomaterials Science: An Evolving, Multidisciplinary Endeavor. Biomaterials Science: An Introduction to Materials: Third Edition* (Third Edit.). Elsevier. doi:10.1016/B978-0-08-087780-8.00153-4

Rodríguez, F. Á., & González. (2009). *Biomaterials in Orthopaedic Surgery* (Vol. 20). USA: ASM International.

Rujitanapanich, S., Kumpapan, P., & Wanjanoi, P. (2014). Synthesis of Hydroxyapatite from Oyster Shell via Precipitation. *Energy Procedia*, 56, 112–117. doi:10.1016/j.egypro.2014.07.138

Safarzadeh, M., Ramesh, S., Tan, C. Y., Chandran, H., Ching, Y. C., Fauzi, A., ... Teng, W. D. (2019). Sintering behaviour of carbonated hydroxyapatite prepared at different carbonate and phosphate. *Boletín de La Sociedad Española de Cerámica Y Vidrio*, 1–8. doi:10.1016/j.bsecv.2019.08.001

Sanosh, K. P., Chu, M. C., Balakrishnan, A., Kim, T. N., & Cho, S. J. (2009). Preparation and characterization of nano-hydroxyapatite powder using sol-gel technique. *Bulletin of Materials Science*, 32(5), 465–470. doi:10.1007/s12034-009-0069-x

Shu, C., Yanwei, W., Hong, L., Zhengzheng, P., & Kangde, Y. (2005). Synthesis of carbonated hydroxyapatite nanofibers by mechanochemical methods. *Ceramics International*, 31(1), 135–138. doi:10.1016/j.ceramint.2004.04.012

Slosarczyk, A., Paszkiewicz, Z., & Czesława Paluszkiewicz, B. (2005). FTIR and

XRD evaluation of carbonated hydroxyapatite powders synthesized by wet methods, 747, 657–661. doi:10.1016/j.molstruc.2004.11.078

Solodyankina, A., Nikolaev, A., Frank-Kamenetskaya, O., & Golovanova, O. (2016). Synthesis and characterization of nanocrystalline apatites from solution modeling human blood. *Journal of Molecular Structure*, 1119, 484–489. doi:10.1016/j.molstruc.2016.04.080

Supangat, D. and S. E. C. (2017). SYNTHESIS AND CHARACTERIZATION OF HYDROXYAPATITE OF CRABS SHELL (scylla serrata) BY WET APPLICATION METHOD Dicky Supangat * and Sari Edi Cahyaningrum, 6(3), 143–149.

Surbakti, A., Oley, M. C., & Prasetyo, E. (2017). Perbandingan antara penggunaan karbonat apatit dan hidroksi apatit pada proses penutupan defek kalvaria dengan menggunakan plasma kaya trombosit. *Jurnal Biomedik (JBM)*, Volume 9, , 107–114.

Venkatesh, D., Siva Ram Prasad, M., Rajesh Babu, B., Ramesh, K. V., & Trinath, K. (2015). Effect of sintering temperature on the micro strain and magnetic properties of Ni-Zn nanoferrites. *Journal of Magnetism*, 20(3), 229–240. doi:10.4283/JMAG.2015.20.3.229

Wong, W. Y., & Noor, A.-F. M. (2016). Synthesis and Sintering-wet Carbonation of Nano-sized Carbonated Hydroxyapatite. *Procedia Chemistry*, 19, 98–105. doi:10.1016/j.proche.2016.03.121

Yang, W. H., Xi, X. F., Li, J. F., & Cai, K. Y. (2013). Comparison of crystal structure between carbonated hydroxyapatite and natural bone apatite with theoretical calculation. *Asian Journal of Chemistry*, 25(7), 3673–3678. doi:10.14233/ajchem.2013.13709

Zhou, W. Y., Lee, S. H., Wang, M., Cheung, W. L., & Ip, W. Y. (2008). Selective laser sintering of porous tissue engineering scaffolds from poly(L-lactide)/carbonated hydroxyapatite nanocomposite microspheres. *Journal of Materials Science: Materials in Medicine*, 19(7), 2535–2540. doi:10.1007/s10856-007-3089-3