

DAFTAR PUSTAKA

- [1] T. J. Post, "Indonesia now upper middle-income country, World Bank says," *The Jakarta Post*.
<https://www.thejakartapost.com/news/2020/07/02/indonesia-now-upper-middle-income-country-world-bank-says.html> (accessed Jan. 10, 2021).
- [2] 1615 L. St NW, Suite 800 Washington, and D. 20036 USA 202-419-4300 | M.-857-8562 | F.-419-4372 | M. Inquiries, "The middle class is large in many Western European countries, but is losing ground in others," *Pew Research Center's Global Attitudes Project*, Apr. 24, 2017.
<https://www.pewresearch.org/global/2017/04/24/the-middle-class-is-large-in-many-western-european-countries-but-it-is-losing-ground-in-places/> (accessed Jan. 10, 2021).
- [3] K. C. Media, "Kedelai Impor Mahal, Harga Tahu Tempe di Jakarta Naik hingga 20 Persen," *KOMPAS.com*.
<https://megapolitan.kompas.com/read/2021/01/04/22544271/kedelai-impor-mahal-harga-tahu-tempe-di-jakarta-naik-hingga-20-persen> (accessed Jan. 10, 2021).
- [4] "Badan Pusat Statistik." <https://www.bps.go.id/indicator/53/1498/1/luas-panen-produksi-dan-produktivitas-padi-menurut-provinsi.html> (accessed Jan. 10, 2021).
- [5] antaranews.com, "75,25 hektare sawah di Pariaman diserang hama wereng," *Antara News*, Dec. 01, 2020.
<https://www.antaranews.com/berita/1869168/7525-hektare-sawah-di-pariaman-diserang-hama-wereng> (accessed Jan. 10, 2021).
- [6] K. C. Media, "Diserang Hama Wereng, 63 Hektar Sawah di Tegal Gagal Panen Halaman all," *KOMPAS.com*.
<https://regional.kompas.com/read/2020/11/18/17470801/diseraang-hama-wereng-63-hektar-sawah-di-tegal-gagal-panen> (accessed Jan. 10, 2021).
- [7] S. Ashwan, "100 Ha Sawah di Kulon Progo Diserang Hama Wereng Cokelat," *detiknews*. <https://news.detik.com/berita-jawa-tengah/d->

5001420/100-ha-sawah-di-kulon-progo-diserang-hama-wereng-cokelat
(accessed Jan. 10, 2021).

- [8] A. N. Agency, "Puluhan hektare sawah petani Rejanglebong diserang tungro," *ANTARA News Bengkulu*.
<https://bengkulu.antaranews.com/berita/38043/puluhan-hektare-sawah-petani-rejanglebong-diserang-tungro> (accessed Jan. 10, 2021).
- [9] J. Sueur, T. Aubin, and C. Simonis, "SEEWAVE, A FREE MODULAR TOOL FOR SOUND ANALYSIS AND SYNTHESIS," *Bioacoustics*, vol. 18, no. 2, pp. 213–226, Jan. 2008, doi: 10.1080/09524622.2008.9753600.
- [10] R. S. Sousa-Lima *et al.*, "What do insects, anurans, birds, and mammals have to say about soundscape indices in a tropical savanna," *J. Ecoacoustics*, vol. 2, no. 1, pp. 1–1, Feb. 2018, doi: 10.22261/jea.pvh6yz.
- [11] C. Mammides, E. Goodale, S. K. Dayananda, L. Kang, and J. Chen, "Do acoustic indices correlate with bird diversity? Insights from two biodiverse regions in Yunnan Province, south China," *Ecol. Indic.*, vol. 82, pp. 470–477, Nov. 2017, doi: 10.1016/j.ecolind.2017.07.017.
- [12] R. B. Machado, L. Aguiar, and G. Jones, "Do acoustic indices reflect the characteristics of bird communities in the savannas of Central Brazil?," *Landsc. Urban Plan.*, vol. 162, pp. 36–43, Jun. 2017, doi: 10.1016/j.landurbplan.2017.01.014.
- [13] A. Eldridge, P. Guyot, P. Moscoso, A. Johnston, Y. Eyre-Walker, and M. Peck, "Sounding out ecoacoustic metrics: Avian species richness is predicted by acoustic indices in temperate but not tropical habitats," *Ecol. Indic.*, vol. 95, pp. 939–952, Dec. 2018, doi: 10.1016/j.ecolind.2018.06.012.
- [14] J. Sueur, S. Pavoine, O. Hamerlynck, and S. Duvail, "Rapid Acoustic Survey for Biodiversity Appraisal," *PLoS ONE*, vol. 3, no. 12, p. e4065, Dec. 2008, doi: 10.1371/journal.pone.0004065.
- [15] L. J. Villanueva-Rivera, B. C. Pijanowski, J. Doucette, and B. Pekin, "A primer of acoustic analysis for landscape ecologists," *Landsc. Ecol.*, vol. 26, no. 9, pp. 1233–1246, Nov. 2011, doi: 10.1007/s10980-011-9636-9.

- [16] N. T. Boelman, G. P. Asner, P. J. Hart, and R. E. Martin, "MULTI-TROPHIC INVASION RESISTANCE IN HAWAII: BIOACOUSTICS, FIELD SURVEYS, AND AIRBORNE REMOTE SENSING," *Ecol. Appl.*, vol. 17, no. 8, pp. 2137–2144, Dec. 2007, doi: 10.1890/07-0004.1.
- [17] E. P. Kasten, S. H. Gage, J. Fox, and W. Joo, "The remote environmental assessment laboratory's acoustic library: An archive for studying soundscape ecology," *Ecol. Inform.*, vol. 12, pp. 50–67, Nov. 2012, doi: 10.1016/j.ecoinf.2012.08.001.
- [18] S. M. Matsuoka *et al.*, "Reviving common standards in point-count surveys for broad inference across studies," *The Condor*, vol. 116, no. 4, pp. 599–608, 2014.
- [19] M. Depraetere, S. Pavoine, F. Jiguet, A. Gasc, S. Duvail, and J. Sueur, "Monitoring animal diversity using acoustic indices: Implementation in a temperate woodland," *Ecol. Indic.*, vol. 13, no. 1, pp. 46–54, Feb. 2012, doi: 10.1016/j.ecolind.2011.05.006.
- [20] J. Sueur, A. Farina, A. Gasc, N. Pieretti, and S. Pavoine, "Acoustic Indices for Biodiversity Assessment and Landscape Investigation," *Acta Acust. United Acust.*, vol. 100, no. 4, pp. 772–781, Jul. 2014, doi: 10.3813/AAA.918757.
- [21] A. P. Nugroho, Suputa, and S. S. Utami, "Development of cloud-based bioacoustics monitoring system for supporting Integrated Pest Management in agriculture production," *IOP Conf. Ser. Earth Environ. Sci.*, vol. 449, p. 012032, Apr. 2020, doi: 10.1088/1755-1315/449/1/012032.
- [22] F. C. Jorge, C. G. Machado, S. S. da Cunha Nogueira, and S. L. G. Nogueira-Filho, "The effectiveness of acoustic indices for forest monitoring in Atlantic rainforest fragments," *Ecol. Indic.*, vol. 91, pp. 71–76, Aug. 2018, doi: 10.1016/j.ecolind.2018.04.001.
- [23] B. C. Pijanowski *et al.*, "Soundscape Ecology: The Science of Sound in the Landscape," *Bioscience*, vol. 61, no. 3, pp. 203–216, 2011, doi: 10.1525/bio.2011.61.3.6.

- [24] J. Watkins and J. Montgomery, "Acoustic index-based models for determining time of day in long duration environmental audio recordings," *Ecol. Indic.*, vol. 117, p. 106524, Oct. 2020, doi: 10.1016/j.ecolind.2020.106524.
- [25] M. Papin, M. Aznar, E. Germain, F. Gu  r  ld, and J. Pichenot, "Using acoustic indices to estimate wolf pack size," *Ecol. Indic.*, vol. 103, pp. 202–211, Aug. 2019, doi: 10.1016/j.ecolind.2019.03.010.
- [26]   . Hammer and N. Barrett, "TECHNIQUES FOR STUDYING THE SPATIO-TEMPORAL DISTRIBUTION OF ANIMAL VOCALIZATIONS IN TROPICAL WET FORESTS," *Bioacoustics*, vol. 12, no. 1, pp. 21–35, Jan. 2001, doi: 10.1080/09524622.2001.9753476.
- [27] "Monitoring Biodiversity: Analysis of Amazonian Rainforest Sounds," p. 4, 2020.
- [28] G. Pavan, "Short field course on bioacoustics," p. 29, 2008.
- [29] A. Farina, *Soundscape ecology: Principles, patterns, methods and applications*. 2013, p. 315.
- [30] L. E. Kinsler, *Fundamental of acoustics*. John Wiley and Sons.
- [31] E. S. Morton, "Ecological Sources of Selection on Avian Sounds," *Am. Nat.*, vol. 109, no. 965, pp. 17–34, 1975.
- [32] B. C. Pijanowski, A. Farina, S. H. Gage, S. L. Dumyahn, and B. L. Krause, "What is soundscape ecology? An introduction and overview of an emerging new science," *Landsc. Ecol.*, vol. 26, no. 9, pp. 1213–1232, Nov. 2011, doi: 10.1007/s10980-011-9600-8.
- [33] I. F. Spellerberg and P. J. Fedor, "A tribute to Claude Shannon (1916-2001) and a plea for more rigorous use of species richness, species diversity and the 'Shannon-Wiener' Index: *On species richness and diversity*," *Glob. Ecol. Biogeogr.*, vol. 12, no. 3, pp. 177–179, May 2003, doi: 10.1046/j.1466-822X.2003.00015.x.
- [34] Hardjowigeno, S., Subagyo, H., dan Luthfi, R.M, *tanah sawah dan teknologi pengelolaannya*. Bogor: Pusat Penelitian Tanah dan Agroklimat. Departemen Pertanian, 2004.

- [35] N. Pieretti, M. H. L. Duarte, R. S. Sousa-Lima, M. Rodrigues, R. J. Young, and A. Farina, "Determining Temporal Sampling Schemes for Passive Acoustic Studies in Different Tropical Ecosystems:," *Trop. Conserv. Sci.*, Mar. 2015, doi: 10.1177/194008291500800117.
- [36] "Sound and Noise - Characteristics of Sound and the Decibel Scale."
https://www.epd.gov.hk/epd/noise_education/web/ENG_EPD_HTML/m1/intro_5.html (accessed Dec. 07, 2020).
- [37] G. R. Setyantho, "MENGUNGKAP NYANYIAN ALAM DI HUTAN TAMAN NASIONAL ALAS PURWO, JAWA TIMUR, MENGGUNAKAN SOUNDSCAPE," p. 177, Aug. 2017.