

## DAFTAR PUSTAKA

- Aguilar, K.C., Tello, F., Bierhalz, A.C.K., Garnica Romo, M.G., Martínez Flores, H.E., and Grosso, C.R.F., 2015, Protein Adsorption Onto Alginate-Pectin Microparticles and Films Produced by Ionic Gelation, *J. Food Eng.*, 154, 17–24.
- Alizadeh, N., Moemeni, A., and Shamsipur, M., 2002, Poly(Vinyl Chloride)-Membrane Ion-Selective Bulk Optode Based on 1,10-Dibenzyl-1,10-diaza-18-crown-6 and 1-(2-Pyridylazo)-2-naphthol for Cu<sup>2+</sup> and Pb<sup>2+</sup> Ions, *Anal. Chim. Acta*, 464(2), 187–196.
- Anonim, 2010, *Peraturan Menteri Kesehatan Republik Indonesia Nomor 492 Tahun 2010 tentang Persyaratan Kualitas Air Minum*.
- Anonim, 2014, *Peraturan Menteri Lingkungan Hidup Republik Indonesia Nomor 5 Tahun 2014 tentang Baku Mutu Air Limbah*.
- Araujo, P., 2009, Key Aspects of Analytical Method Validation and Linearity Evaluation, *J. Chromatogr. B*, 877(23), 2224–2234.
- Bai, X., Li, Y., Gu, H., and Hua, Z., 2015, Selective Colorimetric Sensing of Co<sup>2+</sup> and Cu<sup>2+</sup> using 1-(2-Pyridylazo)-2-naphthol Derivative Immobilized Polyvinyl Alcohol Microspheres, *RSC Adv.*, 5(94), 77217–77226.
- Beni, V., Ogurtsov, V.I., Bakunin, N.V., Arrigan, D.W.M., and Hill, M., 2005, Development of a Portable Electroanalytical System for the Stripping Voltammetry of Metals: Determination of Copper in Acetic Acid Soil Extracts, *Anal. Chim. Acta*, 552(1–2), 190–200.
- Brovchenko, I., Krukau, A., Smolin, N., Oleinikova, A., Geiger, A., and Winter, R., 2005, Cross-Linking Polymers – Alginate Worms, *Wear*, 59(22), 3–5.
- Çaykara, T., and Demirci, S., 2006, Preparation and Characterization of Blend Films of Poly(Vinyl Alcohol) and Sodium Alginate, *J. Macromol. Sci.*, 43, 1113–1121.
- Cheng, K.L., and Bray, R.H., 1955, 1-(2-Pyridylazo)-2-naphthol as a Possible Analytical Reagent, *Anal. Chem.*, 27(5), 782–785.
- Costa, M.J., Marques, A.M., Pastrana, L.M., Teixeira, J.A., Sillankorva, S.M., and Cerqueira, M.A., 2018, Physicochemical Properties of Alginate-Based Films: Effect of Ionic Crosslinking and Mannuronic and Guluronic Acid Ratio, *Food Hydrocoll.*, 81, 442–448.
- Cuppett, J.D., Duncan, S.E., and Dietrich, A.M., 2006, Evaluation of Copper Speciation and Water Quality Factors that Affect Aqueous Copper Tasting Response, *Chem. Senses*, 31(7), 689–697.
- Daemi, H., and Barikani, M., 2012, Synthesis and Characterization of Calcium Alginate Nanoparticles, Sodium Homopolymannuronate Salt and Its Calcium Nanoparticles, *Scientia Iranica*, 19(6), 2023–2028.

- Dave, R., and Madamwar, D., 2006, Esterification in Organic Solvents by Lipase Immobilized in Polymer of PVA-Alginate-Boric Acid, *Process Biochem.*, 41(4), 951–955.
- De Souza, J.C., Toci, A.T., Beluomini, M.A., and De Eiras, S.P., 2016, Spectrophotometric Determination of Copper(II) in Sugarcane Spirit using 1-(2-Pyridylazo)-2-naphthol and a Homogeneous Ternary Mixture of the Solvents Water, Ethanol and Methyl Isobutyl Ketone, *Rev. Virtual Quim.*, 8(3), 687–701.
- Deilamy-Rad, G., Asghari, K., and Tavallali, H., 2020, Development of a Reversible Indicator Displacement Assay Based on the 1-(2-Pyridylazo)-2-naphthol for Colorimetric Determination of Cysteine in Biological Samples and Its Application to Constructing the Paper Test Strips and a Molecular-Scale Set/Reset Me, *Appl. Biochem. Biotechnol.*, 192(1), 85–102.
- Eurachem, 1998, The Fitness for Purpose of Analytical Methods, *Eurachem Guide*, ISBN: 0-94948926-12-0.
- Fitriyah, A.W., Utomo, Y., dan Kusumaningrum, I.K., 2013, Analisis Kandungan Tembaga (Cu) dalam Air dan Sedimen di Sungai Surabaya, *Jurnal UM*, 2(1), 1-8.
- Gavrilenko, N.A., and Saranchina, N.V., 2009, Analytical Properties of 1-(2-Pyridylazo)-2-naphthol Immobilized on a Polymethacrylate Matrix, *J. Anal. Chem.*, 64(3), 226–230.
- Gholivand, M.B., Ahmadi, F., and Rafiee, E., 2007, Solid Phase Extraction and Determination of Ultra Trace Amounts of Copper using Activated Carbon Modified by N,N'-Bis(salicylidene)-1,2-phenylenediamine, *Separ. Sci. Technol.*, 42(4), 897–910.
- González, A.G., and Herrador, M.A., 2007, A Practical Guide to Analytical Method Validation, Including Measurement Uncertainty and Accuracy Profiles, *Trends Anal. Chem.*, 26(3), 227–238.
- Habibah, N., Hapsari, A.R., Suratman, A., and Siswanta, D., 2020, Development of Polyvinyl Alcohol-Sodium Alginate Beads as Immobilization Matrices of 1,5-Diphenylcarbazine for the Detection of Cr(VI), *J. Mater and Environ Sci.*, 11(2), 176–186.
- Harmita, H., 2004, Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya, *Maj. Ilmu Kefarmasian*, 1, 117-135.
- Harris, D.C., 2010, *Quantitative Chemical Analysis*, 8<sup>th</sup> Ed., W.H. Freeman and Company, New York.
- Hassan, C.M., and Peppas, N.A., 2000, Structure and Applications of Poly(Vinyl Alcohol) Hydrogels Produced by Conventional Crosslinking or by Freezing/Thawing Methods, *Adv. Polym. Sci.*, 153, 37–65.
- Hua, S., Ma, H., Li, X., Yang, H., and Wang, A., 2010, pH-Sensitive Sodium Alginate/Poly(Vinyl Alcohol) Hydrogel Beads Prepared by Combined Ca<sup>2+</sup>

- Crosslinking and Freeze-Thawing Cycles for Controlled Release of Diclofenac Sodium, *Int. J. Biol. Macromol.*, 46(5), 517–523.
- Hussein, K. B., 2008, Preparation and Characterization of Trivalent Lanthanide Ion Complexes with Tridentate Mono Azo Ligand, *Wasit J. Sains Medic.*, 21(1), 31–34.
- Idris, A., Misran, E., and Mohd Yusof, N., 2012, Photocatalytic Reduction of Cr(VI) by PVA-Alginate Encapsulated  $\gamma\text{Fe}_2\text{O}_3$  Magnetic Beads using Different Types of Illumination Lamp and Light, *J. Ind. Eng. Chem.*, 18(6), 2151–2156.
- Kuswandi, B., 2008, *Sensor Kimia Teori, Praktek & Aplikasi*, Kimia Farmasi Universitas Jember, Jember.
- Li, Z., Zhang, L., Zang, Z., Chang, X., and Zou, X., 2010, Attapulgit Modified With 2-Hydroxy-1-naphthaldehyde as Selective Solid-Phase Extractant for Determination of Copper(II) in Environmental Samples by ICP-OES, *Microchim. Acta*, 171(1), 161–168.
- Lou, T., Chen, L., Chen, Z., Wang, Y., Chen, L., and Li, J., 2011, Colorimetric Detection of Trace Copper Ions Based on Catalytic Leaching of Silver-Coated Gold Nanoparticles, *ACS Appl. Mater. Interfaces*, 3(11), 4215–4220.
- Mansur, H.S., Sadahira, C.M., Souza, A.N., and Mansur, A.A.P., 2008, FTIR Spectroscopy Characterization of Poly (Vinyl Alcohol) Hydrogel With Different Hydrolysis Degree and Chemically Crosslinked With Glutaraldehyde, *Mater. Sci. Eng. C*, 28(4), 539–548.
- Moersilah, Siswanta, D., Roto, R., and Mudasir, 2017, PAN-Immobilized PVC-NPOE Membrane for Environmentally Friendly Sensing of Cd(II) Ions, *Indones. J. Chem.*, 17(1), 1–6.
- Mohadesi, A., and Taher, M. A., 2007, Voltammetric Determination of Cu(II) in Natural Waters and Human Hair at a Meso-2,3-dimercaptosuccinic Acid Self-Assembled Gold Electrode, *Talanta*, 72(1), 95–100.
- Murthy, Y.L.N., Govindh, B., Diwakar, B.S., Nagalakshmi, K., and Singh, R., 2011, A Simple Inexpensive Detection Method of Nickel in Water using Optical Sensor, *Int. J. ChemTech Res.*, 3(3), 1285–1291.
- Nešić, A., Onjia, A., Davidović, S., Dimitrijević, S., Errico, M. E., Santagata, G., and Malinconico, M., 2017, Design of Pectin-Sodium Alginate Based Films for Potential Healthcare Application: Study of Chemico-Physical Interactions Between the Components of Films and Assessment of Their Antimicrobial Activity, *Carbohydr. Polym.*, 157, 981–990.
- Onishi, H., 1986, *Photometric Determination of Traces of Metals, Part 2A: Individual Metals, Aluminum to Lithium*, 4<sup>th</sup> Ed., Wiley.
- Palar, H., 2004, *Pencemaran dan Toksikologi Logam Berat*, Rineka Cipta, Jakarta.

- Pavia, D.L., Lampman, G.M., and Kriz, G.S., 2014, *Introduction to Spectroscopy*, 3<sup>th</sup> Ed., Thomson Learning Inc., Washington.
- Peters, F.T., Drummer, O.H., and Musshoff, F., 2007, Validation of New Methods, *Forensic Sci. Int.*, 165(2–3), 216–224.
- Pourreza, N., and Hoveizavi, R., 2005, Simultaneous Preconcentration of Cu, Fe and Pb as Methylthymol Blue Complexes on Naphthalene Adsorbent and Flame Atomic Absorption Determination, *Anal. Chim. Acta*, 549(1–2), 124–128.
- Rachou, J., Gagnon, C., and Sauvé, S., 2007, Use of an Ion-Selective Electrode for Free Copper Measurements in Low Salinity and Low Ionic Strength Matrices, *Envir. Chem.*, 4(2), 90–97.
- Riyanto, P.D., 2014, *Validasi & Verifikasi Metode Uji Sesuai dengan ISO/IEC 17025 Laboratorium Pengujian dan Kalibrasi*, 1–154.
- Rouis, A., Darbost, U., Bonnamour, I., and Ouada, H. Ben., 2015, Development and Characterization of a Copper Ion-Selective Optical Sensor Based on a Novel Calix[4]dicyano-diimidazole Thin Film, *Mater. Chem. Phys.*, 164, 145–149.
- Shar, G.A., and Soomro, G.A., 2004, Spectrophotometric Determination of Cobalt(II), Nickel(II) and Copper(II) with 1-(2-Pyridylazo)-2-Naphthol in Micellar Medium, *The Nucleus*, 41(1–4), 77–82.
- Sharif, T., Niaz, A., Najeeb, M., Zaman, M.I., Ihsan, M., and Sirajuddin, 2015, Isonicotinic Acid Hydrazide-Based Silver Nanoparticles as Simple Colorimetric Sensor for the Detection of Cr<sup>3+</sup>, *Sensors Actuators, B Chem.*, 216, 402–408.
- Shen, W., and Hsieh, Y.Lo., 2014, Biocompatible Sodium Alginate Fibers by Aqueous Processing and Physical Crosslinking, *Carbohydrate Polymers.*, 102(1), 893–900.
- Silverstein, R.M., Webster, F.X., and Kiemle, D.J., 2005, *Spectrometric Identification of Organic Compounds*, 7<sup>th</sup> Ed., John Wiley and Sons Inc., New York.
- Sionkowska, A., 2011, Current Research on the Blends of Natural and Synthetic Polymers as New Biomaterials: Review, *Prog. Polym. Sci.*, 36(9), 1254–1276.
- Socrates, G., 2004, *Infrared and Raman Characteristic Group Frequencies: Tables and Charts*, 3<sup>rd</sup> Ed., John Wiley and Sons, New York.
- Soleimani, M., and Afshar, M.G., 2013, Potentiometric Sensor for Trace Level Analysis of Copper Based on Carbon Paste Electrode Modified with Multi-Walled Carbon Nanotubes, *Int. J. Electrochem. Sci.*, 8(6), 8719–8729.
- Sombatsri, S., Wittayakun, J., Sanai, K., Kajsanthia, K., and Prayoonpokarach, S., 2012, An Optical Sensing Film for the Determination of Co(II) Based on

- Disodium-1-nitroso-2-naphthol-3,6-disulfonate Immobilized in Chitosan Film, *Sensors and Actuat, B: Chem.*, 166–167, 772–776.
- Soylak, M., and Kiranartligiller, E., 2017, A Simple Vortex-Assisted Dispersive Liquid–Liquid Microextraction System for Copper(II) to Preconcentration and Separation from Natural Water and Table Salt Samples, *J. Science and Eng.*, 42(1), 175–181.
- Steinberg, I.M., Lobnik, A., and Wolfbeis, O.S., 2003, Characterisation of an Optical Sensor Membrane Based on the Metal Ion Indicator Pyrocatechol Violet, *Sensors and Actuat, B: Chem.*, 90(1–3), 230–235.
- Sud, D., Mahajan, G., and Kaur, M.P., 2008, Agricultural Waste Material as Potential Adsorbent for Sequestering Heavy Metal Ions from Aqueous Solution, *Bioresour. Technol.*, 99(14), 6017–6027.
- Sun, X., and Uyama, H., 2013, A Poly(Vinyl Alcohol)/Sodium Alginate Blend Monolith with Nanoscale Porous Structure, *Nano. Res. Lett.*, 8(1), 1–5.
- Susanto, N.C.A., 2015, Pembuatan Beads  $\nu\kappa$ -Karaginan sebagai Deteksi Kolorimetri Logam Fe dengan Imobilisasi Fenantrolin, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Tarun, K., and Gobi, N., 2012, Calcium Alginate/PVA Blended Nano Fibre Matrix for Wound Dressing, *Indian J. Fibre Text. Res.*, 37(2), 127–132.
- Taverniers, I., De Loose, M., and Van Bockstaele, E., 2004, Trends in Quality in the Analytical Laboratory II. Analytical Method Validation and Quality Assurance, *Trends Anal. Chem.*, 23(8), 535-552.
- World Health Organization, 1990, *IARC Monographs on The Evaluation of Carcinogenic Risks to Humans*, France: International Agency for Research on Cancer.
- Yang, B., Tong, X., Deng, Z., and Lv, X., 2016, The Adsorption of Cu Species Onto Pyrite Surface and Its Effect on Pyrite Flotation, *J. Chem.*, 2–9.
- Yun, J., and Choi, H., 2000, Micellar Colorimetric Determination of Iron, Cobalt, Nickel and Copper using 1-Nitroso-2-naphthol, *Talanta*, 52(5), 893–902.
- Zain, N.A.M., Suhaimi, M.S., and Idris, A., 2011, Development and Modification of PVA-Alginate as a Suitable Immobilization Matrix, *Process Biochem.*, 46(11), 2122–2129.