



DAFTAR PUSTAKA

- Achouri, I.E., Abatzoglou, N., Fauteux-lefebvre, C., and Braidy, N., 2013, Diesel steam reforming : Comparison of two nickel aluminate catalysts prepared by wet-impregnation and co-precipitation, *Catal. Today*, 207, 13–20.
- Afdal dan Niarti, L., 2013, Karakterisasi sifat magnet dan kandungan mineral pasir besi sungai Batang Kurangi Padang Sumatera Barat, *J.I.F.*, 5(1), 24-30.
- Ahmadi, S., Yuan, Z., Rohani, S., and Xu, C.C., 2015, Effects of nano-structured CoMo catalysts on hydrodeoxygenation of fast pyrolysis oil in supercritical ethanol, *Catal. Today*, 269, 182-194.
- Alemán-vázquez, L.O., Hernández-pérez, F., Cano-domínguez, J.L., Rodríguez-hernández, A., and García-gutiérrez, J.L., 2014, Binder effect on the catalytic activity of MoO₃ bulk catalyst reduced by H₂ for n-heptane hydroisomerization, *Fuel*, 117, 463–469.
- Alimin, Maryono, dan Putri S.E., 2016, Analisis kandungan mineral pasir pantai Losari kota Makassar menggunakan XRF dan XRD, *J. Chemica*, 172, 19-23.
- Ameen, M., Azizan, M. T., Ramli, A., Yusup, S., and Abdullah, B., 2020, The effect of metal loading over Ni/γ-Al₂O₃ and Mo/γ-Al₂O₃ catalysts on reaction routes of hydrodeoxygenation of rubber seed oil for green diesel production, *Catal. Today*, 355, 51-64.
- Anand M., Sibi M.G., Verma D., and Sinha A.K., 2014, Anomalous hydrocracking of triglycerides over CoMo-catalyst–influence of reaction intermediets, *J. Chem. Sci.*, 126(2), 473-480.
- Ansori, C., 2013, Mengoptimalkan perolehan mineral magnetik pada proses separasi magnetik pasir besi pantai selatan kabupaten Kebumen Jawa Tengah, *Jurnal TekMIRA*, 9(3), 145-156.
- Azhari dan Aziz, M., 2016, Sintesis dan karakterisasi material berpori berbasis mineral silika pulau Belitung, *Jurnal TekMIRA*, 12(3), 161-170.
- Ballesteros-Plata, D., Infates-Molina, A., and Rodriguez-Castelon, 2019, Study of bifunctionality of Pt/SBA-15 catalysts for HDO of dibenzofuran reaction: Addition of Mo or use of an acidic support, *Applied Catalysts A, General*, 580, 93-101.
- Cao, X., Li, L., Yu, S., Liu, S., Wu, Q., and Ragauskas, A.J., 2019, Catalytic conversion of waste cooking oils using In-situ coating metal oxide on SBA-15 as heterogenous catalyst, *J. Anal. Appl. Pyrolysis.*, 138, 137-144.
- Cardoso, L. C., Almeida, F. N. C., Souza, G. K., Asanome, I. Y., and Pereira, N. C., 2019, Synthesis and optimization of ethyl esters from fish oil waste for biodiesel production, *Renew. Energ.*, 133, 743-748.
- Chang, F., Kuo, W., and Yang, H., 2005, Preparation of Cr₂O₃-promoted copper catalysts on rice husk ash by incipient wetness impregnation, *Applied Catalysis A: General*, 288, 53-61.
- Chaudhary, V., and Sharma, S., 2017, An overview of ordered mesoporous material SBA-15: synthesis, functionalization and application in oxidation reactions, *J. Porous Mater.*, 24, 741-749.



- Cheng, S., Wei, L., Julson, J., and Rabnawaz, M., 2017, Upgrading pyrolysis bio-oil through hydrodeoxygenation (HDO) using non-sulfided Fe-Co/SiO₂ catalyst, *Energy Conv. Manag.*, 150, 331-342.
- Chiang, H., Wu, T., and Zeng, L., 2019, Carbon material formation residue characteristic of SBA-15 and nickel impregnated SBA-15 as exemplified by acetone decomposition, *Microporous and Mesoporous Mater.*, 279, 286-292.
- Chong, S., Zhang, G., Zhang, N., Liu, Y., Zhu, J., Huang, T., and Fang, S., 2016, Preparation of FeCeO_x by ultrasonic impregnation method for heterogeneous fenton degradation of diclofenac, *Ultrason. Sonochem.*, 32, 231-240.
- Dewi, T. K., Mediana, M., dan Hidayati, N., 2014, Pengaruh suhu pada Hydrocracking oli bekas menggunakan katalis Cr/ZZA, *JTK*, 20 (2), 64-69.
- Dhar, G. M., Kumaran, G. M., Kumar, M., Rawat, K. S., Sharma, L. D., Raju, B. D., and Rao, K. S. R., 2005, Physico-chemical characterization and catalysis on SBA-15 supported molybdenum hydrotreating catalysts, *Catal. Today*, 99, 309-314.
- Dik, P. P., Danilova, I.G., Golubev, I. S., Kazakov, M. O., Nadeina, K. A., Budukva, S. V., Pereyma, V. Y., Klimov, O. V., Prosvirin, I. P., Gerasimov E. Y., Bok, T. O., Dobryakova, I. V., Knyazeva, E. E., Ivanova, I. I., and Noskov, A. S., 2019, Hydrocracking of vacuum gas oil over NiMo/zeolite-Al₂O₃: Influence of zeolite properties, *Fuel*, 237, 178-190.
- Dong, Y., Ren, X., Wang, M., He, Q., Chang, L., and Bao, W., 2013, Effect of impregnation methods on sorbents made from lignite for desulfurization at middle temperature, *J. Energy Chem.*, 22, 783-789.
- Fan, L., Cheng, D., Chen, F., and Zhan, X., 2019, Preparation of highly dispersed iron species over ZSM-5 with enhanced metal-support interaction through freeze-drying impregnation, *Chinese J. Catal.*, 40, 1109-1115.
- Felix, G., and Ancheyta, 2019, Comparison of hydrocracking kinetic models based on SARA fractions obtained in slurry-phase reactor, *Fuel*, 241, 495-505.
- Fitriani dan Nurulhuda, 2018, Pemurnian minyak goreng bekas menggunakan adsorben biji alpukat teraktivasi, *JPMIPA*, 9(2), 65-75.
- Galadima, A., dan Muraza, O., 2015, Catalytic upgrading of vegetable oils into jet fuels range hydrocarbons using heterogeneous catalysts : A review, *J. Ind. Eng. Chem.*, 29, 12-23.
- Ghosh, B. K., Hazra, S., Naik, B., and Ghosh, N. N., 2015, Preparation of Cu nanoparticle loaded SBA-15 and their excellent catalytic activity in reduction of variety of dyes, *Powder Technol.*, 209, 371-378.
- Goncalves, V. O. O., Ciotenea, C., Arii-Clacens, S., Guignard, N., Roudaut, CC., Rousseau, J., Clacens, J., Royer, S., and Richard, F., 2017, Effect of the support on the hydrodeoxygenation of M-cresol over molybdenum acide based catalysts, *Appl. Catal. B*, 214, 57-66.
- Hadi, S., Munasir, M., dan Triwankantoro, T., 2011, Sintesis Silika Berbasis Pasir Alam Bancar Menggunakan Metode Kopresipitasi, *J. Fis dan Apal.*, 7(2), 110202-1-110202-4.
- Hajar, E. W. I., dan Mufidah, S., 2016, Penurunan asam lemak bebas pada minyak goreng bekas menggunakan ampas tebu untuk pembuatan sabun, *JIP*, 6(1), 22-27.



- Hakiki, A., Boukoussa, B., Zahmani, H. H., Hamacha, R., Abdelkader, N. H. H., Bekkar, F., Bettahar, F., Nunes-Beltrao, A. P., Hacini, S., Bengueddach, A., and Azzouz, A., 2018, Synthesis and characterization of mesoporous silica SBA-15 functionalized by mono-, di-, and tri-amine and its catalytic behavior towards Michael addition, *Mater. Chem. Phys.*, 212, 415-425.
- Hazrat, M. A., Rasul, M.G., Khan, M. M. K., Ashwath, N., and Rufford, T.E., 2019, Emission characteristic of waste tallow and waste cooking oil based ternary biodiesel fuels, *Energy Procedia* 160, 842-847.
- Heri, J., Yuningtyastuti, dan Syakur, A., 2012, Studi arus bocor permukaan bahan isolasi resin epoksi silane dengan variasi pengisi pasir silika (dengan polutan pantai), *J. Transmisi*, 14(1), 20-37.
- HS, S., 2013, Pembuatan dan uji kualitas biodiesel dari minyak jelantah, *J. Teknosains*, 7 (2), 209-218.
- Huyen, P. T., Nam, L. T. H., Vinh, T. Q., Martinez, C., and Parvulescu, V. I., 2018, ZSM-5/SBA-15 versus Al-SBA-15 as Support for the hydrocracking/ hydroisomerization of alkanes, *Catal. Today*, 306, 121-127.
- Irzoni, R., 2018, Komposisi kimia pasir pantai di selatan Kulon Progo dan implikasi terhadap *provenance*, *JGSM*, 19(1), 31-45
- Jiang, B., Zhu, T., Song, H., and Li, F., 2019, Hydrodeoxygenation and hydrodesulfurization over Fe promoted Ni₂P/SBA-15 catalyst, *J. Alloys Compd.*, 806, 254-262.
- Jung, S., Lu, C., He, H., Ahn, K., Gorte, R. J., and Vohs, J. M., 2006, Influence of composition and Cu impregnation method on the performance of Cu/CeO₂/YSZ SOFC anodes, *J. Power Sources*, 154, 42-50.
- Kataria, J., Mohapatra, S.K., and Kundu, K., 2019, Biodiesel production form waste cooking oil using heterogenous catalysts and its operational characteristics on variable compression ratio CI engine, *J. Energy Inst.*, 92, 275-287.
- Khodadadi, M. R., Malpartida, I., Tsang, C., Lin, C. S. K., Len, C., 2020, Recent advances on the catalytic conversion of waste cooking oil, *Mol Catal.*, 494, 111128.
- Kim, H., Kang, B., Kim, M., Park, Y. M., Kim, D., Lee, J., and Lee, K., 2004, Transesterification of vegetable oil to biodiesel using heterogeneous base catalyst, *Catal. Today*, 93-95, 315-320.
- Kim, K., dan Lee, Y., 2019, Active phase of dispersed MoS₂ catalysts for slurry phase hydrocracking of vacuum residue, *J. Catal.*, 369, 111-121.
- Kubickova, I., Kubicka, D., 2010 Utilization of triglycerides and related feedstocks for production of clean hydrocarbon fuels and petrochemicals : A review, *Waste Biomass Valor.*, 1, 293-308.
- Kusumastuti, H., Trisunaryanti, W., Falah, I. I., and Marsuki, M. F., 2018, Synthesis of mesoporous silica-alumina from lapindo mud as a support of Ni and Mo metals catalysts for hydrocracking of pyrolyzed α -cellulose, *Rasayan J. Chem.*, 11(2), 522-530.
- Lam, S. S., Mahari, W. A. W., Cheng, C. K., Omar, R., Chong, C. T., and Chase, H. A., 2016, Recovery of diesel-like fuel from waste palm oil by pyrolysis using microwave heated bed of activated carbon, *Energy*, 115, 791-799.



- Le, T. A., Kang, J.K., and Park, E.D., 2019, Active Ni/SiO₂ catalysts with high content for benzene hydrogenation and Co methanation, *Applied Catalysis A, General*, 581, 67-73.
- Li, X., Luo, X., Jin, Y., Li, J., Zhang, H., Zhang, A., and Xie, J., 2018, Heterogeneous sulfur-free hydrodeoxygenation catalysts for selectively upgrading the renewable bio-oils to second generation biofuels, *Renew. Sust. Energ. Rev.*, 82, 3762-3797.
- Liu, B., and Wang, D., 2018, A DFT study on the selective oxidation of ethane over pure SBA-15 and SBA-15-supported vanadium oxide, *Kinet. Catal.*, 59(4), 430-441.
- Lu, C., Yang, H., Wang, J., Tan, Q., and Fu, L., 2020, Utilization of iron tailings to prepare high-surface area mesoporous silica materials, *Sci. Total Environ.*, 736, 139483.
- Lusiana, A., Toifur, M., Rohman, F., 2014, Uji sifat magnetik pasir pantai melalui penentuan permeabilitas relatif menggunakan *logger pro*, *J. Fis.*, 2014, 4(2), 78-82.
- Maimun, T., Arahman, N., Hsb, A. F., dan Rahayu, P., 2017, Penghambatan peningkatan kadar asam lemak bebas (free fatty acid) pada buah kelapa sawit dengan menggunakan asap cair, *JTIPI*, 09 (02), 44-49.
- Marsuki, M. F., 2017, Sintesis katalis Co, Mo, CoMo dan MoCo dengan pengembangan silika alumina mesopori dari lumpur Lapindo menggunakan cetakan gelatin tulang ikan lele untuk hidrorengkah minyak pirolisis α-selulosa, *Tesis*, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam UGM, Yogyakarta.
- Medina-Mendoza, A. K., Angeles-Chavez, C., Cortes-Jacome, M., A., and Toledo-Antonio, J., A., 2019, Structural analysis of a Pt – Pd core-shell/Al-SBA-15 catalyst synthesized by the solid-state impregnation route, *Mater. Chem. Phys.*, 228, 303-309.
- Mirzayanti, Y. W., Kurniawansyah, F., Prajitno, D. H., and Roesyadi, A., 2018, Zn-Mo/HZSM catalyst for gasoil range hydrocarbon production by catalytic hydrocracking of *Ceiba pentandra oil*, *Bull. Chem. React. Eng. Catal.*, 13(1), 136-143.
- Mohadesi, M., Aghel, B., Maleki, M., and Ansari, A., 2019, Production of biodiesel from waste cooking oil using a homogeneous catalyst: Study of semi-industrial pilot of microreactor, *Renew. Energ.*, 136, 677-682.
- Munir, D., Irfan, M. F., and Usman, M.R, 2018, Hydrocracking of virgin and waste plastics: A detailed review, *Renew. Sust. Energ. Rev.*, 90, 490-515.
- Noviadi, Y., dan Setiady, D., 2020, Sedimentasi pasir sepanjang pantai Kulon Progo, Daerah Istimewa Yogyakarta, *JGK.*, 18(1), 63-72.
- Nurhaningtyas, K. D., Trisunaryanti, W., Triyono, dan Nuryono, 2012, Preliminary study of catalytic activity of the non sulfide catalyst CoMo/USY to HDS reaction of thiophen 2nd, *ITB Catalysis Symposium*, Bandung, ITB.
- Ooi, X. Y., Gao, W., Ong, C. H., Lee, H. V., Juan, J. C., Chen, W. H., and Lee, K. T., 2019, Overview on catalytic deoxygenation for biofuel synthesis using metal oxide supported catalysts, *Renew Sust Energ Rev*, 112, 834-852.



- Peng, H., Min, L., Qiu-lian, C., 2020 $\text{MoO}_3/\text{Al-SBA-15}$ modified catalyst and its application in coal tar hydrocracking, *J. Fuel Chem. Technol.*, 48(9), 1079-1086
- Permata, M. L., Trisunaryanti, W., Falah, I. I., Hapsari, M. T., and Fatmawati, D. A., 2020, The effect of nickel content impregnated on zeolite toward catalytic activity and selectivity for hydrotreating of cashew nut shell liquid oil *Rasayan J. Chem.*, 13(1), 772-779.
- Pongsedana, M., Trisunaryanti, W., Artanti, F. W., Falah, I. I., and Sutarno, 2017, Hydrocracking of waste lubricant into gasoline fraction over CoMo supported on mesoporous carbon from bovine bone gelatin, *Korean J. Chem.*, 34, 2591-2596.
- Prasomsri, T., Nimmanwwudipong, T., and Roman-Leshkov, Y., 2013, Effective hydrodeoxygenation of biomass-derived oxygenates into unsaturated hydrocarbons by MoO_3 using low H_2 pressures, *Energy Environ. Sci.*, 6, 1733-1738.
- Precelia, S. W., Subagyono, R. R. D. J. N., dan Saleh, C., 2018, Sintesis silika mesopori dari abu daun bambu petung (*Dendrocalamus asper*), *J. Atom.*, 03(1), 61-67.
- Rakhman, A. N., 2013, Rekayasa geomedis pemanfaatan pasir pantai di pantai Parangtritis dan sekitarnya, kecamatan Kretek kabupaten Bantul, Daerah Istimewa Yogyakarta, *J. Tekno. Techoscientia*, 6(1), 21-31.
- Ramesh, A., Tamizhdurai, P., Krishnan, P. S., Ponnusamy, V. K., Sakthinathan, S., and Shanthi, K., 2020, Catalytic transformation of non-edible oils to biofuels through hydrodeoxygenation using Mo-Ni/mesoporous alumina-silica catalysts, *Fuel*, 262, 116494.
- Rio, E., Gaona, D., Hernandez-Garrido, J. C., Calvino, J. J., Basallote, M. G., Fernandez-Trujillo, M. J., Perez-Omil, J. A., and Gatica, J. M., 2014, Speciation-controlled incipient wetness impregnation: A rational synthetic approach to prepare sub-nanosized and highly active ceria-zirconia supported gold catalysts, *J. Catal.*, 318, 119-127.
- Rodiansono and Trisunaryanti, W., 2005, Activity test and regeneration of Ni/Mo/Z catalyst for hydrocracking waste plastic fraction to gasoline fraction, *Indones. J. Chem.*, 5(3), 261-268.
- Rosdiansono, Trisunaryanti, W., dan Triyono, 2007, Pembuatan, karakterisasi dan uji aktivasi NiMo/Z-Nb₂O₅ pada reaksi hidrorengkah fraksi sampah plastik menjadi fraksi bensin, *BMipa*, 17(2), 43-54.
- Sahar, Sadaf, S., Iqbal, J., Ullah, I., Bhatti, H. N., Nouren, S., Habib-ur-Rehman, Nisar, J., and Iqbal, M., 2018, Biodiesel production from waste cooking oil: An efficient technique to convert waste into biodiesel, *Sustain. Cities Soc.*, 41, 220-226.
- Saniah, Purnawan, S., dan Karina, S., 2014, Karakteristik dan kandungan mineral pasir pantai Lhok Mee, Beureunut dan Leungah kabupaten Aceh besar, *Depik*, 3 (3), 263-270.
- Santi, D., Trisunaryanti, W., and Falah, I. I., 2020, Hydrocracking of pyrolyzed α -cellulose to hydrocarbon over M_xO_y /mesoporous carbon catalyst (M = Co and



- Mo): Synthesis and characterization of carbon-based catalyst support from saw waste of Merbau, *J. Environ. Chem. Eng.*, 8(3), 103735.
- Sihombing, J. L., Trisunaryanti, W., Purwono, S., Syoufian, A., dan Triyono, 2008, Sintesis dan karakterisasi katalis NiO-CoO-MoO₃/zeolit alam dan NiO-MoO₃/zeolit alam dan uji katalis ada proses hidrorengkah pelumas bekas, *Bmipa*, 18(2), 90-101.
- Srivastava, R. K., Shetti, N. P., Reddy, K. R., and Aminabhavi, T. M., 2020, Biofuels, biodiesel, and biohydrogen production using bioprocesses. A review, *Environ. Chem. Lett.*, 18, 1049-1072.
- Subsadsana, M., Kham-or, P., Sangdara, P., Suwannasom, P., and Ruangviriyachai, C., 2017, Synthesis and catalytic performance of bimetallic NiMo- and NiW-ZSM/MCM-41 composites for production of liquid biofuels, *J. Fuel. Chem. Technol.*, 45(7), 805-816.
- Sugianto, D.J., Wijaya, K., dan Tahir, I., 2014, Karakterisasi dan aplikasi katalis nikel-molibdenum teremban pada zeolit alam aktif untuk hidrorengkah tir batubara, *J. Nat Indones.*, 16(1), 10-22.
- Suirta, I.W., 2009, Preparasi biodiesel dari minyak jelantah kelapa sawit, *J. Kim.*, 3 (1), 1-6.
- Sumbogo, S. D., 2019, Sintesis hireraki karbon aktif dari kayu merbabu Manokwari untuk pengembangan logam Co, Ni, dan Pd sebagai katalis hidrorengkah minyak biji nyamplung menjadi fraksi bensi dan solar, *Skripsi*, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam UGM, Yogyakarta.
- Thielemann, J. P., Girgsdies, F., Schlägl, R., Hess, C., 2011, Pore structure and surface area of silica SBA-15: Influence of washing and scale up, *Beilstein J. Nanotechnol.*, 2, 110-118.
- Thomes, M., Kaneko, K., Neimark, A.V., Olivier, J. P., Rodriguez-Reinoso, F., Rouquerol, J., dan Sing, K. S. W., 2015, Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution, *Pure Appl. Chem.*, 2015, 87(9-10), 1051-1069.
- Trisunaryanti, W., 2015, *Material Katalis dan Karakterisasinya*, Yogyakarta: Gadjah Mada University Press.
- Trisunaryanti, W., Larasati, S., Bahri, S., Ni'mah, Y. L., Efriyanti, L., Amri, K., Nuryanto, R., and Sumbogo, S. D., 2020, Performance comparison of Ni-Fe loaded on NH₂-functionalized mesoporous silica and beach sand in the hydrotreatment of waste palm cooking oil, *J. Environ. Chem. Eng.*, 8, 104477.
- Trisunaryanti, W., Suarsih, E., Triyono, and Falah, I. I., 2019, Well-dispersed nickel nanoparticles on the external and internal surfaces of SBA-15 for hydrocracking of pyrolyzed α -cellulose, *RSC Adv.*, 9, 1230-1237.
- Trisunaryanti, W., Triyono, and Fatmawati, D. A., 2020, Synthesis of Co-NH₂/Mesoporous Silica Bifunctional catalyst using Sidoarjo mud and bovine gelatin template for conversion of used cooking oil into biofuel, *Rasayan J. Chem.*, 13(1), 723-732.
- Trisunaryanti, W., Triyono, Wijaya, K., Majid, A. B., Priastomo, Y., Febriyanti, E., Syafitri, Hasyyati, dan Nugroho, A., 2012, Karakterisasi dan uji aktivitas katalis mordenit dan zeolit-Y pada hidrorengkah ban bekas menjadi fraksi bahan bakar, *Prosiding Seminar Nasional Kimia Unesa*, Surabaya.



- Utomo, S., 2014, Pengaruh waktu aktivasi dan ukuran partikel terhadap daya serap karbon aktif dari kulit singkong dengan aktivator NaOH, *Seminar Nasional Sains dan Teknologi*, Jakarta.
- Xie, X., Zhang, T., Wang, L., and Huang, Z., 2017, Regional water footprints of potential biofuel production in China, *Biotechnol. Biofuels*, 10(95), 1-15.
- Valencia, D., Diaz, L., Rmairez-Verduzco, L. F., Amezcu-a-Allieri, M. A., and Aburto J., 2019, MoO₃-based catalysts supported on SiO₂ and their performance in hydrodeoxygenation, *Matter. Lett.*, 251, 226-229.
- Wei, J., Wen, X., Zhu, F., 2018, Influence of surfactant on the morphology and photocatalytic activity of anatase TiO₂ by solvothermal synthesis, *J. Nanomater.*, 2018, 1-7.
- Wijaya, K., Hadi, K., Herlina, I., dan Kurnia, A. T., 2016, *Nanomaterial Aplikasinya dalam Pembuatan Biofuel*, Yogyakarta: Gajah Mada University Press.
- Yan, L., Kui, W., Xuan-lin, G., Wei-yan, W., and Yun-quan, Y., 2018, A comparison of MoS₂ catalysts hydrothermally synthesized from different sulfur precursors in their morphology and hydrodeoxygenation activity, *J. Fuel Chem. Technol.*, 46(5), 535-542.
- Yang, Y., Ochoa-Hernández, C., O'Shea, V. A. P., Coronando, J. M.,and Serrano, D. P., 2012, Ni₂P/SBA-15 as a hydrodeoxygenation catalyst with enhanced selectivity for the conversion of methyl oleate into n-octadecane, *ACS Catal.*, 2, 592-598.
- Yesilyurt, M. K., 2019, The Effects of the fuel injection pressure on the performance and emission characteristic of a diesel engine fueled with waste cooking oil biodiesel-diesel blends, *Renew. Energ.*, 132, 649-666.
- Zhang, X., Chen, Q., Zhang, Q., Wang, C., Ma, L., and Xu, Y., 2018, Conversion of pyrolytic lignin to aromatic hydrocarbons by hydrocracking over pristine MoO₃ catalyst, *J. Anal. Appl. Pyrolysis*, 135, 60-66.
- Zhong, W., Qiao, C., Peng, X., Li, Z., Fan, C., dan Qian, F., 2019, Operation optimization of hydrocracking process based on Kriging surrogate metal, *Control. Eng. Pract.*, 85, 34-40.
- Zhou, L., and Lawal, A., 2015, Evaluation of presulfided NiMo/γ-Al₂O₃ for hydrodeoxygenation of microalgae oil to produce green diesel, *Energy Fuels*, 29, 262-272.