

## DAFTAR PUSTAKA

- Abral, H., Kadriadi, D., Rodianus, A., Mastariyanto, P., Ilhamdi., Arief, S. Sapuan, S.M. and Ishak, M.R., 2014, Mechanical Properties of Water Hyacinth Fibers Polyester Composites Before and After Immersion in Water, *Mater.*, 58, 125–129.
- Abral, H., Putra, G.J., Asrofi, M., Park, J.W. and Kim, H.J., 2018, Effect of Vibration Duration of High Ultrasound Applied to Bio-composite while Gelatinized on its Properties, *Ultrason. Sonochem.*, 40, 697–702.
- Ahmed, T., Shahid, M., Azeem, F., Rasul, I., Shah, A.A., Noman, M., Hameed, A., Manzoor, N., Manzoor, I. and Muhammad, S., 2018, Biodegradation of Plastics: Current Scenario and Future Prospects for Environmental Safety, *Environ. Sci. Pollut. Res.*, 25, 1–12.
- Ahmed, Z., Banu, H., Rahman, M. M., Akhter F., and Haque M. S., 2001, Microbial Activity on the Degradation of Lignocellulosic Polysaccharides, *J. of bio sci.*, 1(10), 993- 997.
- Aini, F. N. dan Kuswytasari, N.D., 2013, Pengaruh Penambahan Eceng Gondok (*Eichhornia crassipes*) terhadap Pertumbuhan Jamur Tiram Putih (*Pleurotus ostreatus*), *J. Sains dan Seni ITS.*, 2(2), 116-120.
- Akbar, F., Anita, Z. dan Harahap, H., 2013, Pengaruh Waktu Simpan Plastik Plastik Biodegradasi dari Pati Kulit Singkong terhadap Sifat Mekanikalnya, *J. Tek. Kim USU.*, 2(2), 11–15.
- Akili, M.S., 2012, Pembuatan dan Karakterisasi *Edible Film* dari Pectin Hasil Ekstraksi Kulit Pisang. *Tesis*, Sekolah Pascasarjana. IPB. Bogor.
- Alam, M.N., Halid, T. dan Illing, I., 2018, Efek Penambahan Kitosan terhadap Karakteristik Fisika Kimia Bioplastik Pati Batang Kelapa Sawit, *Indones J. Fund Sci.*, 1(4), 39-44.
- Ananta, R., 2002, Karakteristik *Edible Film* dari Bungkil Kacang Tanah dengan Plasticizer Gliserol dan Sorbitol, *Tesis*, Teknologi Industri Pertanian, Universitas Andalas, Padang.
- Andahera, C., Sholikhah, I., Islamiati, D.A. dan Pusfitasari, M.D., 2019, Pengaruh Penambahan Jenis dan Konsentrasi *Plasticizer* terhadap Kualitas Bioplastik

Berbasis Selulosa dari Tandan Kosong Kelapa Sawit, *Indo. J. Pure App. Chem.*, 2(2), 46-54.

Anonim, 2020, *Statistik Kementerian Lingkungan Hidup dan Kehutanan*, Dirjen Pengelolaan Sampah, Limbah, dan B3 KLKH.

Aripin, S., Saing, B. dan Kustiyah, E., 2017, Studi Pembuatan Bahan Alternatif Plastik *Biodegradable* dari Pati Ubi Jalar dengan *Plasticizer* Gliserol dengan Metode *Melt Intercalation*, *J. Tek. Mes. (JTM)*, 2(6), 2549 – 2888.

Asrofi, M., Abral, H., Putra, Y.K., Sapuan, S.M., and Kim, H.J., 2018, Effect of Duration of Sonication during Gelatinization on Properties of Tapioca Starch Water Hyacinth Fiber Biocomposite, *Int. J. Bio. Macromol.*, 108, 167–176.

[ASTM] American Society for Testing and Materials, 2005, ASTM D638 2005, *Standard Test Methods for Tensile Properties of Thin Plastic Sheeting*. Philadelphia (US): ASTM.

Averous, L. and Pollet, E., 2012, *Enviromental Silicate Nano Biocomposite*, Biodegradable Polymers, University de Strasbourgh. London.

Azeredo, H.M.C., Mattoso, L.H.C., Wood, D., Williams, T.G., Avena-Bustillos, R.J. and McHugh, T.H., 2009, Nanocomposite Edible Films from Mango Puree Reinforced with Cellulose Nanofibers, *Food Sci.*, 5(74), 31-35.

Bahjat, T. A., Rusly, R., Luqman, C.A., Yus, A.Y. and Arowa, I. N., 2009, Effect of PEG on the Biodegradability Studies of Kenaf-Cellulose-Polyethylene Composite, *Int Food Res J.* 16 (2), 243-247.

Bahmid, N.A., 2014, Pengembangan Nanofiber Selulosa Asetat dari Selulosa Tandan Kosong Kelapa Sawit untuk Pembuatan Bioplastik, *Tesis*. Sekolah Pascasarjana, Institut Pertanian Bogor.

Bamdad, H., Hawboldt, K. and Macquarrie, S., 2018, A Review on Common Adsorbents for Acid Gases Removal: Focus on Biochar, *Renew and Sustain Energy Rev.*, 81, 1705-1720.

Bergeret, A., 2012, *Environmental-Friendly Biodegradable Polymers and Composites*, Minerals Res. Cent., France.

Bertuzzi, M. A., Castro, V. E. F., Armada, M. and Gottifredi, J. C., 2007, Water Vapor Permeability of Edible Starch Based Plastics, *J. Food Eng.*, 80, 972-978.

- Bilo, F., Pandini, S., Sartore, L., Depero, L.E., Gargiulo, G., Bonassi, A., Federici, S. and Bontempi, E., 2018, A Sustainable Bioplastic Obtained from Rice Straw, *J. Clen. Prod.*, 200, 357–368.
- Blackwell and Wiley, 2012, *Food Biochemistry and Food Processing*, 2nd(ed). New York. Amer. Soc. Horts. Sct. 120 (5), 835-838.
- Chatterjee, C., Pong, F. and Sen, A. 2015, Chemical Conversion Pathways for Carbohydrates. *Green Chem.*, 17, 40-71.
- Chen, L., 2008, Mechanical and Water Vapor Barrier Properties of Tapioca Starch/Decolorized Hsian Tsao Leaf Gum Plastics in The Presence of Plasticizer, *Thesis*, National Chung Hsin University, Taiwan.
- Cheng, L.H., Karim, A.A. and Seow, C.C., 2008, Characterisation of Composite Plastiks Made of Konjac Glucomannan (KGM), Carboxymethyl Cellulose (CMC) and Lipid, *Food Chem.*, 107.
- Ching, Y.C., Ershad, A., Luqman, C.A., Choo, K.W., Yong, C.K., Sabariah, J.J., Chuah, C.H. and Liou, N.S., 2016, Rheological Properties of Cellulose Nanocrystal-embedded Polymer Composites: A Review, *Cellulose*, 23, 1011–1030.
- Chivrac, F., Pollet, E. and Averous, 2008, New Approach to Elaborate Exfoliated Starch-based Nanobiocomposites, *Biomacro mol.*, 9, 896-900.
- Chung, Y., Ansari, S., Estevez, S.G., Hayrapetyan, and P., Emmanuel, L., 2010, Preparation and Properties of Biodegradable Stacrh-Clay Nanocomposites, *Carbohydr. Polym.*, (79), 391-396.
- Coniwanti, P., Sari, D.M. dan Ferbriana, R., 2016, Pengaruh Rasio Massa Pati Biji Alpukat dan Agar–Agar terhadap Pembuatan *Edible* Plastik, *J. Tek Kim.*, 22(2), 51-59.
- Damat, 2008, Efek Jenis dan Konsentrasi Pemlastis terhadap Karakteristik Edible Plastik dari Pati Garut Butirat, *J. Agritek.*, 16, 333-500.
- Danang, J. dan Endang S., 2010, Pembuatan *Edible* Plastik dari Tepung Jagung. *J. Eksergi*, 10(2).

- Darni, Y., dan Utami, H., 2010, “Studi Pembuatan dan Karakteristik Sifat Mekanik dan Hidrofobisitas Bioplastik dari Pati Sorgum”, *J. Rek Kim dan Lingkungan*, 7(4): 88-93.
- Di, G.L. and Guilbert, S., 1999, Corn Protein-Based Thermoplasticresins: Effect of Some Polar and Amphiphilic Plasticizers, *J. Agric.Food Chem.*, (47), 1254-1261.
- Fabra, M.J., Martínez-Sanz, M., Gómez-Mascaraque, L.G., Gavara, R. and López-Rubio, A., 2018, Structural and Physicochemical Characterization of Thermoplastic Corn Starch Plastics containing Microalgae, *Carbohydr. Polym.*, 186, 184–191.
- Febrianto, S.,R, Gita G., M., Hendra S Ginting, dan Rosdanelli H., 2014, Pengaruh Penambahan Gliserol terhadap Sifat Kekuatan Tarik dan Pemanjangan saat Putus Bioplastik dari Pati Umbi Talas, *J. Tek Kim USU.*, 2(3).
- Firdaus, F. dan Anwar, C., 2014, Potensi Limbah Padat Cair Industri Tepung Tapioka Sebagai Bahan Baku Film Plastik *Biodegradable*, *J. Logika*, 2(1).
- Forsell, P., Lahtinen, R., Lahelin, M. and Myllärinen, P., 2002, Oxygen Permeability of Amylase and Amylopectin Plastics, *Carbohydr. Polym.*, 47, 125-129.
- Gana, A., Maysarah, S., Ginting, M.H.S., Harahap, M.B. dan Lubis, M., 2018, The Effect of Ethylene Glycol as Plasticizer Against Mechanical Properties of Bioplastic Originated from Jackfruit Seed Starch and Cocoa Pod Husk, *Nusant. Biosci.*, 10, 76–80.
- Garcia, M.A., Martino, M.N. and Zaritzky, N.E., 2006, Lipid Addition to Improve Barrier Properties of Edible Starch-based Plastics and Coatings, *Food Sci.*, 65(6), 941-947.
- Gironi, F. and Piemonte, V., 2011, Bioplastics and Petroleum-basedPlastics: Strengths and Weaknesses, *Energy Source*, 33, 1949-1959.
- Gutierrez, T.J., 2017, Effects of Exposure Pulsed Light on Molecular Aspects of Edible Plastics made from Cassava and Taro Starch, *Innov. Food Sci and Emerging Tech.*, 41, 387-396.
- Gontard, N.S., Guilbert, and Cuq, J.L., 1993, Water and Glycerol as Plasticizer Effect Mechanical and Water Vapor Barrier Properties of an Edible Wheat Gluten Plastik, *Food Sci.*, 1(58), 206-211.

- Haryanto dan Titani, F.R., 2011, Bioplastik dari Tepung Tapioka dan Tepung Maizena, *Techno*, 1(18), 001-006.
- Hasibuan, B. E., 2009, Pupuk dan Pemupukan, Universitas Sumatra Utara Press, Medan.
- Hidayani, T.R., Pelita, E. dan Nirmala, D., 2015, Karakteristik Plastik Biodegradabel Dari Limbah Plastik Polipropilena Dan Pati Biji Durian”, *Majalah Kulit, Karet, dan Plastik*, 1(31).
- Illing, I., 2017, Uji Ketahanan Air Bioplastik dari Limbah Ampas Sagu dengan Penambahan Variasi Konsentrasi Gelatin, *Pros. Sem Nas*, 3(1), 2443-1109.
- Irfan, M., Safdar, A., Syed, Q., and Nadeem, M., 2012, Isolation and Screening of Cellulolytic Bacteria from Soil and Optimization of Cellulose Production and Activity, *Turk J, Biochem*, 37 (3), 287–293.
- Isroi., Cifriadi, A., Panji, T., Wibuwo, N.A. and Syamsu, K., 2017, Bioplastic Production From Cellulose of Oil Palm Empty Fruit Bunch, *Tech, Earth and Env Sci*. 65.
- Isroi and Cifriadi, A., 2018, The Oxidation of Cellulose from Oil Palm Empty Fruit Bunch by using Hydrogen Peroxide in Alkaline Condition, *J. Selulosa*, 2(8).
- Ivanič, F., Jočec-Mošková, D., Janigová, I. and Chodák, I., 2017, Physical Properties of Starch Plasticized by a Mixture of *Plasticizers*. *European Poly.*, 93, 843–849.
- Jambeck and Jenna R., 2015, Plastic Waste Inputs from Land into The Ocean, *Sci*. 347(6223), 768-771.
- Karimi, S., Abdulkhani, A., Tahir, P.M. and Dufresne, A., 2016, Effect of Cellulosic Fiber Scale on Linear and Non-Linear Mechanical Performance of Starch-based Composites. *Biol. Macromol.*, 91, 1040–1044.
- Klemm, D., 1998, *Comprehensive Cellulose Chemistry*, New York: Wiley-VCH.
- Kusnandar, F., 2010, *Kimia Pangan Komponen Makro*. Penerbit Dian Rakyat. Jakarta.
- Lai, H.M., Padua, G.W., and Wei, L.S., 1997, Properties and Sheets Microstructure of Zein Plasticized With Palmitic and Stearic Acids, *Cereal Chem.*, 1(74), 83-90.

- Mali, S., Grossmann, M.V.E., Maria, A., Garcia, M.N., Martino, and Zaritzky, N.E., 2004, Barrier, Mechanical and Optical Properties of Plasticized Yam Starch Plastics, *Carbohydr Polym.*, 56(2), 129–135.
- Marques, P.T., Lima, A.M.F., Bianco, G., Laurindo, J.B., Borsali, R., Lemein, S. and Soldi, V., 2006, Thermal Properties and Stability of Cassava Starch Plastics Cross-linked with Tetraethylene Glycol Diacrylate, *Polym Degrad. Stabil.*, 91, 726–732
- Marhamah, 2008, Biodegradasi Plasticizer Poligliserol Asetat (PGA) dan Dioktil Ftalat (DOP) dalam Matriks Polivinil Klorida (PVC) dan Toksisitasnya terhadap Pertumbuhan Mikroba, *Tesis*. Universitas Sumatera Utara, Sumatera Utara.
- Maryan, A.S. and Gorji, M., 2016., Synthesize of Nano Silver using Cellulose or Glucose as a Reduction Agent: The Study of their Antibacterial Activity on Polyurethan Fibers., *Bulgarian Chem Com.*, 47, 151-155.
- McHugh, T.H. and Krochta, J.M., 1994, Sorbitol vs Glycerol Plasticized Whey Protein Edible Plastik: Integrated Oxygen Permeability and Tensite Property Evaluation, *Agic and food Chem.*, 4(2), 841-845.
- Miyazaki, M., Hung, P.V., Maeda, T. and Morita N., 2006., Recent Advances in Application of Modified Starches for Breadmaking, *Trend Food Sci Tech.*, 17, 591-599.
- Modenbach, A.A. and Nokes, S.E., 2014, Effects of Sodium Hydroxide Pretreatment on Structural Components of Biomass, *Special Collection: Adv in Bioms Pretreatment and Convr.*, 57(4), 1187-1198.
- Monariqsa, D., 2012, Ekstraksi Selulosa dari Kayu Gelam (*Melaleuca leucadendron* Linn) dan Kayu Serbuk Industri Mebel, *J. Penelitian Sains*, 3(15), 96-101.
- Moura, M.R., Mattoso, L.H. and Zucolotto., 2012., Development of Cellulose-Based Bactericidal Nanocomposite, *Carbohydr. Polym.*, (75), 472-478.
- Nelson, R., 2014, *Biodiversity Water Hyacinth*, University of Hawaii: US.
- Nofita, T., 2011, Pengaruh Pemberian Carboxymethyl Cellulose dan Sorbitol pada pembuatan *Edible Film* dengan bahan dasar Whey terhadap Kadar Air, pH, Ketebalan dan Waktu Kelarutan, *Tesis*, Program Pasca Sarjana Universitas Andalas Padang.

- Oktavia, C., 2015, Pengaruh Penambahan Kitosan terhadap Beberapa Karakteristik Plastik Ramah Lingkungan (FRL) Berbasis Pati Sagu (*Metroxylon sp.*), *Sagu*, 2(14).
- Pilla, S., 2009, *Handbook of Bioplastics and Biocomposites Engineering Applications*, Scrivener Publishing LLC., America.
- Pitaloka, A.B., Handaya, S.A. and Nasikin, M., 2013, Water Hyacinth for Superabsorbent Polymer Material. *World Applied Sci J.*, 22(5), 747-754.
- Prachayawarakorn, J., Sangnithidej, P. and Boonpasith, P., 2010, Properties of Thermoplastic Rice Starch Composites Reinforced by Cotton Fiber or Low-Density Polyethylene, *Carbohydr. Polym.*, 81, 425-433.
- Pratama, J. H., Rohmah, R.L., Amalia, A. dan Saraswati, E., 2019, Isolasi Mikroselulosa dari Limbah Eceng Gondok (*Eichornia crassipes*) dengan Metode *Bleaching*-Alkalinasi. *ALCHEMY J. Penelitian Kim.*, 15(2), 239-250.
- Pratiwi, R., Rahayu, D. dan Barliana, M.I., 2016, Pemanfaatan Selulosa dari Limbah Jerami Padi (*Oryza sativa*) sebagai Bahan Bioplastik, *Indones J. Pharm Sci and Tech.*, 3(3), 83-91.
- Pratomo, H. dan Rohaeti, E., 2011, Bioplastik Nata De Cassava sebagai Bahan *Edible Film* Ramah Lingkungan, *J. Penelitian Saintek*, 16 (2), 172-190.
- Putra, A. D., Johan, V.S. dan Efendi, R., 2017, Penambahan Sorbitol sebagai *Plasticizer* dalam Pembuatan *Edible Plastik* Pati SukuN, *J. Fak Pertanian*, 2(4).
- Rachmawaty, R., Meriyani, M. dan Priyanto, S., 2013, Sintesis Selulosa Dasetat dari Eceng Gondok (*Eichhornia crassipes*) dan Potensinya untuk Pembuatan Membran, *JTKTI*, 2(3): 8-16.
- Radhiyatullah, 2015, Pengaruh Berat Pati dan Volume *Plasticizer* Gliserol terhadap Karakteristik Plastik Bioplastik Pati Kentang, *J. Tek. Kim.*, 4(3), 35-39.
- Reddy, D. K. and Bhotmange, M. G., 2013, Isolation of Starch from Rice (*Oryza Sativa L.*) and its Morphological Study using Scanning Electron Microscopy, *Int. J. Agric. Food Sci. Technol.*, 9(4), 859–866.

- Rodriguez, M., Oses, J., Ziani, K. and Mate, J.I., 2006, Combined Effect of Plasticizer and Surfactants on the Physical Properties of Starch Based Edible Plastics, *Food Res. Int.*, 39, 840-846.
- Safaria, S., 2013, Efektivitas Campuran Enzim Selulase dari *Aspergillus niger* dan *Trichoderma reesei* dalam Menghidrolisis Substrat Sabut Kelapa, 1(2), 46-51.
- Safitri, I., Medyan, R. dan Syaubari, 2016, Uji Mekanik Plastik *Biodegradable* dari Pati Sagu dan Grafting Poly(Nipam)-Kitosan dengan Penambahan Minyak Kayu Manis (*Cinnamomum burmannii*) sebagai Antioksidan. *J. Litbang Indust.*, 6(2), 107-116.
- Sagnelli, D., 2016, Plant - crafted Starches for Bioplastics Production, *Carbohydr Polym.*, (152), 398 – 408.
- Salaberria, A.M., Labidi, J. and Fernandes, S.C.M., 2014, Chitin Nanocrystals and Nanofibers as nano-sized fillers into Thermoplastic starch-based Biocomposites processed by Melt-mixing, *Chem. Eng. J.*, 256, 356–364.
- Sanjaya, G. L. dan Puspita L., 2010, Pengaruh Penambahan Khitosan dan Plasticizer Gliserol pada Karakteristik Plastik Biodegradable dari Pati Limbah Kulit Singkong, *J. ITS*, 45-51.
- Sinaga, R. F., 2014, Pengaruh Penambahan Gliserol Terhadap Sifat Kekuatan Tarik Dan Pemanjangan Saat Putus Bioplastik Dari Pati Umbi Talas, *J. Tek. Kim USU*, 2(3).
- Subowo, W.S. dan Pujiastuti, S., 2003, Plastik yang Terdegradasi secara Alami (*Biodegradable*) terbuat dari LDPE dan Pati Jagung terlapis, *Pros Simp Nasi Polimr IV*, 203-208.
- Sukumaran, R. K., Singhanian, R. R. and Pandey, A., 2005, Microbial Cellulases: Production, Applications and Challenges, *J. of Scientific and Industrial Res.* 64, 832-844.
- Sumada, K., 2011, Isolation Study Of Efficient  $\alpha$  – Cellulose From Waste Plant Stem Manihot Esculenta Crantz (Kajian Proses Isolasi  $\alpha$ -Selulosa dari Limbah Batang Tanaman *Manihot Esculenta Crantz* yang Efisien), *J. Tek Kim.*, 2(5).
- Sumarno, 2013, Isolasi Amilosa dan Amilopektin dari Pati Kentang, *JTKI*, 3(2), 57-62

- Sumartono, N. W., 2015, Sintesis dan Karakterisasi Bioplastik Berbasis Alang-Alang (*Imperata Cylindrica* L.) dengan Penambahan Kitosan, Gliserol dan Asam Oleat, *Pelita X*, 2, 13-25.
- Sundari, T.M and Ramesh, A., 2012, Isolation and Characterization of Cellulose Nanofibers from the Aquatic Weed Water Hyacinth—*Eichhornia crassipes*, *Carbohydr. Polym.*, 87, 1701–1705.
- Suppakul, P., 2006, Plasticizer and Realtive Humidity Effects on Mechanical Properties of Cassava Flour Plastiks, Department of Packaging Technology, Faculty of Agro-Industry, *Disertation*, Kasetsart University, Bangkok, Thailand.
- Surdia, N.M., 2000, *Degradasi Polimer*, Majalah Polimer Indonesia, 3(1), 20-21.
- Thiripura, M., Ramesh, and Atmakuru, 2012, Isolation and Charactherization of Cellulose Nanofibers from the Aquatic Weed Water Wyacinth , *Eichhornia crassipes*, *Carbohydr. Polym.*, 87, 1701-1705.
- Trisanti, R. Z., Sari, J. P. dan Udjiana, S. S., 2019, Karakterisasi Plastik *Biodegradable* dari Pati Jagung (*Zea Mays*) dengan Penambahan *Filler* Kalsium Silikat dan Kalsium Karbonat, *Distilat JTS.*, 5(2), 105-111.
- Tumolva, T., Ortenero, J., Kubouchi, M. and City, Q., 2013, Characterization and Treatment of Water, *Int. Conf on Comp Mater.*, 1-11.
- Vanin, F.M., Sobral, P.J.A., Menegalli, F.C., Carvalho, R.A. and Habitante, A.M.Q.B., 2005, Effects of Plasticizers and Their Concentrations on Thermal and Functional Properties of Gelatin based Plastiks, *Food Hydrocolloid*, 19, 899–907.
- Wahono, Irwan, S., Syafri, A. and Asrofi, M., 2018, Preparation and Characterization of Ramie Cellulose Nanofibers /CaCO<sub>3</sub> Unsaturated Polyester Resin Composites. *ARPJ. Eng. Appl. Sci.* 13, 746–751.
- Wang, Z., Zhang, N. Wang, Y.H., Sui, Y. S., Sun, X. and Ma, Z., 2014, The Effects of Ultrasonic/Microwave Assisted Treatment on the Properties of Soy Protein isolate/titanium dioxide Plastiks, *LWT–Food Sci. Technol.*, 57, 548–555.
- Wardah, I. dan Hastuti, E., 2015, Pengaruh Variasi Komposisi Gliserol Dengan Pati dari Bonggol Pisang, Tongkol Jagung, dan Enceng Gondok terhadap Sifat Fisis dan Mekanis Plastik Biodegradable, *J. Neutrino*, 2(7).

- Widyaningsih, S., Dwi K. dan Yuni T.N., 2012, Pengaruh Penambahan Sorbitol dan Kalsium Karbonat Terhadap Karakteristik dan Sifat Biodegradasi Plastik dari Pati Kulit Pisang, *Molekul*, 7(1), 69-81.
- Yang, L. and Paulson, A.T., 2000, Effects of Lipids on Mechanical and Moisture Barrier Properties of Edible Gellan Plastik, *Food Res. Int.*, 33, 571–578.
- Yuniarti, L.I., Hutomo, G.S. dan Rahim, A., 2014, Sintesis dan Karakterisasi Bioplastik Berbasis Pati Sagu (*Metroxylon sp.*). *e-Journal Agrotekbis*, 2(1), 38-46.
- Yusmarlela, 2009, Studi Pemanfaatan *Plasticizer* Gliserol dalam Film Pati Ubi dengan Pengisi Serbuk Batang Ubi Kayu, *Tesis*. Universitas Sumatera Utara, Medan.
- Zulferiyenni, Marniza, Sari, E.N., 2014, Pengaruh Konsentrasi Gliserol dan Tapioka terhadap Karakteristik *Biodegradable* film berbasis Ampas Rumput Laut (*Euchema cottoni*), *JTIHP.*, 19(3), 257-27.