

## REFERENSI

- [1] F. Bray, J. Ferlay, I. Soerjomataram, R. L. Siegel, L. A. Torre, and A. Jemal, “Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries,” *CA. Cancer J. Clin.*, vol. 68, no. 6, pp. 394–424, Nov. 2018, doi: 10.3322/caac.21492.
- [2] Kementerian Kesehatan RI., “Pusat Data dan Informasi Kementerian Kesehatan RI,” 2016. <http://www.depkes.go.id/> (accessed Sep. 25, 2020).
- [3] B. Lauby-Secretan *et al.*, “Breast-Cancer Screening — Viewpoint of the IARC Working Group,” *N. Engl. J. Med.*, vol. 372, no. 24, pp. 2353–2358, Jun. 2015, doi: 10.1056/NEJMSr1504363.
- [4] L. W. Bassett, K. Conner, and I. MS, “The Abnormal Mammogram,” 2003, Accessed: Sep. 25, 2020. [Online]. Available: <https://www.ncbi.nlm.nih.gov/books/NBK12642/>.
- [5] E. U. Ekpo, M. Alakhras, and P. Brennan, “Errors in mammography cannot be solved through technology alone,” *Asian Pacific J. Cancer Prev.*, vol. 19, no. 2, pp. 291–301, 2018, doi: 10.22034/APJCP.2018.19.2.291.
- [6] N. Petrick *et al.*, “Evaluation of computer-aided detection and diagnosis systems,” *Med. Phys.*, vol. 40, no. 8, p. 87001, Aug. 2013, doi: 10.1118/1.4816310.
- [7] M. Posso, M. Carles, M. Rué, T. Puig, and X. Bonfill, “Cost-effectiveness of double reading versus single reading of mammograms in a breast cancer screening programme,” *PLoS One*, vol. 11, no. 7, 2016, doi: 10.1371/journal.pone.0159806.
- [8] H. Jung *et al.*, “Detection of masses in mammograms using a one-stage object detector based on a deep convolutional neural network,” *PLoS One*, vol. 13, no. 9, pp. 1–16, 2018, doi: 10.1371/journal.pone.0203355.
- [9] M. A. Al-masni *et al.*, “Simultaneous detection and classification of breast masses in digital mammograms via a deep learning YOLO-based CAD system,” *Comput. Methods Programs Biomed.*, vol. 157, pp. 85–94, 2018, doi: 10.1016/j.cmpb.2018.01.017.
- [10] J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, “You only look once: Unified, real-time object detection,” *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 2016-Decem, pp. 779–788, 2016, doi: 10.1109/CVPR.2016.91.
- [11] T. Y. Lin *et al.*, “Microsoft COCO: Common objects in context,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 8693 LNCS, no.

- [12] S. Ren, K. He, R. Girshick, and J. Sun, “Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 39, no. 6, pp. 1137–1149, 2017, doi: 10.1109/TPAMI.2016.2577031.
- [13] Z. Q. Zhao, P. Zheng, S. T. Xu, and X. Wu, “Object Detection With Deep Learning: A Review,” *IEEE Trans. Neural Networks Learn. Syst.*, pp. 1–21, 2019, doi: 10.1109/TNNLS.2018.2876865.
- [14] A. Bochkovskiy, C.-Y. Wang, and H.-Y. M. Liao, “YOLOv4: Optimal Speed and Accuracy of Object Detection,” 2020, [Online]. Available: <http://arxiv.org/abs/2004.10934>.
- [15] G. Huang, Z. Liu, L. Van Der Maaten, and K. Q. Weinberger, “Densely connected convolutional networks,” *Proc. - 30th IEEE Conf. Comput. Vis. Pattern Recognition, CVPR 2017*, vol. 2017-Janua, pp. 2261–2269, 2017, doi: 10.1109/CVPR.2017.243.
- [16] K. He, X. Zhang, S. Ren, and J. Sun, “Spatial pyramid pooling in deep convolutional networks for visual recognition,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 8691 LNCS, no. PART 3, pp. 346–361, 2014, doi: 10.1007/978-3-319-10578-9\_23.
- [17] D. Misra, “Mish: A Self Regularized Non-Monotonic Activation Function,” 2019, [Online]. Available: <http://arxiv.org/abs/1908.08681>.
- [18] S. Liu, L. Qi, H. Qin, J. Shi, and J. Jia, “Path Aggregation Network for Instance Segmentation,” *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, pp. 8759–8768, 2018, doi: 10.1109/CVPR.2018.00913.
- [19] C. Y. Wang, H. Y. Mark Liao, Y. H. Wu, P. Y. Chen, J. W. Hsieh, and I. H. Yeh, “CSPNet: A new backbone that can enhance learning capability of CNN,” *IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit. Work.*, vol. 2020-June, pp. 1571–1580, 2020, doi: 10.1109/CVPRW50498.2020.00203.
- [20] T. Lin, P. Dollár, R. Girshick, K. He, B. Hariharan, and S. Belongie, “Feature Pyramid Networks for Object Detection,” in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Jul. 2017, pp. 936–944, doi: 10.1109/CVPR.2017.106.
- [21] T. Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollar, “Focal Loss for Dense Object Detection,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 42, no. 2, pp. 318–327, 2020, doi: 10.1109/TPAMI.2018.2858826.

- [22] J. Redmon and A. Farhadi, “YOLOv3: An Incremental Improvement,” 2018, [Online]. Available: <http://arxiv.org/abs/1804.02767>.
- [23] R. S. Lee, F. Gimenez, A. Hoogi, K. K. Miyake, M. Gorovoy, and D. L. Rubin, “Data Descriptor: A curated mammography data set for use in computer-aided detection and diagnosis research,” *Sci. Data*, vol. 4, pp. 1–9, 2017, doi: 10.1038/sdata.2017.177.
- [24] J. Suckling *et al.*, “The mammographic image analysis society digital mammogram database,” 1994.
- [25] I. C. Moreira, I. Amaral, I. Domingues, A. Cardoso, M. J. Cardoso, and J. S. Cardoso, “INbreast: Toward a Full-field Digital Mammographic Database,” *Acad. Radiol.*, vol. 19, no. 2, pp. 236–248, 2012, doi: 10.1016/j.acra.2011.09.014.
- [26] M. Everingham, L. Van Gool, C. K. I. Williams, J. Winn, and A. Zisserman, “The PASCAL Visual Object Classes (VOC) Challenge.”
- [27] R. M. and W. P. K. Michael Heath, Kevin Bowyer, Daniel Kopans, “The Digital Database For Screening Mammography,” *Proc. Fifth Int. Work. Digit. Mammogr.*, pp. 212–218, 2001.
- [28] “DDSM: Description of a case.” [http://www.eng.usf.edu/cvprg/Mammography/DDSM/case\\_description.html](http://www.eng.usf.edu/cvprg/Mammography/DDSM/case_description.html) (accessed Nov. 05, 2020).
- [29] S. G. Orel, N. Kay, C. Reynolds, and D. C. Sullivan, “BI-RADS Categorization As a Predictor of Malignancy,” *Radiology*, vol. 211, no. 3, pp. 845–850, 1999, doi: 10.1148/radiology.211.3.r99jn31845.
- [30] “Wget - GNU Project - Free Software Foundation.” <https://www.gnu.org/software/wget/> (accessed Nov. 06, 2020).
- [31] F. W. Prior *et al.*, “TCIA: An information resource to enable open science,” in *2013 35th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*, Jul. 2013, pp. 1282–1285, doi: 10.1109/EMBC.2013.6609742.
- [32] “wentaozhu/deep-mil-for-whole-mammogram-classification: Zhu, Wentao, Qi Lou, Yeeleng Scott Vang, and Xiaohui Xie. ‘Deep Multi-instance Networks with Sparse Label Assignment for Whole Mammogram Classification.’ MICCAI 2017.” <https://github.com/wentaozhu/deep-mil-for-whole-mammogram-classification> (accessed Nov. 07, 2020).
- [33] G. Bradski, “The OpenCV Library,” *Dr. Dobb’s J. Softw. Tools*, 2000.
- [34] F. G. Zanjani, S. Zinger, B. Piepers, S. Mahmoudpour, P. Schelkens, and P. H. N. de With,

- “Impact of JPEG 2000 compression on deep convolutional neural networks for metastatic cancer detection in histopathological images,” *J. Med. Imaging*, vol. 6, no. 2, pp. 1–9, 2019, doi: 10.1117/1.JMI.6.2.027501.
- [35] D. Mason *et al.*, “pydicom/pydicom: pydicom 2.1.0.” Zenodo, Nov. 2020, doi: 10.5281/zenodo.4197955.
- [36] R. Yamashita, M. Nishio, R. K. G. Do, and K. Togashi, “Convolutional neural networks: an overview and application in radiology,” *Insights Imaging*, vol. 9, no. 4, pp. 611–629, 2018, doi: 10.1007/s13244-018-0639-9.
- [37] K. He, X. Zhang, S. Ren, and J. Sun, “Deep residual learning for image recognition,” *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 2016-Decem, pp. 770–778, 2016, doi: 10.1109/CVPR.2016.90.
- [38] Z. Huang, J. Wang, X. Fu, T. Yu, Y. Guo, and R. Wang, “DC-SPP-YOLO: Dense connection and spatial pyramid pooling based YOLO for object detection,” *Inf. Sci. (Ny).*, vol. 522, pp. 241–258, 2020, doi: 10.1016/j.ins.2020.02.067.
- [39] Alexey *et al.*, “AlexeyAB/darknet: YOLOv4 pre-release.” Zenodo, May 2020, doi: 10.5281/zenodo.3829035.
- [40] C. R. Harris *et al.*, “Array programming with {NumPy},” *Nature*, vol. 585, no. 7825, pp. 357–362, Sep. 2020, doi: 10.1038/s41586-020-2649-2.
- [41] T. pandas development team, “pandas-dev/pandas: Pandas.” Zenodo, Feb. 2020, doi: 10.5281/zenodo.3509134.
- [42] F. Pedregosa *et al.*, “Scikit-learn: Machine Learning in {P}ython,” *J. Mach. Learn. Res.*, vol. 12, pp. 2825–2830, 2011.
- [43] “Riverbank Computing | News.” <https://www.riverbankcomputing.com/> (accessed Nov. 11, 2020).
- [44] R. Padilla, “rafaelpadilla/Object-Detection-Metrics: Object Detection Metrics Release v0.2,” Jan. 2019, doi: 10.5281/ZENODO.2554189.
- [45] L. Bottou, “Large-Scale Machine Learning with Stochastic Gradient Descent,” in *Proceedings of COMPSTAT’2010*, 2010, pp. 177–186.
- [46] M. A. Al-antari, S.-M. Han, and T.-S. Kim, “Evaluation of deep learning detection and classification towards computer-aided diagnosis of breast lesions in digital X-ray mammograms,” *Comput. Methods Programs Biomed.*, vol. 196, p. 105584, 2020, doi:

- [47] D. Ribli, A. Horváth, Z. Unger, P. Pollner, and I. Csabai, “Detecting and classifying lesions in mammograms with Deep Learning,” *Sci. Rep.*, vol. 8, no. 1, pp. 1–7, 2018, doi: 10.1038/s41598-018-22437-z.
- [48] R. Agarwal, O. Díaz, M. H. Yap, X. Lladó, and R. Martí, “Deep learning for mass detection in Full Field Digital Mammograms,” *Comput. Biol. Med.*, vol. 121, p. 103774, 2020, doi: 10.1016/j.combiomed.2020.103774.
- [49] S. Morrell, Z. Wojna, C. S. Khoo, S. Ourselin, and J. E. Iglesias, “Large-scale mammography CAD with deformable conv-nets,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 11040 LNCS, pp. 64–72, 2018, doi: 10.1007/978-3-030-00946-5\_7.
- [50] R. F. C. Networks and J. Dai, “R-FCN : Object Detection via.”
- [51] Y. Yan, P. Conze, M. Lamard, and G. Coatrieux, “Two-stage breast mass detection and segmentation system towards automated high-resolution full mammogram analysis.”
- [52] J. Redmon and A. Farhadi, “YOLO9000: Better, faster, stronger,” *Proc. - 30th IEEE Conf. Comput. Vis. Pattern Recognition, CVPR 2017*, vol. 2017-Janua, pp. 6517–6525, 2017, doi: 10.1109/CVPR.2017.690.
- [53] M. D. Halling-brown, L. M. Warren, D. Ward, L. Wilkinson, and R. M. Given-wilson, “OPTIMAM Mammography Image Database : a large scale resource of mammography images and clinical data,” 2014.
- [54] O. Russakovsky *et al.*, “ImageNet Large Scale Visual Recognition Challenge,” *Int. J. Comput. Vis.*, vol. 115, no. 3, pp. 211–252, 2015, doi: 10.1007/s11263-015-0816-y.