

DAFTAR PUSTAKA

- Abiru, Y., Kumemura, M., Ueno, T., Uchiyama, S., & Masaki K., 2012, Discovery of an S-Equol Rich Food Stinky Tofu, a Traditional Fermented Soy Product in Taiwan, *International Journal of Food Sciences and Nutrition*, **63** (8), 70-964. <https://doi.org/10.3109/09637486.2012.687369>.
- Ahuja, S., 1992, *Trace and Ultratrace Analysis by HPLC*, John Wiley & Sons, New York cit. Bruno, T.J. & Svoronos, P.D.N., 2020, *CRC Handbook of Basic Tables for Chemical Analysis Data-Driven Methods and Interpretation Fourth Edition*, CRC Press Taylor & Francis Group, LLC, hal.188.
- Ahuja, S. & Dong, M.W., 2005, *Handbook of Pharmaceutical Analysis by HPLC*, Volume 6, New York, Elsevier Academic Press, hal.20-21.
- Aresta, A., Grumo, F.D., & Zambonin, C., 2016, Determination of Major Isoflavones in Soy Drinks by Solid-Phase Micro Extraction Coupled to Liquid Chromatography, *Food Analytical Methods*, **9** (4), 33-925. <https://doi.org/10.1007/s12161-015-0260-1>.
- Bajkacz, S. & Adamek, J., 2017, Evaluation of New Natural Deep Eutectic Solvents for the Extraction of Isoflavones from Soy Products, *Talanta* **168** (2), 35-329, <https://doi.org/10.1016/j.talanta.2017.02.065>.
- Chen, K.I., Lo, Y.C., Su, N.W., Chou, C.C., & Cheng, K.C, 2012, Enrichment of Two Isoflavone Aglycones in Black Soymilk by Immobilized β -Glucosidase on Solid Carriers, *Journal of Agricultural and Food Chemistry* **60** (51), 46-12540, <https://doi.org/10.1021/jf304405t>.
- Cho, C.H., Jung, Y.S., Nam, T.G., Rha, C.S., Ko, M.J., Jang, D., Kim, H.S., & Kim, D.O., 2020, PH-Adjusted Solvent Extraction and Reversed-Phase HPLC Quantification of Isoflavones from Soybean (*Glycine Max* (L.) Merr.), *Journal of Food Science*, **85** (3), 81-673. <https://doi.org/10.1111/1750-3841.15051>.
- Cui, M., Wu, D., Bao, K., Wen, Z., Hao, Y., & Luo, L., 2019, Dynamic Changes of Phenolic Compounds during Artificial Aging of Soybean Seeds Identified by High-Performance Liquid Chromatography Coupled with Transcript Analysis, *Analytical and Bioanalytical Chemistry*, **411** (14), 3091–3101, <https://doi.org/10.1007/s00216-019-01767-5>.
- Devi, M. K. A., Kumar, S. S., dan Giridhar, P., 2018, LC–ESI–MS Based Characterisation of Isoflavones in Soybean (*Glycine Max* (L.) Merr.) from

- India, *Journal of Food Science and Technology*, **55** (12), 54-5045, <https://doi.org/10.1007/s13197-018-3443-0>.
- Durango, D., Murillo, J., Echeverri, F., Escobar, G., & Quinones, W., 2018, Isoflavonoid Composition and Biological Activity of Extracts from Soybean Seedlings Treated by Different Elicitors, *Anais Da Academia Brasileira de Ciencias*, **90** (2), 71-1955, <https://doi.org/10.1590/0001-3765201820170785>.
- Fahmi, R., Khodaiyan, F., Pourahmad, R., & Emam-Djomeh, Z., 2014, Effect of Ultrasound Assisted Extraction upon the Genistin and Daidzin Contents of Resultant Soymilk, *Journal of Food Science and Technology*, **51** (10): 61-2857, <https://doi.org/10.1007/s13197-012-0744-6>.
- Fernandes, M.S., Lima, F.S., Rodrigues, D., Handa, C., Guelfi, M., Garcia, S., & Ida, E.I., 2017, Evaluation of the Isoflavone and Total Phenolic Contents of Kefir-Fermented Soymilk Storage and after the in Vitro Digestive System Simulation, *Food Chemistry*, **229**, 80-373, <https://doi.org/10.1016/j.foodchem.2017.02.095>.
- Fiechter, G., Opacak, I., Raba, B., & Mayer, H.K., 2013, A New Ultra-High Pressure Liquid Chromatography Method for the Determination of Total Isoflavone Aglycones after Enzymatic Hydrolysis: Application to Analyze Isoflavone Levels in Soybean Cultivars, *Food Research International*, **50** (2), 92-586, <https://doi.org/10.1016/j.foodres.2011.03.038>.
- Franke, A.A., Custer, L.J., Cerna, C.M., & Narala, K., 1995, Rapid HPLC Analysis of Dietary Phytoestrogens from Legumes and from Human Urine, *Proceedings of the Society for Experimental Biology and Medicine*, **208** (1), 18–26, <https://doi.org/10.3181/00379727-208-43826>.
- Gandjar, I.G. & Rohman, A., 2019, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta, hal. 378-471.
- Gasparetto, J.C., Smolarek, F.S.F., De Francisco, T.M.G., Miranda, L.C., Pontarolo, R., & Siqueira, P.F., 2012, Development and Validation of an HPLC-DAD Method for Analysis of the Six Major Isoflavones in Extracts from Soybean Processing, *JAOCs, Journal of the American Oil Chemists' Society*, **89** (7), 22-1211, <https://doi.org/10.1007/s11746-012-2030-1>.
- Hong, G.E., Mandal, P.K., Lim, K.W., Lee, C.H., 2012, Fermentation Increases Isoflavone Aglycone Contents in Black Soybean Pulp, *Asian Journal of Animal and Veterinary Advances*, **7** (6), 2–11, <https://doi.org/10.3923/ajava.2012.502.511>.

- Hong, J.L., Qin, X.Y., Shu, P., Wang, Q., Zhou, Z.F., Wang, G.K., Lin, B.B., Wang, Q., & Qin, M.J., 2011, Comparative Study of Isoflavones in Wild and Cultivated Soybeans as Well as Bean Products by High-Performance Liquid Chromatography Coupled with Mass Spectrometry and Chemometric Techniques, *European Food Research and Technology*, **233** (5), 80-869, <https://doi.org/10.1007/s00217-011-1564-z>.
- Hornig, A., Lorbeer, E., & Vollmann, J., 2011, Isoflavone Concentration of Soybean in Central Europe as Determined by HPLC/UV Analysis before and after Acid Hydrolysis, *Acta Alimentaria*, **40** (2), 53-247, <https://doi.org/10.1556/AAlim.40.2011.2.8>.
- Hsia, S.Y., Hsiao, Y.H., Li, W.T., & Hsieh, J.F., 2016, Aggregation of Soy Protein-Isoflavone Complexes and Gel Formation Induced by Glucono- δ -Lactone in Soymilk, *Scientific Reports*, **6** (10), 1–10. <https://doi.org/10.1038/srep35718>.
- Kar, A., 2005, *Pharmaceutical Drug Analysis, Revised Second Edition*, New age International Publishers. London, hal.454.
- Ko, K.P., Kim, C.S., Ahn, Y., Park, S.J., Kim, Y.J., Park, J.K., Lim, Y.K., Yoo, K.Y., & Kim, S.S., 2015, Plasma Isoflavone Concentration Is Associated with Decreased Risk of Type 2 Diabetes in Korean Women but Not Men: Results from the Korean Genome and Epidemiology Study, *Diabetologia*, **58** (4), 35-726, <https://doi.org/10.1007/s00125-014-3463-x>.
- Kurzer, M.S., & Xu, X., 1997, Dietary Phytoestrogens, *Annual Review of Nutrition*, **17**, 81-353, <https://doi.org/10.1146/annurev.nutr.17.1.353>.
- Lee, J.H., Jeong, S.W., Cho, Y.A., Park, S., Kim, Y.H., Bae, D.W., Chung, J.I., dkk., 2013, Determination of the Variations in Levels of Phenolic Compounds in Soybean (*Glycine Max* Merr.) Sprouts Infected by Anthracnose (*Colletotrichum Gloeosporioides*), *Journal of the Science of Food and Agriculture*, **93** (12), 3081–86. <https://doi.org/10.1002/jsfa.6142>.
- Lee, M.J., Chung, I.M., Kim, H., & Jung M.Y., 2015, High Resolution LC-ESI-TOF-Mass Spectrometry Method for Fast Separation, Identification, and Quantification of 12 Isoflavones in Soybeans and Soybean Products, *Food Chemistry*, **176**, 62-254, <https://doi.org/10.1016/j.foodchem.2014.12.073>.
- Lee, M.J., Lee, J.M., Kim, S., & Kim, H.J., 2019, Simultaneous Analysis and Measurement of Uncertainty Estimation of Six Isoflavones in Cheonggukjang by Liquid Chromatography-Electrospray Tandem Mass Spectrometry, *Food*

Chemistry, **289** (3), 44-139, <https://doi.org/10.1016/j.foodchem.2019.02.133>.

Magiera, S., Nieścior, A., & Baranowska, I., 2016, Quick Supramolecular Solvent-Based Microextraction Combined with Ultra-High Performance Liquid Chromatography for the Analysis of Isoflavones in Soy Foods, *Food Analytical Methods*, **9** (6), 80-1770, <https://doi.org/10.1007/s12161-015-0365-6>.

Magiera, S. & Sobik A., 2017, Ionic Liquid-Based Ultrasound-Assisted Extraction Coupled with Liquid Chromatography to Determine Isoflavones in Soy Foods, *Journal of Food Composition and Analysis*, **57**, 94–101, <https://doi.org/10.1016/j.jfca.2016.12.016>.

Miura, A., Sugiyama, C., Sakakibara, H., Simoi, K., & Goda, T., 2016, Bioavailability of Isoflavones from Soy Products in Equol Producers and Non-Producers in Japanese Women, *Journal of Nutrition and Intermediary Metabolism*, **6**, 41–47. <https://doi.org/10.1016/j.jnim.2016.08.001>.

Moffat, A.C., David, M.O., dan Brian, W., 2011, *Clarke's Analysis of Drug's and Poisons*, (4th Ed), London, Pharmaceutical Press, hal. 458, 718-723.

Nemitz, M.C., Yatsu, F.K.J., Bidone, J., Koester, L.S., Bassani, V.L., Garcia, C.V., Mendez, A.S.L., Poser, G.L.V., & Teixeira, H.F., 2015, A Versatile, Stability-Indicating and High-Throughput Ultra-Fast Liquid Chromatography Method for the Determination of Isoflavone Aglycones in Soybeans, Topical Formulations, and Permeation Assays, *Talanta*, **134**, 93-183, <https://doi.org/10.1016/j.talanta.2014.10.062>.

Park, H.J., & Jung, M.Y., 2017, One Step Salting-out Assisted Liquid-Liquid Extraction Followed by UHPLC-ESI-MS/MS for the Analysis of Isoflavones in Soy Milk, *Food Chemistry*, **229**, 797–804, <https://doi.org/10.1016/j.foodchem.2017.02.145>.

Qing, L.S., Xue, Y., Liu, Y.M., Liang, J., Xie, J., & Liao, X., 2013, Rapid Magnetic Solid-Phase Extraction for the Selective Determination of Isoflavones in Soymilk Using Baicalin-Functionalized Magnetic Nanoparticles, *Journal of Agricultural and Food Chemistry*, **61**, (34), 78-8072, <https://doi.org/10.1021/jf402097y>.

Qiu, F., Shi, L., Wang, S., Wu, S., & Wang, M., 2018, Simultaneous High-Performance Liquid Chromatography with Diode Array Detection and Time-of-Flight Mass Spectrometric Confirmation of the Ten Bioactive Compounds in Semen Sojæ Preparatum, *Journal of Separation Science*, **41** (17), 71-3360,

<https://doi.org/10.1002/jssc.201800504>.

- Rothwell, J.A., Day, A.J., & Morgan, M.R.A., 2005, Experimental Determination of Octanol-Water Partition Coefficients of Quercetin and Related Flavonoids, *Journal of Agricultural and Food Chemistry*, **53** (11), 60-4355, <https://doi.org/10.1021/jf0483669>.
- Shao, S., Duncan, A.M., Yang, R., Marcone, M.F., Rajcan, I., & Tsao, R., 2011, Systematic Evaluation of Pre-HPLC Sample Processing Methods on Total and Individual Isoflavones in Soybeans and Soy Products, *Food Research International*, **44** (8), 34-2425, <https://doi.org/10.1016/j.foodres.2010.12.041>.
- Shim, Y.S., Yoon, W.J., Hwang, J.B., Park, H.J., Seo, D., & Ha, J., 2015, Rapid Method for the Determination of 14 Isoflavones in Food Using UHPLC Coupled to Photo Diode Array Detection, *Food Chemistry*, **187**, 97-391, <https://doi.org/10.1016/j.foodchem.2015.04.077>.
- Snyder, L.R., Kirkland, J.J., dan Dolan, J.W., 2010, *Introduction to Modern Liquid Chromatography*, 3th, John Willey & Sons Inc., New York, hal. 253-255, 534-544.
- Sulistyowati, E., Martono, S., Riyanto, S., & Lukitaningsih E., 2019, Development and Validation for Free Aglycones Daidzein and Genistein in Soybeans (*Glycine Max* (L.) Merr.) Using RP HPLC Method, *International Journal of Applied Pharmaceutics*, **11** (2), 42-138, <https://doi.org/10.22159/ijap.2019v11i2.31222>.
- Sun, J., Sun, B., Han, F., Yan, S., Hua, Y., and Akio, K., 2011, Rapid HPLC Method for Determination of 12 Isoflavone Components in Soybean Seeds, *Agricultural Sciences in China*, **10** (1), 70-77, [https://doi.org/10.1016/S1671-2927\(11\)60308-8](https://doi.org/10.1016/S1671-2927(11)60308-8).
- Toro-Funes, N., Odriozola-Serrano, I., Bosch-Fuste, J., Latorre-Moratalla, M.L., Veciana-Nogues, M.T., Izquierdo-Pulido, M., & Vidal-Carou, M.C., 2012, Fast Simultaneous Determination of Free and Conjugated Isoflavones in Soy Milk by UHPLC-UV, *Food Chemistry*, **135** (4), 38-2832, <https://doi.org/10.1016/j.foodchem.2012.06.011>.
- Verardo, V., Riciputi, Y., Garrido-Frenich, A., & Caboni, M.F., 2015, Determination of Free and Bound Phenolic Compounds in Soy Isoflavone Concentrate Using a PFP Fused Core Column, *Food Chemistry*, **185**, 44-239, <https://doi.org/10.1016/j.foodchem.2015.03.090>.



- Vitale, D.C., Piazza, C., Melilli, B., Drago, F., & Salomone, S., 2013, Isoflavones: Estrogenic Activity, Biological Effect and Bioavailability, *European Journal of Drug Metabolism and Pharmacokinetics*, **38** (1), 15–25, <https://doi.org/10.1007/s13318-012-0112-y>.
- Wang, M., Guo, J., Qi, W., Su, R., & He, Z., 2013, An Effective and Green Method for the Extraction and Purification of Aglycone Isoflavones from Soybean, *Food Science and Biotechnology*, **22** (3), 12-705, <https://doi.org/10.1007/s10068-013-0135-4>.
- Wu, J.G., Ge, J., Zhang, Y.P., Yu, Y., & Zhang, X.Y., 2010, Ethyl Acetate from (280 to 333) K, *Engineering*, 88-5286.
- Yatsu, F.K.J., Pedrazza, G.P.R., Argenta, D.F., Barreto, F., Nemitz, M.C., Teixeira, H.F., Koester, L.S., & Bassani, V.L., 2014, A New Simplified and Stability Indicating Liquid Chromatography Method for Routine Analysis of Isoflavones Aglycones in Different Complex Matrices, *Food Analytical Methods*, **7** (9), 90-1881, <https://doi.org/10.1007/s12161-014-9827-5>.
- Yuliani, S.H., Gani, M.R., Istyastono, E.P., & Riswanto, F.D.O., 2018, Optimization of Genistein and Daidzein Extraction from Atempoh-Fermented Product of Soybean, *Journal of Pharmacy and Pharmacognosy Research*, **6** (4), 41-231.
- Zhao, X., Ma, F., Li, P., Li, G., Zhang, L., Zhang, Q., Zhang, W., & Wang, X., 2015, Simultaneous Determination of Isoflavones and Resveratrols for Adulteration Detection of Soybean and Peanut Oils by Mixed-Mode SPE LC-MS/MS, *Food Chemistry*, **176**, 71-465, <https://doi.org/10.1016/j.foodchem.2014.12.082>.