



DAFTAR PUSTAKA

- [1] M. Ramón, “Incidencia del internet en el desarrollo económico de los países miembros de la Comunidad Andina Impact of the Internet on economic development.”
- [2] A. Basiri *et al.*, “Indoor location based services challenges , requirements and usability of current solutions,” *Comput. Sci. Rev.*, vol. 24, pp. 1–12, 2017, doi: 10.1016/j.cosrev.2017.03.002.
- [3] G. Gupta, V. Bhope, J. Singh, and A. R. Harish, “Device-Free Crowd Count Estimation Using Passive UHF RFID Technology,” *IEEE J. Radio Freq. Identif.*, vol. 3, no. 1, pp. 3–13, 2018, doi: 10.1109/jrfid.2018.2887256.
- [4] V. Radu, “Localization Systems Repository : A Platform for Open-source Localization Systems and Datasets,” *2019 Int. Conf. Indoor Position. Indoor Navig.*, pp. 1–8, 2019, doi: 10.1109/IPIN.2019.8911748.
- [5] C. Indonesia, “Kilas Balik Pandemi Covid-19 di Indonesia,” 2020.
- [6] W. Ruan, Q. Z. Sheng, L. Yao, X. Li, N. J. G. Falkner, and L. Yang, “Device-free human localization and tracking with UHF passive RFID tags: A data-driven approach,” *J. Netw. Comput. Appl.*, vol. 104, no. July 2017, pp. 78–96, 2018, doi: 10.1016/j.jnca.2017.12.010.
- [7] W. Sakpere, M. Adeyeye-Oshin, and N. B. W. Mlitwa, “A state-of-the-art survey of indoor positioning and navigation systems and technologies,” *South African Comput. J.*, vol. 29, no. 3, pp. 145–197, 2017, doi: 10.18489/sacj.v29i3.452.
- [8] S. Elvira, A. De Castro, G. Glez-de-Rivera, and J. Garrido, “Angle localization and orientation system with 4 receivers and based on audible sound signals,” *Proc. 2014 29th Conf. Des. Circuits Integr. Syst. DCIS 2014*, pp. 0–5, 2014, doi: 10.1109/DCIS.2014.7035525.
- [9] Q. Rfdol *et al.*, “6PDUW SKRQH & DPHUD DQG , QWHJUDWHG 6HQVRUV,” pp. 567–570, 2018.
- [10] G. Mao and B. D. O. Anderson, “Wireless Sensor Network Localization Techniques,” pp. 1–19.
- [11] S. Phimmasean, T. Chuenurajit, and P. Cherntonomwong, “Indoor localization system based on fingerprint technique using RFID passive tag,” *2013 10th Int. Conf. Electr. Eng. Comput. Telecommun. Inf. Technol. ECTI-CON 2013*, 2013, doi: 10.1109/ECTICON.2013.6559518.



- [12] J. S. Choi, B. R. Son, H. K. Kang, and D. H. Lee, “Indoor Localization of Unmanned Aerial Vehicle based on Passive UHF RFID Systems,” pp. 188–189, 2012.
- [13] J. Han *et al.*, “Twins : Device-Free Object Tracking,” vol. 24, no. 3, pp. 1605–1617, 2016.
- [14] C. Wang and C. Chen, “RFID-Based and Kinect-Based Indoor Positioning System.”
- [15] T.Ling, *RFID For Dummies*. 2005.
- [16] U. Paris-est, E. Ea, and E. Paris, “Indoor Performance Analysis of LF-RFID based Positioning System : Comparison with UHF-RFID and UWB,” no. September, pp. 18–21, 2017.
- [17] D. J. Suroso, “Location Fingerprint Technique using Fuzzy C-Means Clustering Algorithm for Indoor Localization,” pp. 88–92, 2011.
- [18] Y. I. Tan and G. Zhang, “UNDERWRITING PROCESS,” no. August, pp. 18–21, 2005.
- [19] S. Loukas, “Multi-class Classification: Extracting Performance Metrics From The Confusion Matrix,” *to ward data science*, 2020.
<https://towardsdatascience.com/multi-class-classification-extracting-performance-metrics-from-the-confusion-matrix-b379b427a872> (accessed Dec. 23, 2020).
- [20] T. Science, “Optimization Wifi Indoor Positioning KNN Algorithm Location-based Fingerprint n I (Sj - r t ? IIk,” pp. 135–137, 2016.
- [21] Y. Udovychenko and A. Popov, “Ischemic Heart Disease Recognition by k - NN Classification of Current Density Distribution Maps,” pp. 402–405, 2015.
- [22] M. Choi, “An Accurate Fingerprinting based Indoor Positioning Algorithm,” vol. 12, no. 1, pp. 86–90, 2017.
- [23] M. Youssef, M. Mah, and A. Agrawala, “Challenges: Device-free passive localization for wireless environments,” *Proc. Annu. Int. Conf. Mob. Comput. Networking, MOBICOM*, no. May 2014, pp. 222–229, 2007, doi: 10.1145/1287853.1287880.
- [24] M. Seifeldin, S. Member, A. Saeed, and S. Member, “Nuzzer : A Large-Scale Device-Free Passive Localization System for Wireless Environments,” vol. 12, no. 7, pp. 1321–1334, 2013.
- [25] R. R. D. suroso H. Singgih, “Device-Free Indoor Localization System Menggunakan Parameter Received Signal Strength Indicator (RSSI) dan Iluminansi Berbasis Wireless Sensor Networks (WSN)”,” *UGM*, 2020.



- [26] S. L. Ting, S. K. Kwok, A. H. C. Tsang, and G. T. S. Ho, “The Study on Using Passive RFID Tags for Indoor Positioning The Study on Using Passive RFID Tags for Indoor Positioning,” no. February, 2011, doi: 10.5772/45678.
- [27] T. American, “His 1911,” p. 44106, 1995.
- [28] A. Goldsmith, “Wireless Communications.,” *Standford Univ.*, 2004.
- [29] L. Library and C. Core, *The wireless channel*. .
- [30] U. M.Arifin DJ Suroso S Hawibowo, “PERBANDINGAN HASIL PENENTUAN POSISI OBJEK DALAM RUANGAN MENGGUNAKAN METODE TRILATERASI DAN METODE MIN-MAX DENGAN VARIASI JARAK ANTAR TITIK REFERENSI DAN GANGGUAN KEBERADAAN MANUSIA,” 2019.
- [31] D. Wang, L. Song, X. Kong, and Z. Zhang, “Near-Ground Path Loss Measurements and Modeling for Wireless Sensor Networks at 2 . 4 GHz,” vol. 2012, 2012, doi: 10.1155/2012/969712.
- [32] A. Navlani, “KNN Classification using Scikit-learn,” *Online*, 2018. <https://www.datacamp.com/community/tutorials/k-nearest-neighbor-classification-scikit-learn>.
- [33] A. Ridwan, Darjat, and Sudjadi, “Dosen Pada Prototipe Sistem Ruang Kelas Cerdas,” 2014.
- [34] L. Qiu, Z. Huang, N. Wirstrom, and T. Voigt, “3DinSAR: Object 3D localization for indoor RFID applications,” *2016 IEEE Int. Conf. RFID, RFID 2016*, 2016, doi: 10.1109/RFID.2016.7488026.
- [35] N. A. Alrajeh, M. Bashir, and B. Shams, “Localization techniques in wireless sensor networks,” *Int. J. Distrib. Sens. Networks*, vol. 2013, 2013, doi: 10.1155/2013/304628.
- [36] S. Pal and S. C. Sharma, “Range Free Localization Techniques in Wireless Sensor Networks : A Review,” *Procedia - Procedia Comput. Sci.*, vol. 57, no. i, pp. 7–16, 2015, doi: 10.1016/j.procs.2015.07.357.
- [37] J. Luo, S. Zhou, H. Cheng, Y. Liao, and K. Bu, “A range-free localization of passive RFID tags using mobile readers,” *Proc. - 2015 IEEE 12th Int. Conf. Mob. Ad Hoc Sens. Syst. MASS 2015*, pp. 445–446, 2015, doi: 10.1109/MASS.2015.34.
- [38] M. Hasani, E. S. Lohan, L. Sydänheimo, and L. Ukkonen, “Path-loss model of embroidered passive RFID tag on human body for indoor positioning applications,” *2014 IEEE RFID Technol. Appl. Conf. RFID-TA 2014*, pp. 170–174, 2014, doi: 10.1109/RFID-TA.2014.6934222.



- [39] N. S. U, “Pathloss Prediction Model of a Wireless Sensor Network in an Indoor Environment,” pp. 11665–11673, 2014.
- [40] J. Zhu and H. Xu, “Review of RFID-based indoor positioning technology,” *Adv. Intell. Syst. Comput.*, vol. 773, no. Ramli 2010, pp. 632–641, 2019, doi: 10.1007/978-3-319-93554-6_62.
- [41] K. Zhao *et al.*, “EMoD: Efficient motion detection of device-free objects using passive RFID tags,” *Proc. - Int. Conf. Netw. Protoc. ICNP*, vol. 2016-March, pp. 291–301, 2016, doi: 10.1109/ICNP.2015.18.
- [42] S. T. Qureshi, T. Bjorninen, and J. Virkki, “Referenced Backscattering Compression Level Indicator based on Passive UHF RFID Tags,” *RFID-TA 2018 - 2018 IEEE Int. Conf. RFID Technol. Appl.*, pp. 3–5, 2018, doi: 10.1109/RFID-TA.2018.8552830.
- [43] R. Caso, A. Michel, A. Buffi, and P. Nepa, “A Modular Antenna for UHF RFID Near-Field Desktop Reader,” pp. 204–207, 2014.
- [44] E. W. A. Niewiadomska-szynkiewicz, “Localization in wireless sensor networks : Classification and evaluation of techniques LOCALIZATION IN WIRELESS SENSOR NETWORKS : CLASSIFICATION AND EVALUATION OF TECHNIQUES,” no. December, 2014, doi: 10.2478/v10006-012-0021-x.
- [45] E. Hatem, B. El-Hassan, J. M. Laheurte, S. Abou-Chakra, E. Colin, and C. Marechal, “Study the estimated distance error in indoor localization using UHF-RFID,” *2018 IEEE Middle East North Africa Commun. Conf. MENACOMM 2018*, pp. 1–5, 2018, doi: 10.1109/MENACOMM.2018.8371026.
- [46] Z. Y. Zhu, H. Ren, and J. Tan, “A method for optimizing the position of passive UHF RFID tags,” *Proc. 2010 IEEE Int. Conf. RFID-Technology Appl. RFID-TA 2010*, no. June, pp. 92–95, 2010, doi: 10.1109/RFID-TA.2010.5529867.
- [47] J. Han, M. Kamber, and J. Pei, *Classification: Basic Concepts*. 2011.
- [48] B. Wagner and D. Timmermann, “Device-Free User Localization Utilizing Artificial Neural Networks and Passive RFID,” 2012.
- [49] S. Learn, “Multiclass and multioutput algorithms,” 2007. <https://scikit-learn.org/stable/modules/multiclass.html> (accessed Dec. 23, 2020).