

DAFTAR PUSTAKA

- American Diabetes Association,. (2018). *Standars Of Medical Care In Diabetes-2018*, (Vol. 41). Diabetes Care.
- APhA. (2008). *Medication Therapy Management in Pharmacy Practice: Core Elements of an MTM Service Model* (Version 2.0). American Pharmacists Association and National Association of Chain Drug Stores Foundation.
- BPJS Kesehatan. (2014). *Panduan Praktis Prolanis*. Badan Penyelenggara Jaminan Sosial Kesehatan RI.
- Bullinger, M., & Quitmann, J. (2014). Quality of life as patient-reported outcomes: Principles of assessment. *Dialogues in Clinical Neuroscience*, 16(2), 137–145.
- Burns, A. (2008). Medication therapy management in pharmacy practice: Core elements of an MTM service model (version 2.0). *Journal of the American Pharmacists Association*, 48(3), 341–353.
- Departemen Kesehatan RI. (2008). *Riset Kesehatan Dasar (RISKESDAS) 2007. Laporan Nasional*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan. Badan Penelitian dan Pengembangan Kesehatan.
- Dinkes Jawa Tengah. (2015). *Profil Kesehatan Provinsi Jawa Tengah Tahun 2015*. Dinas Kesehatan Provinsi Jawa Tengah.
- DiPiro, J. T., Schwinghammer, T. L., Wells, B. G., & DiPiro, C. V. (2015). *Pharmacotherapy Handbook* (9 ed.). McGraw-Hill Education.

Erku, D. A., Ayele, A. A., Mekuria, A. B., Belachew, S. A., Hailemeskel, B., & Tegegn, H. G. (2017). The impact of pharmacist-led medication therapy management on medication adherence in patients with type 2 diabetes mellitus: A randomized controlled study. *Pharmacy Practice*, 15(3), 1026–1026.

Farmer, K. C. (1999). Methods for measuring and monitoring medication regimen adherence in clinical trials and clinical practice. *Clinical Therapeutics*, 21(6), 1074–1090.

Hartati, T. (2003). Kualitas Hidup Penderita DM tipe 2: Perbandingan Antara penderita Kadar Gula Darah Terkendali dan Tidak Terkendal. *Program Pascasarjana, Universitas Gajah Mada, Yogyakarta*.

Hendrychova, T., Vytrisalova, M., Smahelova, Vlcek, J., & Kubena. (2013). Adherence in adults with type 1 diabetes mellitus correlates with treatment satisfaction but not with adverse events. *Patient Preference and Adherence*, 7, 867–876.

Keban, S. A., & Purnomo, L. B. (2013). Evaluasi Hasil Edukasi Farmasis Pada Pasien Diabetes Melitus Tipe 2 Di Rumah Sakit Dr. Sardjito Yogyakarta. *JURNAL ILMU KEFARMASIAN INDONESIA*, 11(1), 45–52.

Kemenkes RI. (2013). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 71 Tahun 2013 Tentang Pelayanan Kesehatan Pada Jaminan Kesehatan Nasional*. Kementerian Kesehatan RI.

Kemenkes RI. (2019). *INFODATIN, Pusat Data dan Informasi Kementerian Kesehatan RI*. Kementerian Kesehatan RI.

Kleppe, M. (2016). *Understanding medication adherence: A self-report measure and a dual-process framework*. Technische Universiteit Eindhoven.

Lameshow, S. (1997). *Besar Sampel Dalam Penelitian Kesehatan*. Gadjah Mada University Press, Yogyakarta.

Lehmann, A., Aslani, P., Ahmed, R., Celio, J., Gauchet, A., & Bedouch, P. (2014). Assessing Medication Adherence. *Int J Clin Pharm*, (2014), 36, 55-69.

Manganelli, J. (2016). The Role of the Clinical Pharmacist in Achieving Clinical and Quality Outcomes in Diabetes Management. *The American Journal of Managed Care*, 22(4), SP128–SP129.

McGivney, M., Meyer, S. M., Duncan–Hewitt, W., Hall, D. L., Goode, J.-V. R., & Smith, R. B. (2007). Medication therapy management: Its relationship to patient counseling, disease management, and pharmaceutical care. *Journal of the American Pharmacists Association*, 47(5), 620–628.

Murali, A. B., Boban, B., Shanmughan, A. K., Marimuthu, K., Sreelatha, A. R., & Xavier, A. (2016). Medication therapy management (MTM): An innovative approach to improve medication adherence in diabetics. *Drug Metabolism and Personalized Therapy*, 31(3), 151–155.

Nadia, H., Murti, A. T., & Chairun, W. (2017). PENGARUH KONSELING FARMASIS TERHADAP KEPATUHAN PENGGUNAAN OBAT

SERTA HASIL TERAPI PASIEN DIABETES MELITUS TIPE 2 DI
PUSKESMAS. *UAD, Yogyakarta*, 5, 623–630.

Nagavi, B., Adepu, R., & Rasheed, A. (2007). Effect of patient counseling on quality of life in type-2 diabetes mellitus patients in two selected South Indian community pharmacies: A study. *Indian Journal of Pharmaceutical Sciences*, 69(4), 519–524.

Ndefo, U. A., Moultry, A. M., Davis, P. N., & Askew, R. (2017). Provision of Medication Therapy Management by Pharmacists to Patients With Type-2 Diabetes Mellitus in a Federally Qualified Health Center. *Pharmacy and Therapeutics*, 42(10), 632–637.

Nita, Y., Yuda, A., & Nugraheni, G. (2012). PENGETAHUAN PASIEN TENTANG DIABETES DAN OBAT ANTIDIABETES ORAL. *Jurnal Farmasi Indonesia*, 6(1), 38–47.

Osterberg, L., & Blaschke, T. (2005). Adherence to Medication. *New England Journal of Medicine*, 353(5), 487–497.

PERKENI. (2015). *Konsesus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia* (1 ed.). Pengurus Besar Perkumpulan Endokrinologi Indonesia.

PERKENI. (2019). *Pedoman Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Dewasa Di Indonesia- 2019*. PB PERKENI.

- Pinto, S. L., Bechtol, R. A., & Partha, G. (2012). Evaluation of outcomes of a medication therapy management program for patients with diabetes. *Journal of the American Pharmacists Association*, 52(4), 519–523.
- Rahman, H. F., & Sukmarini, L. (2017). Efikasi Diri, Kepatuhan, dan Kualitas Hidup Pasien Diabetes Melitus Tipe 2. *e-Jurnal Pustaka Kesehatan*, 5(1), 108–113.
- Safita, N., Islam, S. M. S., Chow, C. K., Niessen, L., Lechner, A., Holle, R., & Laxy, M. (2016). The impact of type 2 diabetes on health related quality of life in Bangladesh: Results from a matched study comparing treated cases with non-diabetic controls. *Health and Quality of Life Outcomes*, 14(129), 1–9.
- Sarwono, W. (2006). *Buku Ajar Ilmu Penyakit Dalam* (4 ed.). Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.
- Septiar, H. E., & Utami, P. (2015). PENGARUH KONSELING FARMASIS TERHADAP KUALITAS HIDUP DAN KADAR GULA DARAH PADA PASIEN DIABETES MELLITUS TIPE 2 DI PUSKESMAS GEDONG TENGEN PERIODE MARET-MEI 2014. *Jurnal Farmasi Sains dan Praktis*, 1(1), 29–35.
- Shen, W., Kotsanos, J. G., Huster, W. J., Mathias, S. D., Andrejasich, C. M., & Patrick, D. L. (1999). Development and Validation of the Diabetes Quality of Life Clinical Trial Questionnaire. *Medical Care*, 37(4), AS45–AS66.

Smeltzer, S. C., & Bare, B. G. (2008). *Textbook of Medical Surgical Nursing*.

Philadelphia: Linpincont William & Wilkins.

Stirratt, M. J., Dunbar-Jacob, J., Crane, H. M., Simoni, J. M., Czajkowski, S., Hilliard, M. E., Aikens, J. E., Hunter, C. M., Velligan, D. I., Huntley, K., Ogedegbe, G., Rand, C. S., Schron, E., & Nilsen, W. J. (2015). Self-report measures of medication adherence behavior: Recommendations on optimal use. *Translational Behavioral Medicine*, 5(4), 470–482.

Syaripuddin, M. (2013). Peranan Pharmaceutical Care dalam Meningkatkan Hasil Klinis dan Kualitas Hidup Pasien Penderita Diabetes Melitus. *Jurnal Kefarmasian Indonesia*, 3(2), 52–59.

Tjokropawiro, A., Setiawan, P. B., Effendi, C., Santosa, D., & Soegiarto, G. (2015). *Buku Ajar Ilmu Penyakit Dalam: Fakultas Kedokteran Universitas Airlangga Rumah Sakit Pendidikan Dr. Soetomo Surabaya* (2 ed.). Airlangga University Press.

Vik, S. A., Maxwell, C. J., & Hogan, D. B. (2004). Measurement, Correlates, and Health Outcomes of Medication Adherence Among Seniors. *Annals of Pharmacotherapy*, 38(2), 303–312.

WHO. (2004). *Introducing the WHOQOL Instrument*. Word Health Organisation.

WHO. (2016). *Global Report on Diabetes*. Geneva, Switzerland. Word Health Organisation.

Wild, S., Roglic, G., Green, A., Sicree, R., & King, H. (2004). Global Prevalence of Diabetes: Estimates for the year 2000 and projections for 2030. *Diabetes Care*, 27(5), 1047–1053.

Wishah, R. A., Al-Khawaldeh, O. A., & Albsoul, A. M. (2015). Impact of pharmaceutical care interventions on glycemic control and other health-related clinical outcomes in patients with type 2 diabetes: Randomized controlled trial. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 9(4), 271–276.