

## DAFTAR PUSTAKA

- Adhyapak, P.V., Meshram, S.P., Amalnerkar, D.P., and Mulla, I.S., 2014, Structurally enhanced photocatalytic activity of flower-like ZnO synthesized by PEG-assisted hydrothermal route, *Ceram. Int.*, 40, 1951–1959.
- Ali, A.M., Ghazwani, N.A., Algarni, H., and Ismail, A.A., 2019, Synthesis of ZnO-SnO<sub>2</sub> nanocomposites: Impact of polyethylene glycol on morphological, luminescence and photocatalytic properties, *Res. Chem. Intermed.*, 45, 3089–3106.
- Amornpitoksuk, P., Intarasuwan, K., Suwanboon, S., and Baltrusaitis, J., 2013, Effect of phosphate salts (Na<sub>3</sub>PO<sub>4</sub>, Na<sub>2</sub>HPO<sub>4</sub>, and NaH<sub>2</sub>PO<sub>4</sub>) on Ag<sub>3</sub>PO<sub>4</sub> morphology for photocatalytic dye degradation under visible light and toxicity of the degraded dye products, *Ind. Eng. Chem. Res.*, 17369–17375.
- Anwer, H., and Park, J., 2019, Analogous crystal orientation for immobilizing rGO ZrO<sub>2</sub>/Ag<sub>3</sub>PO<sub>4</sub> nanocomposite on a fluorine-doped tin oxide substrate, *J. Hazard. Mater.*, 369, 375–383.
- Attia, A.A., Girgis, B.S., and Fathy, N.A., 2008, Removal of methylene blue by carbons derived from peach stones by H<sub>3</sub>PO<sub>4</sub> activation: Batch and column studies, *Dyes Pigm.*, 76, 282–289.
- Bai, S., Shen, X., Lv, H., Zhu, G., and Bao, C., 2013, Assembly of Ag<sub>3</sub>PO<sub>4</sub> nanocrystals on graphene-based nanosheets with enhanced photocatalytic performance, *J. Colloid Interface Sci.*, 9, 559–564.
- Batvandi, M., Haghightzadeh, A., and Mazinani, B., 2020, Synthesis of Ag<sub>3</sub>PO<sub>4</sub> microstructures with morphology-dependent optical and photocatalytic behaviors, *Appl. Phys. A Mater. Sci. Process.*, 126, 1–16.
- Bhatt, D.K., and Patel, U.D., 2021, Photocatalytic degradation of Reactive Black 5 using Ag<sub>3</sub>PO<sub>4</sub> under visible light, *J. Phys. Chem. Solids*, 149, 1–10.
- Bi, Y., Hu, H., Ouyang, S., Lu, G., Cao, J., and Ye, J., 2012, Photocatalytic and photoelectric of cubic Ag<sub>3</sub>PO<sub>4</sub> sub-microcrystals with sharp corners and edges, *Chem. Commun.*, 48, 3748–3750.
- Bi, Y., Ouyang, S., Umezawa, N., Cao, J., and Ye, J., 2011, Facet effect of single crystalline Ag<sub>3</sub>PO<sub>4</sub> sub-microcrystals on photocatalytic properties, *J. Am. Chem. Soc.*, 133, 6490–6492.

- Bomila, R., Srinivasan, S., Gunasekaran, S., and Manikandan, A., 2018, Enhanced photocatalytic degradation of methylene blue dye, opto-magnetic and antibacterial behaviour of pure and La-doped ZnO nanoparticles, *J. Supercond. Nov. Magn.*, 31, 855–864.
- Bozetine, I., Boukennous, Y., Trari, M., and Moudir, N., 2013, Synthesis and characterization of orthophosphate silver powders, *Energy Procedia*, 36, 1158–1167.
- Cai, D., Li, J., Bu, S., Yu, S., Jin, D., and Cheng, J., 2011, PEG-assisted hydrothermal synthesis and photocatalytic activity of Bi<sub>2</sub>Fe<sub>4</sub>O<sub>9</sub> crystallites, *Mater. Res. Soc. Symp. Proc.*, 1292, 143–148.
- Cao, J. Luo, B., Lin, H., Xu, B., and Chen, S., 2012, Visible light photocatalytic activity enhancement and mechanism of AgBr/Ag<sub>3</sub>PO<sub>4</sub> hybrids for degradation of methyl orange, *J. Hazard. Mater.*, 217–218, 107–115.
- Chai, B., Li, J., and Xu, Q., 2014, Reduced graphene oxide grafted Ag<sub>3</sub>PO<sub>4</sub> composites with efficient photocatalytic activity under visible-light irradiation, *Ind. Eng. Chem. Res.*, 53, 8744–8752.
- Cui, X., Zheng, Y.F., Zhou, H., Yin, H.Y., and Song, X.C., 2016, The effect of synthesis temperature on the morphologies and visible light photocatalytic performance of Ag<sub>3</sub>PO<sub>4</sub>, *J. Taiwan Inst. Chem. Eng.*, 60, 328–334.
- Chandrasekaran, P., Viruthagiri, G., and Srinivasan, N., 2012, The effect of various capping agents on the surface modifications of sol-gel synthesized ZnO nanoparticles, *J. Alloy Compd.*, 540, 89–93.
- Chong, R., Cheng, X., Wang, B., Li, D., Chang, Z., and Zhang, L., 2016, Enhanced photocatalytic activity of Ag<sub>3</sub>PO<sub>4</sub> for oxygen evolution and methylene blue degradation: Effect of calcination temperature, *Int. J. Hydrogen Energy.*, 41, 2575–2582.
- Cruz-Filho, J.F., Costa, T.M.S., Lima, M.S., Silva, L.J., Santos, R.S., Cavalcante, L.S., Longo, E., and Luz Jr, G.E., 2019, Effect of different synthesis methods on the morphology, optical behavior, and superior photocatalytic performances of Ag<sub>3</sub>PO<sub>4</sub> sub-microcrystals using white-light-emitting diodes, *J. Photochem. Photobiol. A Chem.*, 377, 14–25.
- Deonikar, V.G., Reddy, K.K., Chung, W.-J., and Kim, H., 2019, Facile synthesis of Ag<sub>3</sub>PO<sub>4</sub>/g-C<sub>3</sub>N<sub>4</sub> composites in various solvent systems with tuned morphologies and their efficient photocatalytic activity for multi-dye

degradation, *J. Photochem. Photobiol. A Chem.*, 368, 168–181.

Dewachter, P., Mouton-Faivre, C., Trechot, P., Lleu, J.-C., and Mertes, P.M., 2005, Severe anaphylactic shock with methylene blue instillation, *Anesth. Analg.*, 101, 149–150.

D'souza, A.A., and Shegokar, R., 2016, Polyethylene glycol (PEG): A versatile polymer for pharmaceutical applications, *Expert Opin. Drug Deliv.*, 13, 1257–1275.

Dinh, C., Nguyen, T., and Do, T., 2011, Large-scale synthesis of uniform silver orthophosphate colloidal nanocrystals exhibiting high visible light photocatalytic activity, *Chem. Comm.*, 7797–7799.

Dhanabal, R., Chithambararaj, A., Velmathi, S., and Bose, A.C., 2015, Visible light driven degradation of methylene blue dye using  $\text{Ag}_3\text{PO}_4$ , *J. Environ. Chem. Eng.*, 3, 1872–1881.

Dong, L., Wang, P., Wang, S., Lei, P., and Wang, Y., 2014, A simple way for  $\text{Ag}_3\text{PO}_4$  tetrahedron and tetrapod microcrystals with high visible-light-responsive activity, *Mater. Lett.*, 134, 158–161.

Dong, P., Hou, G., Liu, C., Zhang, X., Tian, H., Xu, F., Xi, X., and Shao, R., 2016, Origin of activity and stability enhancement for  $\text{Ag}_3\text{PO}_4$  photocatalyst after calcination, *Materials*, 9, 1–17.

Dong, P., Wang, Y., Li, H., Ma, X., and Han, L., 2013, Shape-controllable synthesis and morphology-dependent photocatalytic properties of  $\text{Ag}_3\text{PO}_4$  crystals, *J. Mater. Chem. A*, 1, 4651–4656.

Dong, P., Yin, Y., Xu, N., Guan, R., Hou, G., and Wang, Y., 2014, Facile synthesis of tetrahedral  $\text{Ag}_3\text{PO}_4$  mesocrystals and its enhanced photocatalytic activity, *Mater. Res. Bull.*, 60, 682–689.

<sup>a</sup>Dong, P., Hao, Y., Gao, P., Cui, E., and Zhang, Q., 2015, Synthesis and photocatalytic activity of  $\text{Ag}_3\text{PO}_4$  triangular prism, *J. Nanomater.*, 2015, 1–6.

Dong, P., Hu, J., Huang, Y., Cui, E., and Hou, G., 2015, Synthesis of  $\text{Ag}_3\text{PO}_4$  nanorods with enhanced photocatalytic activity, *Energy Environ. Focus*, 4, 116–120.

<sup>b</sup>Dong, S., Feng, J., Fan, M., Pi, Y., Hu, L., Liu, M., and Sun, J., 2015, Recent developments in heterogeneous photocatalytic water treatment using visible-

- light-responsive photocatalyst: A review, *RSC Adv.*, 1–75.
- Febiyanto, Eliani, I.V., Riapanitra, A., and Sulaeman, U., 2016, Synthesis and visible light photocatalytic properties of iron oxide-silver orthophosphate composites, *AIP Conf. Proc.*, 020021, 1–7.
- Finkelstein-Shapiro, D., Tarakeshwar, P., Rajh, T., and Mujica, V., 2010, Photoinduced kinetics of SERS in bioinorganic hybrid systems. A case study: Dopamine-TiO<sub>2</sub>, *J. Phys. Chem. B*, 114, 14642–14645.
- Fox, B.S., Beyer, M.K., and Bondybey, V.E., 2002, Coordination chemistry of silver cations, *J. Am. Chem. Soc.*, 124, 2545–2550.
- Gan, L., Xu, L., and Qian, K., 2016, Preparation of core-shell structured CoFe<sub>2</sub>O<sub>4</sub> incorporated Ag<sub>3</sub>PO<sub>4</sub> nanocomposites for photocatalytic degradation of organic dyes, *Mater. Des.*, 109, 354–360.
- Garrone, E., and Bonelli, B., 2002, Coupling of framework modes and adsorbate vibrations for CO<sub>2</sub> molecularly adsorbed on alkali ZSM-5 zeolite: Mid- and far infrared spectroscopy and *ab initio* modeling, *J. Chem. Phys.*, 117, 10274–10282.
- Ge, M., 2014, Photodegradation of rhodamine B and methyl orange by Ag<sub>3</sub>PO<sub>4</sub> catalyst under visible light irradiation, *Chinese J. Catal.*, 35, 1410–1417.
- Ge, M., Zhu, N., Zhao, Y., Li, J., and Liu, L., 2012, Sunlight-assisted degradation of dye pollutants in Ag<sub>3</sub>PO<sub>4</sub> suspension, *Ind. Eng. Chem. Res.*, 51, 5167–5173.
- Geng, T., Zhang, S., and Chen, Y., 2020, Study on the synthesis and photocatalysis of Ag<sub>3</sub>PO<sub>4</sub> polyhedral microcrystals, *Bull. Mater. Sci.*, 43, 1-5.
- Ghoderao, K.P., Jamble, S.N., and Kale, R.B., 2017, PEG-assisted morphological transformation of 3D flower-like ZnO to 1D micro-/nanorods and nanoparticles for enhanced photocatalytic activity, *Mater. Res. Express*, 4, 1–15.
- Gnanam, S., and Rajendran, V., 2013, Facile hydrothermal synthesis of alpha manganese sesquioxide (α-Mn<sub>2</sub>O<sub>3</sub>) nanodumb-bells: Structural, magnetic, optical and photocatalytic properties, *J. Alloys Compd.*, 550, 463–470.
- Gondal, M.A., Chang, X., Sha, W.E.I., Yamani, Z.H., and Zhou, Q., 2013, Enhanced photoactivity on Ag/Ag<sub>3</sub>PO<sub>4</sub> composites by plasmonic effect, *J. Colloid Interface Sci.*, 392, 325–330.

- Guo, J., Ouyang, S., Li, P., Zhang, Y., Kako, T., and Ye, J., 2013, A new heterojunction  $\text{Ag}_3\text{PO}_4/\text{r-SrTiO}_3$  photocatalyst towards efficient elimination of gaseous organic pollutants under visible light irradiation, *Appl. Catal. B Environ.*, 134–135, 286–292.
- Guo, R., Fan, Y., and Tang, Y., 2017, Interesting  $\text{Ag}_3\text{PO}_4$  concave rhombic dodecahedra: The same face with different morphologies and photocatalytic properties, *RSC Adv.*, 7, 23977–23981.
- Guo, X., Chen, N., Feng, C., Yang, Y., Zhang, B., Wang, G., and Zhang, Z., 2013, Performance of magnetically recoverable core-shell  $\text{Fe}_3\text{O}_4@ \text{Ag}_3\text{PO}_4/\text{AgCl}$  for photocatalytic removal of methylene blue under simulated solar light, *Catal. Commun.*, 38, 26–30.
- Guo, X., Chen, C., Yin, S., Huang, L., and Qin, W., 2015, Controlled synthesis and photocatalytic properties of  $\text{Ag}_3\text{PO}_4$  microcrystals, *J. Alloy Compd.*, 619, 293–297.
- Guan, X., Shi, J., and Guo, L., 2013,  $\text{Ag}_3\text{PO}_4$  photocatalyst: Hydrothermal preparation and enhanced  $\text{O}_2$  evolution under visible-light irradiation, *Int. J. Hydrogen Energy*, 38, 11870–11877.
- Güy, N., Atacan, K., Karaca, E., and Özacar, M., 2018, Role of  $\text{Ag}_3\text{PO}_4$  and  $\text{Fe}_3\text{O}_4$  on the photocatalytic performance of magnetic  $\text{Ag}_3\text{PO}_4/\text{ZnO}/\text{Fe}_3\text{O}_4$  nanocomposite under visible light irradiation, *Solar Energy*, 16, 308–316.
- Harris, J.M., and Chess, R.B., 2003, Effect of pegylation on pharmaceuticals, *Nat. Rev. Drug Discov.*, 2, 214–221.
- He, H., Guo, M., Cao, J., Lin, H., and Chen, S., 2019, Facile synthesis and excellent photocatalytic activity of  $\text{Ag}_3\text{PO}_4$  nanospheres for contaminants elimination, *Mater. Lett.*, 244, 54–57.
- Hewer, T.L.R., Machado, B.C., Freire, R.S., and Guardani, R., 2014,  $\text{Ag}_3\text{PO}_4$  sunlight-induced photocatalyst for degradation of phenol, *RSC Adv.*, 4, 34676–34680.
- Hua, X., Jin, Y., Wang, K., Li, N., Liu, H., Chen, M., Paul, S., Zhang, Y., Zhao, X., and Teng, F., 2014, Porous  $\text{Ag}_3\text{PO}_4$  microtubes with improved photocatalytic properties, *Catal. Commun.*, 52, 49–52.
- Hu, Y., Wen, Z., and Wu, X., 2014, Porous iron oxide coating on  $\beta$ -alumina ceramics for Na-based batteries, *Solid State Ion.*, 262, 133–137.

- Hu, Z., Lyu, J., and Ge, M., 2020, Role of reactive oxygen species in the photocatalytic degradation of methyl orange and tetracycline by  $\text{Ag}_3\text{PO}_4$  polyhedron modified with g- $\text{C}_3\text{N}_4$ , *Mater. Sci. Semicond. Process.*, 105, 1–10.
- Huang, G.F., Ma, Z.L., Huang, W.Q., Tian, Y., Jiao, C., Yang, Z.M., Wan, Z., and Pan, A., 2013.  $\text{Ag}_3\text{PO}_4$  Semiconductor photocatalyst: Possibilities and challenges, *J. Nanomater.*, 2013, 1–8.
- Huang, Y., Ma, T., Chen, Q.Y., Cao, C., and He, Y., 2015, The electronic properties of impurities (N, C, F, Cl, and S) in  $\text{Ag}_3\text{PO}_4$ : A hybrid functional method study, *Sci. Rep.*, 5, 1–10.
- Hsieh, M., Su, H., Hsieh, P., Chiang, Y., and Huang, M.H., 2017, Synthesis of  $\text{Ag}_3\text{PO}_4$  crystals with tunable shapes for facet-dependent optical property, photocatalytic activity, and electrical conductivity examinations, *ACS Appl. Mater. Interfaces*, 9, 39086–39093.
- Jia, J., Huang, W., Feng, C., Zhang, Z., Zuojiào, K., Liu, J., Jiang, C., and Wang, Y., 2019, Fabrication of g- $\text{C}_3\text{N}_4/\text{Ag}_3\text{PO}_4\text{-H}_2\text{O}_2$  heterojunction system with enhanced visible-light photocatalytic activity and mechanism insight, *J. Alloys Compd.*, 790, 616–625.
- Jose, A., Devi, K.R.S., Pinheiro, D., and Narayana, S.L., 2018, Electrochemical synthesis, photodegradation and antibacterial properties of PEG capped zinc oxide nanoparticles, *J. Photochem. Photobiol. B Biol.*, 187, 25–34.
- Kadiya, K., Vuggili, S.B., Gaur, U.K., and Sharma, M., 2020, Comparative photocatalytic dye and drug degradation study using efficient visible light-induced silver phosphate nanoparticles, *Environ. Sci. Pollut. Res.* <https://doi.org/10.1007/s11356-020-10982-y>.
- Katsumata, H., Taniguchi, M., Kaneco, S., and Suzuki, T., 2013, Photoalytic degradation of bisphenol A by  $\text{Ag}_3\text{PO}_4$  under visible light, *Catal. Commun.*, 34, 30–34.
- Karthikeyan, B., Sandeep, C.S.S., Philip, R., and Baesso, M.L., 2009, Study of optical properties and effective three-photon absorption in Bi-doped ZnO nanoparticles, *J. Appl. Phys.*, 106, 1–5.
- Ke, H., Luo, W., Cheng, G., Tian, X., and Pi, Z., 2010, Synthesis of flower-like  $\text{SnS}_2$  nanostructured microspheres using PEG 200 as solvent, *Micro Nano Lett.*, 4, 177–180.

- Khan, A., Qamar, M., and Muneer, M., 2012, Synthesis of highly active visible-light-driven colloidal silver orthophosphate, *Chem. Phys. Lett.*, 519–520, 54–58.
- Khezli, S., and Abedini, A., 2017, Effect of amino acids as capping agent on the size and morphology of pure AgO nanoparticles and its photocatalyst application, *J. Mater. Sci. Mater. Electron*, 28, 10535–10540.
- Kudo, A., and Miseki, Y., 2009, Heterogeneous photocatalyst materials for water splitting, *Chem. Soc. Rev.*, 38, 253–278.
- Krungchanuchat, S., Ekthammathat, N., Phuruangrat, A., Thongtem, S., and Thongtem, T., 2017, High UV-visible photocatalytic activity of Ag<sub>3</sub>PO<sub>4</sub> dodecahedral particles synthesized by a simple hydrothermal method, *Mater. Lett.*, 201, 58–61.
- Li, J., Lu, G., Wang, Y., Guo, Y., and Guo, Y., 2012, A high activity photocatalyst of hierarchical 3D flowerlike ZnO microspheres: Synthesis, characterization, and catalytic activity, *J. Colloid Interface Sci.*, 377, 191–196.
- Li, J.F., Rupa, E.J., Hurh, J., Huo, Y., Chen, L., Han, Y., Ahn, J.C., Park, J.K., Lee, H.A., Mathiyalagan, R., and Yang, D.-C., Cordyceps militaris fungus mediated zinc oxide nanoparticles for the photocatalytic degradation of methylene blue dye, *Optik*, 183, 691–697.
- Li, R., Song, X., Huang, Y., Fang, Y., Jia, M., and Ma, W., 2016, Visible-light photocatalytic degradation of azo dyes in water by Ag<sub>3</sub>PO<sub>4</sub>: An unusual dependency between adsorption and the degradation rate on pH value, *J. Mol. Catal. A Chem.*, 421, 57–65.
- Lin, C., Xie, X., Li, C., and Yan, Q., 2018, Co<sub>0.5</sub>Zn<sub>0.5</sub>Fe<sub>2</sub>O<sub>4</sub>/Ag<sub>3</sub>PO<sub>4</sub>: A magnetic, highly efficient visible-light photocatalyst and the Z-scheme mechanism for removal of anionic dye and tetracycline hydrochloride, *Mater. Sci. Semicon. Proc.*, 82, 46–53.
- Liu, J.J., Fu, X.L., Chen, S.F., and Zhu, Y.F., 2011, Electronic structure and optical properties of Ag<sub>3</sub>PO<sub>4</sub> photocatalyst calculated by hybrid density functional method, *Appl. Phys. Lett.*, 99, 1–4.
- Liu, J.-K., Luo, C.-X., Wang, J.-D., Yang, X.-H., and Zhong, X.-H., 2012, Controlled synthesis of silver phosphate crystals with high photocatalytic activity and bacteriostatic activity, *CrystEngComm*, 14, 8714–8721.

- Liu, L., Ding, L., Liu, Y., An, W., Lin, S., Liang, Y., and Cui, W., 2017, A stable  $\text{Ag}_3\text{PO}_4$ @PANI core@shell hybrid: Enrichment photocatalytic degradation with  $\pi$ - $\pi$  conjugation, *Appl. Catal. B Environ.*, 201, 92–104.
- <sup>a</sup>Liu, Q., Li, N., Qiao, Z., Li, W., Wang, L., Zhu, S., Jing, Z., and Yan, T., 2019, The multiple promotion effects of ammonium phosphate-modified  $\text{Ag}_3\text{PO}_4$  on photocatalytic performance, *Front. Chem.*, 7, 1–12.
- Liu, X., Zhong, J., Li, J., Huang, S., and Song, W., 2015, PEG-assisted hydrothermal synthesis of  $\text{BiOCl}$  with enhanced photocatalytic performance, *Appl. Phys. A*, 119, 1203–1208.
- <sup>b</sup>Liu, Y., Yang, D., Shi, Y., Song, L., Yu, R., Qu, J., and Yu, Z.-Z., 2019, Silver phosphate/graphene oxide aerogel microspheres with radially oriented microchannels for highly efficient and continuous removal of pollutants from wastewaters, *ACS Sustain. Chem. Eng.*, 7, 11228–11240.
- Luo, L., Li, Y., Hou, J., and Yang, Y., 2014, Visible photocatalysis and photostability of  $\text{Ag}_3\text{PO}_4$  photocatalyst, *Appl. Surf. Sci.*, 319, 332–338.
- Ma, J., Li, L., Zou, J., Kong, Y., and Komarneni, S., 2014, Highly efficient visible light degradation of Rhodamine B by nanophasic  $\text{Ag}_3\text{PO}_4$  dispersed on SBA-15, *Microporous and Mesoporous Mater.*, 193, 154–159.
- Ma, Q., Hu, X., Liu, N., Sharma, A., Zhang, C., Kawazoe, N., Chen, G., and Yang, Y., 2020, Polyethylene glycol (PEG)-modified  $\text{Ag}/\text{Ag}_2\text{O}/\text{Ag}_3\text{PO}_4/\text{Bi}_2\text{WO}_6$  photocatalyst film with enhanced efficiency and stability under solar light, *J. Colloid Interface Sci.*, 569, 101–113.
- Ma, X.G., Liu, B., Li, D., Shi, R., Pan, C.S., and Zhu, Y.F., 2011, Origin of photocatalytic activation of silver orthophosphate from first principles, *J. Phys. Chem. C*, 115, 4680–4687.
- Ma, Z., Huang, X., Xu, N., Li, J., Zhou, C., Deng, L., and He, Y., 2020, An effective strategy for boosting photoinduced charge separation of  $\text{Ag}_3\text{PO}_4$  by  $\text{BiVO}_4$  with enhanced visible light photodegradation efficiency for levofloxacin and methylene blue, *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, 229, 1–8.
- Ma, Z., Lin, S., Sa, R., Li, Q., and Wu, K., 2017, A comprehensive understanding of water photooxidation on  $\text{Ag}_3\text{PO}_4$  surfaces, *RSC Adv.*, 7, 23994–24003.
- Makula, P., Pacia, M., and Macyk, W., 2018, How to correctly determine the band gap energy of modified semiconductor, *J. Phys. Chem. Lett.*, 9, 6814–6817.

- Mandal, S., and Ananthkrishnan, R., 2017, Sustainable design of hierarchically porous  $\text{Ag}_3\text{PO}_4$  microspheres through a novel natural template and their superior photooxidative capacity, *ACS Sustain. Chem. Eng.*, 6, 1091–1104.
- Marcos, M.A., Cabaleiro, D., Guimarey, M.J.G., Comuñas, M.J.P., Fedele, L., Fernandez, J., and Lugo, L., 2017, PEG 400-based phase change materials nano-enhanced with functionalized graphene nanoplatelets, *Nanomaterials*, 7, 1–16.
- Martin, D.J., Umezawa, N., Chen, X., Ye, J., and Tang, J., 2013, Facet engineered  $\text{Ag}_3\text{PO}_4$  for efficient water photooxidation, *Energy Environ. Sci.*, 6, 3380–3386.
- Martín-Gómez, A.N., Navío, J.A., Jaramillo-Páez, C., Sánchez-Cid, P., and Hidalgo, M.C., 2020, Hybrid  $\text{ZnO}/\text{Ag}_3\text{PO}_4$  photocatalysts, with low and high phosphate molar percentages, *J. Photochem. Photobiol. A Chem.*, 388, 1–12.
- Mirsalari, S.A., and Nezamzadeh-Ejehieh, A., 2020, The catalytic activity of the coupled CdS-AgBr nanoparticles: A brief study on characterization and its photo-decolorization activity towards methylene blue, *Desalination Water Treat.*, 175, 263–272.
- Monticone, S., Tufeu, R., Kanaev, A.V., Scolan, E., and Sanchez, C., 2000, Quantum size effect in  $\text{TiO}_2$  nanoparticles: Does it exist?, *Appl. Surf. Sci.*, 162-163, 565–570.
- Mohammadi, M., Hekmatara, S.H., Moghaddam, R.S., and Darehkordi, A., 2019, Preparation and optimization photocatalytic activity of polymer-grafted  $\text{Ag}@\text{AgO}$  core-shell quantum dots, *Environ. Sci. Pollut. Res.*, 26, 13401–13409.
- Moradi, S., Vossoughi, M., Feilizadeh, M., Zakeri, S.M.E.Z., Mohammadi, M.M.M., Rashtchian, D., and Booshehri, A.Y., 2014, Photocatalytic degradation of dibenzothiophene using La/PEG-modified  $\text{TiO}_2$  under visible light irradiation, *Res. Chem. Intermed.* 41, 4151–4167.
- Mousavi, M., and Habibi-Yangjeh, A., 2017, Novel magnetically separable  $\text{g-C}_3\text{N}_4/\text{Fe}_3\text{O}_4/\text{Ag}_3\text{PO}_4/\text{Co}_3\text{O}_4$  nanocomposites: Visible-light-driven photocatalysts with highly enhanced activity, *Adv. Powder Technol.*, 28, 1540–1553.

- Nasrollahi, Z., Pirbazari, A.E., Hasan-Zadeh, A., and Salehi, A., 2019, One-pot hydrothermal synthesis and characterization of magnetic nanocomposite of titania-deposited copper ferrite/ferrite oxide for photocatalytic decomposition of methylene blue dye, *Int. Nano Lett.*, 9, 327–338.
- Newsam, J.M., Cheetham, K.A., and Tofield, B.C., 1980, Structural studies of the high-temperature modification of sodium and silver orthophosphate, II- $\text{Na}_3\text{PO}_4$  and II- $\text{Ag}_3\text{PO}_4$ , and of the low temperature form I- $\text{Ag}_3\text{PO}_4$ , *Solid State Ion.*, 1, 377–393.
- Ng, H.N., Calvo, C., and Faggiani, R., 1978, A new investigation of the structure of silver orthophosphate, *Acta Cryst.*, B34, 898–899.
- Nyankson, E., and Kumar, R.V., 2019, Removal of water-soluble dyes and pharmaceutical wastes by combining the photocatalytic properties of  $\text{Ag}_3\text{PO}_4$  with the adsorption properties of halloysite nanotubes, *Mater. Today Adv.*, 4, 1–16.
- Ohtani, B., 2014, *Encyclopedia of Applied Electrochemistry: Photocatalyst*, Springer, New York.
- Panicker, C.Y., Varghese, H.T., and Philip, D., 2006, FT-IR, FT-Raman and SERS spectra of vitamin C, *Spectrochim. Acta A Mol. Biomol. Spectrosc.*, 65, 802–804.
- Parakala, S., Moulik, S., and Sridhar, S., 2019, Effective separation of methylene blue dye from aqueous solutions by integration of micellar enhanced ultrafiltration with vacuum membrane distillation, *Chem. Eng. J.*, 375, 1–11.
- Parra, M.R., and Haque, F.F., 2015, Poly (ethylene glycol) (PEG)-assisted shape-controlled synthesis of one-dimensional ZnO nanorods, *Optik*, 126, 1562–1566.
- Pavanello, A., Blasco, A., Johnston, P.F., Miranda, M.A., and Marin, M.L., 2020, Enhanced photodegradation of synthetic dyes mediated by  $\text{Ag}_3\text{PO}_4$ -based semiconductors under visible light irradiation, *Catalysts*, 10, 1–17.
- Pasut, G., and Veronese, F.M., 2012, State of the art in PEGylation: The great versatile achieved after forty years of research, *J. Control. Release*, 161, 461–472.
- Piccirillo, C., Pinto, R.A., Tobaldi, D.M., Pullar, R.C., Labrincha, J.A., Pintado, M.M.E., and Castro, P.M.L., 2015, Light induced antibacterial activity and

photocatalytic properties of Ag/Ag<sub>3</sub>PO<sub>4</sub>-based material of marine origin, *J. Photochem. Photobiol. A Chem.*, 296, 40–47.

Phuruangrat, A., Kuntalue, B., Thongtem, S., and Thongtem, T., 2016, Effect of PEG on phase, morphology and photocatalytic activity of CeVO<sub>4</sub> nanostructures, *Mater. Lett.*, 174, 138–141.

Qamar, M., and Elsayed, R.B., Alhooshani, K.R., Ahmed, M.I., Bahnemann, D.W., 2015, Chemoselective and highly efficient conversion of aromatic alcohols into aldehydes photo-catalyzed by Ag<sub>3</sub>PO<sub>4</sub> in aqueous suspension under simulated sunlight, *Catal. Commun.*, 58, 34–39.

Rawal, S.B., Sung, S.D., and Lee, W.I., 2012, Novel Ag<sub>3</sub>PO<sub>4</sub>/TiO<sub>2</sub> composites for efficient decomposition of gaseous 2-propanol under visible-light irradiation, *Catal. Commun.*, 17, 131–135.

Ravulapalli, S., and Kunta, R., 2019, Effective removal of methylene blue, a hazardous dye from industrial effluents using active carbon of *F. infectoria* plant, *Int. J. Environ. Sci. Technol.*, 16, 7837–7848.

Ren, J., Chai, Y., Liu, Q., Zhang, L., and Dai, W.-L., 2017, Intercorrelated Ag<sub>3</sub>PO<sub>4</sub> nanoparticles decorated with graphitic carbon nitride: Enhanced stability and photocatalytic activities for water treatment, *Appl. Surf. Sci.*, 403, 177–186.

Sathiskumar, S., Parthivarman, M., Sharmila, V., and Karthik, M., 2017, A facile and one step synthesis of large surface area SnO<sub>2</sub> nanorods and its photocatalytic activity, *J. Mater. Sci: Mater. Electron*, 28, 8192–8196.

Sinha, R., Friedrich, D., Zafeiropoulos, G., Zeothout, E., Parente, M., van de Sanden, M.C.M., and Bieberle-Hutter, A., 2020, Charge carrier dynamics and photocatalytic activity of (111) and (100) faceted Ag<sub>3</sub>PO<sub>4</sub> particles, *J. Chem. Phys.*, 152, 1–9.

Shang, M., Wang, W., Zhou, L., Sun, S., and Yin, W., 2009, Nanosized BiVO<sub>4</sub> with high visible-light-induced photocatalytic activity: Ultrasonic-assisted synthesis and protective effect of surfactant, *J. Hazard. Mater.*, 172, 338–344.

Shameli, K., Ahmad, M.B., Jazayeri, S.D., Sedaghat, S., Shabanzadeh, P., Jahangirian, H., Mahdavi, M., and Abdollahi, Y., 2012, Synthesis and characterization of polyethylene glycol mediated silver nanoparticles by the green method, *Int. J. Mol. Sci.*, 13, 6639–3350.

- Sharma, A., Liu, N., Ma, Q., Zheng, H., Kawazoe, N., Chen, G., and Yang, Y., 2020, PEG assisted P/Ag/Ag<sub>2</sub>O/Ag<sub>3</sub>PO<sub>4</sub>/TiO<sub>2</sub> photocatalyst with enhanced elimination of emerging organic pollutants in salinity condition under solar light illumination, *Chem. Eng. J.*, 385, 1–12.
- Sobhani-Nasab, A., and Behpour, M., 2016, Synthesis and characterization of AgO nanostructures by precipitation method and its photocatalyst application, *J. Mater. Sci. Mater. Electron*, 27, 1191–1196.
- Song, L., Chen, Z., Li, T., and Zhang, S., 2017, A novel Ni<sup>2+</sup>-doped Ag<sub>3</sub>PO<sub>4</sub> photocatalyst with high photocatalytic activity and enhancement mechanism, *Mater. Chem. Phys.*, 186, 271–279.
- Su, W., Wei, S.S., Hu, S.Q., and Tang, J.X., 2009, Preparation of TiO<sub>2</sub>/Ag colloids with ultraviolet resistance and antibacterial property using shortchain polyethylene glycol, *J. Hazard. Mater.*, 172, 716–720.
- Sulaeman, U., Febiyanto, F., Yin, S., and Sato, T., 2016, The highly active saddle-like Ag<sub>3</sub>PO<sub>4</sub> photocatalyst under visible light irradiation, *Catal. Commun.*, 85, 22–25.
- Sulaeman, U., Liu, B., Yin, S., and Sato, T., 2017, Synthesis of Ag<sub>3</sub>PO<sub>4</sub> using hydrophilic polymer and their photocatalytic activities under visible light irradiation, *Bull. Chem. React. Catal. Eng.*, 12, 206–211.
- Taddesse, A.M., Bekele, T., Diaz, I., and Adgo, A., 2021, Polyaniline supported CdS/CeO<sub>2</sub>/Ag<sub>3</sub>PO<sub>4</sub> nanocomposite: An “A-B” type tandem n-n heterojunctions with enhanced photocatalytic activity, *J. Photochem. Photobiol. A Chem.*, 406, 1–13.
- Teng, F., Liu, Z., Zhang, A., and Li, M., 2015, Photocatalytic performances of Ag<sub>3</sub>PO<sub>4</sub> polypods for degradation of dye pollutant under natural indoor weak light irradiation, *Environ. Sci. Technol.*, 49, 9489–9494.
- Teng, W., Li, W., Zhao, Q., Zhao, J., and Zhang, D., 2012, In situ capture of active species and oxidation mechanism of RhB and MB dyes over sunlight-driven Ag/Ag<sub>3</sub>PO<sub>4</sub> plasmonic nanocatalyst, *Appl. Catal. B Environ.*, 125, 538–545.
- Thiyagarajan, S., Singh, S., and Bahadur, D., 2016, Reusable sunlight activated photocatalyst Ag<sub>3</sub>PO<sub>4</sub> and its significant antibacterial activity, *Mater. Chem. Phys.*, 173, 385–389.

- Thongtem, T., Phuruangrat, A., and Thongtem, S., 2009, Solvothermal synthesis of CdS nanowires templated by polyethylene glycol, *Ceram. Int.*, 35, 2817–2822.
- Thomas, A., Muller, S.S., and Frey, H., 2014, Beyond poly(ethylene glycol): Linear polyglycerol as a multifunctional polyether for biomedical and pharmaceutical applications, *Biomacromolecules*, 15, 1935–1954.
- Tóth, Z.-R., Kovács, G., Hernádi, K., Baia, L., and Pap, Z., 2017, The investigation of the photocatalytic efficiency of spherical gold nanocages/TiO<sub>2</sub> and silver nanospheres/TiO<sub>2</sub> composites, *Sep. Purif. Technol.*, 183, 216–225.
- Varghese, H.T., Panicker, C.Y., and Philip, D., Sreevalsan, K., Anithakumary, V., 2007, IR, Raman and SERS spectra of disodium terephthalate, *Spectrochim. Acta A Mol. Biomol. Spectrosc.*, 68, 817–822.
- Vogel, 1990, *Buku Teks Analisis Anorganik Kualitatif Makro dan Semimikro*, PT Kalman Media Pustaka, Jakarta.
- Verma, M., Dwivedi, P.K., and Saxena, N.S., 2020, Hollow silica nanoparticles synthesized from core-shell nanoparticles as highly efficient adsorbent for methylene blue and its invitro release: Mechanism and kinetics study, *Colloids Surf. A Physicochem. Eng. Asp.*, 587, 1–12.
- Vu, T.A., Dao, C.D., Hoang, T.T.T., Nguyen, K.T., Le, G.H., Dang, P.T., Tran, H.T.K., and Nguyen, T.V., 2013, Highly photocatalytic activity of novel nano-sized Ag<sub>3</sub>PO<sub>4</sub> for Rhodamine B degradation under visible light irradiation, *Mater. Lett.*, 92, 57–60.
- Wang, B., Wang, L., Hao, Z., and Luo, Y., 2015, Study on improving visible light photocatalytic activity of Ag<sub>3</sub>PO<sub>4</sub> through morphology control, *Catal. Commun.*, 58, 117–121.
- Wang, B., Gu, X., Zhao, Y., and Qiang, Y., 2013, A comparable study on the photocatalytic activities of Ag<sub>3</sub>PO<sub>4</sub>, AgBr and AgBr/Ag<sub>3</sub>PO<sub>4</sub> hybrid microstructures, *Appl. Surf. Sci.*, 283, 396-401.
- Wang, H., He, L., Wang, L., Hu, P., Guo, L., Han, X., and Li, J., 2012, Facile synthesis of Ag<sub>3</sub>PO<sub>4</sub> tetrapod microcrystals with an increased percentage of exposed {110} facets and highly efficient photocatalytic, *CrystEngComm*, 14, 8342–8344.

- Wang, J., Fan, X.M., Tian, K., Zhou, Z.W., and Wang, Y., 2011, Largely improved photocatalytic properties of Ag/tetrapod-like ZnO nanocompounds prepared with different PEG contents, *Appl. Surf. Sci.*, 257, 7763–7770.
- Wang, L., Li, N., Zhang, Q., Lou, S., Zhao, Y., Chen, M., and Teng, F., 2014, An innovative glycine complexing approach to silver phosphate myriapods with improved photocatalytic activity, *CrystEngComm*, 16, 9326–9330.
- Wang, L., Wang, L., Chu, D., Wang, Z., Zhang, Y., and Sun, J., 2017, Tartaric acid-assisted synthesis of Ag<sub>3</sub>PO<sub>4</sub> hollow microspheres with enhanced photocatalytic properties, *Catal. Commun.*, 88, 53–55.
- Wang, Y., Yu, H., Zhao, B., Qin, W., Lu, Y., Zhu, S., and Huo, M., 2020, Visible light-driven photocatalytic performance and stability of Ag<sub>3</sub>PO<sub>4</sub> by simultaneously loading AgCl and Fe(III), *Appl. Surf. Sci.*, 507, 1–8.
- Wang, Y., Zhang, X., Ding, X., Zhang, P., Shu, M., Ding, J., Zheng, K., and Tian, X., 2019, Fabrication of nanosized Ag<sub>3</sub>PO<sub>4</sub> and self-assembly on cotton fabrics to enhance visible light photocatalytic activities, *Ind. Eng. Chem. Res.*, 58, 14161–14169.
- Wang, Z., Hu, T., Dai, K., Zhang, J., and Liang, C., 2017, Construction of Z-scheme Ag<sub>3</sub>PO<sub>4</sub>/Bi<sub>2</sub>WO<sub>6</sub> composite with excellent visible-light photodegradation activity for removal of organic contaminants, *Chinese J. Catal.*, 38, 2021–2029.
- Wei, T.-T., Wu, T., and Lin, Y.-W., 2019, Controlled synthesis of Ag<sub>3</sub>PO<sub>4</sub> microparticles with different morphologies and their photocatalytic degradation of rhodamine B under white light-emitting diode irradiation, *Micro Nano Lett.*, 14, 363–366.
- Wu, A., Tian, C., Chang, W., Hong, Y., Zhang, Q., Qu, Y., and Fu, H., 2013, Morphology-controlled synthesis of Ag<sub>3</sub>PO<sub>4</sub> nano/microcrystals and their antibacterial properties, *Mater. Res. Bull.*, 48, 3043–3048.
- Xi-Feng, X., Xiao-Qun, J., and Lei-Ji, Z., 2013, Surface modification of poly ethylene glycol to resist nonspecific adsorption of proteins, *Chin. J. Anal. Chem.*, 41, 445–453.
- Xiao, X., Ma, X.-L., Liu, Z.-Y., Li, W.-W., Yuan, H., Ma, X.-B., and Li, L., 2019, Degradation of rhodamine B in a novel bio-photoelectric reductive system composed of *Shewanella oneidensis* MR-1 and Ag<sub>3</sub>PO<sub>4</sub>, *Environ. Int.*, 126, 560–567.

- Xiang, Q., Lang, D., Shen, T., and Liu, F., 2015, Environmental graphene-modified nanosized  $\text{Ag}_3\text{PO}_4$  photocatalysts for enhanced visible-light photocatalytic activity and stability, *Appl. Catal. B, Environ.*, 162, 196–203.
- Xie, Y.P., and Wang, G.S., 2014, Visible light responsive porous lanthanum-doped  $\text{Ag}_3\text{PO}_4$  photocatalyst with high photocatalytic water oxidation activity, *J. Colloid Interface Sci.*, 430, 1–5.
- Xu, J.W., Gao, Z.D., Han, K., Liu, Y., and Song, Y.Y., 2014, Synthesis of magnetically separable  $\text{Ag}_3\text{PO}_4/\text{TiO}_2/\text{Fe}_3\text{O}_4$  heterostructure with enhanced photocatalytic performance under visible light for photoinactivation of bacteria, *ACS Appl. Mater. Interfaces*, 6, 15122–15131.
- Xu, Y.-S., and Zhang, W.-D., 2013, Morphology-controlled synthesis of  $\text{Ag}_3\text{PO}_4$  microcrystals for high performance photocatalysis, *CrystEngComm*, 15, 5407–5411.
- Yan, X., Gao, Q., Qin, J., Yang, X., Li, Y., and Tang, H., 2013, Morphology-controlled synthesis of  $\text{Ag}_3\text{PO}_4$  microcubes with enhanced visible-light-driven photocatalytic activity, *Ceram. Int.*, 39, 9715–9720.
- Yang, J., Zheng, D., Xiao, X., Wu, X., Zuo, X., and Nan, J., 2019, Iodine self-doping and oxygen vacancies doubly surface-modified  $\text{BiOIO}_3$ : Facile in situ synthesis, band gap modulation, and excellent visible-light photocatalytic activity, *Chem. Eng. J.*, 373, 935–945.
- Yang, Z., Tian, Y., Huang, G., Huang, W., Liu, Y., Jiao, C., Wan, Z., Yan, X., and Pan, A., 2014, Novel 3D flower-like  $\text{Ag}_3\text{PO}_4$  microspheres with highly enhanced visible light photocatalytic activity, *Mater. Lett.*, 116, 209–211.
- Yogamalar, N.R. and Bose, A.C., 2011, Burstein-Moss shift and room temperature near-band-edge luminescence in lithium-doped zinc oxide, *Appl. Phys A Mater. Sci. Process.*, 103, 33–42.
- Yi, Z., Ye, J., Kikugawa, N., Kako, T., Ouyang, S., Stuart-Williams, H., Yang, H., Cao, J., Luo, W., Li, Z., Liu, Y., and Withers, R.L., 2010, An orthophosphate semiconductor with photooxidation properties under visible-light irradiation, *Nat. Mater.*, 9, 559–564.
- Yin, Q., Xiang, J., Wang, X., Guo, X., and Zhang, T., 2016, Preparation of highly crystalline mesoporous  $\text{TiO}_2$  by sol-gel method combined with two-step calcining process, *J. Exp. Nanosci.*, 11, 1127–1137.

- Yu, J.-G., Yu, H.-G., Cheng, B., Zhao, X.-J., Yu, J.C., and Ho, W.-K., 2003, The effect of calcination temperature on the surface microstructure and photocatalytic activity of TiO<sub>2</sub> thin films prepared by liquid phase deposition, *J. Phys. Chem. B.*, 107, 13871–13879.
- Zhai, H., Yan, T., Wang, P., Yu, Y., Li, W., You, J., and Huang, B., Effect of chemical etching by ammonia solution on the microstructure and photocatalytic activity of Ag<sub>3</sub>PO<sub>4</sub> photocatalyst, *Appl. Catal. A Gen.*, 528, 104–112.
- Zhang, L., Zhu, Y., He, Y., Li, W., and Sun, H., 2003, Preparation and performances of mesoporous TiO<sub>2</sub> film photocatalyst supported on stainless steel, *Appl. Catal. B Environ.*, 40, 287–292.
- Zhang, P., O'Connor, D., Wang, Y., Jiang, L., Xia, T., Wang, L., Tsang, D.C.W., Ok, Y.S., and Hou, D., 2020, A green biochar/iron oxide composite for methylene blue removal, *J. Hazard Mater.*, 384, 1–8.
- Zhang, S., Gu, X., Zhao, Y., and Qiang, Y., 2015, Effect of annealing temperature and time on structure, morphology and visible-light photocatalytic activities Ag<sub>3</sub>PO<sub>4</sub> microparticles, *Mater. Sci. Eng. B.*, 201, 57–65.
- Zhang, W., Li, R., and He, H., 2012, Synthesis of mesoporous TiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> binary oxides photocatalyst by sol-gel method using PEG1000 as template, *Int. J. Photoenergy*, 2012, 1–7.
- Zhao, Y., Li, C., Liu, X., Gu, F., Jiang, H., Shao, W., Zhang, L., and He, Y., 2007, Synthesis and optical properties of TiO<sub>2</sub> nanoparticles, *Mater. Lett.*, 61, 79–83.
- Zheng, B., Wang, X., Liu, C., Tan, K., Xie, Z., and Zheng, L., 2013, High-efficiently visible light-responsive photocatalysts: Ag<sub>3</sub>PO<sub>4</sub> tetrahedral microcrystals with exposed {111} facets on surface energy, *J. Mater. Chem. A*, 1, 12635–12640.
- Zheng, C., Yang, H., and Yang, Y., 2017, Synthesis of novel coral-like Ag<sub>3</sub>PO<sub>4</sub> microspheres under the aid of trisodium citrate and acetic acid, *J. Ceram. Soc. Japan*, 125 (3), 141–144.
- Zheng, W., Wanliang, Y., He, G., Chi, J., Duan, Y., Chen, M., Liu, M., Sun, Q., and Tian, M., 2019, Facile synthesis of extremely small Ag<sub>3</sub>PO<sub>4</sub> nanoparticles on hierarchical hollow silica sphere (HHSS) for the enhanced visible-light photocatalytic property and stability, *Colloids Surf. A*, 571, 1–

8.

Zhou, D., Wang, Y.-Y., Wang, F.-R., Liu, J.-K., and Zhang, X.-M., 2019, Design and application of  $\text{Ag}_3\text{PO}_4@ \text{Ag}_4\text{V}_2\text{O}_7$  Z-scheme photocatalysts with a micro-nano tube-cluster structure for the co-degradation of nitrate and ammonia in wastewater, *Ind. Eng. Chem. Res.*, 58 (2019) 18027–18035.

Zia, F., Anjum, M.N., Saif, M.J., Jamil, T., Malik, K., Anjum, S., Bibi, I., and Zia, M.A., 2017, Alginate-poly(ethylene) glycol and poly(ethylene) oxide blend materials, Elsevier Inc.

Zwara, J., Grabowska, E., Klimczuk, T., Lisowski, W., and Zaleska-Medynska, A., 2018, Shape-dependent enhanced photocatalytic effect under visible light of  $\text{Ag}_3\text{PO}_4$  particles, *J. Photochem. Photobiol. A Chem.*, 367, 240–252.