

DAFTAR PUSTAKA

- Absor, M. A. U., 2015. *Density Functional Theory Based Calculation of Spin Orbit Interaction in ZnO*. Desertasi. Japan: Universitas Kanazawa.
- Afandi, Y., 2018. The Influence of Electric Field on The Spin Splitting in WX₂ (X = S, Se, Te) Monolayer System : Computational Study Based on Density Functional Theory and Analysis Using k. p Perturbation Theory. vol. 2, Yogyakarta: Universitas Gadjah Mada.
- Aivazian, G., Gong Z., Jones, M. A., Chu, R., Yan, J., Mandrus, D. G., Zhang, C., Cobden, D., Yao, W. and Xu, X., 2015. Magnetic Control of Valley Pseudospin in Monolayer WSe₂. *Nature Physics*, 11, pp. 148-152. doi: 10.1038/nphys3201.
- Ando, T., Fowler, A. B. and Stern, F., 1982. Electronic Properties of Two Dimensional Systems. *Reviews of Modern Physics*, 54(2), pp. 437-672. Doi: 10.1103/RevModPhys.54.437.
- Ataca, C., Sahin, H., Ciraci, & Stable, S., 2012. Single Layer MX₂ Transition Metal Oxides and Dichalcogenides in a Honeycomb-like Structure. *J. Phys. Chem. C*, 116, pp. 8983–8999. doi: 10.1021/jp212558p.
- Awschalom, D. and Samarth, 2009. Spintronics Without Magnetism. *Physics*, 2(50), doi: 10.1103/Physics.2.50.
- Bandyopadhyay, S., and Cahay, M., 2004. Reexamination of Some Spintronic Field-Effect Device Concepts. *Applied Physics Letter.*, 85(8), pp. 1433-1435. doi: doi.org/10.1063/1.1784042.
- Banszerus, L., Schmitz, M., Engels, S., Goldsche, M., Watanabe, K., Taniguchi, T., Stampfer, C., 2016. Ballistic Transport Exceeding 28 μm in CVD Grown Graphene. *Nano Letter*, 16(2), pp. 1387-1391. doi: 10.1021/acs.nanolett.5b04840.
- Bernevig, B. A., Orenstein, J., and Zhang, S., 2007. An Exact SU (2) Symmetry and Persistent Spin Helix in a Spin Orbit Coupled System. *Physc Review Letter*, 97(23). doi: 10.1103/PhysRevLett.97.236601.
- Boross, P., Dora, B., Kiss, A. and Simon, F., 2013. A Unified Theory of Spin Relaxation due to Spin Orbit Coupling in Metal and Semiconductors. *Scientific Reports*, 3(1), pp. 1-10. doi: 10.1038/srep03233.

- Brataas, A., Tserkovnyak, Y. and Bauer, G. E. W., 2006. Current-induced Macrospin vs. Spin-wave Excitations in Spin Valves. *Phys. Rev. B*, doi: 10.1103/PhysRevB.73.014408.
- Bychkov, Y. A. and Rashba, E. I., 1984. Oscillatory Effects and The Magnetic Susceptibility of Carriers in Inversion Layers. *Journal of Physics C: Solid State Physics*, 17(33), pp. 6039-6045. doi: 10.1088/0022-3719/17/33/015.
- Cheng, Y. C., Zhu, Z. Y., Tahir, M. and Schwingenschlogl, U., 2011. Doped Silicene : Evindence of a Wide Sability Range. *EPL (Europhysics Letter)*, 95(1). doi: 10.1209/0295-5075/95/17005.
- Cheng, Y. C., Zhu, Z. Y., Tahir, M. and Schwingenschlogl, U., 2013. Spin Orbit Induced Spin Splitting in Polar Transition Metal Dichalcogenide Monolayers. *EPL (Europhysics Letters)*, 102(5). doi: 10.1209/0295-5075/102/57001.
- Cheng, G. C., Sun, J. T., Chen, X. R., Fu, H. X., and Meng S., 2016. Nonlinier Rashba Spin Splitting in Transition Metal Dichalcogenide Monolayers. *Nanoscale*, 8(41), pp. 17854-17860. doi: 10.1039/C6NR04235J.
- Coleman, J. N., Lotya, M., Neill, A., O., Bergin, S. D., King, P. J. and Nicolosi, V., 2011. Two-dimensional Nanosheets Produced by Liquid Exfoliation of Layered Material. 331(6017). pp. 568-571. doi: 10.1126/science.1194975.
- Conley, H. J., Wang, B., Ziegler, J. I., Haglund, R. F., Pantelides, S. T. and Bolotin, K. I., 2013. Band Gap Engineering of Strained Monolayer and Bilayer MoS₂. *Nano Letters*, 13(8), pp. 3626-3630. doi: 10.1021/nl4014748.
- Contanzo, D., Jo, S., Berger, H. and Morpurgo, A. F., 2016. Gate-induced Superconductivity in Atomically Thin MoS₂ Crystals. *Nature Nanotechnology*, 11(4), pp. 339-344. doi: 10.1038/nnano.2015.314.
- Datta, S. and Das, B., 1990. Electronic Analog of The Electro-optic Modulator. *Applied Physics Letters*, 56(7), pp. 665-667. doi: 10.1063/1.102730.
- Datta, S., 2005. Quantum Transport: Atom to Transistor. *Cambridge University Press*, Cambridge. doi:10.1017/CBO9781139164313.
- Duerloo, K.-A. N., Li, Y. and Reed, E. J., 2014. Structural Phase Transitions in Two-dimensional Mo and W Dichalcogenide Monolayers. *Nature Communications*, 5(4214), doi: 10.1038/ncomms5214.

- Ferrari, A. C., Katsnelson, M., Vandersypen, L., Loiseau, A., Morandi, V., Tredicucci, A. and Hong, H., 2015. Science and Technology Roadmap for Graphene Related Two Dimensional Crystals and Hybrid Systems. *Nanoscale*, 7(11), pp. 4598-4810. doi: 10.1039/c4nr01600a.
- Fert, A., and I. A. Campbell, 1968. Two-Current Conduction in Nickel. *Phys. Rev. Lett*, 21(1190). doi: 10.1103/PhysRevLett.21.1190.
- Fert, A., and I. A. Campbell, 1971. Transport Properties of Ferromagnetic Transition Metals. *Journal of Physics .(France)*, 32(C1-46). doi:10.1051/jphyscol:1971109.
- Fert, A., and I. A. Campbell, 1976. Electrical Resistivity of Ferromagnetic Nickel and Iron Based Alloys. *Journal of Physics .(France)*, 6(846). Doi: 10.1088/0305-4608/6/5/025.
- Fert, A., 2008. Nobel Lecture : Origin, Development, and Future of Spintronics. *Reviews of Modern Physics*, 80(1517), doi: 10.1103/RevModPhys.80.1517.
- Fiederling, R., Grabs, P., Ossau, W., Schmidt, G. and Physikalisches, L.W. M., 2003. Detection of Electrical Spin Injection by Light Emitting Diodes in Top and Side Emission Configuration. *Applied Physics Letters*, 82(13), doi: 10.1063/1.1564873.
- Galeriu C., 2005. k . p Theory of Semiconductor Nanostructure. *Dessertasi*, Worcester Polytechnic Institute.
- Ganichev, S.D., Belkov, V.V., Golub, L.E., Ivchenko, E.L., Schneider, P., Gignleberger, S. and Prettl, W., 2004. Experimental Separation of Rashba and Dresselhaus Spin Splitting in Semiconductor Quantum Wells. *Physical Review Letters*, 92(25), pp. 1-4. doi: 10.1103/PhysRevLett.92.256601.
- Gmitra, M., Konschuh, S., Ertler, C. and Fabian, J., 2009. Band Structure Topologies of Graphene: Spin Orbit Coupling Effect from First Principles. *Physical Review B*, 80(23), pp. 1-5. doi: 10.1103/PhysRevB.80.235431.
- Hammar, P.R., Bennett, B.R., Yang, M.J. and Johnson, M., 1999. Observation of Spin Injection at a Ferromagnet Semiconductor Interface. *Physical Review Letters*, 83(21), doi: 10.1103/PhysRevLett.83.203.
- Hirohata, A. and Takanashi, K., 2014. Future Perspective for Spintronic Devices. *Applied Physics*, 47(19), doi : 10.1088/0022-3727/47/19/193001.

- Hong, J., Lee, C., Park, J. S. and Shim, J. H., 2016. Control of Valley Degeneracy in MoS₂ by Layer Thickness and Electric Field and Its Effect on Thermoelectric Properties. *Physical Review B*, 93(3), pp. 6. doi: 10.1103/PhysRevB.93.035445.
- Johari, P. and Shenoy, V. B., 2012. Tuning The Electronic Properties of Semiconducting Transition Metal Dichalcogenides by Applying Mechanical Strains. *ACS Nano*, 6, pp. 5449–5456. doi: 10.1021/nn301320r.
- Johnston-Halperin, E., Lofgreen D., Kawakami R. K., Young, D. K., Coldren, L., Gossard, A. C. and Awschalom, D. D., 2002. Spin Polarized Zener Tunneling in (Ga,Mn)As. *Physical Review B*, 65(4), doi: 10.1103/PhysRevB.65.041306.
- Julliere, M., 1975. Tunneling Between Ferromagnetic Films. *Physics Letters A*, 54(3), pp. 225-226. doi: 10.1016/0375-9601(75)90174-7.
- Kahng, D. and Atalla, M.M., 1960. Silicon-silicon Dioxide Field Induced Surface Devices. *IRE-AIEE solid state device*, Pittsburgh : Carnegie Institut of Technology.
- Kato, Y., Myers, R.C., Gossard, A.C. and Awschalom, D.D., 2004. Coherent Spin Manipulation Without Magnetic Fields in Strained Semiconductors. *Nature*, 427(6969), pp. 50-53. doi: 10.1038/nature02202.
- Kohda, M., Ohno, Y., Takamura ,K., Matsukura, F. and Ohno H., 2001. A Spin Esaki Diode. *Japanese Journal of Applied Physics*, 40(12A), pp. L1274–L1276. doi: 10.1143/JJAP.40.L1274.
- Kuc, A. and Heine, T., 2014. The Electronic Structure Calculations of Two-dimensional Transitionmetal Dichalcogenides in The Presence of External Electric and Magnetic Fields. *Chemical Society Reviews*, pp. 2603-2614. doi: 10.1039/C4CS00276H.
- Kuc, A., Zibouche, N. and Heine, T., 2011. Influence of Quantum Confinement on The Electronics Structure of The Transition Metal Sulfide TS₂. *Physical Review B*, 83(24), pp. 1-4. doi: 10.1103/PhysRevB.83.245213.
- LaShell, S., McDougall, B. A., and Jensen, E., 1996. Spin Splitting of an Au (111) Surface State Band Observed with Angle Resolved Photoelectron Spectroscopy. *Physical Review Letter*, 77 (6), doi :

10.1103/PhysRevLett.77.3419.

Lebegue, S., Bjorkman, T., Klintonberg, M., Nieminen, R. and Eriksson, O., 2013.

Two-dimensional Materials from Data Filtering and *ab initio* Calculations.

Phys. Rev. X, 3(3), doi: 10.1103/PhysRevX.3.031002.

Lommer, G. and Malcher, F., 1988. Spin Splitting in Semiconductor

Heterostructure for B-0. *Physical Review Letter*, 60(8), pp. 728-731. doi:

10.1103/PhysRevLett.60.728.

Lu, N., Guo, H., Li, L., Dai, J., Wang, L., Mei, W.N., Wu, X. and Zeng X.C.,

2014. MoS₂/MS₂ Heterobilayers : Bandgap Engineering Via Tensile Strain or

External Electrical Field. *Nanoscale*, 6(5), pp. 2879–2886. doi:

10.1039/c3nr06072a.

Luo, J., Munekata, H., Fang, F. F. and Stiles, P. J., 1990. Effects of Inversion

Asymmetry on Electron Energy Band Structure in GaSb/InAs/GaSb

Quantum Wells. *Physical Review B*, 41(11), pp. 7685-7693. doi:

10.1103/PhysRevB.41.7685.

Mak, K. F., He, K., Shan, J. and Heinz, T. F., 2012. Control of Valley Polarization

in Monolayer MoS₂ by Optical Helicity. *Nature Nanotechnology*, 7(8), pp.

494-498. doi: 10.1038/nnano.2012.96.

Manchon, A., Koo, H. C., Nitta, J., Frolov, S. M. and Duine, R. A., 2015. New

Perspectives for Rashba Spin Orbit Coupling. *Nature Materials*, 14(9), pp.

871-882. doi: 10.1038/nmat4360.

Moodera, J. S., Kinder, L. R., Wong, T. M. and Meservey, R., 1995. Large

Magnetoresistance at Room Temperature in Ferromagnetic Thin Film Tunnel

Junctions. *Physical Review Letters*, 74(16), pp. 3273-3276. doi:

10.1103/PhysRevLett.74.3273.

Nagano, M., Kodama, A., Shishidou, T. and Oguchi, T., 2009. A First-principles

Study on the Rashba Effect in Surface Systems. *J. Phys. : Condens. Matter*,

21(6), doi: 10.1088/0953-8984/21/6/064239.

Nitta, J., Akazaki, T., Takayanagi, H. and Enoki, T., 1997. Gate Control of Spin

Orbit Interaction in an Inverted In_{0.53}Ga_{0.47}As/In_{0.52}Al_{0.48}As

Heterostructure. *Physical Review Letters*, 78(7), pp. 1335-1338. doi:

10.1103/PhysRevLett.78.1335.

- Novoselov, K. S., Geim, A. K., Morozov, S. V. and Jiang, D., 2004. Electric Field Effect in Atomically Thin Carbon Films. *Science*, 306(5696), pp. 666-669. doi: 10.1126/science.1102896.
- Pacil, D., Meyer, J. C., Girit, C. and Zettl, A., 2008. The Two Dimensional Phase of Boron Nitride : Few Atomic Layer Sheets and Suspended Membranes. *Applied Physics Letters*, 92(13), pp. 212-214. doi: 10.1063/1.2903702.
- Radisavljevic, B., Radenovic, A., Brivio, J., Giacometti, V. and Kis, A., 2011. Single Layer MoS₂ Transistors. *Nature Nanotechnology*, 6(3), pp. 147–150. doi: 10.1038/nnano.2010.279.
- Retana-Reyes, J., Naumis, G. and Sodi, F. C., 2014. Centered Honeycomb NiSe₂ Nanoribbons : Structure and Electronic Properties. *J. Phys. Chem. C*, 118(6), pp. 3295–3304. doi: 10.1021/jp409504f.
- Rosencher, E., and Vinter, B., 2002. Optoelectronics. *Cambridge University Press*. United Kingdom: Cambridge University.
- Rudolph, J. and Hägele, D., 2003. Laser Threshold Reduction in a Spintronic Device. *Applied Physic Letter*, 82(25), pp. 2. doi: 10.1063/1.1583145.
- Santos, E. J. and Kaxiras, E., 2013. Electrically Driven Tuning of The Dielectric Constant in MoS₂ Layers. *ACS Nano* 7(12), pp. 10741–10746. doi: 10.1021/nn403738b.
- Shi, H., Pan, H., Zhang, Y. W. and Yakobson, B. I., 2013. Quasiparticle Band Structures and Optical Properties of Strained Monolayer MoS₂ and WS₂. *Physical Review B - Condensed Matter and Materials Physics*, 87(15), pp. 1–8. doi: 10.1103/PhysRevB.87.155304.
- Sholl, S. D. and Steckel, A. J., 2009. Density Functional Theory. WILEY. *National Energy Tecnology Laboratory*. America.
- Srivastava, A., Sidler, M., Allain, A.V., Lembke, D. S., Kis, A. and Imamoglu, A., 2015. Valley Zeeman Effect in Elementary Optical Excitations of Monolayer WSe₂. *Nature Physics*, 11, pp. 141-147. doi: 10.1038/nphys3203.
- Terrones, H., Lopez-Urias, F. and Terrones, M., 2013. Novel Hetero Layered Materials with Tunable Direct Band Gaps by Sandwiching Different Metal Disulfides and Diselenides. *Scientific Reports*, 3(1549), pp. 1-7 doi: 10.1038/srep01549.

- Vrijen, R., Yablonovitch, E., Wang, K., Jiang, H. W., Balandin, A. V., Roychowdhury, M. T. and DiVincenzo, D., 2000. Electron Spin Resonance Transistors for Quantum Computing in Silicon-Germanium Heterostructures. *Quantum Physics*, 62(1), pp. 9. doi: 10.1103/PhysRevA.62.012306.
- Wang, Q. H., Kalantar, Z. K., Kis, A., Coleman, J. N. and Strano, M. S., 2012. Electronics and Optoelectronics of Two-dimensional Transition Metal Dichalcogenides. *Nature Nanotechnology*, 7(11), pp. 699–712. doi: 10.1038/nnano.2012.193.
- Wetzels, W. and Bauer, G. E. W., 2006. Non-collinear single-electron spin-valve transistors. *Physical Review B*, doi: 10.1103/PhysRevB.72.020407.
- Xia, F., Wang, H., Xiao, D., Dubey, M. and Ramasubramaniam, A., 2014. Two - dimensional Material *Nature Photonics*, pp. 899-907. doi: 10.1038/nphoton.2014.271.
- Yaji, K., Ohtsubo, Y., Hatta, S., Okuyama, H., Miyamoto, K., Okuda, T. and Aruga, T., 2010. Large rashba spin splitting of a metallic surface-state band on a semiconductor surface, *Nature Communications*, pp. 1–5. doi: 10.1038/ncomms1016.
- Yao, Q.F., Cai, J., Tong, W.Y., Gong, S.J., Wang, J.Q., Wan, X., and Chu, J.H., 2017, Manipulation of the large Rashba spin splitting in polar two-dimensional transition-metal dichalcogenides. *Physical Review B*, 95(16), pp. 2469-9950. doi: 10.1103/PhysRevB.95.165401.
- Yue, Q., Chang, S., Qin, S., and Li, J., 2013, Functionalization of monolayer MoS₂ by substitutional doping: a first-principles study. *Phys. Lett. A*, 377(19-20), pp. 1362–1367. doi: 10.1016/j.physleta.2013.03.034.
- Zeng, H., Dai, J., Yao, Wang., Xiao, D., and Cui, X., 2012, Valley polarization in MoS₂ monolayers by optical pumping, *Nature Nanotechnology*, pp. 490-493. doi: 10.1038/nnano.2012.95.
- Zelewski, S. J., 2017. Photoacoustic and Modulated Reflectance Studies of Indirect and Direct Band Gap in Van der Waals Crystals, *Scientific Reports*, 7(1), pp.1-11. doi:10.1038/s41598-017-15763-1.
- Zhu, Z.Y., Cheng, Y.C., and Schwingenschlögl, U., 2011, Giant spin-orbit-

induced spin splitting in two-dimensional transition-metal dichalcogenide semiconductors, *Physical Review B - Condensed Matter and Materials Physics*, 84(15), doi: 10.1103/PhysRevB.84.153402.

Zibouche, N., Kuc, A., Musfeldt, J., and Heine, T., 2014, Transition-metal dichalcogenides for spintronic applications. *Phys. Rev. B*, 90(12), pp. 395–401. doi: 10.1002/andp.201400137.

Žutić, I., Fabian, J., Sarma, and Das, S., 2004, Spintronics: Fundamentals and applications. *Reviews of Modern Physics*, 76(2), pp. 323–410. doi: 10.1103/RevModPhys.76.323.