

Absalom Anthony, Keira Mason., 2009. Pharmacokinetic Models for Propofol—Defining and Illuminating The Devil in The Detail. *British Journal of Anaesthesia*, pp 26-37.

Apfel Christian., 2005. PONV: a problem of inhalational anesthesia. *Clin Anaesthesiol*, pp 485-500.

Apfel Christian & Heidrich F., (2012). Evidence-Based Analysis of Risk Factors For Postoperative Nausea and Vomiting. *British Journal of Anaesthesia* 109 (5): 742–53 (2012), 742-753.

Arvianto, Oktaliansah Ezra., 2017. Perbandingan Antara Sevofluran dan Propofol Menggunakan Total Intravenous Anesthesia Target Controlled Infusion Terhadap Waktu Pulih Sadar dan Pemulangan Pasien pada Ekstirpasi Fibroadenoma Payudara. *Jurnal Anestesi Perioperatif*, pp 24-31.

Barash Paul, Bruce F Stoelting, Robert K., 2006. Opioid. In :Clinical Anesthesia, 5th Edition Lippincott Williams & Wilkins, pp 353-400.

Bhakta Pradipta ,Singh Govind ,Gupta., 2016. Incidence of Postoperative Nausea and Vomiting Following Gynecological Laparoscopy: A Comparison of Standard Anesthetic Technique and Propofol Infusion. *Acta Anaesthesiologica Taiwanica*, pp 108-113.

Butterworth Jhon., 2018. *Intravenous Anesthetics*. In: Clinical Anesthesiology. New York: Mc Graw Hill, pp 250-260



**PERBANDINGAN INSIDENSI POST OPERATIVE NAUSEA AND VOMITING ANTARA MAINTANANCE
INHALASI SEVOFLURAN 2%
DAN N2O DENGAN TARGET CONTROLLED INFUSION MENGGUNAKAN PROPOFOL DAN FENTANIL
Pada Pasien Yang**

**Menjalani Pembedahan Berisiko Post Operative Nausea And Vomiting Dengan General Anestesi Di
Rsup Dr.**

Sardjito Yang Mendapatkan Profilaksis Ondansentron 4 Mg

HERLY NURRAHMA, dr.Bhirowo Yudo, SpAn, KAKV; dr. Ratih Kumala Fajar, SpAn, KAO

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Dhruva Sharma, Dhruva Neha., 2014. Postoperative Nausea and Vomiting: A Review.

International Journal Of Current Research, pp 48-54.

Feldheiser Aziz & Miller., 2016. Enhanced Recovery After Surgery (ERAS) for Gastrointestinal Surgery Part 2: Consensus Statement for Anaesthesia Practice. *Acta Anaesthesiologica Scandinavica*, Volume 60(3), pp 289-334.

Gan Hoe, Diemunsch Kovac, Kranke & Meyer., 2014. Consensus Guidelines for The Management of Postoperative Nausea and Vomiting. *Anesthesia & Analgesia*, pp 85-113.

Gecaj Hashimi & Salihu., 2010. Propofol vs Isoflurane Anesthesia Incidence of PONV in Patients at Maxillofacial Surgery. *Advances In Medical Sciences*, Volume 55, pp 308-312.

Habib Ashraf., 2016. A Randomized Comparison of a Multimodal Management Strategy Versus Combination Antiemetics for the Prevention of Postoperative Nausea and Vomiting. *Anesthetic Pharmacology*, pp 77-81

Hukkanen Jacob, Dempsey & Benowitz., 2011. Effect of Nicotine on Cytochrome P450 1A2 Activity. *British Journal of Clinical Pharmacology*, Volume 72, pp 836-838.

Gan Hoe., 2008. Postoperative Nausea and Vomiting. In *Complication In Anesthesiology*. Philadelphia : Lippincott Williams & Wilkins, pp. 264 – 268

Horn Wallisch & Homanics., 2015. Pathophysiological and neurochemical mechanism of postoperative nausea and vomiting. *Eur J Pharmacol*, pp 722:1-27



**PERBANDINGAN INSIDENSI POST OPERATIVE NAUSEA AND VOMITING ANTARA MAINTANANCE
INHALASI SEVOFLURAN 2%
DAN N2O DENGAN TARGET CONTROLLED INFUSION MENGGUNAKAN PROPOFOL DAN FENTANIL
Pada Pasien Yang**

**Menjalani Pembedahan Berisiko Post Operative Nausea And Vomiting Dengan General Anestesi Di
Rsup Dr.**

Sardjito Yang Mendapatkan Profilaksis Ondansentron 4 Mg

HERLY NURRAHMA, dr.Bhirowo Yudo, SpAn, KAKV; dr. Ratih Kumala Fajar, SpAn, KAO

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Intiaz Safiya., 2016. Postoperative Nausea and Vomiting: A simple Yet Complex

Problem. [*Anesth Essays Res*](#), pp 388–396

Joe Han Bum., 2016. Effect Of Total Intravenous Anaesthesia On Postoperative

Nausea And Vomiting After Thyroidectomy: A Prospective, Randomized

Controlled Study. *Journal of International Medical Research*, Vol. 44,

pp 81–88

Josef., 2003. Prevention and Treatment of Postoperative Nausea and Vomiting. In *Antiemetic
Therapy*. Switzerland: Karger, pp. 121-160.

Klazina Visser & Hassink E., 2001. Randomized Controlled Trial of Total Intravenous Anesthesia
with Propofol Versus Inhalation Anesthesia with Isoflurane–Nitrous Oxide Postoperative
Nausea and Vomiting and Economic Analysis. *Anesthesiology*, pp 616–626.

Ljungqvist Scott & Fearon K., 2017. Enhanced Recovery After Surgery: A Review. *JAMA
Surgery*, Volume 152, pp 292-298.

Lyons & Ballisat B., 2016. Antiemetic drugs: pharmacology and overview of their clinical use.
Update in Anaesthesia, Volume 31, pp 38-42.

Mali Jacob., 2012. Anaphylaxis During The Perioperative Period. *Anesthesia, Essays and
Researches*, Volume 6, pp 122-124.

Morgan and Mikhail., 2018. *Adjuncts To Anesthesia : Postoperative Nausea & Vomiting (PONV)*.
In *Clinical Anesthesiology*. Texas: Mcgraw Hill,



PERBANDINGAN INSIDENSI POST OPERATIVE NAUSEA AND VOMITING ANTARA MAINTANANCE INHALASI SEVOFLURAN 2% DAN N2O DENGAN TARGET CONTROLLED INFUSION MENGGUNAKAN PROPOFOL DAN FENTANIL Pada Pasien Yang

Menjalani Pembedahan Berisiko Post Operative Nausea And Vomiting Dengan General Anestesi Di Rsup Dr.

Sardjito Yang Mendapatkan Profilaksis Ondansetron 4 Mg

HERLY NURRAHMA, dr.Bhirowo Yudo, SpAn, KAKV; dr. Ratih Kumala Fajar, SpAn, KAO

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

pp. 484-493

Nimmo Absalom & Bagshaw., 2019. Guidelines for The Safe Practice of Total Intravenous Anaesthesia (TIVA) Joint Guidelines from The Association of Anaesthetists and The Society for Intravenous Anaesthesia. *Anaesthesia*, Volume 74, pp 211-224.

Sastroasmoro Sudigdo, Moeslichan, Budiman & Purwanto., 2002. Perkiraan Besar Sampel. In *Dasar-Dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto, pp. 259-286.

Sear John., 2008. *Total Intravenous Anesthesia*. Anesthesiologi. United States :

McGraw-Hill Chapter 42, pp 897-914

Smith Randal, Wilson Erick., 2012. Postoperative nausea and vomiting. *Ann Palliat Med*, p. 94-102.

Stefan Schraag, Pradeli Lorenzo., 2018. Propofol vs. Inhalational Agents to Maintain General Anaesthesia in Ambulatory and Inpatient Surgery: A Systematic Review and Meta-Analysis. *BMC Anesthesiology*, pp 162-168.

Stoelting Robert, Flood Pamela., 2015. *Antiemetics*. In *Pharmacology and Physiology in Anesthetic Practice*. New York: Wolters Kluwer Health, pp. 692-698

Suzuki Stuart, Rehatta., 2004. Perbandingan Antara 2 Teknik Anestesia, TIVA Propofol dan Inhalasi Halotan Terhadap Waktu Pemulangan pada Bedah Rawat Jalan. *Majalah Anestesi & Critical Care*, pp 261-267.

Tang J, Wang B , White., 1998. The Effect Of Timing Of Ondansetron

Administration On Its Efficacy, Cost-Effectiveness And Cost-Benefit As A Prophylactic Antiemetic In The Ambulatory Setting. *Anesth Analg*, pp 274-282.



**PERBANDINGAN INSIDENSI POST OPERATIVE NAUSEA AND VOMITING ANTARA MAINTANANCE
INHALASI SEVOFLURAN 2%
DAN N2O DENGAN TARGET CONTROLLED INFUSION MENGGUNAKAN PROPOFOL DAN FENTANIL
Pada Pasien Yang**

**Menjalani Pembedahan Berisiko Post Operative Nausea And Vomiting Dengan General Anestesi Di
Rsup Dr.**

Sardjito Yang Mendapatkan Profilaksis Ondansentron 4 Mg

HERLY NURRAHMA, dr.Bhirowo Yudo, SpAn, KAKV; dr. Ratih Kumala Fajar, SpAn, KAO

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Tramer Jorjge., 2001. A Rational Approach to The Control of Postoperative Nausea and

Vomiting: Evidence From Systematic Reviews. *Acta Anaesthesiologica Scandinavica*,

Volume 45, pp 4-13.

Viviand Xavier, Léone., 2001. Induction and Maintenance of Intravenous Anaesthesia Using

Target-Controlled Infusion Systems. *Best Practice & Research Clinical Anaesthesiology*,

Volume 15, pp 19-33.

Vora Kalpana., 2014. Sevoflurane Versus Propofol In The Induction And

Maintenance Of Anaesthesia In Children With Laryngeal Mask Airway,

Srilanka Journal of Child Health, Volume 43, pp 77-83