

## DAFTAR PUSTAKA

- Akinwolemiwa, B., Peng, C. and Chen, G. Z. (2015) 'Redox Electrolytes in Supercapacitors', *Journal of The Electrochemical Society*, 162(5), pp. A5054–A5059. doi: 10.1149/2.0111505jes.
- An, K. H., Kim, W. S., Park, Y.S., Choi, Y. C., Lee, S. M., Chung, D. C., Bae, D. J., Lim, S. C. and Lee, Y. H. (2001) 'Supercapacitors Using Single-Walled Carbon Nanotubes', *Advaned Materials*, 13(7), pp.497–500.
- Ania, C. O., Pernak, J., Stefaniak, F., Raymundo-Pinero, E. and Beguin, F. (2009) 'Polarization-induced distortion of ions in the pores of carbon electrodes for electrochemical capacitors', *Carbon*, 47(14), pp. 3158–3166. doi: 10.1016/j.carbon.2009.06.054.
- Ariyanto, T., Kurniasari, M., Laksmana, W. T., Rochmadi, R. and Prasetyo, I. (2019) 'Modifying nanoporous carbon through hydrogen peroxide oxidation for removal of metronidazole antibiotics from simulated wastewater', *Processes*, 7(11), pp. 1–9. doi: 10.3390/pr7110835.
- Ariyanto, T., Prasetyo, I. and Rochmadi, R. (2012) 'Pengaruh Struktur Pori Terhadap Kapasitansi Elektroda Superkapasitor Yang Dibuat Dari Karbon Nanopori', *Reaktor*, 14(1), pp. 25–32. doi: 10.14710/reaktor.14.1.25-32.
- Bansal, R. C. and Goyal, M. (2005) *Activated Carbon Adsorption*. New York : Lewis.
- Burke, A. (2000) 'Ultracapacitors: why, how, and where is the technology', *Journal of power sources*, 91(1), pp. 37–50.
- Choy, K. K. H., Porter, J. F. and Mckay, G. (2004) 'Intraparticle Diffusion In Single And Multicomponent Acid Dye Adsorption From Wastewater Onto Carbon', *Chemical Engineering Journal*, 103(1–3), pp. 133–145. doi: 10.1016/j.cej.2004.05.012.
- Cordero, T., Garcia-Mateos, F. J., Rosas, J. M., Rodriguez-Mirasol, J. and Cordero-Lanzac, T. (2018) 'Flexible binderless capacitors based on P- and N-containing fibrous activated carbons from denim cloth waste', *Carbon*, 139, pp. 599–608. doi: 10.1016/j.carbon.2018.06.060.
- Croucher, M. (2011) 'Potential problems and limitations of energy conservation and energy efficiency', *Energy Policy*. Elsevier, 39(10), pp. 5795–5799. doi: 10.1016/j.enpol.2011.07.011.

- Edmund, C. O., Christopher, M. S. and Pascal, D. K. (2014) 'Characterization of palm kernel shell for materials reinforcement and water treatment', *Journal of Chemical Engineering and Materials Science*, 5(1), pp. 1–6. doi: 10.5897/jcems2014.0172.
- El-Khodary, S. A., El-Enany, G. M., El-Okr, M. and Ibrahim, M. (2014) 'Preparation and Characterization of Microwave Reduced Graphite Oxide for High-Performance Supercapacitors', *Electrochimica Acta*. Elsevier Ltd, 150, pp. 269–278. doi: 10.1016/j.electacta.2014.10.134.
- Evora, M. C., Araujo, J. R., Ferreira, E. H. M., Strohmeier, B. R., Silva, L. G. A. and Achete, C. A. (2015) 'Localized Surface Grafting Reactions On Carbon Nanofibers Induced By Gamma And E-Beam Irradiation', *Applied Surface Science*. Elsevier B.V., 335, pp. 78–84. doi: 10.1016/j.apsusc.2015.02.024.
- Fernández, J. A., Arulepp, M., Leis, J., Stoeckli, F. and Centeno, T. A. (2008) 'EDLC performance of carbide-derived carbons in aprotic and acidic electrolytes', *Electrochimica Acta*, 53(24), pp. 7111–7116. doi: 10.1016/j.electacta.2008.05.028.
- Halper, M. S. and Ellenbogen, J. C. (2006) 'Supercapacitors: A Brief Overview', *Biosensors and Bioelectronics*, 25(7), pp. 1629–1634. doi: 10.1016/j.bios.2009.11.023.
- Huang, J., Sumpter, B. G. and Meunier, V. (2008) 'Theoretical model for nanoporous carbon supercapacitors', *Angewandte Chemie - International Edition*, 47(3), pp. 520–524. doi: 10.1002/anie.200703864.
- Inagaki, M., Konno, H. and Tanaike, O. (2010) 'Carbon materials for electrochemical capacitors', *Journal of Power Sources*. Elsevier B.V., 195(24), pp. 7880–7903. doi: 10.1016/j.jpowsour.2010.06.036.
- Ismanto, A. E., Wang, S., Soetaredjo, F. E. and Ismadji, S. (2010) 'Preparation Of Capacitor's Electrode From Cassava Peel Waste', *Bioresource Technology*. Elsevier Ltd, 101(10), pp. 3534–3540. doi: 10.1016/j.biortech.2009.12.123.
- Kierzek, K., Frackowiak, E., Lota, G., Gryglewicz, G. and Machnikowski, J. (2004) 'Electrochemical capacitors based on highly porous carbons prepared by KOH activation', *Electrochimica Acta*, 49(4), pp. 515–523. doi: 10.1016/j.electacta.2003.08.026.
- Kotz, R. and Carlen, M. (2000) 'Principles and applications of Caps', 45, pp. 1–16. doi: 10.1016/S0013-4686(00)00354-6.



- Largeot, C., Portet, C., Chmiola, J., Taberna, P., Gogotsi, Y. and Simon, P. (2008) 'Relation between the ion size and pore size for an electric double-layer capacitor', *Journal of the American Chemical Society*, 130(9), pp. 2730–2731. doi: 10.1021/ja7106178.
- Lee, E. J., Lee, Y. J., Kim, J. K., Lee, M., Yi, J., Yoon, J. R., Song, J. C. and Song, I. K. (2015) 'Oxygen group-containing activated carbon aerogel as an electrode material for supercapacitor', *Materials Research Bulletin*. Elsevier Ltd, 70, pp. 209–214. doi: 10.1016/j.materresbull.2015.04.044.
- Li, B., Feng, Y., Ding, K., Qian, G., Zhang, X., Zhang, J. (2013) 'The effect of gamma ray irradiation on the structure of graphite and multi-walled carbon nanotubes', *Carbon*. Elsevier Ltd, 60(0), pp. 186–192. doi: 10.1016/j.carbon.2013.04.012.
- Li, S. M., Yang, S. Y., Wang, Y. S., Tsai, H. P., Tien, H. W., Hsiao, S. T., Liao, W. H., Chang, C. L., Ma, C. C. M., Hu, C. C. (2015) 'N-doped structures and surface functional groups of reduced graphene oxide and their effect on the electrochemical performance of supercapacitor with organic electrolyte', *Journal of Power Sources*. Elsevier Ltd, 278(2015), pp. 218–229. doi: 10.1016/j.jpowsour.2014.12.025.
- Li, X. R., Jiang, Y. -H., Wang, P. -Z., Mo, Y., Lai, W. -D., Li, Z. -J., Yu, R. -J., Du, Y. -T., Zhang, X. -R. and Chen, Y. (2020) 'Effect of the oxygen functional groups of activated carbon on its electrochemical performance for supercapacitors', *Xinxiang Tan Cailiao/New Carbon Materials*, 35(3), pp. 232–243. doi: 10.1016/S1872-5805(20)60487-5.
- Liu, C.-L., Dong, W., Cao, G., Song, J., Liu, L. and Yang, Y. (2008) 'Capacitance Limits of Activated Carbon Fiber Electrodes in Aqueous Electrolyte', *Journal of The Electrochemical Society*, 155(1), p. F1. doi: 10.1149/1.2799683.
- Liu, Y., Hu, Z., Xu, K., Zheng, X. and Gao, Q. (2008) 'Surface Modification and Performance of Activated Carbon Electrode Material', *ACTA PHYSICO-CHIMICA SINICA*, 24(7), pp. 1143–1148.
- Manocha, M. S. (2003) 'Porous Carbon', *Carbon Alloys: Novel Concepts to Develop Carbon Science and Technology*, 28(April), pp. 109–127. doi: 10.1016/B978-008044163-4/50007-3.
- Miller, J. R. and Simon, P. (2008) 'Fundamentals Of Electrochemical Capacitor Design and Operation', *The Electrochemical Society Interface*, c, pp. 38–43.



- Pandolfo, A. G. and Hollenkamp, A. F. (2006) 'Carbon properties and their role in supercapacitors', *Journal of Power Sources*, 157(1), pp. 11–27. doi: 10.1016/j.jpowsour.2006.02.065.
- Ramani, M., Haran, B. S., White, R. E., Popov, B. N. and Arsov, L. (2001) 'Studies On Activated Carbon Capacitor Materials Loaded With Different Amounts Of Ruthenium Oxide', *Journal of Power Sources*, 93(1–2), pp. 209–214. doi: 10.1016/S0378-7753(00)00575-9.
- Setyadhi, L., Wibowo, D. and Ismadji, S. (2005) 'Modifikasi Sifat Kimia Permukaan Karbon Aktif Dengan Asam Oksidator Dan Non Oksidator Serta Aplikasinya Terhadap Adsorpsi Methylene Blue', *National Conference Design and Application of Technology 2005*, 4(1), pp. 69–76.
- Shafeeyan, M. S., Daud, W. M. A. W., Houshmand, A. and Shamiri, A. (2010) 'A Review On Surface Modification Of Activated Carbon For Carbon Dioxide Adsorption', *Journal of Analytical and Applied Pyrolysis*. Elsevier B.V., 89(2), pp. 143–151. doi: 10.1016/j.jaap.2010.07.006.
- Simon, P. and Gogotsi, Y. (2010) 'Charge storage mechanism in nanoporous carbons and its consequence for electrical double layer capacitors', *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 368(1923), pp. 3457–3467. doi: 10.1098/rsta.2010.0109.
- Subadra, I., Setiaji, B. and Tahir, I. (2003) 'Activated Carbon Production From Coconut Shell With (NH<sub>4</sub>)HCO<sub>3</sub> Activator As an Adsorbent in Virgin Coconut Oil Purification', *Prosiding Seminar Nasional FMIPA UGM*, 1(November 2014), p. 1.
- Taer, E., Deraman, M., Talib, I. A., Awitdrus, A., Hashmi, S. A. and Umar, A. A. (2011) 'Preparation of a highly porous binderless activated carbon monolith from rubber wood sawdust by a multi-step activation process for application in supercapacitors', *International Journal of Electrochemical Science*, 6(8), pp. 3301–3315.
- Tashima, D. and Otsubo, M. (2011) 'Relationship between space charge and effective pore size of nanoporous electrode in electric double-layer capacitor', *Particuology*. Chinese Society of Particuology, 9(1), pp. 91–94. doi: 10.1016/j.partic.2010.07.021.
- Viswanathan, B., Neel, P. and Varadarajan, T. (2009) 'Methods Of Activation And Specific Applications Of Carbon Materials', *National Centre for Catalysis Research, Department of Chemistry, Indian Institute of Technology Madras*, (March), p. 160.



- Wang, W., Zhang, N., Shi, Z., Ye, Z., Gao, Q., Zhi, M. and Hong, Z. (2018) 'Preparation of Ni-Al layered double hydroxide hollow microspheres for supercapacitor electrode', *Chemical Engineering Journal*. Elsevier, 338(October 2017), pp. 55–61. doi: 10.1016/j.cej.2018.01.024.
- Wang, Y. G., Wang, Z. D. and Xia, Y. Y. (2005) 'An asymmetric supercapacitor using RuO<sub>2</sub>/TiO<sub>2</sub> nanotube composite and activated carbon electrodes', *Electrochimica Acta*, 50(28), pp. 5641–5646. doi: 10.1016/j.electacta.2005.03.042.
- Wibowo, N., Setiawan, J. and Ismadji, S. (2004) 'Pengaruh Oksidator Asam Terhadap Keheterogenan Karbon Aktif', *National Conference Design and Application of Technology 2004*, (2), pp. 190–194.
- Yang, J., Hu, J., Zhu, M., Zhao, Y., Chen, H. and Pan, F. (2017) 'Ultrahigh surface area meso/microporous carbon formed with self-template for high-voltage aqueous supercapacitors', *Journal of Power Sources*. Elsevier B.V, 365, pp. 362–371. doi: 10.1016/j.jpowsour.2017.08.114.
- Yang, R. T. (2003) *Adsorbents: Fundamentals and Applications*. doi: 10.1103/PhysRevD.78.025008.
- Zhang, H., Zhang, L., Chen, J., Su, H., Liu, F. and Yang, W. (2016) 'One step synthesis of hierarchically porous carbons for high-performance electric double layer supercapacitors', *Journal of Power Sources*. Elsevier B.V, 315, pp. 120–126. doi: 10.1016/j.jpowsour.2016.03.005.
- Zhao, Y. Q., Lu, M., Tao, P. Y., Zhang, Y. J., Gong, X. T., Yang, Z., Zhang, G. Q. and Li, H. L. (2016) 'Hierarchically porous and heteroatom doped carbon derived from tobacco rods for supercapacitors', *Journal of Power Sources*. Elsevier B.V, 307, pp. 391–400. doi: 10.1016/j.jpowsour.2016.01.020.
- Zhu, Y., Hu, H., Li, W. and Zhang, X. (2007) 'Resorcinol-formaldehyde based porous carbon as an electrode material for supercapacitors', *Carbon*, 45(1), pp. 160–165. doi: 10.1016/j.carbon.2006.07.010.