

DAFTAR PUSTAKA

- [1] A. Wahab *et al.*, “A novel metabarcoded 18S ribosomal DNA sequencing tool for the detection of Plasmodium species in malaria positive patients,” *Infect. Genet. Evol.*, vol. 82, p. 104305, 2020, doi: <https://doi.org/10.1016/j.meegid.2020.104305>.
- [2] M. Poostchi, K. Silamut, R. J. Maude, S. Jaeger, and G. Thoma, “Image analysis and machine learning for detecting malaria,” *Transl. Res.*, vol. 194, pp. 36–55, 2018, doi: <https://doi.org/10.1016/j.trsl.2017.12.004>.
- [3] A. Dash, T. Adak, R. Kamaraju, and O. Singh, “The biology and control of malaria vectors in India,” *Curr. Sci.*, vol. 92, Jun. 2007.
- [4] M. E. Sinka *et al.*, “A global map of dominant malaria vectors,” *Parasit. Vectors*, vol. 5, p. 69, Apr. 2012, doi: [10.1186/1756-3305-5-69](https://doi.org/10.1186/1756-3305-5-69).
- [5] J. Li *et al.*, “Regulation and trafficking of three distinct 18 S ribosomal RNAs during development of the malaria parasite,” *J. Mol. Biol.*, vol. 269, no. 2, pp. 203–213, Jun. 1997, doi: [10.1006/jmbi.1997.1038](https://doi.org/10.1006/jmbi.1997.1038).
- [6] WHO, “World malaria report 2019,” Geneva, 2019.
- [7] WHO, “World malaria report 2019,” 2019. <https://www.who.int/news-room/feature-stories/detail/world-malaria-report-2019> (accessed May 15, 2020).
- [8] Kementerian Kesehatan Republik Indonesia, “Data Malaria di Indonesia,” Jakarta, 2019.
- [9] Kementerian Kesehatan Republik Indonesia, *Buku Saku Penatalaksanaan Kasus Malaria*. Jakarta: Ikatan Dokter Indonesia, 2017.
- [10] W. Kusuma, A. A. W. Lestari, S. Herawati, I. W. Putu, and S. Yasa, “Pemeriksaan Mikroskop Dan Tes Diagnostik Cepat Dalam Menegakkan Diagnosis Malaria,” *Work*, vol. 4, no. 021, p. 57946053, 2000, doi: [10.1016/S0163-7258\(03\)00060-3](https://doi.org/10.1016/S0163-7258(03)00060-3).
- [11] Y. Supranelfy, S. E. Warni, N. Inzana, and N. H. Suryaningtyas, “Penemuan Kasus Malaria Berdasarkan Pemeriksaan Mikroskopis di Kota Lubuklinggau dan Kabupaten Musi Rawas,” *ASPIRATOR - J. Vector-borne Dis. Stud.*, vol. 10, no. 1, pp. 27–36, 2018, doi: [10.22435/asp.v10i1.15](https://doi.org/10.22435/asp.v10i1.15).
- [12] P. Selasa, “Implementation of Malaria Elimination Policy at Kupang City

- Public Health Center Implementasi Kebijakan Eliminasi Malaria di Pusat Kesehatan Masyarakat Kota Kupang,” *J. Info Kesehat.*, vol. 15, no. 1, pp. 97–109, 2017.
- [13] E. H. Murhandarwati, A. Fuad, G. B. Herwanto, R. A. Kusumasari, M. A. Wijayanti, and S. Supargiyono, “Cross-check Digital sebagai Alternatif Uji Banding Pemeriksaan Mikroskopis Malaria secara Manual di Kulon Progo,” *J. Pengabd. Kpd. Masy.*, vol. 4, no. 1, p. 72, 2018, doi: 10.22146/jpkm.33288.
- [14] F. Mau and E. E. H. Murhandarwati, “Faktor-Faktor yang Mempengaruhi Ketepatan Diagnosis Malaria di Puskesmas Kabupaten Belu Nusa Tenggara Timur,” *Media Penelit. dan Pengemb. Kesehat.*, vol. 25, no. 2, 2015, doi: 10.22435/mpk.v25i2.4236.113-120.
- [15] C. Tang, J. Ji, Y. Tang, S. Gao, Z. Tang, and Y. Todo, “A novel machine learning technique for computer-aided diagnosis,” *Eng. Appl. Artif. Intell.*, vol. 92, p. 103627, 2020, doi: <https://doi.org/10.1016/j.engappai.2020.103627>.
- [16] H. Shin *et al.*, “Deep Convolutional Neural Networks for Computer-Aided Detection: CNN Architectures, Dataset Characteristics and Transfer Learning,” *IEEE Trans. Med. Imaging*, vol. 35, no. 5, pp. 1285–1298, 2016, doi: 10.1109/TMI.2016.2528162.
- [17] S. F. Toha and U. K. Ngah, “Computer Aided Medical Diagnosis for the Identification of Malaria Parasites,” in *2007 International Conference on Signal Processing, Communications and Networking*, 2007, pp. 521–522, doi: 10.1109/ICSCN.2007.350655.
- [18] I. R. Dave and K. P. Upla, “Computer aided diagnosis of Malaria disease for thin and thick blood smear microscopic images,” in *2017 4th International Conference on Signal Processing and Integrated Networks (SPIN)*, 2017, pp. 561–565, doi: 10.1109/SPIN.2017.8050013.
- [19] K. E. D. Peñas, P. T. Rivera, and P. C. Naval, “Malaria Parasite Detection and Species Identification on Thin Blood Smears Using a Convolutional Neural Network,” in *2017 IEEE/ACM International Conference on Connected Health: Applications, Systems and Engineering Technologies (CHASE)*, 2017, pp. 1–6, doi: 10.1109/CHASE.2017.51.
- [20] K. C. Charpe and V. K. Bairagi, “Automated malaria parasite and there stage detection in microscopic blood images,” in *2015 IEEE 9th International Conference on Intelligent Systems and Control (ISCO)*, 2015, pp. 1–4, doi: 10.1109/ISCO.2015.7282336.
- [21] E. Var and F. B. Tek, “Malaria Parasite Detection with Deep Transfer

- Learning,” in *2018 3rd International Conference on Computer Science and Engineering (UBMK)*, 2018, pp. 298–302, doi: 10.1109/UBMK.2018.8566549.
- [22] A. Kusumaningsih, Y. F. Hendrawan, C. V. Angkoso, and R. T. Wahyuningrum, “Kinerja of Color Cascading Framework on Different Color-Space for Malaria Identification,” in *2018 International Conference on Computer Engineering, Network and Intelligent Multimedia (CENIM)*, 2018, pp. 151–155, doi: 10.1109/CENIM.2018.8710903.
- [23] J. Gate and F. Maspiyanti, “Plasmodium Parasite Detection on Thin Blood Smear Image using Double Thresholding and BLOB Analysis,” in *2018 International Conference on Applied Engineering (ICAE)*, 2018, pp. 1–6, doi: 10.1109/INCAE.2018.8579407.
- [24] A. R. Prananda, H. A. Nugroho, and I. Ardiyanto, “Enumeration of Plasmodium Parasites on Thin Blood Smear Digital Microscopic Images,” in *2019 5th International Conference on Science in Information Technology (ICSITech)*, 2019, pp. 223–228, doi: 10.1109/ICSITech46713.2019.8987492.
- [25] H. A. Nugroho *et al.*, “Kinerja of Convolutional Neural Network in Detecting Plasmodium Parasites,” in *2019 IEEE 9th International Conference on System Engineering and Technology (ICSET)*, 2019, pp. 331–336, doi: 10.1109/ICSEngT.2019.8906303.
- [26] H. A. Nugroho, R. Nurfauzi, and E. L. Frannita, “Plasmodium Candidate Detection on Thin Blood Smear Images with Luminance Noise Reduction,” in *2019 5th International Conference on Science in Information Technology (ICSITech)*, 2019, pp. 146–149, doi: 10.1109/ICSITech46713.2019.8987538.
- [27] P. A. Pattanaik, M. Mittal, and M. Z. Khan, “Unsupervised Deep Learning CAD Scheme for the Detection of Malaria in Blood Smear Microscopic Images,” *IEEE Access*, vol. 8, pp. 94936–94946, 2020, doi: 10.1109/ACCESS.2020.2996022.
- [28] I. Khonsa, H. A. Nugroho, and I. Ardiyanto, “Sistem Berbasis Komputer untuk Deteksi Parasit Spesies Plasmodium ovale dan malariae pada Citra Mikroskopis Digital Sediaan Darah Tipis,” Universitas Gadjah Mada, 2017.
- [29] W. A. Saputra, H. A. Nugroho, and A. E. Permanasari, “Deteksi Otomatis Plasmodium Region of Interest pada Citra Sediaan Darah Tipis untuk Mendiagnosis Malaria,” Universitas Gadjah Mada, 2017.
- [30] A. Nanoti, S. Jain, C. Gupta, and G. Vyas, “Detection of malaria parasite species and life cycle stages using microscopic images of thin blood smear,” in *2016 International Conference on Inventive Computation Technologies (ICICT)*, 2016, vol. 1, pp. 1–6, doi: 10.1109/INVENTIVE.2016.7823258.

- [31] H. A. Nugroho, W. A. Saputra, A. E. Permanasari, and E. E. H. Murhandarwati, "Automated determination of Plasmodium region of interest on thin blood smear images," in *2017 International Seminar on Intelligent Technology and Its Applications (ISITIA)*, 2017, pp. 352–355, doi: 10.1109/ISITIA.2017.8124108.
- [32] Y. F. Hendrawan, C. V Angkoso, and R. T. Wahyuningrum, "Colour image segmentation for malaria parasites detection using cascading method," in *2017 International Conference on Sustainable Information Engineering and Technology (SIET)*, 2017, pp. 83–87, doi: 10.1109/SIET.2017.8304114.
- [33] H. A. Mohammed and I. A. M. Abdelrahman, "Detection and classification of Malaria in thin blood slide images," in *2017 International Conference on Communication, Control, Computing and Electronics Engineering (ICCCCEE)*, 2017, pp. 1–5, doi: 10.1109/ICCCCEE.2017.7866700.
- [34] A. Bashir, Z. A. Mustafa, I. Abdelhameid, and R. Ibrahim, "Detection of malaria parasites using digital image processing," in *2017 International Conference on Communication, Control, Computing and Electronics Engineering (ICCCCEE)*, 2017, pp. 1–5, doi: 10.1109/ICCCCEE.2017.7867644.
- [35] D. Bibin, M. S. Nair, and P. Punitha, "Malaria Parasite Detection From Peripheral Blood Smear Images Using Deep Belief Networks," *IEEE Access*, vol. 5, pp. 9099–9108, 2017, doi: 10.1109/ACCESS.2017.2705642.
- [36] P. A. Pattanaik, T. Swarnkar, and D. Sheet, "Object detection technique for malaria parasite in thin blood smear images," in *2017 IEEE International Conference on Bioinformatics and Biomedicine (BIBM)*, 2017, pp. 2120–2123, doi: 10.1109/BIBM.2017.8217986.
- [37] K. Jewani, K. Boddu, P. Gumani, and K. Solapure, "Detection of diseases via blood analysis using Image processing Techniques," in *2018 International Conference on Smart City and Emerging Technology (ICSCET)*, 2018, pp. 1–4, doi: 10.1109/ICSCET.2018.8537364.
- [38] H. A. Nugroho, K. Imaroh, I. Ardiyanto, and E. L. Frannita, "Automated Detection of Plasmodium Ovale and Malariae Species on Microscopic Thin Blood Smear Images," *Int. J. Adv. Soft Compu. Appl.*, vol. 12, no. 1, 2020.
- [39] J. Hung *et al.*, "Applying Faster R-CNN for Object Detection on Malaria Images," pp. 1–7, 2018, [Online]. Available: <http://arxiv.org/abs/1804.09548>.
- [40] A. Mikołajczyk and M. Grochowski, "Data augmentation for improving deep learning in image classification problem," in *2018 International Interdisciplinary PhD Workshop (IIPhDW)*, 2018, pp. 117–122, doi:

10.1109/IIPHDW.2018.8388338.

- [41] R. Girshick, “Fast R-CNN,” *Proc. IEEE Int. Conf. Comput. Vis.*, vol. 2015 Inter, pp. 1440–1448, 2015, doi: 10.1109/ICCV.2015.169.
- [42] W. Liu *et al.*, “SSD: Single Shot MultiBox Detector BT - Computer Vision – ECCV 2016,” in *Lecture Notes in Computer Science*, 2016, pp. 21–37.
- [43] Z. Cai, Q. Fan, R. S. Feris, and N. Vasconcelos, “A Unified Multi-scale Deep Convolutional Neural Network for Fast Object Detection BT - Computer Vision – ECCV 2016,” 2016, pp. 354–370.
- [44] B. Singh, M. Najibi, and L. S. Davis, “SNIPER: Efficient Multi-Scale Training,” in *Advances in Neural Information Processing Systems 31*, S. Bengio, H. Wallach, H. Larochelle, K. Grauman, N. Cesa-Bianchi, and R. Garnett, Eds. Curran Associates, Inc., 2018, pp. 9310–9320.
- [45] H. Chen and P. Cao, “Deep Learning Based Data Augmentation and Classification for Limited Medical Data Learning,” in *2019 IEEE International Conference on Power, Intelligent Computing and Systems (ICPICS)*, 2019, pp. 300–303, doi: 10.1109/ICPICS47731.2019.8942411.
- [46] I. Sirazitdinov, M. Kholiavchenko, R. Kuleev, and B. Ibragimov, “Data Augmentation for Chest Pathologies Classification,” in *2019 IEEE 16th International Symposium on Biomedical Imaging (ISBI 2019)*, 2019, pp. 1216–1219, doi: 10.1109/ISBI.2019.8759573.
- [47] O. Debeir and C. Decaestecker, “Data augmentation for training deep regression for in vitro cell detection,” in *2019 Fifth International Conference on Advances in Biomedical Engineering (ICABME)*, 2019, pp. 1–3, doi: 10.1109/ICABME47164.2019.8940275.
- [48] Ö. Ö. Karadağ and Ö. E. Çiçek, “Experimental Assessment of the Kinerja of Data Augmentation with Generative Adversarial Networks in the Image Classification Problem,” in *2019 Innovations in Intelligent Systems and Applications Conference (ASYU)*, 2019, pp. 1–4, doi: 10.1109/ASYU48272.2019.8946442.
- [49] X. Wu, D. Sahoo, and S. C. H. Hoi, “Recent advances in deep learning for object detection,” *Neurocomputing*, vol. 396, pp. 39–64, 2020, doi: 10.1016/j.neucom.2020.01.085.
- [50] H. Harzallah, F. Jurie, and C. Schmid, *Combining efficient object localization and image classification*. 2009.
- [51] P. F. Felzenszwalb, R. B. Girshick, D. McAllester, and D. Ramanan, “Object Detection with Discriminatively Trained Part-Based Models,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 32, no. 9, pp. 1627–1645, 2010, doi:

10.1109/TPAMI.2009.167.

- [52] H. Bay, T. Tuytelaars, and L. Van Gool, “SURF: Speeded Up Robust Features BT - Computer Vision – ECCV 2006,” 2006, pp. 404–417.
- [53] T. Lin, P. Dollár, R. Girshick, K. He, B. Hariharan, and S. Belongie, “Feature Pyramid Networks for Object Detection,” in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017, pp. 936–944, doi: 10.1109/CVPR.2017.106.
- [54] J. Redmon and A. Farhadi, “YOLO9000: Better, Faster, Stronger,” in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017, pp. 6517–6525, doi: 10.1109/CVPR.2017.690.
- [55] J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, “You Only Look Once: Unified, Real-Time Object Detection,” in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 779–788, doi: 10.1109/CVPR.2016.91.
- [56] R. Girshick, J. Donahue, T. Darrell, and J. Malik, “Rich Feature Hierarchies for Accurate Object Detection and Semantic Segmentation,” in *2014 IEEE Conference on Computer Vision and Pattern Recognition*, 2014, pp. 580–587, doi: 10.1109/CVPR.2014.81.
- [57] S. Ren, K. He, R. Girshick, and J. Sun, “Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks,” *Comput. Vis. Pattern Recognit.*, pp. 91–99, 2015, [Online]. Available: <http://papers.nips.cc/paper/5638-faster-r-cnn-towards-real-time-object-detection-with-region-proposal-networks.pdf>.
- [58] J. R. R. Uijlings, K. E. A. van de Sande, T. Gevers, and A. W. M. Smeulders, “Selective Search for Object Recognition,” *Int. J. Comput. Vis.*, vol. 104, no. 2, pp. 154–171, 2013, doi: 10.1007/s11263-013-0620-5.
- [59] S. Fidler, R. Mottaghi, A. Yuille, and R. Urtasun, “Bottom-Up Segmentation for Top-Down Detection,” in *2013 IEEE Conference on Computer Vision and Pattern Recognition*, 2013, pp. 3294–3301, doi: 10.1109/CVPR.2013.423.
- [60] K. He, X. Zhang, S. Ren, and J. Sun, “Spatial Pyramid Pooling in Deep Convolutional Networks for Visual Recognition,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 37, no. 9, pp. 1904–1916, 2015, doi: 10.1109/TPAMI.2015.2389824.
- [61] M. Everingham, L. Van Gool, C. K. I. Williams, J. Winn, and A. Zisserman, “The Pascal Visual Object Classes (VOC) Challenge,” *Int. J. Comput. Vis.*, vol. 88, no. 2, pp. 303–338, 2010, doi: 10.1007/s11263-009-0275-4.

- [62] R. Nakasi, E. Mwebaze, A. Zawedde, J. Tusubira, B. Akera, and G. Maiga, "A new approach for microscopic diagnosis of malaria parasites in thick blood smears using pre-trained deep learning models," *SN Appl. Sci.*, vol. 2, no. 7, p. 1255, 2020, doi: 10.1007/s42452-020-3000-0.
- [63] Q. Wang and F. Qi, "Tomato Diseases Recognition Based on Faster RCNN," in *2019 10th International Conference on Information Technology in Medicine and Education (ITME)*, 2019, pp. 772–776, doi: 10.1109/ITME.2019.00176.
- [64] C. R. A. Widiawati, "Peningkatan Kinerja Deteksi Plasmodium Menggunakan Bottom-Hat dan Adaptive Entropy Thresholding," Universitas Gadjah Mada, 2017.
- [65] Y. Yan, Y. Zhang, and N. Su, "A Novel Data Augmentation Method for Detection of Specific Aircraft in Remote Sensing RGB Images," *IEEE Access*, vol. 7, pp. 56051–56061, 2019, doi: 10.1109/ACCESS.2019.2913191.
- [66] R. Khandelwal, "Data Augmentation techniques in python," *Medium*, 2019. <https://towardsdatascience.com/data-augmentation-techniques-in-python-f216ef5eed69> (accessed Jul. 06, 2020).
- [67] A. H. Ornek and M. Ceylan, "Comparison of Traditional Transformations for Data Augmentation in Deep Learning of Medical Thermography," in *2019 42nd International Conference on Telecommunications and Signal Processing (TSP)*, 2019, pp. 191–194, doi: 10.1109/TSP.2019.8769068.
- [68] Achraf Khazri, "Faster RCNN Object detection," *Medium*, 2019. [https://towardsdatascience.com/faster-rcnn-object-detection-f865e5ed7fc4#:~:text=Faster RCNN is an object,SSD \(Single Shot Detector\)](https://towardsdatascience.com/faster-rcnn-object-detection-f865e5ed7fc4#:~:text=Faster RCNN is an object,SSD (Single Shot Detector)) (accessed Jul. 07, 2020).
- [69] Sik-Ho Tsang, "Review: Faster R-CNN (Object Detection)," *Medium*, 2018. <https://towardsdatascience.com/review-faster-r-cnn-object-detection-f5685cb30202> (accessed Jul. 10, 2020).
- [70] Tanay Karmarkar, "Region Proposal Network (RPN) — Backbone of Faster R-CNN," *Medium*, 2018. <https://medium.com/egen/region-proposal-network-rpn-backbone-of-faster-r-cnn-4a744a38d7f9> (accessed Jul. 10, 2020).
- [71] Hao Gao, "Faster R-CNN Explained," *Medium*, 2017. <https://medium.com/@smallfishbigsea/faster-r-cnn-explained-864d4fb7e3f8> (accessed Jul. 10, 2020).
- [72] Z. Song, L. Fu, J. Wu, Z. Liu, R. Li, and Y. Cui, "Kiwifruit detection in field

- images using Faster R-CNN with VGG16,” *IFAC-PapersOnLine*, vol. 52, no. 30, pp. 76–81, 2019, doi: 10.1016/j.ifacol.2019.12.500.
- [73] Y. T. Li and J. I. Guo, “A VGG-16 Based Faster RCNN Model for PCB Error Inspection in Industrial AOI Applications,” in *2018 IEEE International Conference on Consumer Electronics-Taiwan (ICCE-TW)*, 2018, pp. 1–2, doi: 10.1109/ICCE-China.2018.8448674.
- [74] L. Liu and X. Liu, “Automatic Encoder Combined with Nasnet in Histopathologic Cancer Detection,” in *2019 IEEE 5th International Conference on Computer and Communications (ICCC)*, 2019, pp. 1750–1753.
- [75] L. G. Falconí, M. Pérez, and W. G. Aguilar, “Transfer Learning in Breast Mammogram Abnormalities Classification With Mobilenet and Nasnet,” in *2019 International Conference on Systems, Signals and Image Processing (IWSSIP)*, 2019, pp. 109–114.
- [76] A. Adedaja, P. A. Owolawi, and T. Mapayi, “Deep Learning Based on NASNet for Plant Disease Recognition Using Leaf Images,” in *2019 International Conference on Advances in Big Data, Computing and Data Communication Systems (icABCD)*, 2019, pp. 1–5.
- [77] F. Saxen, P. Werner, S. Handrich, E. Othman, L. Dinges, and A. Al-Hamadi, “Face Attribute Detection with MobileNetV2 and NasNet-Mobile,” in *2019 11th International Symposium on Image and Signal Processing and Analysis (ISPA)*, 2019, pp. 176–180.
- [78] Sik-Ho Tsang, “Review: NASNet — Neural Architecture Search Network (Image Classification),” *Medium*, 2019. <https://medium.com/@sh.tsang/review-nasnet-neural-architecture-search-network-image-classification-23139ea0425d> (accessed Jul. 30, 2020).
- [79] X. Tian and C. Chen, “Modulation Pattern Recognition Based on Resnet50 Neural Network,” in *2019 IEEE 2nd International Conference on Information Communication and Signal Processing (ICICSP)*, 2019, pp. 34–38, doi: 10.1109/ICICSP48821.2019.8958555.
- [80] Sarwo, Y. Heryadi, E. Abdurachman, and W. Budiharto, “Logo detection and brand recognition with one-stage logo detection framework and simplified resnet50 backbone,” in *2019 International Congress on Applied Information Technology (AIT)*, 2019, pp. 1–6, doi: 10.1109/AIT49014.2019.9144794.
- [81] I. Z. Mukti and D. Biswas, “Transfer Learning Based Plant Diseases Detection Using ResNet50,” in *2019 4th International Conference on Electrical Information and Communication Technology (EICT)*, 2019, pp. 1–

6, doi: 10.1109/EICT48899.2019.9068805.

- [82] K. He, X. Zhang, S. Ren, and J. Sun, "Deep Residual Learning for Image Recognition," in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 770–778, doi: 10.1109/CVPR.2016.90.
- [83] L. J. Halawa, A. Wibowo, and F. Ernawan, "Face Recognition Using Faster R-CNN with Inception-V2 Architecture for CCTV Camera," in *2019 3rd International Conference on Informatics and Computational Sciences (ICICoS)*, 2019, pp. 1–6, doi: 10.1109/ICICoS48119.2019.8982383.
- [84] S. R. Bose and V. S. Kumar, "Efficient inception V2 based deep convolutional neural network for real-time hand action recognition," *IET Image Process.*, vol. 14, no. 4, pp. 688–696, 2020, doi: 10.1049/iet-ipr.2019.0985.
- [85] W. Chang, L. Chen, M. Chen, Y. Chiu, and J. Lin, "ScalpEye: A Deep Learning-Based Scalp Hair Inspection and Diagnosis System for Scalp Health," *IEEE Access*, vol. 8, pp. 134826–134837, 2020.
- [86] S. Chibuta and A. C. Acar, "Real-time Malaria Parasite Screening in Thick Blood Smears for Low-Resource Setting," *J. Digit. Imaging*, vol. 33, no. 3, pp. 763–775, 2020, doi: 10.1007/s10278-019-00284-2.
- [87] H. A. Nugroho, A. Darojatun, I. Ardiyanto, and R. Buana, "Classification of Plasmodium Malariae dan Plasmodium Ovale in Microscopic Thin Blood Smear Digital Images," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 8, pp. 2301–2307, Dec. 2018, doi: 10.18517/ijaseit.8.6.6514.
- [88] H. A. Nugroho, M. Satria Wibawa, N. A. Setiawan, E. Murhandarwati, and R. Buana, "Identification of Plasmodium falciparum and Plasmodium vivax on digital image of thin blood films," *Indones. J. Electr. Eng. Comput. Sci.*, vol. 13, pp. 933–944, Mar. 2019, doi: 10.11591/ijeecs.v13.i3.pp933-944.
- [89] Z. Tian, G. Zhang, Y. Liao, R. Li, and F. Huang, "Corrosion Identification of Fittings Based on Computer Vision," in *2019 International Conference on Artificial Intelligence and Advanced Manufacturing (AIAM)*, 2019, pp. 592–597, doi: 10.1109/AIAM48774.2019.00123.
- [90] M. Guillermo *et al.*, "Detection and Classification of Public Security Threats in the Philippines Using Neural Networks," in *2020 IEEE 2nd Global Conference on Life Sciences and Technologies (LifeTech)*, 2020, pp. 320–324, doi: 10.1109/LifeTech48969.2020.1570619075.