



DAFTAR PUSTAKA

- Aerts, J., M. Schaeck, B. De Swaef, B. Ampe, & A. Decostere. 2018. *Vibrio lentus* as a probiotic candidate lowers glucocorticoid levels in genotobiotic sea bass larvae. *Aquaculture*. 492: 40-45.
- Albuquerque, R. C., G. Christina, R. Lima, E. Maria, & R. Helena. 2013. Microbiota of *Vibrio* sp. in the hepatopancreas of culture white pacific shrimp (*Litopenaeus vannamei*). *Rev.MVZ Cordoba*. 18(2): 3439-3443.
- Amri, K., & I. Kanna. 2008. Budidaya Udang Vaname Secara Intensif, Semi Intensif, dan Tradisional. PT Gramedia Pustaka Utama. Jakarta.
- Anggorowati, D. A., H. Munandar, R. Irwansyah, & Y. Lumbess. 2014. Isolasi dan identifikasi bakteri *Vibrio* spp. di Perairan Lombok. Seminar Nasional Kelautan IX: B1-B9.
- Asplund, M. E. 2013. Ecological aspect of marine *Vibrio* bacteria: Exploring relationship to other organisms and a changing environment. Faculty of Science. University of Gothenburg, Sweden. Thesis.
- Asyiawati, Y., & S. Rustijarno. 2015. Kontribusi ekonomi desa-desa pesisir terhadap pendapatan wilayah Kabupaten Bantul. *Jurnal PWK Unisba*. 7(1): 52-67.
- Austin, B., & D. A. Austin. 1987. Bacterial in fish pathogen: disease in farmed and wild fish. Ellish Horwood Limited. England. Hal.111-127.
- Bergey, D.H., & Boone, D.R., 2009, Bergey's Manual of Systematic Bacteriology: Ed.2. Springer Science-Business Media. New York.
- Beye, M., N. Fahsi, D. Raoult, & P. E. Fournier. 2017. Careful use 16S rRNA gene sequence similarity values for the identification of *Mycobacterium* species. *New Microbes and New Infection*. 22: 24-29.
- Boyd, C.E. 1991. Water Quality in Ponds for Aquaculture. Auburn University. p: 486.
- Cahyani, S. D., A. Suprayogi, & M. Awaludin. 2012. Deteksi perubahan garis pantai dengan metode BILKO dan AGSO. *Jurnal Teknik Geodesi Universitas Diponegoro*. 1(1): 1-8.
- Cahyaningrum, D. C., W. Gunawan & M. Rosmiati. 2017. Kondisi dan potensi wilayah pesisir Kabupaten Bantul sebagai sentra budidaya tambak udang berkelanjutan di Pantai Selatan Indonesia. *Jurnal Agribisnis dan Sosial Ekonomi Pertanian*. 2(1): 238-241.
- Carbajal-Hernández, J. C., L. P. S. Fernández, L. A. V. Vargas, J. A. C. Orchoa, & J. F. M. Trinidad. 2013. Water quality assessment in shrimp culture using an analytical hierarchical process. *Ecological Indicators*. 29: 148-158.



Chalkiadakis, E., R. Dufourcq, S. Schmitt, C. Brandily, N. Kervarec, H. Amir, L. Loubersac, S. Chanteau, J. Guezennec, M. Dupont-Rouzeyrol, & S. Colin. 2013. Partial characterization of an expolysaccharide secreted by a marine bacterium, *Vibrio neocalaledonicus* sp. nov., from New Caledonia. *Journal of Applied Microbiology*. 144(1): 1702-1712.

Chatterjee, S., & S. Haldar. 2012. Vibrio related disease in aquaculture and development of rapid and accurate identification methods. *Journal of Marine Science Research and Development*. 1(1): 1-7.

Chun, J., A Huq, & R.R. Colwell. 1999. Analysis of 16S-23S rRNA intergenic spacer regions of *Vibrio cholera* and *Vibrio mimicus*. *Applied and Environmental Microbiology*. 65(5): 2202-2208.

Ciesielski, S., K. Bulkowska, D. Dabrowska, D. Kaczmarczyk, P. Kowal, & J. Mozejko. 2013. Ribosomal intergenic spacer analysis as a tool for monitoring methagenic archaea changes in an anaerobic digester. *Current Microbiology*. 67(2): 240-248.

Clarridge, J. E. 2004. Impact of 16S rRNA gene sequence analysis for identification of bacteria on clinical microbiology and infectious disease. *Clinical Microbiology Reviews*. 17(4): 840-862.

Cobo, M. D. L., M. Wille & P. Sorgeloos. 2012. Ammonia tolerance of *Litopenaeus vannamei* (Boone) larvae. *Aquaculture Research*. 45(3): 470-475.

Corry, J. E. L., G. D. W. Curtis, & R. M. Baird. 1996. *Handbook of Culture Media for Food Microbiology*. Elsevier. 37: 612-614.

Daane, L. L., I. Harjono, S. M. Barns, L. A. Launen, N. J. Palleron, & M. M. Häggblom. 2002. PAH-degradation by *Paenibacillus* spp. and description of *Paenibacillus naphthalenovorans* sp. nov., a naphthalene-degrading bacterium from the rhizosphere of salt marsh plants. *International Journal of Systematic and Evolutionary Microbiology*. 52(1): 131-139.

Defoirdt, T. 2016. Implications of ecological niche differentiation in marine bacteria for microbial management in aquaculture to prevent bacterial disease. *Plos Pathogens*. 12(11): 1-5.

Devi, P. A., P. Padmavathy, S. Aanand, & K. Aruljothi. 2017. Review on water quality parameters in freshwater cage fish culture. *Intenational Journal of Applied Research*. 3(5): 114-120.

Dugassa, H., & D. G. Gaetan. 2018. Biology of white leg shrimp, *Penaeus vannamei*: Review. *World Journal of Fish and Marine Science*. 10(2): 5-17.

Effendie, H. 2003. *Telaah Kualitas Air Bagi Pengolahan Sumberdaya dan Lingkungan Perairan*. Penerbit Kanisius. Yogyakarta.

Eriksson, M., G. Dalhammar, & W. W. Mohn. 2002. Bacterial growth and biofilm production on pyrne. *FEMS Microbiology Ecology*. 40(1): 21-27.



Escalona, N. G., J. Romero & R. T. Espejo. 2005. Polymorphism and gene conversion of the 16S rRNA genes in the multiple rRNA operons of *Vibrio parahaemolyticus*. FEMS Microbiology Letters. 246(2): 213-219.

Espejo, R. T., & N. Plaza. 2017. Multiple ribosomal RNA operons in bacteria; Their concerted evolution and potential consequences on the rate of evolution of their 16S rRNA. Frontiers in Microbiology. 9:1-6.

Fakruddin, M., & K. S. Manna. 2013. Methods for analysing diversity of microbial communities in natural environments. Ceylon Journal of Science (Biological Sciences). 42(1): 19-33.

Farchan, M., & M. Mulyono. 2011. Dasar-Dasar Budidaya Perikanan. STP Press. Jakarta.

Faturrahman & L. Widiyanti. 2012. Seleksi parsial *Vibrio* spp. kandidat probiotik: viabilitas pada berbagai suhu, pH dan salinitas. Jurnal Biologi Udayana. 16(2): 36-40.

Fisher, M. M. & E. W. Triplett. 1999. Automated approach for ribosomal integrate spacer analysis of microbial diversity and its application to freshwater bacterial communities. Applied and Environmental Microbial. 65(10): 4630-4636.

Food and Agricultural Organization of United Nations (FAO). 2020. Cultured Aquatic Species Information Programme. http://www.fao.org/fishery/culturedspecies/Penaeus_vannamei/en. Diakses pada 08/12/2020 jam 08:21 WIB.

Food and Agricultural Organization of United Nations (FAO). 2020. Penaeus monodon (fabricius, 1798). http://www.fao.org/tempref/FI/DOCUMENT/aquaculture/CulturedSpecies/file/en/en_gianttigerprawn.htm. Diakses pada 08/12/2020 jam 09:22 WIB.

Fuady, M. F., M. Nitisupardjo, & Haeruddin. 2013. Pengaruh pengelolaan kualitas air terhadap tingkat kelulushidupan dan laku pertumbuhan udang vaname (*Litopenaeus vannamei*) di PT. Indokoor Bangun Desa, Yogyakarta. Diponegoro Journal of Maquares. 2(4): 155-162.

Gao, W., L. Tian, T. Huang, M. Yao, W. Hu, & Q. Xiu. 2016. Effect of salinity on the growth, osmolarity and metabolism-related gene expression in white shrimp *Litopenaeus vannamei*. Aquaculture Report. 4: 125-129.

Garrity, G. 2007. Bergey's Manual® of Systematic Bacteriology: Volume 2: The Proteobacteria, Part B: The Gammaproteobacteria (Vol. 2). Springer Science & Business Media.

Ghosh, A & P. Bhadury. 2019. *Vibrio chemaguriensis* sp. nov, from Sundarbans, Bay of Bengal. Current Microbiology. 76(10): 1118-1127.

Hagström, Å., J. Pinhassi, & U. L. Zweifel. 2000. Biogeographical diversity among marine bacterioplankton. Aquatic Microbial Ecology. 21(3): 231-244.



Han, E. J., S. C. Lee, S. C. Park, H. J. Jeon, K. Y. Kim, Y. S. Lee, S. Park. S. Han, J. H. Kim, & S. Choi. 2020. Molecular detection of *Enterocytozoon hepatopenaei* and *Vibrio parahaemolyticus*-associated acute hepatopancreatic necrosis disease in Southeast Asian *Penaeus vannamei* shrimp imported into Korea. Aquaculture. 517: 1-4.

Hasan, N. A., C. J. Grim, E. K. Lipp, I. N. G. Rivera, J. Chun, B. J. Haley, E. Taviani, S. Y. Choi, M. Hoq, A. C. Munk, T. S. Brettin, D. Bruce, J. F. Challacombe, J. C. Detter, C. S. Han, J. A. Eisen, A. Huq, & R. Cowell. 2015. Deep-sea hydrothermal vent bacteria related to human pathogenic *Vibrio* species. Proceedings of the National Academy of Sciences. 112(21): 2813-2819.

Hedlund, B. P., & J. T. Staley. 2001. *Vibrio cyclotrophicus* sp. nov., a polycyclic aromatic hydrocarbon (PAH)-degrading marine bacterium. International Journal of Systematic and Evolutionary Microbiology. 51(1): 61-66.

Heenatigala, P. P. M., & M. U. L. Fernando. 2016. Occurrence of bacteria species responsible for vibriosis in shrimp pond culture systems in Sri Lanka and assessment of the suitable control measures. Sri Lanka Journal of Aquatic Sciences. 21(1): 1-17.

Hikmawati, F., A. Susilowati, & R. Setyaningsih. 2019. Colony morphology and molecular identification of *Vibrio* spp. on green mussels (*Perna viridis*) in Yogyakarta, Indonesia tourism beach. Biodiversitas Journal of Biological Diversity. 20(10): 1891-2899.

Hoffmann, M., E. W. Brown, P. C. H. Feng, C. E. Keys, & M. Fischer. 2010. PCR based method for targeting 16S-23S rRNA intergenic spacer regions among *Vibrio* species. BMC Microbiology. 10(1): 1-14.

Janda, J. M., & S. L. Abbott. 2007. 16S rRNA gene sequencing for bacterial identification in the diagnostic laboratory pluses, perils and pitfalls. Journal of Clinical Microbiology. 45(9): 2761-2764.

Jayasinghe, C.V.L., S.B.N. Ahmed & M.G.I.U. Kariyawasam. 2008. The Isolation and identification of vibrio species in marine shrimps of Sri Lanka. Journal of Food Agriculture. 1(1): 6 – 44.

Kementrian Kelautan dan Perikanan. 2018. Laporan Tahunan 2018. https://kkp.go.id/anc-component/media/upload-gambar_pendukung/kkp/LAPORAN/Laporan%20Tahunan/01.%20Laporan%20Tahunan%20KKP%202018_Maret%202019%20.pdf. Diakses pada 30/1/2021 jam 08.23 WIB.

Kementrian Kelautan dan Perikanan. 2020. Rencana Strategis 2020-2024. http://kinerjaku.kkp.go.id/app/dok/pk/renstra_20206351600134369.pdf. Diakses pada 20/01/2021 jam 08.28 WIB.



Kharisma, A., & A. Mannan. 2012. Kelimpahan Bakteri *Vibrio* sp. pada air pembesaran udang vannamei (*Litopenaeus vannamei*) sebagai deteksi dini serangan penyakit vibriosis. Jurnal Ilmiah Perikanan dan Kelautan. 4(2): 129-134.

Khoudaja, S., F. Lamari, & A. Bakhrouf. 2013. Characterization of *Vibrio parahaemolyticus* isolated from farmed sea bass (*Docentrarchus labrax*) during disease outbreaks. International Aquatic Research. 5(13): 1-11.

Kumar, P., U. Shankar, & P. Paul. 2016. Identification the presence of *Vibrio* species by TCBS media in different water samples collected from different locations. International Journal of Science and Research. 5(3): 812-816.

Kumar, R., T. Han Ng, & H. C. Wang. 2020. Acute hepatopancreatic disease in penaeid shrimp. Reviews in Aquaculture. 12(3): 1867-1880.

Kusmarwati, A., Hermana, I., Yennie, Y., & Wibowo, S. 2017. Keberadaan *Vibrio parahaemolyticus* patogenik pada udang tambak yang berasal dari Pantai Utara Jawa. Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan. 11(1): 41-54.

Lai, H. C., T. H Ng, M. Ando, C. T. Lee, I. T. Chen, J. C. Chuang, & H. C. Wang. 2015. Pathogenesis of acute hepatopancreatic necrosis disease (AHPND) in shrimp. Fish & Shellfish Immunology. 47(2): 1006-1014.

Lailatussyifa, A., N. Widyorini, & O. E. Jati. 2020. Analisis total bakteri *Vibrio* sp. di sedimen pada kerapatan mangrove yang berbeda di Pantai Ujung Piring, Jepara. Jurnal Pasir Laut. 4(1): 1-8.

León, J. G., L. Villamil, M. L. Lemos, B. Novoa, & A. Figueras. 2005. Isolation of *Vibrio alginolyticus* and *Vibrio splendidus* from aquaculture carpet shell clam (*Ruditapes decussatus*) larvae associated with mass mortalities. Applied and Environmental Microbiology. 71(1): 98-104.

Letchumanan, V., K. Chan, & L. Han Lee. 2014. *Vibrio parahaemolyticus*; a review on the pathogenesis prevalence and advance molecular identification. Frontiers in Microbiology. 5(1): 1-13.

Liao, I. C., & Y. H. Chen. 2011. The Pasific white shrimp *Litopenaeus vannamei*, in Asia: The World's Most Widely Cultured Alien Crustacean. In the Wrong Place-Alien Marine Crustaceans. Distribution, Biology and Impacts. p: 489-519.

Liu, C. H., W. Cheng, J. P. Hsu & J. C. Chen. 2004. *Vibrio alginolyticus* infection in the white shrimp *Litopenaeus vannamei* confirmed by polymerase chain reaction and 16S rDNA sequencing. Journal of Disease of Aquatic Organisms. 61(1-2): 169-174.

Liu, G., S. Zhu, D. Liu, X. Guo, & Z. Ye. 2017. Effect of stocking density of the white shrimp *Litopenaeus vannamei* (Boone) on immunities, antioxidant status, and resistance against *Vibrio harveyi* in a biofloc system. Fish and Shellfish Immunology. 67: 19-26.



Liu, R., Z. Lian, X. Hu, A. Lu, J. Sun, C. Chen, X. Liu, Y. Song, & Y. Yiksung. 2019. First report *Vibrio vulnificus* infection in grass carp *Ctenopharyngodon idellus* in China. *Aquaculture*. 499: 283-289.

Lotz, M. J., M. L. Tamplin, & G. E. Rodrick. 1983. Thiosulfate-citrate-bile salts-sucrose agar and its selectivity for clinical and marine vibrio organisms. *Annals of Clinical & Laboratory Science*. 13(1): 45-48.

Masyur, A., & N. A. Rangka. 2008. Potensi dan kendala pengembangan budidaya udang vanamei di Sulawesi Selatan. *Media Akuakultur*. 3(1): 11-14.

Moreno, E., M. Parks, L. J. Pinnell, J. J. Tallman, & J. W. Turner. 2017. Draft genome sequence of a *Vibrio harveyo* strain associated with vibriosis in Pacific White Shrimp (*Litopenaeus vannamei*). *Genome Announcements*. 5(7): 1-2.

Moxley, K., & Coyne, V. E. 2020. Localisation of probiotic *Vibrio midae* K811 within the gastrointestinal tract of post-larval abalone, *Haliotis midae*. *Aquaculture*. 528: 1-11.

Mustapha, S., E. M. Mustapha., & C. Nozha. 2013. *Vibrio alginolyticus*: An emerging pathogen of foodborne disease. *Journal International of Science and Technology*. 2(4): 302-309.

Nitimulyo, K. H., A. Isnansetyo, Triyanto, I. Istiqomah, & M. Murdjani. 2005. Isolasi identifikasi dan karakterisasi *Vibrio* spp. Pathogen penyebab vibriosis pada kerupu di Balai Budidaya Air Payau Situbondo. *Jurnal Perikanan*. 7(2): 80-94.

Noguerola, I & A. R. Blanch. 2008. Identification of *Vibrio* spp. with a set of dichotomous keys. *Journal of Applied Microbiology*. 105(1): 175-185.

Orozco, L. N., E. A. Félix, I. H. Ciapara, R. J. Flores & R. Cano. 2007. Pathogenic and non pathogenic *Vibrio* species in aquaculture shrimp ponds. *Revista Latinoamericana de Microbiología*. 49(3-4): 60-67.

Pangastuti, A. 2006. Definisi spesies prokaryota berdasarkan urutan basa gen penyandi 16S rRNA dan gen penyandi protein. *Biodiversitas*. 7(3): 292-296.

Percivals, S. L. & D. W. Williams. 2014. *Vibrio*. *Microbiology of Waterborne Disease*. Elsevier Academic Press. p: 237-248.

Pfeffer, C., & Oliver, J. D. 2003. A comparison of thiosulphate-citrate-bile salts-sucrose (TCBS) agar and thiosulphate-chloride-iodide (TCI) agar for the isolation of *Vibrio* species from estuarine environments. *Letters in Applied Microbiology*. 36(3): 150-151.

Phouc, L., M. Corteel., H. J. Nauwynck, M.B. Pensaert, V. Alday-Sanz, W. Van den Broeck, P. Sorgeloss & P. Bossier. 2008. Increased susceptibility of white spot syndrome virus-infected *Litopenaeus vannamei* to *Vibrio campbelli*. *Environmental Microbiology*. 10(10): 2718-2727.



Praja, R. K. & D. P. Safnurbaiti. 2018. The infection of *Vibrio parahaemolyticus* in shrimp and human. *Oceana Biomedicina Journal*. 1(1): 44-58.

Raguénès, G., Christen, R., Guezennec, J., Pignet, P., & Barbier, G. 1997. *Vibrio diabolicus* sp. nov., a new polysaccharide-secreting organism isolated from a deep-sea hydrothermal vent polychaete annelid, *Alvinella pompejana*. *International Journal of Systematic and Evolutionary Microbiology*. 47(4): 989-995.

Rivera, D. A., A. P. Davó, G. R. Fuentez, K. S. Escalante-Herrera, & G. Gaxiola. 2019. A vibriosis outbreak in the Pacific white shrimp *Litopenaeus vannamei* reared in biofloc and clear sea water. *Journal of Invertebrate Pathology*. 167: 1-7.

Rodriguez, S. A. S., R. L. Olvera, D. A. P. Gonzalez, C. B. Mejia, & K. G. R. Aguilar. 2019. Characterization and growth condition of *Vibrio parahaemolyticus* strains with different virulence degrees that cause acute hepatopancreatic necrosis disease in *Litopenaeus vannamei*. *Journal World Aquaculture Society*. 50(5): 1002-1015.

Romero, E.C., R. M. Blanco, & R. L. Galloway. 2011. Analysis of multilocus sequence typing for identification of *Leptospira* isolates in Brazil. *American Society for Microbiology*. 48(11): 3940-3942.

Rosenberry, B. 2003. *World Shrimp Farming 2003*. Shrimp News International. San Diego, California, USA. p: 270.

Sahubawa, L., N. Khakim, & M. Lasindrang. 2015. Kajian sebaran potensi ekonomi sumber daya kelautan di Pantai Selatan Daerah Istimewa Yogyakarta sebagai upaya percepatan investasi. *Jurnal Teknosains*. 4(2). 101-198.

Sarida, M., & E. Harpeni. 2010. Screening of potential probiotic *Vibrio* sp. against vibriosis in the *Litopenaeus vannamei*. *Majalah Ilmiah Biosfera a Scientific Journal*. 27(2): 88-94.

Schäfer, J., U. Jäckel, & P. Kämpfer. 2010. Development of new PCR primer system for selective amplification of *Actinobacteria*. *FEEMS Microbiol Letter*. 311(2): 103-112.

Sohn, H., J. Kim, C. Jin, & J. Lee. 2019. Identificatio of *Vibrio* species isolated from cultured olive flounder (*Paralichthys olivaceus*) in Jeju Island, South Korea. *Fisheries and Aquatic Sciences*. 22(1): 1-8.

Somboon, M., W. Purivirojkul, C. Limsuwan, & N. Chuchird. 2012. Effect of *Vibrio* sp. in white feces infected shrimp in Chatanthaburi, Thailand. *Journal of Fisheries and Environment*. 36(1): 7-15.

Song, J., X. Liu, C. Wu, Y. Zhang, K. Fan, X. Zhang & Y. Wei. 2020. Isolation, identification and pathogenesis study of *Vibrio diabolicus*. *Aquaculture*. 533: 1-6.



Sullivan, C. B., M. A. Diggle, & S.C. Clarke. 2005. Multilocus sequence typing. *Molecular Biotechnology*. 29(3): 245-254.

Tantu, A. G., S. Salam, & M. Ishak. 2020. Vaname shrimp cultivation (*Litopenaeus vannamei*) on high stocking densities in controlled ponds. *Journal of Aquaculture Research and Development*. 11(2): 1-6.

Thompson, F.L., T. Lida, & J. Swings. 2004. Biodiversity of vibriosis. *Microbiology and Molecular Biology Reviews*. 68(3): 403-431.

Thompson, J., Gregory, S., Plummer, S., Shields, R. J., & A. F. Rowley. 2010. An in vitro and in vivo assessment of the potential of *Vibrio* spp. as probiotics for the Pacific White shrimp, *Litopenaeus vannamei*. *Journal of Applied Microbiology*. 109(4): 1177–1187.

Vandenberghe, J., F. L. Thompson, B. Gomez-Gill, & J. Swings. 2003. Phenotypic diversity amongst *Vibrio* isolates from marine aquaculture system. *Aquaculture*. 219(1-4): 9-20.

Vandenberghe, J., L Verdonck, R. R. Arozarena, G. Rivera, A. Bolland, M. Balladeres, B. Gomez-Gil, J. Calderon, P. Sorgeloos, & J. Swings. 1999. Vibrios associated with *Litopenaeus vannamei* larva, post larva, broodstock, and hatchery probionts. *Applied and Environmental Microbiology*. 65(6): 2592-2597.

Venkateswarlu, V., P.V. Seshaiah, P. Arun, & P. C. Behra. 2019. A study on water quality parameters in shrimp *L. vannamei* semi-intensive grow our culture farms in coastal districts of Andhra Pradesh, India. *International Journal of Fisheries and Aquatic Studies*. 7(4): 394-399.

Wahyudewantoro, G. 2011. Catatan biologi udang putih (*Litopenneus vannamei* (Bonne, 1931)). *Fauna Indonesia*. 10(2): 1-7.

World Wide Fun (WWF). 2014. Budidaya Udang Vaname: Tambak Semi Intensif dengan Instalasi Pengelolaan Air Limbah (IPAL). WWF-Indonesia. Indonesia. p:1-37.

Yu, Z., dan W. W. Mohn. 2001. Bacterial diversity and community structure in an Aerated Lagoon Revealed by ribosomal intergenic spacer analysis and 16S ribosomal DNA sequencing. *American Society for Microbiology*. 67(4): 1565-1574.