

DAFTAR PUSTAKA

- Anker, S.D., Coats, A.J.S., Morley, J.E., Rosano, G., Bernabei, R., Haehling, S., Von, *et al.* 2014. Muscle wasting disease: a proposal for a new disease classification. *J Cachexia Sarcopenia Muscle* 5:1–3.
- Aryandono, T. 2006. Faktor Prognosis Kanker Payudara Operabel di Yogyakarta. Available from : http://etd.repository.ugm.ac.id/index.php?mod=penelitian_detail&sub=Penelitian_Detail&act=view&typ=html&buku_id=31570 (accessed Mei 2016)
- Balagopal, P., Schimke, J.C., Ades, P., Adey, D., Nair, K.S., Schimke, J.C., et al. 2001. Age effect on transcript levels and synthesis rate of muscle MHC and response to resistance exercise. *Am J Physiol Endocrinol Metab* 280:203–208.
- Bauer, J.M., Sieber, C.C., 2008 Sarcopenia and frailty: A clinician's controversial point of view. *Exp Gerontol* 43:674–678.
- Baumgartner, R.N., Waters, D.L., Gallagher, D., Morley, J.E., Garry, P.J.1999. Predictors of skeletal muscle mass in elderly men and women. *Mech Ageing Dev*107(2):123–136.
- Bazzocchi, A., Diano, D., Albisinni, U., Marchesini, G., Battista, G.. 2014. Liver in the analysis of body composition by dual-energy X-ray absorptiometry. *Br J Radiol.*;87(1041):1–11.
- Beas-Jiménez, J. de D., López-Lluch, G., Sánchez-Martínez, I., Muro-Jiménez, A., Rodríguez-Bies, E., Navas, P.. 2011.Sarcopenia: implications of physical exercise in its pathophysiology, prevention and treatment. *Rev Andal Med Deport* 4(4):158–66.
- Binkley, N., Buehring, B.. 2009. Beyond FRAX: It's Time to Consider Sarco-Osteopenia. *J Clin Densitom* 12(4):413–416
- Blum, D., Stene, G.B., Solheim, T.S., Fayers, P., Hjermland, M.J., Baracos, V.E., et al. 2014. Validation of the Consensus-Definition for Cancer Cachexia and evaluation of a classification model — a study based on data from an international multicentre project (EPCRC-CSA). *Ann Oncol.* 25(8):1635–1642

- Bohlen, J., McLaughlin, S.L., Hazard-Jenkins, H., Infante, A.M., Montgomery, C., Davis, M., Pistilli, E.E. 2018. Dysregulation of metabolic-associated pathways in muscle of breast cancer patients: preclinical evaluation of interleukin-15 targeting fatigue. *Journal of Cachexia, Sarcopenia and Muscle*. 9: 701–714
- Borges, T.C., Gomes, T.L.N., Pichard, C., Laviano, A., Pimentel, G.D. 2020. High Neutrophil to Lymphocytes Ratio is Associated with Sarcopenia Risk in Hospitalized Cancer Patients. *Elsevier Ltd and European Society for Clinical Nutrition and Metabolism-Clinical Nutrition*. p.1-5
- Boutin,R.D., Yao, L., Canter, R.J., Lenchik, L. 2015. Sarcopenia: Current Concepts and Imaging Implications. *AJR* 205:255–266
- Cao, L., Chen, S., Zou, C., Ding, X., Gao, L, Liao, Z., et al. 2014. A pilot study of the SARC-F scale on screening sarcopenia and physical disability in the Chinese older people. *J Nutr Heal Aging*.;18(3):277–283
- Carpenter, C.R., Shelton, E., Fowler, S., Suffoletto, B., Platts-mills, T.F., Rothman, R.E., et al. 2015. Risk Factors and Screening Instruments to Predict Adverse Outcomes for Undifferentiated Older Emergency Department Patients: A systematic Riview and Meta-analysis. *Acad Emerg Med* 22(1):1–21.
- Chen, L., Liu, L., Woo, J., Shahrul, K., Chou, M., Chen, L., et al. 2014. Sarcopenia in Asia: Consensus Report of the Asian Working Group for Sarcopenia. *J Am Med Dir Assoc*.;15(2):95–101.
- Cinar, N, Sahin, S., Ates, M.F., Karsidag, S. 2019. Does a Relationship Exist Between Neutrophil-to-Lymphocyte Ratio, Platelet-to Lymphocyte Ratio and Sarcopenia in Alzheimer’s Disease?. *Advances in Neurology and Neuroscience*. 2(1): 1-5
- Correa-de-araujo, R., Hadley, E. 2014. Skeletal Muscle Function Deficit: A New Terminology to Embrace the Evolving Concepts of Sarcopenia and Age-Related Muscle Dysfunction. *J Gerontol A Biol Sci Med Sci*. 69 (5) :591-594
- Cruz-Jentoft, A.J., Baeyens, J.P., Bauer, J.M., Boirie, Y., Cederholm, T., Landi, F., et al. 2010. Sarcopenia: European consensus on definition and diagnosis Report of the European Working Group on Sarcopenia in Older People. *Age Ageing* 39:412–423
- Cruz-jentoft, A.J., Landi, F., Topinkova, E., Michel, J. 2010. Understanding sarcopenia as a geriatric syndrome. *Curr Opin Clin Nutr Metab Care* 13(1):1–7

- Cruz-Jentoft, A.J., Landi, F., Schneider, S.M., Zúñiga, C., Arai, H., Boirie, Y., et al. 2014. Prevalence of and interventions for sarcopenia in ageing adults: a systematic review. Report of the International Sarcopenia Initiative (EWGSOP and IWGS). *Age Ageing* 43:748–759
- Csapo, R., Malis, V., Sinha, U., Du, J., Sinha, S. 2014. Age-associated differences in triceps surae muscle composition and strength – an MRI-based cross-sectional comparison of contractile, adipose and connective tissue. *BMC Musculoskelet Disord.*;15(1):1–11.
- Curado, M.P. 2011. Breast cancer in the world: incidence and mortality. *Salud Publica de Mexico*, vol. 53, no. 5, pp. 372- 384
- Dahlan, M.S. 2010 Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. 3rd ed. *Epidemiologi Indonesia*, 7680
- Dahlan, M.S. 2011. Statistik untuk Kedokteran dan Kesehatan. 5th ed. *Epidemiologi Indonesia*, 167-179
- Derstine, B.A., Holcombe, S.A., Ross, B.E., Wang, N.C., Su, G.L., Wang, S.C. 2018. Skeletal muscle cutoff values for sarcopenia diagnosis using T10 to L5 measurements in a healthy US population. USA. *Scientific Report.*. 8:11369
- Dhillon, R., Hasni, S. 2017. Pathogenesis and Management of Sarcopenia. *Clin Geriatr Med* 33(3):17–26.
- Doherty, T.J. 2003. Invited Review: Aging and sarcopenia. *J Appl Physiol* 95(4):1717–1727
- Drey, M., Krieger, B., Sieber, C.C., Bauer, J.M., Hettwer, S., Bertsch, T. 2014. Motoneuron Loss Is Associated With Sarcopenia. *J Am Med Dir Assoc* 15(6):435–439.
- Erlandson, M.C., Lorbergs, A.L., Mathur, S., Cheung, A.M. 2016. Muscle analysis using pQCT, DXA and MRI. *Eur J Radiol.*;85(8):1505–1511.
- Evans, W.J., Morley, J.E., Argile, J., Bales, C., Baracos, V., Guttridge, D., et al. 2008. Cachexia: A new definition. *Clin Nutr* 27:793–799
- Fearon, K., Evans, W.J., Anker, S.D. 2011. Myopenia — a new universal term for muscle wasting. *J Cachexia Sarcopenia Muscle* 2:1–3
- Fielding, R., Vellas, B., Evans, W., Bhasin, S., Morley, J., Newman, A., et al. 2012. Sarcopenia: An Undiagnosed Condition in Older Adults. Current Consensus Definition: Prevalence, Etiology, and Consequences. *J Am Med Dir Assoc* 12(4):249–256

- Fragala, M.S., Dam, T.L., Barber, V., Judge, J.O., Studenski, S.A., Cawthon, P.M., et al. 2015. Strength and Function Response to Clinical Interventions of Older Women Categorized by Weakness and Low Lean Mass Using Classifications From the Foundation for the National Institute of Health Sarcopenia Project. *J Gerontol A Biol Sci Med Sci.*;70(2):202–209.
- Frontera, W.R., Reid, K.F., Phillips, E.M., Krivickas, L.S., Hughes, .V.A., Roubenoff, R., et al. 2008. Muscle fiber size and function in elderly humans: a longitudinal study. *J Appl Physiol* 105:637–462.
- Fuggle, N., Shaw, S., Dennison, E., Cooper, C. 2017. Sarcopenia. *Best Pr Res Clin Rheumatol.*;31(2):218–242
- Gabriel, N.H., James, L.C., Carl, J.D., Stephen, B.E., Elizabeth, A.M., Hope, S.R., et al. 2017. Breast. In: Mahul BA, ed. American Joint Committee on Cancer (AJCC). AJCC cancer staging manual, 8th ed. New York, NY: Springer, 589-628
- Gale, C.R., Martyn, C.N., Cooper, C., Sayer, A.A. 2007. Grip strength, body composition, and mortality. *Int J Epidemiol* 36:228–235.
- Goldhirsch, A., Wood, W.C., Coates, A.S., et al. 2011. Strategies for subtypes—dealing with the diversity of breast cancer: highlights of the St. Gallen International Expert Consensus on the Primary Therapy of Early Breast Cancer . *Ann Oncol.* ;22: 1736–1747.
- Gradishar, W., Anderson, B., Balassanian,R., Blair, S.,Burstein, H., Cyr, A., et al. 2016. Invasive breast cancer version 1.2016, NCCN clinical practice guidelines in Oncology, *J. Natl. Compr. Cancer Netw. JNCCN* 14: 324-354
- Haehling, S.Von, Morley, J.E., Anker, S.D. 2010. An overview of sarcopenia: facts and numbers on prevalence and clinical impact. *J Cachexia Sarcopenia Muscle* 1:129–133
- Haehling, S. Von, Anker, S.D. 2014. Treatment of Cachexia: An Overview of Recent Developments. *J Am Med Dir Assoc* 15(12):866–872
- Haehling,S.Von, Anker, S.D. 2014. Prevalence, incidence and clinical impact of cachexia: facts and numbers. *J Cachexia Sarcopenia Muscle* 5:261–263

- Hamrick, M, McGee-Lawrence, M., Frechette, D. 2016. Fatty infiltration of Skeletal Muscle: Mechanisms and Comparisons with Bone Marrow Adiposity. *Front Endocrinol* 7(69):1–7.
- Handforth, C., Clegg, A., Young, C., Simpkins, S., Seymour, M.T., Selby, P.J, et al. 2015. The prevalence and outcomes of frailty in older cancer patients: a systematic review. *Ann Oncol* 26(6):1091–1101.
- Harbeck, N., Penault-Llorca, F., Cortes, J., Gnant, M., Houssami, N., Poortmans, P., Ruddy, K., Tsang, J., Cardoso, F. 2019. Breast Cancer. *Nature Reviews.Disease Primers*. 5:66 p 1-31
- Haren, M.T., Siddiqui, A.M., Armbrecht, H.J., Kevorkian, R.T., Kim, M.J., Haas, M.J. 2010. Testosterone modulates gene expression pathways regulating nutrient accumulation, glucose metabolism and protein turnover in mouse skeletal muscle. *Int J Androl* 34(1):55–68.
- Huh, J., Park, B., Lee, H., An, Y.S., Jung, Y., Kim, J.Y., Kang, D.K., Kim, K.W., Kim, T.H. 2020. Prognostic Value of Skeletal Muscle Depletion Measured on Computed Tomography for Overall Survival in Patients with Non-Metastatic Breast Cancer. *J Breast Cancer*. 23(1):80-92
- Heymsfield, S., Smith, R., Aulet, M., Bensen, B., Lichtman, S., Wang, J., et al. 1990. Appendicular skeletal muscle mass: measurement by dual-photon absorptiometry. *Am J Clin Nutr.*;52(2):214–8.
- Ilich, J.Z., Kelly, O.J., Inglis, J.E., Panton, L.B., Duque, G., Ormsbee, M.J. 2014. Interrelationship among muscle, fat, and bone: Connecting the dots on cellular, hormonal, and whole body levels. *Ageing Res Rev* 15:51– 60.
- Inouye, S., Studenski, S., Tinetti, M., Kuchel, G. 2007. Geriatric Syndromes: Clinical, Research and Policy Implications of a Core Geriatric Concept. *J Am Geriatr Soc* 55(5):780–791
- Iqbal, N. dan Iqbal, N. 2014. Human Epidermal Growth Factor Receptor 2 (HER2) in Cancers: Overexpression and Therapeutic Implications. *Molecular Biology International*. P.1-9
- James, J., Teo, M, Ramachandran, V., Law M, Stoney, D., Cheng, M. 2017. Performance of CT Scan of Abdomen and Pelvis in Detecting Asymptomatic Synchronous Metastasis in Breast Cancer. *International Journal of Surgery*. 46 :164-169

- Janssen, I., Heymsfield, S.B., Ross, R. 2002. Low Relative Skeletal Muscle Mass (Sarcopenia) in Older Persons is Associated with Functional Impairment and Physical Disability. *J Am Geriatr Soc*.5(50):889–896
- Janssen, I., Shepard, A.D.S, Katzmarzyk, P.T., Roubenoff, R., Mhs, A. 2004. The Healthcare Costs of Sarcopenia in the United States. *J Am Geriatr Soc* 52(1):80–85
- Jones, T.E., Stephenson, K.W., King, J.G., Knight, K.R., Marshall, T.L., Scott, W.B. 2009. Sarcopenia – Mechanisms and Treatments. *J Geriatr Phys Ther* 32(2):39–45.
- Jung, H., Kim, S., Lim, J., Kim, K., Jang, H.C., Kim, C., et al. 2014. Frailty Status Can Predict Further Lean Body Mass Decline in Older Adults. *J Am Geriatr Soc* 62(11):2110–2117
- Kamel, H.K. 2003. Sarcopenia and Aging. *Nutr Rev* 65(5 Pt 1):157–167.
- Kemenkes RI. 2015. Stop kanker, Jakarta: Kemenkes RI. Available from : <http://www.depkes.go.id/download.php?file.../infodatin/infodatin-kanker.pdf> (Accessed Maret 2015).
- Kim, T.N., Choi KM. 2013 Sarcopenia: Definition, Epidemiology, and Pathophysiology. *J Bone Metab* 20:1–10.
- Koh, J., Kim, M.J. 2019. Introduction of a New Staging System of Breast Cancer for Radiologists: An Emphasis on the Prognostic Stage. *Korean Journal Radiology*. 20(1):69-82
- Lang, T., Streeper, T., Cawthon, P., Baldwin, K., Harris, T. 2010. Sarcopenia: etiology, clinical consequences, intervention, and assessment. *Osteoporos Int* 21:543–559
- Lauretani, F., Russo, C.R., Bandinelli, S., Bartal, B., Cavazzini, C., Iorio, A. Di, et al. 2003. Age-associated changes in skeletal muscles and their effect on mobility: an operational diagnosis of sarcopenia. *J Appl Physiol* 5:1851–1860
- Lee, K., Shin, Y., Huh, J., Sung, Y.S., Lee, I.S., Yoon, K.H., MD, Kim, K.W. 2019. Recent Issues on Body Composition Imaging for Sarcopenia Evaluation. *Korean J Radiology* ;20(2):205-217
- Li, K., Dortch, R., Welch, E., Bryant, N., Buck, A., Towse, T., et al. 2014. Multi-parametric MRI characterization of healthy human thigh muscles at 3.0 T - relaxation, magnetization transfer, fat/water, and diffusion tensor imaging. *NMR Biomed.*;27(9):1070–1084.

- Loenneke, J.P., Thiebaud, R.S., Abe, T. 2014. Estimating Site-Specific Muscle Loss: A Valuable Tool for Early Sarcopenia Detection. *17(6):496–498.*
- Lustgarten, M., Fielding, R. 2011. Assessment of analytical methods used to measure changes in body composition in the elderly and recommendations for their use in phase II clinical trials. *J Nutr Heal Aging.;15(5):368–75.*
- Macintosh, C., Morley, J.E., Chapman, I.M. 2000. The Anorexia of Aging. *Nutrition. 16(10):983–995.*
- Malmstrom, T.K., Morley, J.E. 2013. SARC-F: A Simple Questionnaire to Rapidly Diagnose Sarcopenia. *J Am Med Dir Assoc.;14(8):531–532.*
- Manini, T.M., Clark, B.C. 2012. Dynapenia and Aging: An Update. *J Gerontol A Biol Sci Med Sci 67(1):28–40*
- Marcell, T.J. 2003. Sarcopenia: Causes, Consequences, and Preventions. *J Gerontol A Biol Sci Med Sci 58(10):911–916.*
- Mardian, Y., Yano, Y., Ratnasari, N., Choridah, L., Wasityastuti, W., Setyawan, N.H., Hayashi, Y. 2019. Sarcopenia and intramuscular fat deposition are associated with poor survival in Indonesian patients with hepatocellular carcinoma: a retrospective study. *BMC Gastroenterology.19:229*
- Mclean, R.R., Shardell, M.D., Alley, D.E., Cawthon, P.M., Fragala, M.S., Harris, T.B., et al. 2014. Criteria for Clinically Relevant Weakness and Low Lean Mass and Their Longitudinal Association with Incident Mobility Impairment and Mortality: The Foundation for the National Institutes of Health (FNIH) Sarcopenia Project. *J Gerontol A Biol Sci Med Sci.;69(5):576–583*
- Mijnarends, D.M, Schols, J.M.G.A., Meijers, J.M.M., Tan, F.E.S., Verlaan, S., Luiking, Y.C., et al. 2015. Instruments to Assess Sarcopenia and Physical Frailty in Older People Living in a Community (Care) Setting: Similarities and Discrepancies. *J Am Med Dir Assoc 15:301–308.*
- Minetto, M.A., Caresio, C., Menapace, T., Hajdarevic, A., Molinari, F., Maffioletti, N.A. 2015. Ultrasound-Based Detection of Low Muscle Mass for Diagnosis of Sarcopenia in Older Adults. *PM&R.;8(5):453–462.*

- Mirmalek, S., Hajilou, M., Salimi Tabatabaee, S., Parsa, Y., Yadollah-Damavandi, S. and Parsa, T. 2014. Prevalence of HER-2 and Hormone Receptors and P53 Mutations in the Pathologic Specimens of Breast Cancer Patients. *International Journal of Breast Cancer*. pp.1-3
- Morley, J.E. 2007. Weight Loss in Older Persons: New Therapeutic Approaches. *Curr Pharm* 13:3637–3647.
- Morley, J., Abbatecola, A., Argiles, J., Baracos, V., Bauer, J., Bhasin, S., et al. 2011. Sarcopenia With Limited Mobility: An International Consensus. *J Am Med Dir Assoc* 12(6):403–409.
- Morley, J.E., Anker, S.D., Haehling, S. Von. 2014. Prevalence, incidence, and clinical impact of sarcopenia: facts, numbers, and epidemiology — update. *J Cachexia Sarcopenia Muscle* 5:253–259.
- Morley, J., Vellas, B., Kan, G., Anker, S., Bauer, J., Bernabei, R., et al. 2013. Frailty consensus: a call to action. *J Am Med Dir Assoc*;14(6):392–397.
- Morris, E.A., Schwartz, L.H., Drotman, M.B., Kim, S.J., Tan, L.K., Liberman, L., et al. 2000. Evaluation of pectoralis major muscle in patients with posterior breast tumors on breast MR images: early experience. *Radiology*; 214:67-72
- Muscaritoli, M., Anker, S.D., Argiles, J., Aversa, Z., Bauer, J.M., Biolo, G., et al. 2010. Consensus definition of sarcopenia, cachexia and pre-cachexia: Joint document elaborated by Special Interest Groups (SIG) cachexia-anorexia in chronic wasting diseases and nutrition in geriatrics. *Clin Nutr* 29(2):154–159
- Müller, M.J., Geisler, C., Pourhassan, M., Glüer, C. 2014. Assessment and definition of lean body mass deficiency in the elderly. *Eur J Clin Nutr* 68:1220–1227.
- Nordez, A., Jolivet, E., Su, I., Bonneau, D., Guise, J.A. De, Skalli, W. 2009. Comparison of Methods to Assess Quadriceps Muscle Volume Using Magnetic Resonance Imaging. *J Magn Reson Imaging*;30(5):1116–1123.
- Öztürka, Z.A., Kulb,S., Türkbeylerc, I.H., Saymerd,Z A., Abiyev, A. 2018. Is increased neutrophil lymphocyte ratio remarking the inflammation in sarcopenia?. *Experimental Gerontology*. 110: 223–229
- Prado, C.M.M., Heymsfield, S.B. 2014. Lean Tissue Imaging: A New Era for Nutritional Assessment and Intervention. *JPEN J Parenter Enter Nutr*;38(8):940–953

- Prat, A., Pineda, E., Adamo, B., Galván, P., Fernández, A., Gaba, L., et al. 2015. Clinical implications of the intrinsic molecular subtypes of breast cancer. *Breast*;24 Suppl 2:S26-S35
- Ramos, R.M.L., Armán, J.A., Galeano, N.A., Mu, A., Gómez, J.M.G., Molinero JG. 2012. Dual energy X-ray absorptimetry: Fundamentals, methodology, and clinical applications. *Radiologia*.;54(5):410–423.
- Rezo, A., Dahlstrom, J., Shadbolt, B., Rodins, K., Zhang, Y., Davis, A.J. 2011. Tumor size and survival in multicentric and multifocal breast cancer. *Breast*; 20:259-263
- Rolland, Y., Czerwinski, S., Abellan, Kan, G., Morley, J., Cesari, M., Onder, G., et al. 2008.Sarcopenia: Its assesment, etiology, pathogenesis, consequences and future perspectives. *J Nutr Heal Aging*.;12(7):433–450.
- Rubbieri, G., Mossello, E., Bari, M. Di. 2014.Techniques for the diagnosis of sarcopenia. *Clin Cases Min Bone Metab* ;11(3):181–184.
- Rubio-Ruiz, M.E., Guarner-Lans, V., Pérez-Torres, I., Soto, M.E. 2019. Mechanisms Underlying Metabolic Syndrome-Related Sarcopenia and Possible Therapeutic Measures. *International Journal of Molecule Science*. vol 20. 647: 1-23
- Saika, K., Sobue, T.2009. Epidemiology of Breast Cancer in Japan and the US. *JMAJ*, 52(1): 39-44
- Sastroasmoro, S. 2002. Pemilihan Subyek Penelitian. Dalam : S. Sastroasmoro, S. Ismael,eds. Dasar-dasar Metodologi Penelitian Klinis. Ed2. *Sagung Seto*. Jakarta.pp.67 – 76
- Sayer, A., Dennison, E., Syddall, H., Gilbody, H., Phillips, D., Cooper, C. 2005. Type 2 Diabetes, Muscle Strength, and Impaired Physical Function. *Diabetes Care* 28(10):2541–2542.
- Scanlon, T.C., Fragala, M.S., Stout, J.R., Emerson, N.S., Beyer, K.S., Oliveira, L.P., et al. 2014. Muscle architecture and strength: adaptations to short-term resistance training in older adults. *Muscle Nerve*.;49(4):584–592.
- Schousboe, J.T., Shepherd, J.A., Bilezikian, J.P., Baim, S. 2013. Executive Summary of the 2013 International Society for Clinical Densitometry Position Development Conference on Bone Densitometry. *J Clin Densitom*.;16(4):455–466

- Sergi, G., Trevisan, C., Veronese, N., Lucato, P., Manzato, E. 2016. Imaging of Sarcopenia. *Eur J Radiol* 85(5):1519–1524
- Sinclair, A., Mb, J.E.M, Rodriguez-mañas, L., Paolisso, G., Mb, T.B., Med, A.Z, et al. 2012. Diabetes Mellitus in Older People: Position Statement on behalf of the International Association of Gerontology and Geriatrics (IAGG), the European Diabetes Working Party for Older People (EDWPOP), and the International Task Force of Experts in Diabetes. *J Am Med Dir Assoc.* 13(6):497–502.
- Sinha, U., Malis, V., Csapo, R., Moghadasi, A., Kinugasa, R., Sinha, S. 2015. Age-related differences in strain rate tensor of the medial gastrocnemius muscle during passive plantarflexion and active isometric contraction using velocity encoded MR imaging: potential index of lateral force transmission. *Magn Reson Med.*;73(5):1852–1863.
- Strasser, E.M., Draskovits, T., Praschak, M., Quittan, M., Graf, A. 2013. Association between ultrasound measurements of muscle thickness, pennation angle, echogenicity and skeletal muscle strength in the elderly. *Age*, 35:2377–2388.
- Theou, O., Brothers, T.D., Peña, F.G., Mitnitski, A., Rockwood, K. 2014. Identifying Common Characteristics of Frailty Across Seven. *Journal of the American Geriatrics Society*, 62(5):901–906.
- Thomas, D.R. 2007. Loss of skeletal muscle mass in aging: Examining the relationship of starvation, sarcopenia and cachexia. *Clinical Nutrition*, 26:389–399.
- Thompson, L.V. 2014. Age-Related Muscle Dysfunction. *Experimental Gerontology*, 44:106–111.
- Tosato, M., Marzetti, E., Cesari, M., Saveria, G., Miller, R.R., Bernabei, R., et al. 2017. Measurement of muscle mass in sarcopenia: from imaging to biochemical markers. *Aging Clinical and Experimental Research*, 29(1):19–27
- Tsukioka, T., Izumi, N., Mizuguchi, S., Kyukwang, C., Komatsu, H., Toda, M., Hara, K., Miyamoto, H., Nishiyama, N. 2018. Positive correlation between sarcopenia and elevation of neutrophil/ lymphocyte ration in pathological stage IIIA (N2-positive) non-small cell lung cancer patients. *General Thoracic and Cardiovascular Surgery.* 1-7

- Valentinitich, A., Karampinos, D., Alizai, H., Subburaj, K., Kumar, D., Link, T., et al. 2013. Automated unsupervised multi-parametric classification of adipose tissue depots in skeletal muscle. *Journal of Magnetic Resonance Imaging*, 37(4):917–927.
- Verdijk, L.B., Schaart, G., Meijer, K., Savelberg, H.H.C.M., Loon, L.J.C. Van. 2007. Satellite cell content is specifically reduced in type II skeletal muscle fibers in the elderly. *American Journal of Physiology Endocrinology and Metabolism*, 292:151–157.
- Wang, J., Sang, D., Xu, B., Yuan, P., Ma, F., Luo, Y., Li, Q., Zhang, P., Cai, R., Fan, Y., Chen, S. 2016. Value of Breast Cancer Molecular Subtypes and Ki67 Expression for the Prediction of Efficacy and Prognosis of Neoadjuvant Chemotherapy in a Chinese Population. *Medicine*, Vol. 95 (18): 1-11
- Waters, D.L., Brooks, W.M., Qualls, C.R. 2003. Skeletal muscle mitochondrial function and lean body mass in healthy exercising elderly. *Mechanism of Ageing Development*, 124:301–309.
- Weinberg, M.S., Shachar, S.S., Muss, H.B., Deal, A.M., Popuri, K., Yu, H., Nyrop, K.A., Alston, S.M., Williams, G.R. 2018. Beyond sarcopenia: Characterization and integration of skeletal muscle quantity and radiodensity in a curable breast cancer population. *The Breast Journal*, 24(3): 278–284
- Wells, A.J., Fukuda, D.H., Hoffman, J.A.Y.R., Gonzalez, A.M., Jajtner, A.R., Townsend JR, et al. 2014. Vastus lateralis exhibits non-homogenous adaptation to resistance training. *Muscle Nerve*, 50(5):785–793
- WHO. 2013. Latest world cancer statistics Global cancer burden rises to 14.1 million new cases in 2012: marked increase in breast cancer must be addressed. France: IARC. Available from : http://www.iarc.fr/en/media-centre/pr/2013/pdfs/pr223_E.pdf
- Woo, J. 2017. Sarcopenia. *Clinic in Geriatric Medicine*, 33(3):305–314.
- Woo, J., Leung, J., Morley, J.E. 2014. Validating the SARC-F: A Suitable Community Screening Tool for Sarcopenia? *Journal of the American Medical Director Association*, 15(9):630–634.
- Woodrow, G. 2009. Body composition analysis techniques in the aged adult: indications and limitations. *Current Opinion in Clinical Nutrition and Metabolic Care*, 12(1):8–14.

- Yi, M., Mittendorf, E.A., Cormier, J.N., Buchholz, T.A., Bilimoria, K., Sahin, A.A., et al. 2011. Novel staging system for predicting disease-specific survival in patients with breast cancer treated with surgery as the first intervention: time to modify the current American Joint Committee on Cancer staging system. *Journal of Clinical Oncology*, 29:4654-4661
- Yu, R., Wong, M., Leung, J., Lee, J., Auyeung, T.W., Woo, J. 2014. Incidence, reversibility, risk factors and the protective effect of high body mass index against sarcopenia in community-dwelling older Chinese adults. *Geriatric Gerontology International*, 14(Suppl 1):15–28.
- Zhang, X.M., Dou, Q.L., Zeng, Y., Yang, Y., Cheng, A.S.K., Zhang, W.W. 2020. Sarcopenia as a predictor of mortality in women with breast cancer: a meta-analysis and systematic review. *BMC Cancer*, 20:172