



DAFTAR PUSTAKA

- Åkerholm, M., Hinterstoisser, B. and Salmén, L. (2004) 'Characterization of the crystalline structure of cellulose using static and dynamic FT-IR spectroscopy', *Carbohydrate Research*, 339(3), pp. 569–578. doi: 10.1016/j.carres.2003.11.012.
- Ansari, K. B. and Gaikar, V. G. (2014a) 'Green hydrotropic extraction technology for delignification of sugarcane bagasse by using alkybenzene sulfonates as hydrotropes', *Chemical Engineering Science*. Elsevier, 115, pp. 157–166. doi: 10.1016/j.ces.2013.10.042.
- Ansari, K. B. and Gaikar, V. G. (2014b) 'Green Hydrotropic Extraction Technology for Delignification of Sugarcane Bagasse by using Alkybenzene Sulfonates as Hydrotropes', *Chemical Engineering Science*. Elsevier, 115, pp. 157–166. doi: 10.1016/j.ces.2013.10.042.
- Badan Pusat Statistik (2015) 'Produksi Padi di Indonesia pada Tahun 2015'.
- Balu, B. (2009) *Plasma Processing of Cellulose Surfaces and Their Interactions With Fluids, Materials Science*. Georgia Institute of Technology.
- Binod, P. *et al.* (2012) 'Short Duration Microwave Assisted Pretreatment Enhances the Enzymatic Saccharification and Fermentable Sugar Yield from Sugarcane Bagasse', *Renewable Energy*. Elsevier Ltd, 37(1), pp. 109–116. doi: 10.1016/j.renene.2011.06.007.
- Brinchi, L. *et al.* (2013) 'Production of Nanocrystalline Cellulose from Lignocellulosic Biomass: Technology and applications', *Carbohydrate Polymers*. Elsevier Ltd., 94(1), pp. 154–169. doi: 10.1016/j.carbpol.2013.01.033.
- Carrillo, F. *et al.* (2004) 'Structural FTIR analysis and thermal characterisation of lyocell and viscose-type fibres', *European Polymer Journal*, 40(9), pp. 2229–2234. doi: 10.1016/j.eurpolymj.2004.05.003.
- Christen, P. and Kaufmann, B. (2002) 'Recent Extraction Techniques for Natural Products: Microwave-assisted Extraction and Pressurised Solvent Extraction', *Phytochemical Analysis*, 113(Phytochem. Anal. 13), pp. 105–113. Available at: University of Geneva, School of Pharmacy, Laboratory of Pharmaceutical Analytical Chemistry, 20 bd d'Yvoy, CH-1211 Geneva 4, Switzerland.



Chum, H. L. *et al.* (1985) 'Evaluation of pretreatments of biomass for enzymatic hydrolysis of cellulose', *Google Patents*, pp. 1–64. Available at: <http://www.google.com/patents/US2086701>.

Dahot, M. U. and M Hanif Noomrio (1996) 'Microbial Production of Cellulases by *Aspergillus fumigatus* Using Wheat Straw as Carbon Source', *Sciences-New York*, (3), pp. 119–124.

Datta, R. (1981) 'Acidogenic fermentation of lignocellulose—acid yield and conversion of components', *Biotechnology and Bioengineering*, 23(9), pp. 2167–2170. doi: 10.1002/bit.260230921.

Deli, N. A. (2017) 'Delignifikasi Batang Sawit Nonproduktif secara Organosolv dengan Asam Formiat Delignification of Nonproductive Palm Trunk by Organosolv Process with Formic Acid', 6(3), pp. 113–118.

Desi Ivo Andri Ari, Zuchra Helwani, Zulfansyah, H. R. (2010) 'Hidrolisis Hemiselulosa Batang Jagung dengan Proses Organosolv Menggunakan Pelarut Asam Formiat', p. 634.

Edison, D. and Rahmi, I. D. (2010) 'PENGARUH KONSENTRASI HCl DALAM PROSES HIDROLISIS α -SELULOSA DARI AMPAS TEBU (*Saccharum officinarum*, L.) TERHADAP KARAKTERISTIK MIKROKRISTALIN', 1, pp. 1–10.

Evans, R. *et al.* (1995) 'Changes in Cellulose Crystallinity During Kraft Pulping: Comparison of Infrared, X-ray Diffraction and Solid State NMR Results', *Holzforschung*, 49(6), pp. 498–504. doi: 10.1515/hfsg.1995.49.6.498.

Fan, G. Z. *et al.* (2017) 'Preparation of microcrystalline cellulose from rice straw under microwave irradiation', *Journal of Applied Polymer Science*, 134(22), pp. 1–8. doi: 10.1002/app.44901.

Fatriasari, W. *et al.* (2016) 'Lignin and cellulose changes of betung bamboo (*Dendrocalamus asper*) pretreated microwave heating', *International Journal on Advanced Science, Engineering and Information Technology*, 6(2), pp. 186–195. doi: 10.18517/ijaseit.6.2.688.

Gabov, K., Fardim, P. and da Silva Júnior, F. G. (2013) 'Hydrotropic fractionation of birch wood into cellulose and lignin: A new step towards green biorefinery', *BioResources*, 8(3), pp. 3518–3531. doi: 10.15376/biores.8.3.3518-3531.



- Ganzler, K., Salgo, A. and Valko, K. (1986) 'Microwave Extraction, A Novel Sample Preparation Method for Chromatography', *Journal of Chromatography*, 2, pp. 299–306. doi: 10.1016/B978-0-12-381373-2.00048-X.
- Gunawan, I. *et al.* (2002) 'Sintesis dan Karakterisasi Komposit Polipropilena / Serbuk Kayu Gergaji Analisis Sifat Mekanik (Tensile Strength)', 4(1), pp. 20–25.
- Gupta, A. K. and Sehrawat, S. K. (2011) 'INTERNATIONAL JOURNAL OF PHARMACY & LIFE SCIENCES Bioavailability enhancement of poorly water soluble drugs: A review', *Int. J. of Pharm. & Life Sci. (IJPLS)*, 2(3), pp. 640–650.
- Halim, A., Ben, E. S. and Sulastri, E. (2002) 'Pembuatan Mikrokristalin Selulosa dari Jerami Padi (*Oryza sativa* Linn) dengan Variasi Waktu Hidrolisa', *Jurnal Sains dan Teknologi Farmasi*, 7(2), pp. 80–87.
- Harianja, J. W., Idiawati, N. and Rudiyanasyah (2015) 'Optimasi Jenis dan Konsentrasi Asam pada Hidrolisis Selulosa dalam Tongkol Jagung', *Jkk*, 4(4), pp. 66–71.
- Hartati, I. and Kholisoh, I. (2016) 'Proses Pulping Organosolv Berbantu Gelombang Mikro Ampas Tebu: Optimasi Parameter Proses dengan Response Surface Methodology'.
- Hindi, S. (2017) 'Microcrystalline Cellulose: The Inexhaustible Treasure for Pharmaceutical Industry', *Nanoscience and Nanotechnology Research, Vol. 4, 2017, Pages 17-24*, 4(1), pp. 17–24. doi: 10.12691/NNR-4-1-3.
- Ilindra, A. and Dhake, J. D. (2008) 'Microcrystalline cellulose from bagasse and rice straw', *Indian Journal of Chemical Technology*, 15(5), pp. 497–499.
- Karimi, K., Kheradmandinia, S. and Taherzadeh, M. J. (2006) 'Conversion of rice straw to sugars by dilute-acid hydrolysis', *Biomass and Bioenergy*, 30(3), pp. 247–253. doi: 10.1016/j.biombioe.2005.11.015.
- Kinney, T. J. *et al.* (2012) 'Hydrologic properties of biochars produced at different temperatures', *Biomass and Bioenergy*. Elsevier Ltd, 41, pp. 34–43. doi: 10.1016/j.biombioe.2012.01.033.
- Kumar, A. *et al.* (2020) 'Characterization of Cellulose Nanocrystals Produced by Acid-Hydrolysis from Sugarcane Bagasse as Agro-Waste', *Journal of Materials Physics and Chemistry*, 2(1), pp. 1–8. doi: 10.12691/jmpc-2-1-1.



- Kumar, V., De La Luz Reus-Medina, M. and Yang, D. (2002) 'Preparation, Characterization, and Tableting Properties of a New Cellulose-based Pharmaceutical Aid', *International Journal of Pharmaceutics*, 235(1–2), pp. 129–140. doi: 10.1016/S0378-5173(01)00995-4.
- Kurniasari, L. *et al.* (2008) 'Kajian Ekstraksi Minyak Jahe Menggunakan Microwave Assisted Extraction (MAE)', *Momentum*, 4(2), pp. 47–52.
- Kurniaty, I. *et al.* (2017) 'Proses Delignifikasi menggunakan NaOH dan Amonia (NH₃) pada Tempurung Kelapa', *Jurnal Integrasi Proses*, 6(4), pp. 197–201.
- Laurentius, U. *et al.* (2013) 'Pemisahan Alpha-Selulosa Dari Limbah Batang Ubi Kayu Menggunakan Larutan Natrium Hidroksida', *Jurnal Teknik Kimia*, pp. 43–47.
- Ma, X., Chang, P. R. and Yu, J. (2008) 'Properties of biodegradable thermoplastic pea starch/carboxymethyl cellulose and pea starch/microcrystalline cellulose composites', *Carbohydrate Polymers*, 72(3), pp. 369–375. doi: 10.1016/j.carbpol.2007.09.002.
- Maryana, R. *et al.* (2014) 'Alkaline pretreatment on sugarcane bagasse for bioethanol production', *Energy Procedia*. Elsevier B.V., 47, pp. 250–254. doi: 10.1016/j.egypro.2014.01.221.
- Megawati *et al.* (2009) 'Kinetika Reaksi Hidrolisis Ranting Kering Dengan Asam Encer Pada Kondisi Non-Isotermis', 12(4), pp. 211–217.
- Merina, F. and Trihadiningrum, Y. (2011) 'Produksi Bioetanol dari Eceng Gondok (*Eichhornia crassipes*) dengan *Zymomonas mobilis* dan *Saccharomyces cerevisiae*', *Prosiding Seminar Nasional Manajemen Teknologi XIII*, 2, pp. 1–9.
- Nawangsari, D. (2019) 'Isolation and Characterization of Microcrystalline Cellulose from Bagasse (*Saccharum officinarum* L.)', *Jurnal Farmasi Indonesia*, 16(2), pp. 67–72.
- Nazzal, S., Zaghoul, A.-A. and Khan, M. A. (2002) 'Effect of Extragranular Microcrystalline Cellulose on Compaction, Surface Roughness, and In Vitro Dissolution of a Self Nanoemulsified Solid Dosage Form of Ubiquinone', *Pharmaceutical Technology*, (April), pp. 86–98.
- Nelson, M. L. and O'Connor, R. T. (1964) 'Relation of Certain Infrared Bands to Cellulose Crystallinity and Crystal Lattice Type . Part II . A New Infrared Ratio for Estimation of Crystallinity in Celluloses I and II *', *Journal of Applied Polymer Science*,



- Northolt, M. G. *et al.* (2001) ‘The structure and properties of cellulose fibres spun from an anisotropic phosphoric acid solution’, *Polymer*, 42(19), pp. 8249–8264. doi: 10.1016/S0032-3861(01)00211-7.
- Nsor-Atindana, J. *et al.* (2017) ‘Functionality and nutritional aspects of microcrystalline cellulose in food’, *Carbohydrate Polymers*. Elsevier Ltd., 172, pp. 159–174. doi: 10.1016/j.carbpol.2017.04.021.
- Oh, S. Y. *et al.* (2005) ‘FTIR analysis of cellulose treated with sodium hydroxide and carbon dioxide’, *Carbohydrate Research*, 340(3), pp. 417–428. doi: 10.1016/j.carres.2004.11.027.
- Oyenyi, Y. J. and Itiola, O. A. (2012) ‘The Physicochemical Characteristic of Microcrystalline Cellulose, Derived from Sawdust, Agricultural Waste Products’, *International Journal of Pharmacy and Pharmaceutical Sciences*, 4(SUPPL.1), pp. 197–200.
- Pang, S. C., Voon, L. K. and Chin, S. F. (2018) ‘Controlled Depolymerization of Cellulose Fibres Isolated from Lignocellulosic Biomass Wastes’, *International Journal of Polymer Science*, 2018. doi: 10.1155/2018/6872893.
- Philipp, B. (1984) ‘Degradation of Cellulose - Mechanism and Applications’, *Pure & Appl. Chem.*, 56(3), pp. 391–402.
- Poletto, M., Ornaghi Júnior, H. L. and Zattera, A. J. (2014) ‘Native cellulose: Structure, characterization and thermal properties’, *Materials*, 7(9), pp. 6105–6119. doi: 10.3390/ma7096105.
- Popescu, C. M. *et al.* (2009) ‘Vibrational spectroscopy and X-ray diffraction methods to establish the differences between hardwood and softwood’, *Carbohydrate Polymers*. Elsevier Ltd, 77(4), pp. 851–857. doi: 10.1016/j.carbpol.2009.03.011.
- Praselia, I. N. *et al.* (2016) ‘Studi Karakteristik Farmasetis Mikrokrystalin Selulosa dari Jerami Padi Varietas Lokal Bali’, *Jurnal Sains Materi Indonesia*.
- Ramaraj, R. and Dussadee, N. (2015) ‘International Journal of Sustainable and Green Energy :: Science Publishing Group’, *International Journal of Sustainable and Green Energy*, 4(1–1), pp. 20–32. doi: 10.11648/j.ijrse.s.2015040101.14.



- Rilek, N. M., Hidayat, N. and Sugiarto, Y. (2017) 'Hidrolisis Lignoselulosa Hasil Pretreatment Pelepah Sawit (*Elaeis guineensis* Jacq) menggunakan H₂SO₄ pada Produksi Bioetanol', *Industria: Jurnal Teknologi dan Manajemen Agroindustri*, 6(2), pp. 76–82. doi: 10.21776/ub.industria.2017.006.02.3.
- Saha, B. C. (2004) 'Lignocellulose Biodegradation and Applications in Biotechnology', *U.S government work. American Chemical Society*, pp. 2–34. doi: 10.1021/bk-2004-0889.ch001.
- Sampath Kumar, V., Raja, C. and Jayakumar, C. (2014) 'A review on solubility enhancement using hydrotropic phenomena', *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(6), pp. 1–7.
- Saraswati, S., Kumalaningsih, S. and Febrianto, A. (2014) 'Optimasi Proses Bleaching Pada Pembuatan Pulp Kering Berbahan Dasar Serabut Kelapa Sawit (*Elaeis guineensis*) (Kajian Kadar H₂O₂ dan lama Waktu Bleaching)', (March).
- Singh, R. *et al.* (2014) 'Microwave Assisted Alkali Pretreatment of Rice Straw for Enhancing Enzymatic Digestibility', 2014.
- De Souza, I. J. *et al.* (2002) 'Carbohydrates in oxygen delignification Part I: Changes in cellulose crystallinity', *Journal of Pulp and Paper Science*, 28(5), pp. 167–170.
- Sukadana, I. (2010) 'Aktivitas Antibakteri Senyawa Flavonoid dari Kulit Akar Awar-Awar (*Ficus septica* Burm F)', *Jurnal Kimia*, 4(1), pp. 63–70.
- Sun, Y. and Cheng, J. (2002) 'Hydrolysis of Lignocellulosic Materials for Ethanol Production: a Review', 83, pp. 1–11. doi: 10.1016/S0960-8524(01)00212-7.
- Thoorens, G. *et al.* (2014a) 'Microcrystalline cellulose, a direct compression binder in a quality by design environment - A review', *International Journal of Pharmaceutics*. Elsevier B.V., 473(1–2), pp. 64–72. doi: 10.1016/j.ijpharm.2014.06.055.
- Thoorens, G. *et al.* (2014b) 'Microcrystalline Cellulose, a Direct Compression Binder in a Quality by Design Environment - A Review', *International Journal of Pharmaceutics*. Elsevier B.V., 473(1–2), pp. 64–72. doi: 10.1016/j.ijpharm.2014.06.055.
- Viora, L. and Harrizul Rivai, D. (2011) 'Pembuatan Mikrokrystalin Selulosa dari Batang Rumpun Gajah (*Pennisetum purpureum* Schumach)', *Jurnal Farmasi Higea*, 3(2), pp. 102–111.



Wildan, A. (2010) 'Studi Proses Pemutihan Serat Kelapa Program Pascasarjana Universitas Diponegoro'.

Yugatama, A. *et al.* (2015) 'Uji Karakteristik Mikrokristalin Selulosa dari Nata De Soya Sebagai Eksipien Tablet', *Farmasains*, 2(6), pp. 269–274.

Yulina, R. *et al.* (2020) 'Preparation of Microcrystalline Cellulose from Cotton Yarn Spinning Mills Wastes: Effect of Pretreatment and Hydrolysis Reaction Condition on the Product Characteristics', *E3S Web of Conferences*, 148, pp. 0–5. doi: 10.1051/e3sconf/202014802004.