

DAFTAR PUSTAKA

- Alicic, R. Z., Rooney, M. T. dan Tuttle, K. R. (2017) "Diabetic Kidney Disease," 12(18). doi: 10.2215/CJN.11491116.
- American Diabetes Association (2010) "Diagnosis and classification of diabetes mellitus," *Diabetes Care*, 33(SUPPL. 1). doi: 10.2337/dc10-S062.
- Auni, J. *et al.* (2004) "Gender Difference in the Impact of Type 2 Diabetes on Coronary Heart Disease Risk," *Diabetes care*, 27(12), hal. 2898. Tersedia pada:
<http://login.ezproxy.library.ualberta.ca/login?url=http://search.ebscohost.com/login.aspx?direct=true&db=edsovi&AN=edsovi.00003458.200412000.00021&site=eds-live&scope=site>.
- Benjamin, O. dan Lappin, S. (2020) *End-Stage Renal Disease, Treasure Island (FL): StatPearls Publishing*. Tersedia pada:
<https://www.ncbi.nlm.nih.gov/books/NBK499861/>.
- Bethesda, M. (2007) "US Renal Data System: USRDS 2007 Annual Data Report," *Atlas of Chronic Kidney Disease and End-Stage Renal Disease in the United States. National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases*.
- Bjonstad, P. (2019) "Diabetic Nephropathy in Children and Adolescents," in Roelofs, J. J. dan Vogt, L. (ed.) *Diabetic Nephropathy: Pathophysiology and Clinical Aspects*. Amsterdam: Springer, hal. 45–65.
- Carpentier, C. *et al.* (2019) "Glycosuria amount in response to hyperglycaemia and risk for diabetic kidney disease and related events in Type 1 diabetic patients," *Nephrology Dialysis Transplantation*, 34(10), hal. 1731–1738. doi: 10.1093/ndt/gfy197.
- Catanuto, P. *et al.* (2009) "17 B-Estradiol and Tamoxifen Upregulate Estrogen Receptor B Expression and Control Podocyte Signaling Pathways in a Model of Type 2 Diabetes," *Kidney International*. Elsevier Masson SAS, 75(11), hal. 1194–1201. doi: 10.1038/ki.2009.69.
- Clotet, S. *et al.* (2016) "RAS and sex differences in diabetic nephropathy," *American Journal of Physiology - Renal Physiology*, 310(10), hal. F945–F957. doi: 10.1152/ajprenal.00292.2015.
- Diamond-Stanic, M. K., You, Y. H. dan Sharma, K. (2012) "Sugar, Sex, and TGF- β in Diabetic Nephropathy," *Seminars in Nephrology*, 32(3), hal. 261–268. doi: 10.1016/j.semnephrol.2012.04.005.
- Diez-Sampedro, A., Lenz, O. dan Fornoni, A. (2011) "Podocytopathy in diabetes: a metabolic and endocrine disorder," *National Institute of Health*, 58(4), hal. 637–646. doi: 10.1053/j.ajkd.2011.03.035.
- Dixon, A. *et al.* (2007) "Renoprotective effects of a selective estrogen receptor modulator, Raloxifene in an animal model of diabetic nephropathy," *National Institute of Health*, 27(2), hal. 120–128. doi: 10.1159/000099837.
- Dixon, A. dan Maric, C. (2007) "17 β -Estradiol attenuates diabetic kidney disease by regulating extracellular matrix and transforming growth factor- β protein expression and signaling," *American Journal of Physiology - Renal Physiology*, 293(5). doi: 10.1152/ajprenal.00079.2007.

- Elliot, S. J. *et al.* (2003) "Estrogen deficiency accelerates progression of glomerulosclerosis in susceptible mice," *American Journal of Pathology*, 162(5), hal. 1441–1448. doi: 10.1016/S0002-9440(10)64277-0.
- Fanelli, C. *et al.* (2017) "Gender Differences in the Progression of Experimental Chronic Kidney Disease Induced by Chronic Nitric Oxide Inhibition," 2017. doi: 10.1155/2017/2159739.
- Garawi, F. *et al.* (2014) "Global differences between women and men in the prevalence of obesity: Is there an association with gender inequality?," *European Journal of Clinical Nutrition*. Nature Publishing Group, 68(10), hal. 1101–1106. doi: 10.1038/ejcn.2014.86.
- Ghaderian, S. B. *et al.* (2015) "Diabetes and end-stage renal disease ; a review article on new concepts," 4(2), hal. 28–33. doi: 10.12861/jrip.2015.07.
- Grimont, A. *et al.* (2009) "Mapping of sex hormone receptors and their modulators along the nephron of male and female mice," *FEBS Letters*. Federation of European Biochemical Societies, 583(10), hal. 1644–1648. doi: 10.1016/j.febslet.2009.04.032.
- Habib, S. L. (2013) "Diabetes and renal tubular cell apoptosis DIABETES AND RENAL TUBULAR CELL," 4(2), hal. 27–30. doi: 10.4239/wjd.v4.i2.27.
- Hendromartono (2014) "Nefropati Diabetik," in Setiati, S. *et al.* (ed.) *Buku Ajar Ilmu Penyakit Dalam Jilid I*. 6 ed. Jakarta: InternaPublishing, hal. 2386–2394.
- Hutchens, M. P. *et al.* (2010) "Estrogen Is Renoprotective via a Nonreceptor-dependent Mechanism after Cardiac Arrest In Vivo," *National Institute of Health*, 112(2), hal. 395. doi: 10.1097/ALN.0b013e3181c98da9.
- Inada, A. *et al.* (2016) "Adjusting the 17 β -estradiol-to-androgen ratio ameliorates diabetic nephropathy," *Journal of the American Society of Nephrology*, 27(10), hal. 3035–3050. doi: 10.1681/ASN.2015070741.
- International Diabetes Federation (2019) *IDF Diabetes Atlas Ninth edition 2019*, International Diabetes Federation. Tersedia pada: <http://www.idf.org/about-diabetes/facts-figures>.
- Jafar, T. H. *et al.* (2010) "The rate of progression of renal disease may not be slower in women compared with men : a patient-level meta-analysis," (2003), hal. 2047–2053. doi: 10.1093/ndt/gfg317.
- Kautzky-Willer, A., Harreiter, J. dan Pacini, G. (2016) "Sex and gender differences in risk, pathophysiology and complications of type 2 diabetes mellitus," *Endocrine Reviews*, 37(3), hal. 278–316. doi: 10.1210/er.2015-1137.
- Kementerian Kesehatan RI Badan Penelitian dan Pengembangan (2018) "Hasil Utama Riset Kesehatan Dasar," *Kementrian Kesehatan Republik Indonesia*, hal. 1–100. Tersedia pada: <http://www.depkes.go.id/resources/download/info-terkini/hasil-risikesdas-2018.pdf>.
- Kiran, G. *et al.* (2012) "Progression of early phase diabetic nephropathy in streptozotocin-induced diabetic rats: Evaluation of various kidney-related parameters," *Indian Journal of Experimental Biology*, 50(2), hal. 133–140.
- Kriska, A. M. *et al.* (2006) "Physical activity in individuals at risk for diabetes: Diabetes prevention program," *Medicine and Science in Sports and*

- Exercise*, 38(5), hal. 826–832. doi: 10.1249/01.mss.0000218138.91812.f9.
- Kriz, W., Gretz, N. dan Lemley, K. V. (1998) “Progression of glomerular diseases: Is the podocyte the culprit?,” *Kidney International*, 54(3), hal. 687–697. doi: 10.1046/j.1523-1755.1998.00044.x.
- Kuk, J. L. *et al.* (2005) “Waist circumference and abdominal adipose tissue distribution: Influence of age and sex,” *American Journal of Clinical Nutrition*, 81(6), hal. 1330–1334. doi: 10.1093/ajcn/81.6.1330.
- Kuk, J. L. dan Ardern, C. I. (2010) “Age and sex differences in the clustering of metabolic syndrome factors: Association with mortality risk,” *Diabetes Care*, 33(11), hal. 2457–2461. doi: 10.2337/dc10-0942.
- Kuppe, C. *et al.* (2015) “Common histological patterns in glomerular epithelial cells in secondary focal segmental glomerulosclerosis,” *Kidney International*, 88(5), hal. 990–998. doi: 10.1038/ki.2015.116.
- Lemale, J. *et al.* (2008) “Membrane progesterin receptors α and γ in renal epithelium,” *Biochimica et Biophysica Acta - Molecular Cell Research*. Elsevier B.V., 1783(12), hal. 2234–2240. doi: 10.1016/j.bbamcr.2008.07.023.
- Lenzen, S. (2008) “The mechanisms of alloxan- and streptozotocin-induced diabetes,” *Diabetologia*, 51(2), hal. 216–226. doi: 10.1007/s00125-007-0886-7.
- Lim, A. K. H. (2014) “Diabetic nephropathy – Complications and treatment,” *International Journal of Nephrology and Renovascular Disease*, 7, hal. 361–381. doi: 10.2147/IJNRD.S40172.
- Liman, M. N. P. dan Jialal, I. (2020) *Physiology, Glycosuria, Treasure Island (FL): StatPearls Publishing*. Tersedia pada: <http://www.ncbi.nlm.nih.gov/pubmed/32491373> (Diakses: 27 September 2020).
- Logue, J. *et al.* (2011) “Do men develop type 2 diabetes at lower body mass indices than women?,” *Diabetologia*, 54(12), hal. 3003–3006. doi: 10.1007/s00125-011-2313-3.
- Lovegrove, A. S. *et al.* (2004) “How Genes Influence Renal Function and Disease Estrogen receptor α -mediated events promote sex-specific diabetic glomerular hypertrophy,” *Blood*, 2196, hal. 586–591.
- Ma, Z. *et al.* (2020) “p53 / microRNA-214 / ULK1 axis impairs renal tubular autophagy in diabetic kidney disease.”
- Mankhey, R. W., Bhatti, F. dan Maric, C. (2005) “17 β -Estradiol replacement improves renal function and pathology associated with diabetic nephropathy,” *American Journal of Physiology - Renal Physiology*, 288(2 57-2), hal. 399–405. doi: 10.1152/ajprenal.00195.2004.
- Maric, C., Sandberg, K. dan Hinojosa-Laborde, C. (2004) “Glomerulosclerosis and tubulointerstitial fibrosis are attenuated with 17 β -estradiol in the aging Dahl salt sensitive rat,” *Journal of the American Society of Nephrology*, 15(6), hal. 1546–1556. doi: 10.1097/01.ASN.0000128219.65330.EA.
- McCance, K. L. dan Huether, S. E. (ed.) (2019) “Dysfunction of the Endocrine Pancreas: Diabetes Mellitus,” in *Pathophysiology: The Biologic Basis for Disease in Adults and Children*. 8 ed. St. Louis, Missouri: Elsevier, Inc.
- Meisinger, C. *et al.* (2002) “Sex Differences in Risk Factors for Incident Type 2

- Diabetes Mellitus,” *Archives of Internal Medicine*, 162(1), hal. 82. doi: 10.1001/archinte.162.1.82.
- Menini, S. *et al.* (2007) “Increased glomerular cell (podocyte) apoptosis in rats with streptozotocin-induced diabetes mellitus: Role in the development of diabetic glomerular disease,” *Diabetologia*, 50(12), hal. 2591–2599. doi: 10.1007/s00125-007-0821-y.
- Mohsen, I. H., Zaidan, H. K. dan Al-Saadi, A. H. (2016) “Estimation of sex hormones in type 2 diabetes patients,” *International Journal of ChemTech Research*, 9(6), hal. 476–487.
- Neugarten, J., Acharya, A. dan Silbiger, S. R. (2000) “Effect of Gender on the Progression of Nondiabetic Renal Disease: A Meta-Analysis,” (6), hal. 319–329.
- Peng, J. *et al.* (2015) “Hyperglycemia, p53 and mitochondrial pathway of apoptosis are involved in the susceptibility of diabetic models to ischemic acute kidney injury,” 87(1), hal. 137–150. doi: 10.1038/ki.2014.226.Hyperglycemia.
- Peters, S. A. E. dan Woodward, M. (2018) “Sex Differences in the Burden and Complications of Diabetes,” *Current Diabetes Reports*. Current Diabetes Reports, 18(6), hal. 1–8. doi: 10.1007/s11892-018-1005-5.
- Powers, A. C., Niswender, K. D. dan Evans-Molina, C. (2018) “Diabetes Mellitus: Diagnosis, Classification, and Pathophysiology,” in Jameson, J. L. *et al.* (ed.) *Harrison’s Principles of Internal Medicine*. 20 ed. New York: McGraw Hill Education, hal. 2850–2859.
- Powers, A. C., Stafford, J. M. dan Rickles, M. R. (2018) “Diabetes Mellitus: Complications,” in Jameson, J. L. *et al.* (ed.) *Harrison’s Principles of Internal Medicine*. 20 ed. New York: McGraw Hill Education, hal. 2875–2902.
- Qian, Y. *et al.* (2008) “Mechanisms of Glomerulosclerosis in Diabetic Nephropathy,” 57(6), hal. 1439–1445. doi: 10.2337/db08-0061.Mechanisms.
- Relimpio, F. *et al.* (2004) “Variability in the presence of the metabolic syndrome in Type 2 diabetic patients attending a diabetes clinic: Influences of age and gender,” *Diabetes Research and Clinical Practice*, 65(2), hal. 135–142. doi: 10.1016/j.diabres.2003.12.003.
- Remuzzi, A. *et al.* (1988) “Sex related differences in glomerular ultrafiltration and proteinuria in Munich-Wistar rats.” Elsevier Masson SAS, 34, hal. 481–486. doi: 10.1038/ki.1988.206.
- Saeedi, P. *et al.* (2019) “Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition,” *Diabetes Research and Clinical Practice*. Elsevier Ireland Ltd, 157, hal. 107843. doi: 10.1016/j.diabres.2019.107843.
- Schnaper, H. W. (2017) “The tubulointerstitial pathophysiology of progressive kidney disease,” *Physiology & behavior*, 24(2), hal. 107–116. doi: 10.1053/j.ackd.2016.11.011.
- Seliger, S. L., Davis, C. dan Stehman-breen, C. (2001) “Gender and the progression

of renal disease.”

- Shepard, B. D. (2019) “Sex differences in diabetes and kidney disease: Mechanisms and consequences,” *American Journal of Physiology - Renal Physiology*, 317(2), hal. F456–F462. doi: 10.1152/ajprenal.00249.2019.
- Silbiger, S. R. dan Neugarten, J. (1995) “The impact of gender on the progression of chronic renal disease,” (4), hal. 515–533. doi: [https://doi.org/10.1016/0272-6386\(95\)90119-1](https://doi.org/10.1016/0272-6386(95)90119-1).
- Sugimoto, H. *et al.* (2007) “Renal fibrosis and glomerulosclerosis in a new mouse model of diabetic nephropathy and its regression by bone morphogenic protein-7 and advanced glycation end product inhibitors,” *Diabetes*, 56(7), hal. 1825–1833. doi: 10.2337/db06-1226.
- Susztak, K. *et al.* (2006) “Glucose-Induced Reactive Oxygen Species Cause Apoptosis of Podocytes and Podocyte Depletion at the Onset of Diabetic Nephropathy,” 55(January), hal. 225–233.
- Tonneijck, L. *et al.* (2017) “Glomerular hyperfiltration in diabetes: Mechanisms, clinical significance, and treatment,” *Journal of the American Society of Nephrology*, 28(4), hal. 1023–1039. doi: 10.1681/ASN.2016060666.
- Verzola, D. *et al.* (2007) “Apoptosis in the kidneys of patients with type II diabetic nephropathy,” *Kidney International*. Elsevier Masson SAS, 72(10), hal. 1262–1272. doi: 10.1038/sj.ki.5002531.
- Wada, J. *et al.* (2001) “Gene expression profile in streptozotocin-induced diabetic mice kidneys undergoing glomerulosclerosis,” 59, hal. 1363–1373. doi: 10.1046/j.1523-1755.2001.0590041363.x.
- Wang, L. *et al.* (2014) “Inhibition of p53 deSUMOylation exacerbates puromycin aminonucleoside-induced apoptosis in podocytes,” *International journal of molecular sciences*, 15(11), hal. 21314–21330. doi: 10.3390/ijms151121314.
- Waspadji, S. (2014) “Komplikasi Kronik Diabetes: Mekanisme Terjadinya, Diagnosis, dan Strategi Pengelolaan,” in Setiati, S. *et al.* (ed.) *Buku Ajar Ilmu Penyakit Dalam Jilid I*. 6 ed. Jakarta: InternaPublishing, hal. 2359–2367.
- Wells, C. C. *et al.* (2005) “Diabetic nephropathy is associated with decreased circulating estradiol levels and imbalance in the expression of renal estrogen receptors,” *Gender Medicine*, 2(4), hal. 227–237. doi: 10.1016/S1550-8579(05)80052-X.
- Wiseman, M. J. *et al.* (1987) “Glomerular response mechanisms to glycemic changes in insulin — dependent diabetics.” Elsevier Masson SAS, 31, hal. 1012–1018. doi: 10.1038/ki.1987.100.
- World Health Organisation (2016) “Global report on diabetes,” *WHO Library Cataloguing-in-Publication Data*.
- World Health Organisation (2019) *Classification of diabetes mellitus, Clinics in Laboratory Medicine*. doi: 10.5005/jp/books/12855_84.
- Yamaleyeva, L. M. *et al.* (2012) “Differential regulation of circulating and renal ACE2 and ACE in hypertensive mRen2.Lewis rats with early-onset diabetes,” *American Journal of Physiology - Renal Physiology*, 302(11), hal. 1374–1384. doi: 10.1152/ajprenal.00656.2011.

- Yanes, L. L., Sartori-Valinotti, J. C. dan Reckelhoff, J. F. (2008) "Sex steroids and renal disease: Lessons from animal studies," *Hypertension*, 51(4 PART 2 SUPPL.), hal. 976–981. doi: 10.1161/HYPERTENSIONAHA.107.105767.
- Yu, M. K. *et al.* (2013) "prevalence in a diabetic cohort : The Pathways Study," 36(3), hal. 245–251. doi: 10.1159/000342210.Risk.
- Zafar, M. dan Naqvi, S. N.-H. (2010) "Effects of STZ-Induced Diabetes on the Relative Weights of Kidney, Liver and Pancreas in Albino Rats: A Comparative Study Efectos de la Diabetes Inducida por STZ en los Pesos Relativos de Riñón, Hígado y Páncreas en Ratas Albinas: un Estudio Comparativo," *Int. J. Morphol*, 28(1), hal. 135–142. Tersedia pada: <http://www.scielo.cl/pdf/ijmorphol/v28n1/art19.pdf>.