

DAFTAR PUSTAKA

- Ademuyiwa, A., Bode, C., Lawal, O. and Seyi-Olajide, J., 2011. Swenson's pull-through in older children and adults: Peculiar peri-operative challenges of surgery. *International Journal of Surgery*, 9(8), pp.652-654.
- Akilli, N., Yortanlı, M., Mutlu, H., Günaydın, Y., Koylu, R., Akca, H., Akinci, E., Dundar, Z. and Cander, B., 2014. *Prognostic Importance Of Neutrophil-Lymphocyte Ratio In Critically Ill Patients: Short- And Long-Term Outcomes*.
- Akpınar, M., Ozin, Y., Kaplan, M., Ates, I., Kalkan, I., Kilic, Z., Yuksel, M. and Kayacetin, E., 2018. Platelet-to-Lymphocyte Ratio and Neutrophil-to-Lymphocyte Ratio Predict Mucosal Disease Severity in Ulcerative Colitis. *Journal of Medical Biochemistry*, 37(2), pp.155-162.
- Al-Baghdady, A., El-Shafei, E. and El-Asmar, K., 2016. One-stage transanal Swenson procedure for rectosigmoid Hirschsprung's disease in infants and children. *Annals of Pediatric Surgery*, 12(3), pp.104-108.
- Amiel, J., 2001. Hirschsprung disease, associated syndromes, and genetics: a review. *Journal of Medical Genetics*, 38(11), pp.729-739.
- Arshad, A., Powell, C. and Tighe, M., 2012. Hirschsprung's disease. *BMJ*, 345(oct01 2), pp.e5521-e5521.
- Bai, Y., Chen, H., Hao, J., Huang, Y. and Wang, W., 2002. Long-term outcome and quality of life after the Swenson procedure for Hirschsprung's disease. *Journal of Pediatric Surgery*, 37(4), pp.639-642.
- Bing, X., Sun, C., Wang, Z., Su, Y., Sun, H., Wang, L. and Yu, X., 2017. *Transanal Pullthrough Soave And Swenson Techniques For Pediatric Patients With Hirschsprung Disease*.
- Canbolat, N., Buget, M., Sivriköz, N., Altun, D. and Kucukay, S., 2018. The relationship between neutrophil to lymphocyte ratio and postoperative pain in total knee and hip arthroplasty. *Brazilian Journal of Anesthesiology (English Edition)*, 69(1), pp.42-47.
- Chawngthu, V. and Lalliandinda, J., 2018. Primary Transanal Swenson's Pull through in Hirschsprung's Disease in SRHF, Mizoram, India. *Journal of Gastrointestinal & Digestive System*, 08(06).
- Dahal, G., Wang, J. and Guo, L., 2010. Long-term outcome of children after single-stage transanal endorectal pull-through for Hirschsprung's disease. *World Journal of Pediatrics*, 7(1), pp.65-69.

- Demehri, F., Halaweish, I., Coran, A. and Teitelbaum, D., 2013. Hirschsprung-associated enterocolitis: pathogenesis, treatment and prevention. *Pediatric Surgery International*, 29(9), pp.873-881.
- Emison, E., Garcia-Barcelo, M., Grice, E., Lantieri, F., Amiel, J., Burzynski, G., Fernandez, R., Hao, L., Kashuk, C., West, K., Miao, X., Tam, P., Griseri, P., Ceccherini, I., Pelet, A., Jannot, A., de Pontual, L., Henrion-Caude, A., Lyonnet, S., Verheij, J., Hofstra, R., Antiñolo, G., Borrego, S., McCallion, A. and Chakravarti, A., 2010. Differential Contributions of Rare and Common, Coding and Noncoding Ret Mutations to Multifactorial Hirschsprung Disease Liability. *The American Journal of Human Genetics*, 87(1), pp.60-74.
- Frykman, P. and Short, S., 2012. *Hirschsprung-Associated Enterocolitis: Prevention And Therapy. Seminars in Pediatric Surgery* 21, 328-335
- Frykman, P., Kim, S., Wester, T., Nordenskjöld, A., Kawaguchi, A., Hui, T., Teitelbaum, D., Granström, A. and Rogatko, A., 2018. Critical evaluation of the Hirschsprung-associated enterocolitis (HAEC) score: A multicenter study of 116 children with Hirschsprung disease. *Journal of Pediatric Surgery*, 53(4), pp.708-717.
- Gad El-Hak, N., El-Hemaly, M., Negm, E., El-Hanafy, E., AbdEl Messeh, M. and AbdEl Bary, H., 2010. Functional outcome after swenson's operation for hirshsprung's disease. *Saudi Journal of Gastroenterology*, 16(1), p.30.
- Gunadi, Karina, S. and Dwihantoro, A., 2018. Outcomes in patients with Hirschsprung disease following definitive surgery. *BMC Research Notes*, 11(1).
- Gunadi, Sukarelawanto, A., Ritana, A., Balela, N., Putri, W., Sirait, D., Paramita, V., Sasmita, A., Dwihantoro, A. and Makhmudi, A., 2020. Postoperative enterocolitis assessment using two different cut-off values in the HAEC score in Hirschsprung patients undergoing Duhamel and Soave pull-through. *BMC Pediatrics*, 20(1).
- Haricharan, R. and Georgeson, K., 2008. Hirschsprung disease. *Seminars in Pediatric Surgery*, 17(4), pp.266-275.
- Hassett, S., Snell, S., Hughes-Thomas, A. and Holmes, K., 2009. 10-Year outcome of children born with anorectal malformation, treated by posterior sagittal anorectoplasty, assessed according to the Krickenbeck classification. *Journal of Pediatric Surgery*, 44(2), pp.399-403.
- Holschneider, A., Hutson, J., Peña, A., Bekhit, E., Chatterjee, S., Coran, A., Davies, M., Georgeson, K., Grosfeld, J., Gupta, D., Iwai, N., Kluth, D., Martucciello, G., Moore, S., Rintala, R., Smith, E., Sripathi, D., Stephens, D., Sen, S., Ure, B., Grasshoff, S., Boemers, T., Murphy, F., Soylet, Y., Dubbers, M., and Kunst, M., 2005. Preliminary report on the International Conference

- for the Development of Standards for the Treatment of Anorectal Malformations. *Journal of Pediatric Surgery*, 40, 1521-1526.
- Holschneider, A. and Puri, P., 2008. Hirschsprung's Disease and Allied Disorders. 3rd edition. Germany : Springer
- Kaplan, M., Ates, I., Oztas, E., Yuksel, M., Akpınar, M., Coskun, O. and Kayacetin, E., 2018. A New Marker to Determine Prognosis of Acute Pancreatitis: PLR and NLR Combination. *Journal of Medical Biochemistry*, 37(1), pp.21-30.
- Lamoshi, A., Ham, P., Chen, Z., Wilding, G. and Vali, K., 2020. Timing of the definitive procedure and ileostomy closure for total colonic aganglionosis HD: Systematic review. *Journal of Pediatric Surgery*, 55(11), pp.2366-2370.
- Lan, H., Zhou, L., Chi, D., Zhou, Q., Tang, X., Zhu, D., Yue, J. and Liu, B., 2016. Preoperative platelet to lymphocyte and neutrophil to lymphocyte ratios are independent prognostic factors for patients undergoing lung cancer radical surgery: A single institutional cohort study. *Oncotarget*, 8(21), pp.35301-35310.
- Le-Nguyen, A., Righini-Grunder, F., Piché, N., Faure, C. and Aspirot, A., 2019. Factors influencing the incidence of Hirschsprung associated enterocolitis (HAEC). *Journal of Pediatric Surgery*, 54(5), pp.959-963.
- Leandro-Merhi, V. A., & de Aquino, J. L., 2014. Determinants of malnutrition and post-operative complications in hospitalized surgical patients. *Journal of health, population, and nutrition*, 32(3), 400–410.
- Levitt, M. A., Dickie, B., & Peña, A., 2012. *The Hirschsprungs patient who is soiling after what was considered a "successful" pull-through. Seminars in Pediatric Surgery*, 21(4), 344–353.
- Levitt, M. A., Hamrick, M. C., Eradi, B., Bischoff, A., Hall, J., & Peña, A., 2013. *Transanal, full-thickness, Swenson-like approach for Hirschsprung disease. Journal of Pediatric Surgery*, 48(11), 2289–2295.
- Mahajan, J., Bawa, M., Rathod, K. and Narasimhan, K., 2011. Transanal Swenson's operation for Recto-sigmoid Hirschsprung's disease. *African Journal of Paediatric Surgery*, 8(3), p.301.
- Maruyama, Y., Inoue, K., Mori, K., Gorai, K., Shimamoto, R., Onitsuka, T., Iguchi, H., Okazaki, M. and Nakagawa, M., 2016. *Neutrophil-lymphocyte ratio and platelet-lymphocyte ratio as predictors of wound healing failure in head and neck reconstruction. Acta Oto-Laryngologica*
- Menezes, M. and Puri, P., 2006. Long-term outcome of patients with enterocolitis complicating Hirschsprung's disease. *Pediatric Surgery International*, 22(4), pp.316-318.

- Menkes RI. 2020. Peraturan Menteri Kesehatan Republik Indonesia Nomor 2 Tahun 2020 Tentang Standar Antropometri Anak
- Mignini, E., Scarpellini, E., Rinninella, E., Lattanzi, E., Valeri, m., Clementi, N., Abenavoli, L., Gasbarrini, A., Rasetti, C. And Santori, P., 2018. Impact of patient nutritional status on major surgery outcome. *European Review for Medical and Pharmacological Science*, 22, pp.3524-3522
- Nasr, A., Haricharan, R., Gamarnik, J. and Langer, J., 2014. Transanal pullthrough for Hirschsprung disease: Matched case–control comparison of Soave and Swenson techniques. *Journal of Pediatric Surgery*, 49(5), pp.774-776.
- Parahita, I., Makhmudi, A. and Gunadi., 2017. *Comparison of Hirschsprung-associated enterocolitis following Soave and Duhamel procedures*. *Journal of Pediatric Surgery* 53, 1351-1354.
- Pastor, A., Osman, F., Teitelbaum, D., Caty, M. and Langer, J., 2009. Development of a standardized definition for Hirschsprung's-associated enterocolitis: a Delphi analysis. *Journal of Pediatric Surgery*, 44(1), pp.251-256.
- Peña, A. and Devries, P., 1982. Posterior sagittal anorectoplasty: Important technical considerations and new applications. *Journal of Pediatric Surgery*, 17(6), pp.796-811.
- Peterlini, F. and Martins, J., 2003. Modified transanal rectosigmoidectomy for hirschsprung's disease: clinical and manometric results in the initial 20 cases. *Journal of Pediatric Surgery*, 38(7), pp.1048-1050.
- Prato, A., Gentilino, V., Giunta, C., Avanzini, S., Mattioli, G., Parodi, S., Martucciello, G. and Jasonni, V., 2008. Hirschsprung disease: do risk factors of poor surgical outcome exist?. *Journal of Pediatric Surgery*, 43(4), pp.612-619.
- Qin, B., Ma, N., Tang, Q., Wei, T., Yang, M., Fu, H., Hu, Z., Liang, Y., Yang, Z. and Zhong, R., 2016. Neutrophil to lymphocyte ratio (NLR) and platelet to lymphocyte ratio (PLR) were useful markers in assessment of inflammatory response and disease activity in SLE patients. *Modern Rheumatology*, 26(3), pp.372-376.
- Rescorla, FJ., Morrison, AM., Engles, D., West, KW., Grosfeld, JL., 1992. Hirschsprung's disease. Evaluation of mortality and long-term function in 260 cases. *Arch Surg* 127(8):934–941
- Rintala, R. and Pakarinen, M., 2012. Long-term outcomes of Hirschsprung's disease. *Seminars in Pediatric Surgery*, 21(4), pp.336-343.

- Sherman, J., Snyder, M., Weitzman, J., Jona, J., Gillis, D., O'Donnell, B., Carcassonne, M. and Swenson, O., 1989. A 40-year multinational retrospective study of 880 swenson procedures. *Journal of Pediatric Surgery*, 24(8), pp.833-838.
- Singh, R., Cameron, B., Walton, J., Farrokhyar, F., Borenstein, S. and Fitzgerald, P., 2007. Postoperative Hirschsprung's enterocolitis after minimally invasive Swenson's procedure. *Journal of Pediatric Surgery*, 42(5), pp.885-889.
- Sookpotarom, P. and Vejchapipat, P., 2009. Primary transanal Swenson pull-through operation for Hirschsprung's disease. *Pediatric Surgery International*, 25(9), pp.767-773.
- Stensrud, K., Emblem, R. and Bjørnland, K., 2010. Functional outcome after operation for Hirschsprung disease—transanal vs transabdominal approach. *Journal of Pediatric Surgery*, 45(8), pp.1640-1644.
- Stensrud, K., 2016. *Transanal endorectal pull-through for Hirschsprung Disease – Outcome in relation to surgical approach, age and anal canal morphology*.
- Stevens, L., Pathak, S., Nunes, Q., Pandanaboyana, S., Macutkiewicz, C., Smart, N. and Smith, A., 2015. Prognostic significance of pre-operative C-reactive protein and the neutrophil–lymphocyte ratio in resectable pancreatic cancer: a systematic review. *HPB*, 17(4), pp.285-291.
- Suita, S., Taguchi, T., Ieiri, S. and Nakatsuji, T., 2005. Hirschsprung's disease in Japan: analysis of 3852 patients based on a nationwide survey in 30 years. *Journal of Pediatric Surgery*, 40(1), pp.197-202.
- Virtanen, V., Salo, P., Cao, J., Löf-Granström, A., Milani, L., Metspalu, A., Rintala, R., Saarenpää-Heikkilä, O., Paunio, T., Wester, T., Nordenskjöld, A., Perola, M. and Pakarinen, M., 2019. Noncoding RET variants explain the strong association with Hirschsprung disease in patients without rare coding sequence variant. *European Journal of Medical Genetics*, 62(4), pp.229-234.
- Weidner, B. and Waldhausen, J., 2003. Swenson revisited: a one-stage, transanal pull-through procedure for Hirschsprung's disease. *Journal of Pediatric Surgery*, 38(8), pp.1208-1211.
- Wester, T., & Granström, A. L., 2017. *Hirschsprung disease—Bowel function beyond childhood*. *Seminars in Pediatric Surgery*, 26(5), 322–327
- Widyasari, A., Pravitasari, W., Dwihantoro, A. and Gunadi., 2018. Functional outcomes in Hirschsprung disease patients after transabdominal Soave and Duhamel procedures. *BMC Gastroenterology*, 18(1).
- Yulianda, D., Sati, A., Makhmudi, A. and Gunadi, 2019. Risk factors of preoperative Hirschsprung-associated enterocolitis. *BMC Proceedings*, 13(S11).



Zhang, J., Ma, T., Peng, Y., Huang, G. and Liu, F., 2019. *A 5-year follow-up study of neonates with Hirschsprung's disease undergoing transanal Soave or Swenson surgery*. Patient Preference and Adherence, (11), 1957-1961