

DAFTAR PUSTAKA

- Alterovitz, S. S. R. and Mendelsohn, G. A. (2013) 'Relationship goals of middle-aged, young-old, and old-old Internet daters: an analysis of online personal ads', *Journal of Aging Studies*, 27(2), pp. 159–165. doi: 10.1016/j.jaging.2012.12.006.
- Arday, D. R. *et al.* (2003) 'Smoking and functional status among Medicare managed care enrollees', *American Journal of Preventive Medicine*, 24(3), pp. 234–241. doi: 10.1016/s0749-3797(02)00643-8.
- Brazil, L. *et al.* (1997) 'Verbally administered Barthel Index as functional assessment in brain tumour patients', *Journal of Neuro-Oncology*, 34(2), pp. 187–192. doi: 10.1023/A:1005710729748.
- Brown, P. D. *et al.* (2003) 'Effects of radiotherapy on cognitive function in patients with low-grade glioma measured by the folstein mini-mental state examination', *Journal of Clinical Oncology: Official Journal of the American Society of Clinical Oncology*, 21(13), pp. 2519–2524. doi: 10.1200/JCO.2003.04.172.
- Brown, P. D. *et al.* (2006) 'Detrimental effects of tumor progression on cognitive function of patients with high-grade glioma', *Journal of Clinical Oncology: Official Journal of the American Society of Clinical Oncology*, 24(34), pp. 5427–5433. doi: 10.1200/JCO.2006.08.5605.
- Bunevicius, A. (2017) 'Reliability and validity of the SF-36 Health Survey Questionnaire in patients with brain tumors: a cross-sectional study', *Health and Quality of Life Outcomes*, 15. doi: 10.1186/s12955-017-0665-1.
- Cavaliere, R., Farace, E. and Schiff, D. (2006) 'Clinical implications of status epilepticus in patients with neoplasms', *Archives of Neurology*, 63(12), pp. 1746–1749. doi: 10.1001/archneur.63.12.1746.
- Cech, D. J. and Martin, S. "Tink" (2012) 'Evaluation of Function, Activity, and Participation', in *Functional Movement Development Across the Life Span*. Elsevier, pp. 88–104. doi: 10.1016/B978-1-4160-4978-4.00005-3.
- Chambless, L. B. *et al.* (2015) 'The relative value of postoperative versus preoperative Karnofsky Performance Scale scores as a predictor of survival after surgical resection of glioblastoma multiforme', *Journal of Neuro-Oncology*, 121(2), pp. 359–364. doi: 10.1007/s11060-014-1640-x.
- Claus, E. B. *et al.* (2015) 'Survival and low grade glioma: the emergence of genetic information', *Neurosurgical focus*, 38(1), p. E6. doi: 10.3171/2014.10.FOCUS12367.

Collin, C. *et al.* (1988) 'The Barthel ADL Index: a reliability study', *International Disability Studies*, 10(2), pp. 61–63. doi: 10.3109/09638288809164103.

Creavin, S. T. *et al.* (2016) 'Mini-Mental State Examination (MMSE) for the detection of dementia in clinically unevaluated people aged 65 and over in community and primary care populations', *Cochrane Database of Systematic Reviews*, (1). doi: 10.1002/14651858.CD011145.pub2.

Edemekong, P. F. *et al.* (2020) 'Activities of Daily Living (ADLs)', in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK470404/> (Accessed: 13 October 2020).

Forsyth, P. A. and Posner, J. B. (1993) 'Headaches in patients with brain tumors: a study of 111 patients', *Neurology*, 43(9), pp. 1678–1683. doi: 10.1212/wnl.43.9.1678.

Galicich, J. H., French, L. A. and Melby, J. C. (1961) 'Use of dexamethasone in treatment of cerebral edema associated with brain tumors', *The Journal-Lancet*, 81, pp. 46–53.

Gupta, A. and Dwivedi, T. (2017) 'A Simplified Overview of World Health Organization Classification Update of Central Nervous System Tumors 2016', *Journal of Neurosciences in Rural Practice*, 8(4), pp. 629–641. doi: 10.4103/jnpr.jnpr_168_17.

Kelly, P. J. (2010) 'Gliomas: Survival, origin and early detection', *Surgical Neurology International*, 1. doi: 10.4103/2152-7806.74243.

Kumar, V., Abbas, A. K. and Aster, J. C. (2020) *Robbins & Cotran Pathologic Basis of Disease*. Tenth edition. Edited by J. R. Turner. Philadelphia, Pennsylvania: Elsevier (Robbins Pathology).

Lee, J., Park, S. H. and Kim, Y. Z. (2018) 'Prognostic Evaluation of Neurological Assessment of the Neuro-Oncology Scale in Glioblastoma Patients', *Brain Tumor Research and Treatment*, 6(1), pp. 22–30. doi: 10.14791/btrt.2018.6.e1.

Lee, S. B. *et al.* (2018) 'Differences in youngest-old, middle-old, and oldest-old patients who visit the emergency department', *Clinical and Experimental Emergency Medicine*, 5(4), pp. 249–255. doi: 10.15441/ceem.17.261.

Loghini, M. and Levin, V. A. (2006) 'Headache related to brain tumors', *Current Treatment Options in Neurology*, 8(1), pp. 21–32. doi: 10.1007/s11940-996-0021-y.

Lote, K. *et al.* (1998) 'Prevalence and prognostic significance of epilepsy in patients with gliomas', *European Journal of Cancer (Oxford, England: 1990)*, 34(1), pp. 98–102. doi: 10.1016/s0959-8049(97)00374-2.

Louis, D. N. *et al.* (2016) 'The 2016 World Health Organization Classification of Tumors of the Central Nervous System: a summary', *Acta Neuropathologica*, 131(6), pp. 803–820. doi: 10.1007/s00401-016-1545-1.

Mahoney, F. I. and Barthel, D. W. (1965) 'FUNCTIONAL EVALUATION: THE BARTHEL INDEX', *Maryland State Medical Journal*, 14, pp. 61–65.

Mainio, A. *et al.* (2005) 'Depression and functional outcome in patients with brain tumors: a population-based 1-year follow-up study', *Journal of Neurosurgery*, 103(5), pp. 841–847. doi: 10.3171/jns.2005.103.5.0841.

Malueka, R. G. *et al.* (2020) 'Clinicopathological Features and Prognosis of Indonesian Patients with Gliomas with IDH Mutation: Insights into Its Significance in a Southeast Asian Population', *Asian Pacific journal of cancer prevention: APJCP*, 21(8), pp. 2287–2295. doi: 10.31557/APJCP.2020.21.8.2287.

McCarthy, B. J. *et al.* (2011) 'Assessment of type of allergy and antihistamine use in the development of glioma', *Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology*, 20(2), pp. 370–378. doi: 10.1158/1055-9965.EPI-10-0948.

Mesfin, F. B. and Al-Dhahir, M. A. (2020) 'Gliomas', in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK441874/> (Accessed: 5 September 2020).

Minniti, G., Lombardi, G. and Paolini, S. (2019) 'Glioblastoma in Elderly Patients: Current Management and Future Perspectives', *Cancers*, 11(3). doi: 10.3390/cancers11030336.

Noiphithak, R. and Veerasarn, K. (2017) 'Clinical predictors for survival and treatment outcome of high-grade glioma in Prasat Neurological Institute', *Asian Journal of Neurosurgery*, 12(1), pp. 28–33. doi: 10.4103/1793-5482.148791.

Ostrom, Q. T. *et al.* (2014) 'The epidemiology of glioma in adults: a "state of the science" review', *Neuro-Oncology*, 16(7), pp. 896–913. doi: 10.1093/neuonc/nou087.

Ostrom, Q. T. *et al.* (2017) 'CBTRUS Statistical Report: Primary brain and other central nervous system tumors diagnosed in the United States in 2010-2014', *Neuro-oncology*, 19(5), pp. v1–v88. doi: 10.1093/neuonc/nox158.

Paker, N. *et al.* (2010) 'Impact of Cognitive Impairment on Functional Outcome in Stroke', *Stroke Research and Treatment*, 2010. doi: 10.4061/2010/652612.

'Pedoman Nasional Pelayanan Kedokteran Penanganan Tumor Otak' (2017). Kementerian Kesehatan Republik Indonesia.

- Pfund, Z. *et al.* (1999) 'Headache in intracranial tumors', *Cephalalgia: An International Journal of Headache*, 19(9), pp. 787–790; discussion 765. doi: 10.1046/j.1468-2982.1999.1909787.x.
- Pitter, K. L. *et al.* (2016) 'Corticosteroids compromise survival in glioblastoma', *Brain*, 139(5), pp. 1458–1471. doi: 10.1093/brain/aww046.
- Quinn Terence J., Langhorne Peter and Stott David J. (2011) 'Barthel Index for Stroke Trials', *Stroke*, 42(4), pp. 1146–1151. doi: 10.1161/STROKEAHA.110.598540.
- Sainsbury, A. *et al.* (2005) 'Reliability of the Barthel Index when used with older people', *Age and Ageing*, 34(3), pp. 228–232. doi: 10.1093/ageing/afi063.
- Salo, J. *et al.* (2002) 'Effect of brain tumour laterality on patients' perceived quality of life', *Journal of Neurology, Neurosurgery, and Psychiatry*, 72(3), pp. 373–377. doi: 10.1136/jnnp.72.3.373.
- Skruppy, M. (1993) 'Activities of Daily Living Evaluations', *Physical & Occupational Therapy In Geriatrics*, 11(3), pp. 13–25. doi: 10.1080/J148v11n03_02.
- Soeder, B. M. *et al.* (2009) 'Causes, presentation and outcome of lesional adult onset mediotemporal lobe epilepsy', *Journal of Neurology, Neurosurgery, and Psychiatry*, 80(8), pp. 894–899. doi: 10.1136/jnnp.2008.165860.
- van Tuijl, J. H. *et al.* (2020) 'Cognition and quality of life in patients with poststroke epilepsy: A case–control study', *Epilepsy & Behavior*, 104, p. 106444. doi: 10.1016/j.yebeh.2019.106444.
- Valentinis, L. *et al.* (2010) 'Headache attributed to intracranial tumours: a prospective cohort study', *Cephalalgia: An International Journal of Headache*, 30(4), pp. 389–398. doi: 10.1111/j.1468-2982.2009.01970.x.
- Zhang, J. *et al.* (2017) 'Postoperative functional status in patients with supratentorial superficial low-grade glioma', *World Journal of Surgical Oncology*, 15. doi: 10.1186/s12957-017-1237-x.