

DAFTAR PUSTAKA

- Abbate, M., Zoja, C. and Remuzzi, G., 2006. How Does Proteinuria Cause Progressive Renal Damage? *Journal of the American Society of Nephrology*, 17(11), pp.2974–2984.
- Altabas, V., 2015. Diabetes, Endothelial Dysfunction, and Vascular Repair: What Should a Diabetologist Keep His Eye on? *International Journal of Endocrinology*, 2015, pp.1–14.
- Al-Trad, B., Ashankyty, I.M. and Alaraj, M., 2015. Progesterone Ameliorates Diabetic Nephropathy in streptozotocin-induced Diabetic Rats. *Diabetology & Metabolic Syndrome*, 7(1).
- Amann, B., Tinzmann, R. and Angelkort, B., 2003. ACE Inhibitors Improve Diabetic Nephropathy through Suppression of Renal MCP-1. *Diabetes care*, 26(8), pp.2421–5.
- Awad, A.S., You, H., Gao, T., Cooper, T.K., Nedospasov, S.A., Vacher, J., Wilkinson, P.F., Farrell, F.X. and Brian Reeves, W., 2015. Macrophage-derived Tumor Necrosis factor- α Mediates Diabetic Renal Injury. *Kidney International*, 88(4), pp.722–733.
- Badan Penelitian dan Pengembangan Kesehatan, 2018. *Laporan Nasional Riskesdas 2018*. Kementerian Kesehatan Republik Indonesia.
- Banba, N., Nakamura, T., Matsumura, M., Kuroda, H., Hattori, Y. and Kasai, K., 2000. Possible Relationship of Monocyte Chemoattractant protein-1 with Diabetic Nephropathy. *Kidney International*, 58(2), pp.684–690.
- Bolisetty, S., Zarjou, A., Hull, T.D., Traylor, A.M., Perianayagam, A., Joseph, R., Kamal, A.I., Arosio, P., Soares, M.P., Jeney, V., Balla, J., George, J.F. and Agarwal, A., 2015. Macrophage and Epithelial Cell H-ferritin Expression Regulates Renal Inflammation. *Kidney International*, 88(1), pp.95–108.
- Bonventre, J.V., 2012. Can We Target Tubular Damage to Prevent Renal Function Decline in Diabetes? *Seminars in Nephrology*, 32(5), pp.452–462.
- Calle, P. and Hotter, G., 2020. Macrophage Phenotype and Fibrosis in Diabetic Nephropathy. *International Journal of Molecular Sciences*, 21(8), p.2806.
- Carmines, P.K., 2010. The Renal Vascular Response to Diabetes. *Current Opinion in Nephrology and Hypertension*, 19(1), pp.85–90.
- Cheng, H. and Harris, R.C., 2014. Renal Endothelial Dysfunction in Diabetic Nephropathy. *Cardiovascular & Hematological Disorders Drug Targets*, 14(1), pp.22–33.
- Chiarelli, F., Cipollone, F., Mohn, A., Marini, M., Iezzi, A., Fazia, M., Tumini, S., De Cesare, D., Pomilio, M., Pierdomenico, S.D., Di Gioacchino, M., Cuccurullo, F. and Mezzetti, A., 2002. Circulating Monocyte Chemoattractant Protein-1 and Early Development of Nephropathy in Type 1 Diabetes. *Diabetes Care*, 25(10), pp.1829–1834.

- Chistiakov, D.A., Killingsworth, M.C., Myasoedova, V.A., Orekhov, A.N. and Bobryshev, Y.V., 2016. CD68/macrosialin: Not Just a Histochemical Marker. *Laboratory Investigation*, 97(1), pp.4–13.
- Chow, F., Ozols, E., Nikolic-Paterson, D.J., Atkins, R.C. and Tesch, G.H., 2004. Macrophages in Mouse Type 2 Diabetic nephropathy: Correlation with Diabetic State and Progressive Renal Injury. *Kidney International*, 65(1), pp.116–128.
- Chow, F.Y., Nikolic-Paterson, D.J., Ozols, E., Atkins, R.C., Rollin, B.J. and Tesch, G.H., 2006. Monocyte Chemoattractant protein-1 Promotes the Development of Diabetic Renal Injury in streptozotocin-treated Mice. *Kidney International*, 69(1), pp.73–80.
- Cignarella, A. and Bolego, C., 2010. Mechanisms of Estrogen Protection in Diabetes and Metabolic Disease. *Hormone Molecular Biology and Clinical Investigation*, 4(2).
- Deshmane, S.L., Kremlev, S., Amini, S. and Sawaya, B.E., 2009. Monocyte Chemoattractant Protein-1 (MCP-1): an Overview. *Journal of Interferon & Cytokine Research*, 29(6), pp.313–326.
- Dixon, A. and Maric, C., 2007. 17 β -Estradiol Attenuates Diabetic Kidney Disease by Regulating Extracellular Matrix and Transforming Growth factor- β Protein Expression and Signaling. *American Journal of Physiology-Renal Physiology*, 293(5), pp.F1678–F1690.
- Eaton, S.A. and Sethi, J.K., 2019. Immunometabolic Links between Estrogen, Adipose Tissue and Female Reproductive Metabolism. *Biology*, 8(1), p.8.
- Elmarakby, A.A., Abdelsayed, R., Yao Liu, J. and Mozaffari, M.S., 2010. Inflammatory Cytokines as Predictive Markers for Early Detection and Progression of Diabetic Nephropathy. *EPMA Journal*, 1(1), pp.117–129.
- El-Shafey, E., El-Nagar, G.F., Abu Hatab, H., Sabry, A. and Elbaz, H., 2008. Upregulation of Monocyte Chemoattractant Protein-1 (MCP-1) in Early Diabetic Nephropathy in Patients with Type-1 Diabetes Mellitus. *Scholarly Research Exchange*, 2008, pp.1–5.
- Eriguchi, M., Lin, M., Yamashita, M., Zhao, T.V., Khan, Z., Bernstein, E.A., Gurley, S.B., Gonzalez-Villalobos, R.A., Bernstein, K.E. and Giani, J.F., 2018. Renal Tubular ACE-mediated Tubular Injury Is the Major Contributor to Microalbuminuria in Early Diabetic Nephropathy. *American Journal of Physiology-Renal Physiology*, 314(4), pp.F531–F542.
- Fiseha, T. and Tamir, Z., 2016. Urinary Markers of Tubular Injury in Early Diabetic Nephropathy. *International Journal of Nephrology*, 2016, pp.1–10.
- Forbes, J., Fukami, K. and Cooper, M., 2007. Diabetic Nephropathy: Where Hemodynamics Meets Metabolism. *Experimental and Clinical Endocrinology & Diabetes*, 115(02), pp.69–84.
- Galkina, E. and Ley, K., 2006. Leukocyte Recruitment and Vascular Injury in Diabetic Nephropathy. *Journal of the American Society of Nephrology*, 17(2), pp.368–377.

- Gewin, L. and Zent, R., 2012. How Does TGF- β Mediate Tubulointerstitial Fibrosis? *Seminars in Nephrology*, 32(3), pp.228–235.
- Ghisletti, S., Meda, C., Maggi, A. and Vegeto, E., 2005. 17 β -Estradiol Inhibits Inflammatory Gene Expression by Controlling NF- κ B Intracellular Localization. *Molecular and Cellular Biology*, 25(8), pp.2957–2968.
- Gilbert, R.E. and Cooper, M.E., 1999. The Tubulointerstitium in Progressive Diabetic Kidney disease: More than an Aftermath of Glomerular injury? *Kidney International*, 56(5), pp.1627–1637.
- Gross, J.L., M. J. de Azevedo, Silveiro, S.P., Canani, L.H., Caramori, M.L. and Zelmanovitz, T., 2004. Diabetic Nephropathy: Diagnosis, Prevention, and Treatment. *Diabetes Care*, 28(1), pp.164–176.
- Guariguata, L., Whiting, D.R., Hambleton, I., Beagley, J., Linnenkamp, U. and Shaw, J.E., 2014. Global Estimates of Diabetes Prevalence for 2013 and Projections for 2035. *Diabetes Research and Clinical Practice*, 103(2), pp.137–149.
- Guo, Y., Song, Z., Zhou, M., Yang, Y., Zhao, Y., Liu, B. and Zhang, X., 2017. Infiltrating Macrophages in Diabetic Nephropathy Promote Podocytes Apoptosis via TNF- α -ROS-p38MAPK Pathway. *Oncotarget*, 8(32).
- Ha, H., Yu, M.R., Choi, Y.J., Kitamura, M. and Lee, H.B., 2002. Role of High Glucose-Induced Nuclear Factor- κ B Activation in Monocyte Chemoattractant Protein-1 Expression by Mesangial Cells. *Journal of the American Society of Nephrology*, 13(4), pp.894–902.
- Haller, H., Ji, L., Stahl, K., Bertram, A. and Menne, J., 2017. Molecular Mechanisms and Treatment Strategies in Diabetic Nephropathy: New Avenues for Calcium Dobesilate—Free Radical Scavenger and Growth Factor Inhibition. *BioMed Research International*, 2017, pp.1–11.
- Inker, L.A., Astor, B.C., Fox, C.H., Isakova, T., Lash, J.P., Peralta, C.A., Kurella Tamura, M. and Feldman, H.I., 2014. KDOQI US Commentary on the 2012 KDIGO Clinical Practice Guideline for the Evaluation and Management of CKD. *American Journal of Kidney Diseases*, 63(5), pp.713–735.
- International Diabetes Federation, 2020. *IDF member(s) in Indonesia*, dilihat pada 20 Agustus 2020 <<https://idf.org/our-network/regions-members/western-pacific/members/104-indonesia.html>>
- Jiang, Y., Zhao, Y., Zhu, X., Liu, Y., Wu, B., Guo, Y., Liu, B. and Zhang, X., 2019. Effects of Autophagy on Macrophage Adhesion and Migration in Diabetic Nephropathy. *Renal Failure*, 41(1), pp.682–690.
- Khairani, 2019. *Hari Diabetes Sedunia Tahun 2018*. Kementerian Kesehatan RI.
- Kharroubi, A.T. and Darwish, H.M., 2015. Diabetes mellitus: the Epidemic of the Century. *World Journal of Diabetes*, 6(6), p.850.
- Klessens, C.Q.F., Zandbergen, M., Wolterbeek, R., Bruijn, J.A., Rabelink, T.J., Bajema, I.M. and Ijpelaar, D.H.T., 2016. Macrophages in Diabetic Nephropathy in Patients with Type 2 Diabetes. *Nephrology Dialysis Transplantation*.

- Lanaspa, M.A., Ishimoto, T., Cicerchi, C., Tamura, Y., Roncal-Jimenez, C.A., Chen, W., Tanabe, K., Andres-Hernando, A., Orlicky, D.J., Finol, E., Inaba, S., Li, N., Rivard, C.J., Kosugi, T., Sanchez-Lozada, L.G., Petrash, J.M., Sautin, Y.Y., Ejaz, A.A., Kitagawa, W., Garcia, G.E., Bonthron, D.T., Asipu, A., Diggle, C.P., Rodriguez-Iturbe, B., Nakagawa, T. and Johnson, R.J., 2014. Endogenous Fructose Production and Fructokinase Activation Mediate Renal Injury in Diabetic Nephropathy. *Journal of the American Society of Nephrology*, 25(11), pp.2526–2538.
- Lestarini, A., Sri Agung Aryastuti, A., Putu Diah Witari, N., Wayan Sutarka, I., Wayan Sri Wardani, N., Hastuti, P. and Hamim Sadewa, A., 2020. MCP-1 Serum Levels Were Higher in Patient with Diabetic Nephropathy among Balinese. *Indian Journal of Public Health Research & Development*, 11(2), p.1456.
- Lim, A., 2014. Diabetic Nephropathy – Complications and Treatment. *International Journal of Nephrology and Renovascular Disease*, p.361.
- Lim, A.K.H. and Tesch, G.H., 2012. Inflammation in Diabetic Nephropathy. *Mediators of Inflammation*, 2012, pp.1–12.
- Liu, T., Zhang, L., Joo, D. and Sun, S.-C., 2017. NF- κ B Signaling in Inflammation. *Sig Transduct Target Therapy*, 2(17023).
- Lizcano, F. and Guzmán, G., 2014. Estrogen Deficiency and the Origin of Obesity during Menopause. *BioMed Research International*, 2014.
- Long, D.A., Price, K.L., Herrera-Acosta, J. and Johnson, R.J., 2004. How Does Angiotensin II Cause Renal Injury? *Hypertension*, 43(4), pp.722–723.
- Magri, C.J. and Fava, S., 2009. The Role of Tubular Injury in Diabetic Nephropathy. *European Journal of Internal Medicine*, 20(6), pp.551–555.
- Mankhey, R.W., Wells, C.C., Bhatti, F. and Maric, C., 2007. 17 β -Estradiol Supplementation Reduces Tubulointerstitial Fibrosis by Increasing MMP Activity in the Diabetic Kidney. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 292(2), pp.R769–R777.
- Maric-Bilkan, C., 2020. Sex Differences in Diabetic Kidney Disease. *Mayo Clinic Proceedings*, 95(3), pp.587–599.
- Mezzano, S., Aros, C., Droguett, A., Burgos, M.E., Ardiles, L., Flores, C., Schneider, H., Ruiz-Ortega, M. and Egido, J., 2004. NF- κ B Activation and Overexpression of Regulated Genes in Human Diabetic Nephropathy. *Nephrology Dialysis Transplantation*, 19(10), pp.2505–2512.
- Miller, L. and Hunt, J.S., 1998. Regulation of TNF- α Production in Activated Mouse Macrophages by Progesterone. *The Journal of Immunology*, 160(10), pp.5098–5104.
- Minami, K., Hiwatashi, K., Ueno, S., Sakoda, M., Iino, S., Okumura, H., Hashiguchi, M., Kawasaki, Y., Kurahara, H., Mataka, Y., Maemura, K., Shinch, H. and Natsugoe, S., 2018. Prognostic Significance of CD68, CD163 and Folate Receptor- β Positive Macrophages in Hepatocellular Carcinoma. *Experimental and Therapeutic Medicine*.

- Morcos, M., Sayed, A.A.R., Bierhaus, A., Yard, B., Waldherr, R., Merz, W., Kloeting, I., Schleicher, E., Mentz, S., Abd el Baki, R.F., Tritschler, H., Kasper, M., Schwenger, V., Hamann, A., Dugi, K.A., Schmidt, A.-M., Stern, D., Ziegler, R., Haering, H.U., Andrassy, M., van der Woude, F. and Nawroth, P.P., 2002. Activation of Tubular Epithelial Cells in Diabetic Nephropathy. *Diabetes*, 51(12), pp.3532–3544.
- Morii, T., Fujita, H., Narita, T., Shimotomai, T., Fujishima, H., Yoshioka, N., Imai, H., Kakei, M. and Ito, S., 2003. Association of Monocyte Chemoattractant protein-1 with Renal Tubular Damage in Diabetic Nephropathy. *Journal of Diabetes and Its Complications*, 17(1), pp.11–15.
- Mottl, A.K. and Tuttle, K.R., 2020. *Diabetic Kidney disease: Pathogenesis and Epidemiology*, dilihat pada 20 Agustus 2020 <<https://www.uptodate.com/contents/diabetic-kidney-disease-pathogenesis-and-epidemiology>>
- Navarro, J.J., Milena, F.F., Mora, C., León, C., Claverie, F., Flores, C. and García, J., 2005. Tumor Necrosis factor- α Gene Expression in Diabetic nephropathy: Relationship with Urinary Albumin Excretion and Effect of angiotensin-converting Enzyme Inhibition. *Kidney International*, 68, pp.S98–S102.
- Nazar, C.M.J., 2014. Diabetic nephropathy; Principles of Diagnosis and Treatment of Diabetic Kidney Disease. *Journal of Nephro pharmacology*, 3(1), pp.15–20.
- Ott, C., Jacobs, K., Haucke, E., Navarrete Santos, A., Grune, T. and Simm, A., 2014. Role of Advanced Glycation End Products in Cellular Signaling. *Redox Biology*, 2, pp.411–429.
- Palicka, V., 2002. Pathophysiology of Diabetes Mellitus. *EJIFCC*, 13(5), pp.140–144.
- Patel, S. and Santani, D., 2009. Role of NF- κ B in the Pathogenesis of Diabetes and Its Associated Complications. *Pharmacological Reports*, 61(4), pp.595–603.
- Pérez-Morales, R.E., del Pino, M.D., Valdivielso, J.M., Ortiz, A., Mora-Fernández, C. and Navarro-González, J.F., 2018. Inflammation in Diabetic Kidney Disease. *Nephron*, 143(1), pp.12–16.
- Punthakee, Z., Goldenberg, R. and Katz, P., 2018. Definition, Classification and Diagnosis of Diabetes, Prediabetes and Metabolic Syndrome. *Canadian Journal of Diabetes*, 42, pp.S10–S15.
- Qi, W., Chen, X., Polhill, T.S., Sumual, S., Twigg, S., Gilbert, R.E. and Pollock, C.A., 2006. TGF- β 1 Induces IL-8 and MCP-1 through a Connective Tissue Growth factor-independent Pathway. *American Journal of Physiology-Renal Physiology*, 290(3), pp.F703–F709.
- Sánchez, D.S., Fischer Sigel, L.K., Azurmendi, P.J., Vlachovsky, S.G., Oddo, E.M., Armando, I., Ibarra, F.R. and Silberstein, C., 2019. Estradiol Stimulates Cell Proliferation via Classic Estrogen receptor-alpha and G protein-coupled Estrogen receptor-1 in Human Renal Tubular Epithelial Cell Primary Cultures. *Biochemical and Biophysical Research Communications*, 512(2), pp.170–175.
- Setyaningsih, W.A.W., Arfian, N., Suryadi, E., Romi, M.M., Tranggono, U. and Sari, D.C.R., 2018. Hyperuricemia Induces Wnt5a/Ror2 Gene Expression,

- Epithelial–Mesenchymal Transition, and Kidney Tubular Injury in Mice. *Iranian Journal of Medical Sciences*, 43(2), pp.164–173.
- Shanmugam, N., Reddy, M.A., Guha, M. and Natarajan, R., 2003. High Glucose-Induced Expression of Proinflammatory Cytokine and Chemokine Genes in Monocytic Cells. *Diabetes*, 52(5), pp.1256–1264.
- Singh, D.K., Winocour, P. and Farrington, K., 2008. Mechanisms of Disease: the Hypoxic Tubular Hypothesis of Diabetic Nephropathy. *Nature Clinical Practice Nephrology*, 4(4), pp.216–226.
- Singh, V.P., Bali, A., Singh, N. and Jaggi, A.S., 2014. Advanced Glycation End Products and Diabetic Complications. *The Korean Journal of Physiology & Pharmacology*, 18(1), p.1.
- Skyler, J.S., Bakris, G.L., Bonifacio, E., Darsow, T., Eckel, R.H., Groop, L., Groop, P.-H., Handelsman, Y., Insel, R.A., Mathieu, C., McElvaine, A.T., Palmer, J.P., Pugliese, A., Schatz, D.A., Sosenko, J.M., Wilding, J.P.H. and Ratner, R.E., 2016. Differentiation of Diabetes by Pathophysiology, Natural History, and Prognosis. *Diabetes*, 66(2), pp.241–255.
- Sun, L. and Kanwar, Y.S., 2015. Relevance of TNF- α in the Context of Other Inflammatory Cytokines in the Progression of Diabetic Nephropathy. *Kidney International*, 88(4), pp.662–665.
- Takebayashi, K., Matsumoto, S., Aso, Y. and Inukai, T., 2006. Association between Circulating Monocyte Chemoattractant protein-1 and Urinary Albumin Excretion in Nonobese Type 2 Diabetic Patients. *Journal of Diabetes and Its Complications*, 20(2), pp.98–104.
- Tam, F.W.K., Riser, B.L., Meeran, K., Rambow, J., Pusey, C.D. and Frankel, A.H., 2009. Urinary Monocyte Chemoattractant protein-1 (MCP-1) and Connective Tissue Growth Factor (CCN2) as Prognostic Markers for Progression of Diabetic Nephropathy. *Cytokine*, 47(1), pp.37–42.
- Tesch, G.H., 2008. MCP-1/CCL2: a New Diagnostic Marker and Therapeutic Target for Progressive Renal Injury in Diabetic Nephropathy. *American Journal of Physiology-Renal Physiology*, 294(4), pp.F697–F701.
- Tesch, G.H., Schwarting, A., Kinoshita, K., Lan, H.Y., Rollins, B.J. and Kelley, V.R., 1999. Monocyte Chemoattractant protein-1 Promotes macrophage-mediated Tubular injury, but Not Glomerular injury, in Nephrotoxic Serum Nephritis. *Journal of Clinical Investigation*, 103(1), pp.73–80.
- Thomas, M.C., Burns, W.C. and Cooper, M.E., 2005. Tubular Changes in Early Diabetic Nephropathy. *Advances in Chronic Kidney Disease*, 12(2), pp.177–186.
- Tonneijck, L., Muskiet, M.H.A., Smits, M.M., van Bommel, E.J., Heerspink, H.J.L., van Raalte, D.H. and Joles, J.A., 2017. Glomerular Hyperfiltration in Diabetes: Mechanisms, Clinical Significance, and Treatment. *Journal of the American Society of Nephrology*, 28(4), pp.1023–1039.
- Toth-Manikowski, S. and Atta, M.G., 2015. Diabetic Kidney Disease: Pathophysiology and Therapeutic Targets. *Journal of Diabetes Research*, 2015, pp.1–16.

- Vallon, V., 2011. The Proximal Tubule in the Pathophysiology of the Diabetic Kidney. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 300(5), pp.R1009–R1022.
- Vallon, V., 2014. Do Tubular Changes in the Diabetic Kidney Affect the Susceptibility to Acute Kidney Injury? *Nephron Clinical Practice*, 127(1–4), pp.133–138.
- Vallon, V. and Komers, R., 2011. Pathophysiology of the Diabetic Kidney. *Comprehensive Physiology*.
- Vallon, V. and Thomson, S.C., 2012. Renal Function in Diabetic Disease Models: the Tubular System in the Pathophysiology of the Diabetic Kidney. *Annual Review of Physiology*, 74(1), pp.351–375.
- Viedt, C., 2002. Monocyte Chemoattractant protein-1 (MCP-1) in the kidney: Does It More than Simply Attract monocytes? *Nephrology Dialysis Transplantation*, 17(12), pp.2043–2047.
- Wada, T., Furuichi, K., Sakai, N., Iwata, Y., Yoshimoto, K., Shimizu, M., Takeda, S.-I., Takasawa, K., Yoshimura, M., Kida, H., Kobayashi, K.-I., Mukaida, N., Naito, T., Matsushima, K. and Yokoyama, H., 2000. Up-regulation of Monocyte Chemoattractant protein-1 in Tubulointerstitial Lesions of Human Diabetic Nephropathy. *Kidney International*, 58(4), pp.1492–1499.
- White, J.J., Mohamed, R., Jayakumar, C. and Ramesh, G., 2013. Tubular Injury Marker netrin-1 Is Elevated Early in Experimental Diabetes. *Journal of Nephrology*, 26(6), pp.1055–1064.
- World Health Organization, 2016. *Diabetes*, dilihat pada 20 Agustus 2020 <https://www.who.int/diabetes/country-profiles/idn_en.pdf>
- Yang, J., Park, Y., Zhang, H., Gao, X., Wilson, E., Zimmer, W., Abbott, L. and Zhang, C., 2009. Role of MCP-1 in Tumor Necrosis factor- α -induced Endothelial Dysfunction in Type 2 Diabetic Mice. *American Journal of Physiology-Heart and Circulatory Physiology*, 297(4), pp.H1208–H1216.
- Yap, H.L., 2017. Review Article - MCP-1: a Potential Target for Diabetic Microvascular Complications? *Urology & Nephrology Open Access Journal*, 5(3).
- Yuan, T., Yang, T., Chen, H., Fu, D., Hu, Y., Wang, J., Yuan, Q., Yu, H., Xu, W. and Xie, X., 2019. New Insights into Oxidative Stress and Inflammation during Diabetes mellitus-accelerated Atherosclerosis. *Redox Biology*, 20, pp.247–260.
- Zeni, L., Norden, A.G.W., Cancarini, G. and Unwin, R.J., 2017. A More Tubulocentric View of Diabetic Kidney Disease. *Journal of Nephrology*, 30(6), pp.701–717.
- Zhang, X., Yang, Y. and Zhao, Y., 2019. Macrophage Phenotype and Its Relationship with Renal Function in Human Diabetic Nephropathy. *PLOS ONE*, 14(9).
- Zheng, Z. and Zheng, F., 2016. Immune Cells and Inflammation in Diabetic Nephropathy. *Journal of Diabetes Research*, 2016, pp.1–10.
- Zucchelli, P., Zuccalà, A. and Sturani, A., 1988. Glomerular Dysfunction in Diabetic Nephropathy. *Postgraduate Medical Journal*, 64 Suppl 3, pp.22–30; discussion 48–49.