

DAFTAR PUSTAKA

- Alderman, H., & Headey, D. D. (2017). How Important is Parental Education for Child Nutrition? *World Development*, 94, 448–464. <https://doi.org/10.1016/j.worlddev.2017.02.007>
- Alves, J. G. B., & Alves, G. V. (2019). Effects of physical activity on children's growth. *Jornal de Pediatria*, 95(1), 72–78. <https://doi.org/10.1016/j.jped.2018.11.003>
- Batubara, J. R. (2005). Practices of growth assessment in children: Is anthropometric measurement important? *Paediatrica Indonesiana*, 45(7–8), 145–153.
- Beal, T., Tumilowicz, A., Sutrisna, A., Izwardy, D., & Neufeld, L. M. (2018). A review of child stunting determinants in Indonesia. *Maternal and Child Nutrition*, 14(4), 1–10. <https://doi.org/10.1111/mcn.12617>
- Bundak, R., Bas, F., Furman, A., Günöz, H., Darendeliler, F., Saka, N., Poyrazoğlu, Ş., & Neyzi, O. (2014). Sitting height and sitting height/height ratio references for Turkish children. *European Journal of Pediatrics*, 173(7), 861–869. <https://doi.org/10.1007/s00431-013-2212-3>
- Chagin, A. S., & Säwendahl, L. (2007). Oestrogen receptors and linear bone growth. *Acta Paediatrica, International Journal of Paediatrics*, 96(9), 1275–1279. <https://doi.org/10.1111/j.1651-2227.2007.00415.x>
- Chang, S. H., Tzeng, S. J., Cheng, J. Y., & Chie, W. C. (2000). Height and weight change across menarche of schoolgirls with early menarche. *Archives of Pediatrics and Adolescent Medicine*, 154(9), 880–884. <https://doi.org/10.1001/archpedi.154.9.880>
- Del Pino, M., Orden, A. B., Arenas, M. A., & Fano, V. (2017). Argentine references for the assessment of body proportions from birth to 17 years of age. *Archivos Argentinos de Pediatría*, 115(3), 234–240. <https://doi.org/10.5546/aap.2017.eng.234>
- Dewey, K. G., & Begum, K. (2011). Long-term consequences of stunting in early life. *Maternal and Child Nutrition*, 7(SUPPL. 3), 5–18. <https://doi.org/10.1111/j.1740-8709.2011.00349.x>
- Fajardo, M. A., Weir, K. R., Bonner, C., Gnjdic, D., & Jansen, J. (2019). Availability and readability of patient education materials for deprescribing: An environmental scan. *British Journal of Clinical Pharmacology*, 85(7), 1396–1406. <https://doi.org/10.1111/bcp.13912>
- Finch, B. K., & Beck, A. N. (2011). Socio-economic status and z-score standardized height-for-age of U.S.-born children (ages 2-6). *Economics and*

- Human Biology*, 9(3), 272–276. <https://doi.org/10.1016/j.ehb.2011.02.005>
- Fredriks, A. M., Van Buuren, S., Van Heel, W. J. M., Dijkman-Neerincx, R. H. M., Verloove-Vanhorick, S. P., & Wit, J. M. (2005). Nationwide age references for sitting height, leg length, and sitting height/height ratio, and their diagnostic value for disproportionate growth disorders. *Archives of Disease in Childhood*, 90(8), 807–812. <https://doi.org/10.1136/ad.2004.050799>
- Friebel, F., Hermanussen, M., & Scheffler, C. (2019). Popular ideas and convictions about factors influencing the growth as well as the adult height of children: A German-French comparison. *Anthropologischer Anzeiger*, 76(5), 365–370. <https://doi.org/10.1127/anthranz/2019/0972>
- Gardner, A., Price, A., Berryman, F., & Pynsent, P. (2016). The use of growth standards and corrective formulae to calculate the height loss caused by idiopathic scoliosis. *Scoliosis and Spinal Disorders*, 11(6), 1–9. <https://doi.org/10.1186/s13013-016-0068-9>
- Giustina, A., Mazziotti, G., & Canalis, E. (2008). Growth hormone, insulin-like growth factors, and the skeleton. *Endocrine Reviews*, 29(5), 535–559. <https://doi.org/10.1210/er.2007-0036>
- Hastuti, J. (2007). Physical status and motor performance of junior high school children age of 12-15 years in rural and urban Bantul Yogyakarta. *Journal of the Medical Sciences (Berkala Ilmu Kedokteran)*, 39(04), 162–176.
- Hirsh, D., Clerehan, R., Staples, M., Osborne, R. H., & Buchbinder, R. (2009). Patient assessment of medication information leaflets and validation of the Evaluative Linguistic Framework (ELF). *Patient Education and Counseling*, 77(2), 248–254. <https://doi.org/10.1016/j.pec.2009.03.011>
- Idris, F., Hassan, Z., Ya'acob, A., Gill, S. K., & Awal, N. A. M. (2012). The Role of Education in Shaping Youth's National Identity. *Procedia - Social and Behavioral Sciences*, 59, 443–450. <https://doi.org/10.1016/j.sbspro.2012.09.299>
- Lee, T. S., Chao, T., Tang, R. Bin, Hsieh, C. C., Chen, S. J., & Ho, L. T. (2005). A longitudinal study of growth patterns in schoolchildren in one Taipei district II: Sitting height, arm span, body mass index and skinfold thickness. *Journal of the Chinese Medical Association*, 68(1), 16–20. [https://doi.org/10.1016/S1726-4901\(09\)70126-1](https://doi.org/10.1016/S1726-4901(09)70126-1)
- Marin-Puyalto, J., Mäestu, J., Gomez-Cabello, A., Lätt, E., Rimmel, L., Purge, P., Casajús, J. A., Vicente-Rodríguez, G., & Jürimäe, J. (2018). Vigorous physical activity patterns affect bone growth during early puberty in boys. *Osteoporosis International*, 29(12), 2693–2701. <https://doi.org/10.1007/s00198-018-4731-2>

- Moelyo, A. G., Yogasatria, L., Setyawan, Y. A., & Rokhayati, E. (2018). Sitting height, sitting height/height ratio, arm span, and arm span-height differences of healthy adolescents. *Paediatrica Indonesiana*, 58(3), 138–145. <https://doi.org/10.14238/pi58.3.2018.138-45>
- Muñoz, A. de A., Cajal, M. D., Caballero, C. R., Aizpún, J. I. L., Dehesa, E. M., & Longás, Á. F. (2013). Sitting/standing height ratio in Spanish children from birth to adulthood. *Archivos Argentinos de Pediatría*, 111(4), 309–314. <https://doi.org/10.5546/aap.2013.eng.309>
- Ngaisyah, D., & Wahyuningsih, S. (2017). The risk of obesity and developmental delay in 2-5 year old stunted children in Kanigoro, Saptosari, Gunung Kidul, Yogyakarta. *The 4th International Conference On Health Science 2017 "The Optimalization of Adolescent Health in The Era of SDGs,"* 3, 158–162.
- Nilsson, O., Marino, R., De Luca, F., Phillip, M., & Baron, J. (2005). Endocrine regulation of the growth plate. *Hormone Research*, 64(4), 157–165. <https://doi.org/10.1159/000088791>
- Norton, K. I. (2018). Standards for anthropometry assessment. In *Kinanthropometry and Exercise Physiology*. <https://doi.org/10.4324/9781315385662-4>
- O'Connor, J. E., Bogue, C., Spence, L. D., & Last, J. (2008). A method to establish the relationship between chronological age and stage of union from radiographic assessment of epiphyseal fusion at the knee: An Irish population study. *Journal of Anatomy*, 212(2), 198–209. <https://doi.org/10.1111/j.1469-7580.2007.00847.x>
- Oliver, G., 1969. *Practical Anthropology*, Springfield, Illinois: Charles C Thomas.
- Oshiro, C. E. S., Novotny, R., Grove, J. S., & Hurwitz, E. L. (2015). Race/ethnic differences in birth size, infant growth, and body mass index at age five years in children in Hawaii. *Childhood Obesity*, 11(6), 683–690. <https://doi.org/10.1089/chi.2015.0027>
- Pérez, B. M., Serrano, M. D. M., Martínez, C. P., Viramontes, J. A., & Armesillas, M. D. C. (2015). Assessment of somatic maturation of Venezuelan adolescents. *Nutricion Hospitalaria*, 32(5), 2216–2222. <https://doi.org/10.3305/nh.2015.32.5.9566>
- Perkins, J. M., Subramanian, S. V., Smith, G. D., & Özaltin, E. (2016). Adult height, nutrition, and population health. *Nutrition Reviews*, 74(3), 149–165. <https://doi.org/10.1093/nutrit/nuv105>
- Pourhoseingholi, M. A., Vahedi, M., & Rahimzadeh, M. (2013). Sample size calculation in medical studies. *Gastroenterology and Hepatology from Bed to Bench*, 6(1), 14–17. <https://doi.org/10.22037/ghfbb.v6i1.332>

- Pulungan, A. B., Julia, M., Batubara, J. R., & Hermanussen, M. (2018). Indonesian national synthetic growth charts. *Acta Scientific Paediatrics*, 1(1), 20–34.
- Ramoshaba, N. E., Monyeki, K. D., Mpya, J., & Monyeki, M. S. (2017). The relationship between sitting height , sitting height to height ratio with blood pressure among Polokwane private school children aged 6 – 13 years. *BMC Public Health*, 17, 1–6. <https://doi.org/10.1186/s12889-017-4983-3>
- Ramoshaba, N., Monyeki, K., & Hay, L. (2016). Components of height and blood pressure among ellisras rural children: Ellisras longitudinal study. *International Journal of Environmental Research and Public Health*, 13(856), 1–9. <https://doi.org/10.3390/ijerph13090856>
- Riset Kesehatan Dasar. (2013). Laporan hasil riset kesehatan dasar (Riskesdas) 2013. In *Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI*. [https://www.kemkes.go.id/resources/download/general/Hasil Riskesdas 2013.pdf](https://www.kemkes.go.id/resources/download/general/Hasil_Riskesdas_2013.pdf)
- Riset Kesehatan Dasar. (2018). *Hasil Utama Riset Kesehatan Dasar (RISKESDAS)*. 1–200. <http://arxiv.org/abs/1011.1669v0><http://dx.doi.org/10.1088/1751-8113/44/8/085201><http://stacks.iop.org/1751-8121/44/i=8/a=085201?key=crossref.abc74c979a75846b3de48a5587bf708f>
- Rogol, A. D., Roemmich, J. N., & Clark, P. A. (2002). Growth at puberty. *Journal of Adolescent Health*, 31(6 SUPPL.), 192–200. [https://doi.org/10.1016/S1054-139X\(02\)00485-8](https://doi.org/10.1016/S1054-139X(02)00485-8)
- Said-Mohamed, R., Prioreshi, A., Nyati, L. H., van Heerden, A., Munthali, R. J., Kahn, K., Tollman, S. M., Gómez-Olivé, F. X., Houle, B., Dunger, D. B., & Norris, S. A. (2018). Rural–urban variations in age at menarche, adult height, leg-length and abdominal adiposity in black South African women in transitioning South Africa. *Annals of Human Biology*, 45(2), 123–132. <https://doi.org/10.1080/03014460.2018.1442497>
- Sánchez, M. B., Codinha, S., García, A. M., & Sánchez, J. A. S. (2017). Estimating legal age based on fusion of The proximal humeral epiphysis. *International Journal of Legal Medicine*, 131(4), 1133–1140. <https://doi.org/10.1007/s00414-016-1506-1>
- Shim, K. S. (2015). Pubertal growth and epiphyseal fusion. *Annals of Pediatric Endocrinology & Metabolism*, 20(20), 8–12. <https://doi.org/10.6065/apem.2015.20.1.8>
- Sinaga, J. P. (2008). Tinggi Badan Anak Ditinjau Dari Segi Faktor Genetik dan Lingkungan. *Medikora*, IV(2), 109–129.

- Sugiyono.2015. *Statistika untuk penelitian*. Bandung: Alfabeta
- Tassew, W., Behrman, J. R., & Araya, M. W. (2017). The effect of early childhood stunting on children's cognitive achievements: Evidence from young lives Ethiopia. *Ethiopian Journal of Health Development*, 31(1), 75–84. <https://doi.org/10.1117/12.2549369.Hyperspectral>
- United Nations Children's Fund. (2015). *UNICEF 's approach to scaling up nutrition for mothers and their children*. https://www.unicef.org/nutrition/files/Unicef_Nutrition_Strategy.pdf
- Velásquez-Meléndez, G., Silveira, E. A., Allencastro-Souza, P., & Kac, G. (2005). Relationship between sitting-height-to-stature ratio and adiposity in Brazilian women. *American Journal Of Human Biology*, 17, 646–653. <https://doi.org/10.1002/ajhb.20423>
- Weinberg, D. S., Liu, R. W., Li, S. Q., Sanders, J. O., & Cooperman, D. R. (2017). Axial and appendicular body proportions for evaluation of limb and trunk asymmetry. *Acta Orthopaedica*, 88(2), 185–191. <https://doi.org/10.1080/17453674.2016.1265876>
- Wijanarko, B., Rahmawati, N. T., & Sudargo, T. (2011). Perbedaan pola pertumbuhan tinggi badan, tinggi duduk, indeks skelik antara anak-anak daerah rural dan urban usia 7-15 tahun di Daerah Istimewa Yogyakarta. *Gizi Indonesia*, 34(1), 74–81. <https://doi.org/10.36457/gizindo.v34i1.103>
- Williams, K., Thomson, D., Seto, I., Contopoulos-Ioannidis, D. G., Ioannidis, J. P. A., Curtis, S., Constantin, E., Batmanabane, G., Hartling, L., & Klassen, T. (2012). Standard 6: Age groups for pediatric trials. *Pediatrics*, 129(SUPPL. 3), S153–S160. <https://doi.org/doi:10.1542/peds.2012-0055I>
- Wittenbecher, C., Kuxhaus, O., Boeing, H., Stefan, N., & Schulze, M. B. (2019). Associations of short stature and components of height with incidence of type 2 diabetes: mediating effects of cardiometabolic risk factors. *Diabetologia*, 62(12), 2211–2221. <https://doi.org/10.1007/s00125-019-04978-8>
- WHO, 2015. Height-for-age (5-19 years). *World Health Organization*. Available at: https://www.who.int/growthref/who2007_height_for_age/en/ [Accessed August 3, 2020].
- World Health Organization. (2012). Interpretation Guide. *Nutrition Landcape Information System (NLIS)*, 1–51. <https://doi.org/10.1159/000362780.Interpretation>
- World Health Organization Child Growth Standards. (2008). Training course on child growth assessment. In *World Health Organization*. World Health Organization.

https://www.who.int/childgrowth/training/module_c_interpreting_indicators.pdf?ua=1

Zhang, Y. Q., & Li, H. (2015). Reference charts of sitting height, leg length and body proportions for Chinese children aged 0-18 years. *Annals of Human Biology*, 42(3), 223–230. <https://doi.org/10.3109/03014460.2014.934283>

Zhang, Y. X., Chu, Z. H., & Zhao, J. shan. (2016). Distribution of sitting height ratio and its association with body mass index among children and adolescents in Shandong, China. *Biology and Medicine*, 8(1), 8–10. <https://doi.org/10.4172/0974-8369.1000267>

Zhang, Y. Y., Liu, P. Y., Lu, Y., Davies, K. M., Dvornyk, V., Recker, R. R., & Deng, H. W. (2005). Race and sex differences and contribution of height: A study on bone size in healthy Caucasians and Chinese. *American Journal of Human Biology*, 17(5), 568–575. <https://doi.org/10.1002/ajhb.20427>

Živičnjak, M., Narančić, N. S., Szivoczka, L., Franke, D., Hrenović, J., & Bišof, V. (2003). Gender-specific growth patterns for stature, sitting height and limbs length in Croatian children and youth (3 to 18 years of age). *Collegium Antropologicum*, 27(1), 321–334. https://www.researchgate.net/publication/10567860_Gender-Specific_Growth_Patterns_for_Stature_Sitting_Height_and_Limbs_Length_in_Croatian_Children_and_Youth_3_to_18_Years_of_Age