

## DAFTAR PUSTAKA

- Adrie, C., Lugosi, M., Sonnevile, R., Souweine, B., Ruckly, S., Cartier, J. C., Garrouste-Orgeas, M., Schwebel, C., Timsit, J. F., Timsit, J. F., Azoulay, E., Cohen, Y., Garrouste-Orgeas, M., Soufir, L., Zahar, J. R., Adrie, C., Darmon, M., Alberti, C., Clec'h, C., ... Fournier, J. (2017). Persistent lymphopenia is a risk factor for ICU-acquired infections and for death in ICU patients with sustained hypotension at admission. *Annals of Intensive Care*, 7(1). <https://doi.org/10.1186/s13613-017-0242-0>
- Ajona, D., Ortiz-Espinosa, S., & Pio, R. (2019). Complement anaphylatoxins C3a and C5a: Emerging roles in cancer progression and treatment. *Seminars in Cell and Developmental Biology*, 85, 153–163. <https://doi.org/10.1016/j.semcdb.2017.11.023>
- Bone, R. C., Sibbald, W. J., & Sprung, C. L. (1992). The ACCP-SCCM consensus conference on sepsis and organ failure. *Chest*, 101(6), 1481–1483. <https://doi.org/10.1378/chest.101.6.1481>
- Cheng, S. C., Scicluna, B. P., Arts, R. J. W., Gresnigt, M. S., Lachmandas, E., Giamarellos-Bourboulis, E. J., Kox, M., Manjeri, G. R., Wagenaars, J. A. L., Cremer, O. L., Leentjens, J., Van Der Meer, A. J., Van De Veerdonk, F. L., Bonten, M. J., Schultz, M. J., Willems, P. H. G. M., Pickkers, P., Joosten, L. A. B., Van Der Poll, T., & Netea, M. G. (2016). Broad defects in the energy metabolism of leukocytes underlie immunoparalysis in sepsis. *Nature Immunology*, 17(4), 406–413. <https://doi.org/10.1038/ni.3398>
- Chousterman, B. G., Swirski, F. K., & Weber, G. F. (2017). Cytokine storm and sepsis disease pathogenesis. *Seminars in Immunopathology*, 39(5), 517–528. <https://doi.org/10.1007/s00281-017-0639-8>
- Chung, K. P., Chang, H. T., Lo, S. C., Chang, L. Y., Lin, S. Y., Cheng, A., Huang, Y. T., Chen, C. C., Lee, M. R., Chen, Y. J., Hou, H. H., Hsu, C. L., Jerng, J. S., Ho, C. C., Huang, M. T., Yu, C. J., & Yang, P. C. (2015). Severe Lymphopenia Is Associated with Elevated Plasma Interleukin-15 Levels and Increased Mortality during Severe Sepsis. *Shock*, 43(6), 569–575. <https://doi.org/10.1097/SHK.0000000000000347>
- Churpek, M. M., Zdravetz, F. J., Winslow, C., Howell, M. D., & Edelson, D. P. (2015). Incidence and prognostic value of the systemic inflammatory response syndrome and organ dysfunctions in ward patients. *American Journal of Respiratory and Critical Care Medicine*, 192(8), 958–964. <https://doi.org/10.1164/rccm.201502-0275OC>
- Danachy, D. B., Strother, R. K., Badovinac, V. P., & Griffith, T. S. (2016). Clinical

- and Experimental Sepsis Impairs CD8 T-Cell-Mediated Immunity. *Critical Review in Immunology*, 36(1), 57–74. <https://doi.org/doi:10.1615/CritRevImmunol.2016017098>.
- Drewry, A., Samra, N., Skrupky, L., Fuller, B., Compton, S., & Hotchkiss, R. (2014). Persistent lymphopenia after diagnosis of sepsis predicts mortality. *Shock*, 42(5), 383–391. <https://doi.org/10.1097/SHK.0000000000000234>
- Dunkelberger, J. R., & Song, W. C. (2010). Complement and its role in innate and adaptive immune responses. *Cell Research*, 20(1), 34–50. <https://doi.org/10.1038/cr.2009.139>
- Esposito, S., De Simone, G., Boccia, G., De Caro, F., & Pagliano, P. (2017). Sepsis and septic shock: New definitions, new diagnostic and therapeutic approaches. *Journal of Global Antimicrobial Resistance*, 10, 204–212. <https://doi.org/10.1016/j.jgar.2017.06.013>
- Fleischmann, C., Thomas-Rueddel, D. O., Hartmann, M., Hartog, C. S., Welte, T., Heublein, S., Dennler, U., & Reinhart, K. (2016). Hospital Incidence and Mortality Rates of Sepsis. *Deutsches Arzteblatt International*, 113(10), 159–166. <https://doi.org/10.3238/arztebl.2016.0159>
- Francois, B., Jeannet, R., Daix, T., Walton, A. H., Shotwell, M. S., Unsinger, J., Monneret, G., Rimmelé, T., Blood, T., Morre, M., Gregoire, A., Mayo, G. A., Blood, J., Durum, S. K., Sherwood, E. R., & Hotchkiss, R. S. (2018). Interleukin-7 restores lymphocytes in septic shock: the IRIS-7 randomized clinical trial. *JCI Insight*, 3(5), 1–18. <https://doi.org/10.1172/jci.insight.98960>
- Girardot, T., Rimmelé, T., Venet, F., & Monneret, G. (2017). Apoptosis-induced lymphopenia in sepsis and other severe injuries. *Apoptosis*, 22(2), 295–305. <https://doi.org/10.1007/s10495-016-1325-3>
- Gotts, J. E., & Matthay, M. A. (2016). Sepsis: Pathophysiology and clinical management. *BMJ (Online)*, 353, 1–20. <https://doi.org/10.1136/bmj.i1585>
- Gu, D., Ao, X., Yang, Y., Chen, Z., & Xu, X. (2018). Soluble immune checkpoints in cancer: Production, function and biological significance. *Journal for ImmunoTherapy of Cancer*, 6(1), 1–14. <https://doi.org/10.1186/s40425-018-0449-0>
- Guignant, C., Lepape, A., Huang, X., Kherouf, H., Denis, L., Poitevin, F., Malcus, C., Chéron, A., Allaouchiche, B., Gueyffier, F., Ayala, A., Monneret, G., & Venet, F. (2011). Programmed death-1 levels correlate with increased mortality, nosocomial infection and immune dysfunctions in septic shock patients. *Critical Care*, 15(2), R99. <https://doi.org/10.1186/cc10112>
- Guo, Y., Patil, N. K., Luan, L., Bohannon, J. K., & Sherwood, E. R. (2018). The

- biology of natural killer cells during sepsis. *Immunology*, 153(2), 190–202. <https://doi.org/10.1111/imm.12854>
- Hanna, M. O. F., Abdelhameed, A. M., Abou-Elalla, A. A., Hassan, R. M., & Kostandi, I. (2019). Neutrophil and monocyte receptor expression in patients with sepsis: Implications for diagnosis and prognosis of sepsis. *Pathogens and Disease*, 77(6). <https://doi.org/10.1093/femspd/ftz055>
- Hein, F., Massin, F., Cravoisy-Popovic, A., Barraud, D., Levy, B., Bollaert, P. E., & Gibot, S. (2010). The relationship between CD4+CD25+CD127-regulatory T cells and inflammatory response and outcome during shock states. *Critical Care*, 14(1), 1–11. <https://doi.org/10.1186/cc8876>
- Hotchkiss, R. S., Monneret, G., & Payen, D. (2013). Sepsis-induced immunosuppression: from cellular dysfunctions to immunotherapy. *Nat Rev Immunol.*, 13(12), 862–874. <https://doi.org/doi:10.1038/nri3552>
- Hwang, S. Y., Shin, T. G., Jo, I. J., Jeon, K., Suh, G. Y., Lee, T. R., Yoon, H., Cha, W. C., & Sim, M. S. (2017). Neutrophil-to-lymphocyte ratio as a prognostic marker in critically-ill septic patients. *American Journal of Emergency Medicine*, 35(2), 234–239. <https://doi.org/10.1016/j.ajem.2016.10.055>
- Kaukonen, K. M., Bailey, M., Pilcher, D., Cooper, D. J., & Bellomo, R. (2015). Systemic inflammatory response syndrome criteria in defining severe sepsis. *New England Journal of Medicine*, 372(17), 1629–1638. <https://doi.org/10.1056/NEJMoa1415236>
- Kaushik, R., Gupta, M., Sharma, M., Jash, D., Jain, N., Sinha, N., Chaudhry, A., & Chaudhry, D. (2018). Diagnostic and Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Early and Late Phase of Sepsis. *Indian Journal of Critical Care Medicine*, 22(9), 660–663. [https://doi.org/10.4103/ijccm.IJCCM\\_59\\_18](https://doi.org/10.4103/ijccm.IJCCM_59_18)
- Kempker, J. A., & Martin, G. S. (2016). The Changing Epidemiology and Definitions of Sepsis. *Clin Chest Med*, 37(2), 165–179. <https://doi.org/doi:10.1016/j.ccm.2016.01.002>.
- Kobayashi, S. D., Malachowa, N., & DeLeo, F. R. (2018). Neutrophils and Bacterial Immune Evasion. *Journal of Innate Immunity*, 10(5–6), 432–441. <https://doi.org/10.1159/000487756>
- Kovach, M. A., & Standiford, T. J. (2012). The function of neutrophils in sepsis. *Current Opinion in Infectious Diseases*, 25(3), 321–327. <https://doi.org/10.1097/QCO.0b013e3283528c9b>
- Levi, M., & Poll, T. Van Der. (2011). Coagulation in Patients with Severe Sepsis. *International Journal of Cardiology*, 148(3), 276–279.

<https://doi.org/10.1055/s-0034-1398376>

- Levi, M., & van der Poll, T. (2017). Coagulation and sepsis. *Thrombosis Research*, 149, 38–44. <https://doi.org/10.1016/j.thromres.2016.11.007>
- Limmathurotsakul, D. (2017). Causes and outcomes of sepsis in southeast Asia: a multinational multicentre cross-sectional study. *The Lancet Global Health*, 5(2), e157–e167. [https://doi.org/10.1016/S2214-109X\(17\)30007-4](https://doi.org/10.1016/S2214-109X(17)30007-4)
- Liu, L., & Sun, B. (2019). Neutrophil pyroptosis: new perspectives on sepsis. *Cellular and Molecular Life Sciences*, 0123456789. <https://doi.org/10.1007/s00018-019-03060-1>
- Liu, X., Shen, Y., Wang, H., Ge, Q., Fei, A., & Pan, S. (2016). Prognostic Significance of Neutrophil-to-Lymphocyte Ratio in Patients with Sepsis: A Prospective Observational Study. *Mediators of Inflammation*, 2016. <https://doi.org/10.1155/2016/8191254>
- Liu, Y., Zheng, J., Zhang, D., & Jing, L. (2019). Neutrophil-lymphocyte ratio and plasma lactate predict 28-day mortality in patients with sepsis. *Journal of Clinical Laboratory Analysis*, 33(7), 1–6. <https://doi.org/10.1002/jcla.22942>
- Luan, Y. Y., Dong, N., Xie, M., Xiao, X. Z., & Yao, Y. M. (2014). The significance and regulatory mechanisms of innate immune cells in the development of sepsis. *Journal of Interferon and Cytokine Research*, 34(1), 2–15. <https://doi.org/10.1089/jir.2013.0042>
- Luan, Y. Y., Yao, Y. M., Xiao, X. Z., & Sheng, Z. Y. (2015). Insights into the apoptotic death of immune cells in sepsis. *Journal of Interferon and Cytokine Research*, 35(1), 17–22. <https://doi.org/10.1089/jir.2014.0069>
- Luan, Y. Y., Yin, C. F., Qin, Q. H., Dong, N., Zhu, X. M., Sheng, Z. Y., Zhang, Q. H., & Yao, Y. M. (2015). Effect of regulatory T cells on promoting apoptosis of t lymphocyte and its regulatory mechanism in sepsis. *Journal of Interferon and Cytokine Research*, 35(12), 969–980. <https://doi.org/10.1089/jir.2014.0235>
- Ma, Y., Zhou, Y., Wu, F., Ji, W., Zhang, J., & Wang, X. (2019). The Bidirectional Interactions between Inflammation and Coagulation in Fracture Hematoma. *Tissue Engineering - Part B: Reviews*, 25(1), 46–54. <https://doi.org/10.1089/ten.teb.2018.0157>
- Marik, P. E. (2014). Early management of severe sepsis: Concepts and controversies. *Chest*, 145(6), 1407–1418. <https://doi.org/10.1378/chest.13-2104>
- Marik, P. E., & Taeb, A. M. (2017). SIRS, qSOFA and new sepsis definition.

*Journal of Thoracic Disease*, 9(4), 943–945.  
<https://doi.org/10.21037/jtd.2017.03.125>

- Marshall, J. S., Warrington, R., Watson, W., & Kim, H. L. (2018). An introduction to immunology and immunopathology. *Allergy, Asthma and Clinical Immunology*, 14(s2), 1–10. <https://doi.org/10.1186/s13223-018-0278-1>
- Martins, E. C., Da Fe Silveira, L., Viegas, K., Beck, A. D., Júnior, G. F., Cremonese, R. V., & Lora, P. S. (2019). Neutrophil-lymphocyte ratio in the early diagnosis of sepsis in an intensive care unit: A case-control study. *Revista Brasileira de Terapia Intensiva*, 31(1), 63–70. <https://doi.org/10.5935/0103-507X.20190010>
- Merle, N. S., Noe, R., Halbwachs-Mecarelli, L., Fremeaux-Bacchi, V., & Roumenina, L. T. (2015). Complement system part II: Role in immunity. *Frontiers in Immunology*, 6(MAY), 1–26. <https://doi.org/10.3389/fimmu.2015.00257>
- Monserrat, J., de Pablo, R., Diaz-Martín, D., Rodríguez-Zapata, M., de la Hera, A., Prieto, A., & Alvarez-Mon, M. (2013). Early alterations of B cells in patients with septic shock. *Critical Care*, 17(3), R105. <https://doi.org/10.1186/cc12750>
- Monserrat, J., de Pablo, R., Reyes, E., Díaz, D., Barcenilla, H., Zapata, M. R., De la Hera, A., Prieto, A., & Álvarez-Mon, M. (2009). Clinical relevance of the severe abnormalities of the T cell compartment in septic shock patients. *Critical Care*, 13(1), 1–8. <https://doi.org/10.1186/cc7731>
- Mustafić, S., Brkić, S., Prnjavorac, B., Sinanović, A., Porobić-Jahić, H., & Salkić, S. (2018). Diagnostic and prognostic value of procalcitonin in patients with sepsis. *Medicinski Glasnik*, 15(2), 93–100. <https://doi.org/10.17392/963-18>
- Ni, J., Wang, H., Li, Y., Shu, Y., & Liu, Y. (2019). Neutrophil to lymphocyte ratio (NLR) as a prognostic marker for in-hospital mortality of patients with sepsis: A secondary analysis based on a single-center, retrospective, cohort study. *Medicine*, 98(46), e18029. <https://doi.org/10.1097/MD.00000000000018029>
- Novosad, S. A., Sapiano, M. R. P., Grigg, C., Lake, J., Robyn, M., Dumyati, G., Felsen, C., Blog, D., Dufort, E., Zansky, S., Wiedeman, K., Avery, L., Dantes, R. B., Jernigan, J. A., Magill, S. S., Fiore, A., & Epstein, L. (2016). Vital signs: Epidemiology of sepsis: Prevalence of health care factors and opportunities for prevention. *Morbidity and Mortality Weekly Report*, 65(33), 864–869. <https://doi.org/10.15585/mmwr.mm6533e1>
- Oh, S.-Y., Cho, S., Lee, H., Chang, E. J., Min, S. H., & Ryu, H. G. (2015). Sepsis in Patients Receiving Immunosuppressive Drugs in Korea: Analysis of the National Insurance Database from 2009 to 2013. *The Korean Journal of*

*Critical Care Medicine*, 30(4), 249–257.  
<https://doi.org/10.4266/kjccm.2015.30.4.249>

Opal, S. M., & van der Poll, T. (2015). Endothelial barrier dysfunction in septic shock. *Journal of Internal Medicine*, 277(3), 277–293.  
<https://doi.org/10.1111/joim.12331>

Pantzaris, N.-D., Platanaki, C., Pierrako, C., Karamouzos, V., & Velissaris, D. (2018). Neutrophil-to-lymphocyte ratio relation to sepsis severity scores and inflammatory biomarkers in patients with community-acquired pneumonia: A case series. *Journal of Translational Internal Medicine*, 6(1), 43–46.  
<https://doi.org/10.2478/jtim-2018-0009>

Rello, J., Valenzuela-Sánchez, F., Ruiz-Rodriguez, M., & Moyano, S. (2017). Sepsis: A Review of Advances in Management. *Advances in Therapy*, 34(11), 2393–2411. <https://doi.org/10.1007/s12325-017-0622-8>

Riché, F., Gayat, E., Barthélémy, R., Le Dorze, M., Matéo, J., & Payen, D. (2015). Reversal of neutrophil-to-lymphocyte count ratio in early versus late death from septic shock. *Critical Care*, 19(1), 1–10. <https://doi.org/10.1186/s13054-015-1144-x>

Rimmelé, T., Payen, D., Cantaluppi, V., Marshall, J., Gomez, H., Gomez, A., Murray, P., Kellum, J. A., & Author, C. (2016). Immune cell phenotype and function in sepsis On behalf of the ADQI XIV Workgroup HHS Public Access. *Shock*, 45(3), 282–291. <https://doi.org/10.1097/SHK.0000000000000495>

Rodríguez, F., Barrera, L., De La Rosa, G., Dennis, R., Dueñas, C., Granados, M., Londoño, D., Molina, F., Ortiz, G., & Jaimes, F. (2011). The epidemiology of sepsis in Colombia: A prospective multicenter cohort study in ten university hospitals. *Critical Care Medicine*, 39(7), 1675–1682.  
<https://doi.org/10.1097/CCM.0b013e318218a35e>

Seymour, C. W., Liu, V. X., Iwashyna, T. J., Brunkhorst, F. M., Rea, T. D., Scherag, A., Rubenfeld, G., Kahn, J. M., Shankar-Hari, M., Singer, M., Deutschman, C. S., Escobar, G. J., & Angus, D. C. (2016). Assessment of clinical criteria for sepsis for the third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA - Journal of the American Medical Association*, 315(8), 762–774. <https://doi.org/10.1001/jama.2016.0288>

Shankar-Hari, M., Phillips, G. S., Levy, M. L., Seymour, C. W., Liu, V. X., Deutschman, C. S., Angus, D. C., Rubenfeld, G. D., & Singer, M. (2016). Developing a new definition and assessing new clinical criteria for Septic shock: For the third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA - Journal of the American Medical Association*, 315(8), 775–787. <https://doi.org/10.1001/jama.2016.0289>

- Shen, X. F., Cao, K., Jiang, J. P., Guan, W. X., & Du, J. F. (2017). Neutrophil dysregulation during sepsis: an overview and update. *Journal of Cellular and Molecular Medicine*, 21(9), 1687–1697. <https://doi.org/10.1111/jcmm.13112>
- Sheth, M., Benedum, C. M., Celi, L. A., Mark, R. G., & Markuzon, N. (2019). The association between autoimmune disease and 30-day mortality among sepsis ICU patients: A cohort study. *Critical Care*, 23(1), 1–11. <https://doi.org/10.1186/s13054-019-2357-1>
- Silva, J. M., & Santos, S. D. S. (2013). Sepsis in AIDS patients: clinical, etiological and inflammatory characteristics. *Journal of the International AIDS Society*, 16(17344).
- Singer, M., Deutschman, C. S., Seymour, C. W., Shankar-Hari, M., Annane, D., Bauer, M., Bellomo, R., Bernard, G. R., Chiche, J., Coopersmith, C. M., Hotchkiss, R. S., Levy, M. M., Marshall, J. C., Martin, G. S., Opal, S. M., Rubinfeld, G. D., Der, T. Van, Vincent, J., & Angus, D. C. (2016). The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *Jama*, 315(8), 801–810. <https://doi.org/10.1001/jama.2016.0287>.The
- Sônego, F., Castanheira, F. V. e. S., Ferreira, R. G., Kanashiro, A., Leite, C. A. V. G., Nascimento, D. C., Colón, D. F., Borges, V. de F., Alves-Filho, J. C., & Cunha, F. Q. (2016). Paradoxical roles of the neutrophil in sepsis: Protective and deleterious. *Frontiers in Immunology*, 7(APR), 1–7. <https://doi.org/10.3389/fimmu.2016.00155>
- Taeb, A. M., Hooper, M. H., & Marik, P. E. (2017). Sepsis: Current definition, pathophysiology, diagnosis, and management. *Nutrition in Clinical Practice*, 32(3), 296–308. <https://doi.org/10.1177/0884533617695243>
- Teng, T. S., Ji, A. L., Ji, X. Y., & Li, Y. Z. (2017). Neutrophils and immunity: From bactericidal action to being conquered. *Journal of Immunology Research*, 2017. <https://doi.org/10.1155/2017/9671604>
- Tressel, S. L., Kaneider, N. C., Kasuda, S., Foley, C., Koukos, G., Austin, K., Agarwal, A., Covic, L., Opal, S. M., & Kuliopulos, A. (2011). A matrix metalloprotease-PAR1 system regulates vascular integrity, systemic inflammation and death in sepsis. *EMBO Molecular Medicine*, 3(7), 370–384. <https://doi.org/10.1002/emmm.201100145>
- Van Der Poll, T., Van De Veerdonk, F. L., Scicluna, B. P., & Netea, M. G. (2017). The immunopathology of sepsis and potential therapeutic targets. *Nature Reviews Immunology*, 17(7), 407–420. <https://doi.org/10.1038/nri.2017.36>
- van Engelen, T. S. R., Wiersinga, W. J., Scicluna, B. P., & van der Poll, T. (2018). Biomarkers in Sepsis. *Critical Care Clinics*, 34(1), 139–152.

<https://doi.org/10.1016/j.ccc.2017.08.010>

- Venet, F., Davin, F., Guignant, C., Larue, A., Cazalis, M. A., Darbon, R., Allombert, C., Mougin, B., Malcus, C., Poitevin-Later, F., Lepape, A., & Monneret, G. (2010). Early assessment of leukocyte alterations at diagnosis of septic shock. *Shock*, 34(4), 358–363. <https://doi.org/10.1097/SHK.0b013e3181dc0977>
- Venet, F., & Monneret, G. (2018). Advances in the understanding and treatment of sepsis-induced immunosuppression. *Nature Reviews Nephrology*, 14(2), 121–137. <https://doi.org/10.1038/nrneph.2017.165>
- Verdonk, F., Blet, A., & Mebazaa, A. (2017). The new sepsis definition: Limitations and contribution to research and diagnosis of sepsis. *Current Opinion in Anaesthesiology*, 30(2), 200–204. <https://doi.org/10.1097/ACO.0000000000000446>
- Vincent, J. L., Moreno, R., Takala, J., Willatts, S., De Mendonça, A., Bruining, H., Reinhart, C. K., Suter, P. M., & Thijs, L. G. (1996). The SOFA (Sepsis-related Organ Failure Assessment) score to describe organ dysfunction/failure. On behalf of the Working Group on Sepsis-Related Problems of the European Society of Intensive Care Medicine. *Intensive Care Medicine*, 22(7), 707–710. <http://www.ncbi.nlm.nih.gov/pubmed/8844239>
- Wang, H. E., Shapiro, N. I., Griffin, R., Safford, M. M., Judd, S., & Howard, G. (2012). Chronic Medical Conditions and Risk of Sepsis. *PLoS ONE*, 7(10), 1–7. <https://doi.org/10.1371/journal.pone.0048307>
- Westerdijk, K., Simons, K. S., Zegers, M., Wever, P. C., Pickkers, P., & de Jager, C. P. C. (2019). The value of the neutrophil-lymphocyte count ratio in the diagnosis of sepsis in patients admitted to the Intensive Care Unit: A retrospective cohort study. *PLoS ONE*, 14(2), 1–13. <https://doi.org/10.1371/journal.pone.0212861>
- Williams, M. D., Braun, L. A., Cooper, L. M., Johnston, J., Weiss, R. V., Qualy, R. L., & Linde-Zwirble, W. (2004). Hospitalized cancer patients with severe sepsis: analysis of incidence, mortality, and associated costs of care. *Critical Care (London, England)*, 8(5). <https://doi.org/10.1186/cc2893>
- Yildiz, H. (2019). The relationship between neutrophil lymphocyte ratio and 28-day mortality in intensive care patients. *Progress in Nutrition*, 21(3), 566–569. <https://doi.org/10.23751/pn.v21i3.8720>
- Zhuang, Y., Peng, H., Chen, Y., Zhou, S., & Chen, Y. (2017). Dynamic monitoring of monocyte HLA-DR expression for the diagnosis, prognosis, and prediction of sepsis. *Frontiers in Bioscience - Landmark*, 22(8), 1344–1354.



**Rasio Neutrofil - Limfosit pada Hari Keempat sebagai Faktor Prediktor Kematian Pasien Sepsis di RSUP Dr. Sardjito**  
YOSAFAT BUDIHARJO SANTOSO SIMANUNGKALIT, dr. Rizka Humardewayanti Asdie, Sp.PD-KPTI , dr. Deshinta  
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<https://doi.org/10.2741/4547>