

## DAFTAR PUSTAKA

- Ayca B., Akin F., Celik O., Yuksel Y., Ozturk D., Tekiner F., *et al.* (2014). Platelet to lymphocyte ratio as a prognostic marker in primary percutaneous coronary intervention. *Platelets, Early Online*: 1-7.
- Budzianowski J., Pieszko K., Burchardt P., Rzeźniczak J., Hiczkiewicz J. (2017). The Role of Hematological Indices in Patients with Acute Coronary Syndrome. *Disease Markers*, 2017: 1-9.
- Cenko E., Yoon J.S., Kedev S., Stankovic G., Vasiljevic Z., Krljanac G., *et al.* (2018). Sex Differences in Outcomes After STEMI: Effect Modification by Treatment Strategy and Age. *JAMA Internal Medicine*, 178(5): 632-639.
- Cho K.I., Ann S.H., Singh G.B., Her A.Y., Shin E.S. (2015). Combined Usefulness of the Platelet-to-Lymphocyte Ratio and the Neutrophil-to-Lymphocyte Ratio in Predicting the Long-Term Adverse Events in Patients Who Have Undergone Percutaneous Coronary Intervention with a Drug-Eluting Stent. *Public Library of Science One*, 10(7).
- Choudhury T., West N.E.J., Omar M.E. (2016). ST elevation myocardial infarction. *CME Cardiology*, 16(3): 277-82.
- Dong G., Huang A,m Liu L. (2020). Platelet-to-lymphocyte ratio and prognosis in STEMI: A meta-analysis. *European Journal of Clinical Investigation*.
- Dubey G., Verma S.K., Bahl V.K. (2017). Primary percutaneous coronary intervention for acute ST elevation myocardial infarction: Outcomes and determinants of outcomes: A tertiary care center study from North India. *Indian Heart Journal*, 69(3): 294-298.
- Fischbach F.T., Dunning M.B. (2015). *A Manual of Laboratory and Diagnostic Tests 9<sup>th</sup> ed.* Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins.
- Gayatri N.I., Firmansyah S., Hidayat S., Rudiktyo E. (2016). Prediktor Mortalitas Dalam-Rumah-Sakit Pasien Infark Miokard *ST Elevation* (STEMI) Akut di RSUD dr. Dradjat Prawiranegara Serang, Indonesia. *Cermin Dunia Kedokteran*, 43: 171-174.
- Gibson P.H., Cuthbertson B.H., Croal B.L. Rae D., El-Shafei H., Gibson G., *et al.* (2010). Usefulness of neutrophil/lymphocyte ratio as predictor of new-onset atrial fibrillation after coronary artery bypass grafting. *American Journal of Cardiology*, 105: 186-91.
- Ibanez B., James S., Agewall S., Antunes M.J., Ducci C.B., Bueno H., *et al.* (2018). 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *European Heart Journal*, 39: 119-177.
- Issa Z., Miller J. (2012). *Clinical Arrhythmology and Electrophysiology: A Companion to Braunwald's Heart Disease (Second Edition)*. Philadelphia: Elsevier Saunders.
- Kip K.E., Hollabaugh K., Marroquin O.C., Williams D.O. (2008). The Problem With Composite End Points in Cardiovascular Studies. *Journal of the American College of Cardiology*, 51(7): 701-707.

- Li X.T., Fang H., Li D., Xu F.Q., Yang B., Zhang R., *et al.* (2020). Association of platelet to lymphocyte ratio with in-hospital major adverse cardiovascular events and the severity of coronary artery disease assessed by the Gensini score in patients with acute myocardial infarction. *Chinese Medical Journal*, 133(4).
- Lilly, L.S. ed. (2016). *Pathophysiology of Heart Disease*. Philadelphia: Wolters Kluwer.
- Ludhwani D., Goyal A., Jagtap M. (2019). *Ventricular Fibrillation*. Treasure Island: StatPearls.
- Maimaiti A., Li Y., Wang Y.T., Yang X., Li X.M., Yang Y.N., *et al.* (2019). Association of platelet-to-lymphocyte count ratio with myocardial reperfusion and major adverse events in patients with acute myocardial infarction: a two-centre retrospective cohort study. *British medical journal*, 9.
- Martin D. & New York Heart Association Criteria Committee. (1994). *Nomenclature and criteria for diagnosis of diseases of the heart and great vessels / the Criteria Committee of the New York Heart Association*. Boston: Little, Brown.
- Meloni L., Marchetti M.F., Cacace C., Congia M., Scotto R., Caddeo P., Montisci R. (2018). Prognosis and first diagnostic ECG in STEMI patients referred to the emergency medical system for primary PCI. *Journal of Electrocardiology*, 51(6): 1131-1134.
- Núñez J., Miñana G., Bodi V., Núñez E., Sanchis J., Husser O., Llacer A. (2011). Low Lymphocyte Count and Cardiovascular Diseases. *Current Medicinal Chemistry*, 18(21): 3226-3233.
- Núñez J., Núñez E., Bodi V., Sanchis J., Mainar L., Miñana G., *et al.* (2010). Low lymphocyte count in acute phase of ST-segment elevation myocardial infarction predicts long-term recurrent myocardial infarction. *Coronary Artery Disease*, 21(1): 1-7.
- O’Gara P.T., Kushner F.G., Ascheim D.D., Casey D.E., Chung M.K., Lemos J.A., *et al.* (2013). 2013 ACCF/AHA Guideline for the Management of ST-Elevation Myocardial Infarction. *Journal of the American College of Cardiology*, 61(4): 78-140.
- Osadnik T., Wasilewski J., Lekston A., Strzelczyk J., Kurek A., Gonera M., *et al.* (2015). The Platelet-to-Lymphocyte Ratio as a Predictor of All-Cause Mortality in Patients with Coronary Artery Disease Undergoing Elective Percutaneous Coronary Intervention and Stent Implantation. *Journal of the Saudi Heart Association*, 27: 144-151.
- Ozcan C.E.H., Cetin M.S., Aras D., Topaloglu S., Temizhan A., Kisacik H.L., *et al.* (2016). Platelet to lymphocyte ratio as a prognostic marker of in-Hospital and longterm major adverse cardiovascular events in ST-segment elevation myocardial infarction. *Angiology*, 67:336–45.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia. (2018). *Pedoman Tata Laksana Sindrom Koroner Akut*. Jakarta: PP PERKI.

- Reinstadler S.J., Stiermaier T., Reindl M., Feistritzer H.J., Fuernau G., Eitel C., *et al.* (2019). Intramyocardial haemorrhage and prognosis after ST-elevation myocardial infarction. *European Heart Journal*, 20: 138-146.
- Shi A., Tao Z., Wei P., Zhao J. (2016). Epidemiological aspects of heart diseases (Review). *Experimental and Therapeutic Medicine*, 12: 1645-1650.
- Sun X.P., Li J., Zhu W.W., Li D.B., Chen H., Li H.W., *et al.* (2016). Impact of Platelet-to-Lymphocyte Ratio on Clinical Outcomes in Patients With ST-Segment Elevation Myocardial Infarction. *Angiology*, 68(4): 346–353.
- Temiz A., Gazi E., Gungor O., Barutcu A., Altun B., Bekler A., *et al.* (2014). Platelet/lymphocyte ratio and risk of in-hospital mortality in patients with ST-elevated myocardial infarction. *Medical science monitor : international medical journal of experimental and clinical research*, 20:660-665.
- Toprak C., Tabakci M.M., Simsek Z., Arslantas U., Durmus H.I., Ocal L., *et al.* (2015). Platelet/lymphocyte ratio was associated with impaired myocardial perfusion and both in-hospital and long-term adverse outcome in patients with ST-segment elevation acute myocardial infarction undergoing primary coronary intervention. *Postępy W Kardiologii Interwencyjnej*, 11(4): 288-297.
- Tsiara S., Elisaf M., Jagroop I.A., Mikhailidis D.P. (2003). Platelets as predictor of vascular risk: is there a practical index of platelet activity? *Clinical and Applied Thrombosis/Hemostasis*, 9:177-190.
- Tubaro M., Vranckx P., Price S., Vrints C. (2018). *The ESC Textbook of Intensive and Acute Cardiovascular Care (2 ed.)*. Oxford University Press.
- Tumade B., Jim E.L., Joseph V.F.F. (2016). Prevalensi Sindrom Koroner Akut di RSUP Prof. Dr. R. D. Kandou Manado Periode 1 Januari 2014 – 31 Desember 2014. *Jurnal e-Clinic*, 4(1): 223-230
- Ugur M., Gul M., Bozbay M., Cicek G., Uyarel H., Koroglu B., *et al.* (2014). The relationship between platelet to lymphocyte ratio and the clinical outcomes in ST elevation myocardial infarction underwent primary coronary intervention. *Blood Coagulation and Fibrinolysis*, 25: 806-811.
- Vahdatpour C., Collins D., Goldberg S. (2019). Cardiogenic Shock. *Journal of the American Heart Association*, 8: 1-12.
- Wang X.D., Xie Z.L., Liu X.X., Huang X.T., Lin J.L., Huang D., *et al.* (2017). Association of Platelet to lymphocyte ratio with non-culprit atherosclerotic plaque vulnerability in patients with acute coronary syndrome: an optical coherence tomography study. *BMC Cardiovascular Disorders*, 17: 175.