

REFERENCES

- Abate, K. H. (2013). Gender Disparity in Prevalence of Depression Among Patient Population: A Systematic Review. *Ethiopian Journal of Health Science*, 23(3), 283-288. doi:10.4314/ejhs.v23i3.11
- Albert, P. R. (2015). Why is depression more prevalent in women?. *Journal of Psychiatry Neuroscience*, 40(4), 219-221. doi:10.1503/jpn.150205
- American Psychiatric Association. (2020). *What Are Sleep Disorders?*. Psychiatry. <https://www.psychiatry.org/patients-families/sleep-disorders/what-are-sleep-disorders>
- Asante, K. O., & Andoh-Arthur, J. (2015). Prevalence and determinants of depressive symptoms among university students in Ghana, *Journal of Affective Disorders*, 171, 161-166. doi:10.1016/j.jad.2014.09.025
- Azwar, S. (2015). *Dasar-dasar Psikometri*. Yogyakarta: Pustaka Pelajar.
- Baron, E. C., Davies, T., & Lund, C. (2017). Validation of the 10-item Centre for Epidemiological Studies Depression Scale (CES-D-10) in Zulu, Xhosa and Afrikaans populations in South Africa. *BMC Psychiatry*, 17(1). doi:10.1186/s12888-016-1178-x.
- Beck, A. T. (1967). *Depression: Clinical, experimental, and theoretical aspects*. New York: Harper and Row.
- Bei, B., Wiley, J. F., Allen, N. B., & Trinder, J. (2015). A Cognitive Vulnerability Model of Sleep and Mood in Adolescents under Naturalistically Restricted and Extended Sleep Opportunities. *Sleep*, 38(3), 453-461. doi:10.5665/sleep.4508
- Bembnowska, M., & Joško-Ochojska, J. (2015). What causes depression in adults?. *Polish Journal of Public Health*, 125(2). doi:10.1515/pjph-2015-0037
- Berhanu, H., Mossie, A., Tadesse, S., & Geleta, D. (2018). Prevalence and Associated Factors of Sleep Quality among Adults in Jimma Town, Southwest Ethiopia: A Community-Based Cross-Sectional Study. *Hindawi*. Retrieved from <https://doi.org/10.1155/2018/8342328>
- Bhowmik, D., Kumar, K. P. S., Srivastava, S., Paswan, S., & Dutta, A. S. (2012). Depression - Symptoms, Causes, Medications and Therapies. *The Pharma Journal*, 1(3). Retrieved from https://www.researchgate.net/publication/284651508_Depression-symptoms_causes_medications_and_therapies
- Buysse, D. J. et al. (2010). Development and Validation of Patient-Reported Outcome Measures for Sleep Disturbance and Sleep-Related Impairments. *Sleep*, 33(6), 781-792. Retrieved from <https://doi.org/10.1093/sleep/33.6.781>
- Christiani, Y., Byles, J., Tavener, M., & Dugdale, P. (2015). Socioeconomic related inequality in depression among young and middle-adult women in Indonesia's major cities. *Journal of Affective Disorders*, 182, 76-81. doi:10.1016/j.jad.2015.04.042
- Danielsson, N. S., Harvey, A. G., MacDonald, S., Jansson-Fro"jmark, M., & Linton, S. J. (2012). Sleep Disturbance and Depressive Symptoms in Adolescence: The Role of Catastrophic Worry. *Journal of Youth and Adolescence*. doi:10.1007/s10964-012-9811-6
- Fang, H., Tu, S., Sheng, J., & Shao, A. (2019). Depression in sleep disturbance: A review on a bidirectional relationship, mechanisms and treatment. *Journal of Cellular and Molecular Medicine*, 23(4), 2324-2332. doi:10.1111/jcmm.14170



- Farhud, D. D. (2015). Impact of Lifestyle on Health. *Iranian Journal of Public Health*, 44(11), 1442-1444. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4703222/>
- Fauziyyah, A., & Ampuni, S. (2018). Depression Tendencies, Social Skills, and Loneliness among College Students in Yogyakarta. *Jurnal Psikologi*, 45(2), 98-106. doi:10.22146/jpsi.36324
- Fekadu, N., Shibeshi, W., & Engidawork, E. (2017). Major Depressive Disorder: Pathophysiology and Clinical Management. *Journal of Depression and Anxiety*, 6(1). doi:10.4172/2167-1044.1000255
- Frange, C. et al. (2017). Women's Sleep Disorders: Integrative Care. *Sleep Science*, 10(4), 174-180. DOI 10.5935/1984-0063.20170030
- Full, K. M., Malhotra, A., Crist, K., Moran, K., & Kerr, J. (2019). Assessing Psychometric Properties of the PROMIS Sleep Disturbance Scale in Older Adults in Independent-Living and Continuing Care Retirement Communities. *Sleep Health*, 5(1), 18-22. doi:10.1016/j.sleh.2018.09.003
- González, P. et al. (2018). Measurement Properties of the Center for Epidemiologic Studies Depression Scale (CES-D 10): Findings from HCHS/SOL. *Psychological Assessment*, 29(4), 372-381. doi:10.1037/pas0000330
- Haroz, E. E., Ybarra, M., & Eaton, W. W. (2015). Psychometric evaluation of a self-report scale to measure adolescent depression: the CESDR-10 in two national adolescent samples in the United States. *Journal Affect Disorders*, 158, 154-160. doi:10.1016/j.jad.2014.02.009
- Heiman, T., & Olenik-Shemesh, D. (2019). Perceived Body Appearance and Eating Habits: The Voice of Young and Adult Students Attending Higher Education. *International Journal of Environmental Research and Public Health*, 16(3). doi:10.3390/ijerph16030451
- Huang, Q., Liu, H., Suzuki, K., Ma, S., & Liu, C. (2019). Linking What We Eat to Our Mood: A Review of Diet, Dietary Antioxidants, and Depression. *Antioxidants*, 8(9). doi:10.3390/antiox8090376
- Hudson, A. N., Van Dongen, H. P., & Honn, K. A. (2020). Sleep deprivation, vigilant attention, and brain function: a review. *Neuropsychopharmacology*. 45(1), 21-30.
- Isaac, F., & Greenwood, K. M. (2011). The relationship between insomnia and depressive symptoms: genuine or artifact?. *Neuropsychiatric Disease and Treatment*, 7, 57-63. doi:10.2147/NDT.S16267
- Jensen, R. E. et al. (2016). Measurement properties of PROMIS Sleep Disturbance short forms in a large, ethnically diverse cancer cohort. *Psychological Test and Assessment Modeling*, 58, 353-370.
- Kabir, A., Miah, S., & Islam, A. (2018). Factors influencing eating behavior and dietary intake among resident students in a public university in Bangladesh: A qualitative study. *PLoS One*, 13(6). doi:10.1371/journal.pone.0198801
- Kadir. (2018, March 9). Mengenal Penyebab Munculnya Masalah Heteroskedastisitas pada Model Regresi. Retrieved from <http://blognyakadir.blogspot.com/2018/03/mengenal-penyebab-munculnya-masalah.html#:~:text=%E2%80%8CTransformasi%20data%20dan%20fungsional%20form,linear%20ketimbang%20log%2Dlinear%20model.>
- Kaur, P., Stoltzfus, J., & Yellapu, V. (2018). Descriptive Statistics. *IJAM - International Journal of Academic Medicine*, 4(1), 60-63. doi:10.4103/IJAM.IJAM_7_18

- Kementerian Kesehatan RI Badan Penelitian dan Pengembangan Kesehatan. (2019). *Laporan Nasional Riskesdas 2018*. Retrieved from http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf
- Leggett, A., Burgard, S., & Zivin, K. (2016). The Impact of Sleep Disturbance on the Association Between Stressful Life Events and Depressive Symptoms. *The Journals of Gerontology*, 71(1), 118-128. Retrieved from <https://doi.org/10.1093/geronb/gbv072>
- Liu, C. et al. (2007). Perceived stress, depression and food consumption frequency in the college students of China seven cities. *Physiology & Behavior*, 92(4), 748-754. doi:10.1016/j.physbeh.2007.05.068
- McCrary, M. A., & Campbell, W. W. (2011). Effects of Eating Frequency, Snacking, and Breakfast Skipping on Energy Regulation: Symposium Overview. *The Journal of Nutrition*, 141(1), 144-147. Retrieved from <https://doi.org/10.3945/jn.109.114918>
- McLeod, S. A. (2018, May 03). *Erik erikson's stages of psychosocial development*. *Simply Psychology*. Retrieved from <https://www.simplypsychology.org/Erik-Erikson.html>
- McPhillips, D. (2016, September 14). *U.S. Among Most Depressed Countries*. Retrieved from <https://www.usnews.com/news/best-countries/articles/2016-09-14/the-10-most-depressed-countries>
- Mikolajczyk, R. T., Ansari, W. E., & Maxwell, A. E. (2009). Food consumption frequency and perceived stress and depressive symptoms among students in three European countries. *Nutrition Journal*, 8(31). Retrieved from <https://doi.org/10.1186/1475-2891-8-31>
- Nyer, M. et al. (2013). Relationship Between Sleep Disturbance and Depression, Anxiety, and Functioning in College. *Depression and Anxiety*, 30(9), 873-880. doi:10.1002/da.22064
- O'shea, L. (2020). Diet Culture and Instagram: A Feminist Exploration of Perceptions and Experiences Among Young Women in the Midwest of Ireland. *Dearcadh: Graduate Journal of Gender*, 1. doi:10.13025/64p6-3p21
- Peltzer, K., & Pengpid, S. (2018). High prevalence of depressive symptoms in a national sample of adults in Indonesia: Childhood adversity, sociodemographic factors and health risk behaviour. *Asian Journal of Psychiatry*, 33, 52-59. doi:10.1016/j.ajp.2018.03.017
- PROMIS. (2020). PROMIS - Sleep Disturbance Manual. Retrieved from http://www.healthmeasures.net/images/promis/manuals/PROMIS_Sleep_Disturbance_Scoring_Manual.pdf
- Pulse TMS. (n.d.). *Depression Rates From Around The World*. Retrieved from <https://pulsetms.com/resources/around-world/>
- Raditya, W. E. (2012). Depresi dan Gangguan Tidur. e-Jurnal Medika Udayana, 1(1). Retrieved from <https://ojs.unud.ac.id/index.php/eum/article/view/4267>
- Radloff, L. S. (1977). The CES-D Scale: A Self-Report Depression Scale for Research in the General Population. *Applied Psychological Measurement*, 1, 385-401. doi:10.1177/014662167700100306
- Rahe, C., Unrath, M., & Berger, K. (2014). Dietary patterns and the risk of depression in adults: a systematic review of observational studies. *European Journal of Nutrition*, 53, 997-1013. Retrieved from <https://doi.org/10.1007/s00394-014-0652-9>



- Ryba, M. M., & Hopko, D. R. (2012). Gender Differences in Depression: Assessing Mediational Effects of Overt Behaviors and Environmental Reward through Daily Diary Monitoring. *Hindawi*. Retrieved from <https://doi.org/10.1155/2012/865679>
- Scales, P. C., Benson, P. L., Oesterle, S., Hill, K. G., Hawkins, J. D., & Pashak, T. J. (2016) The dimensions of successful young adult development: A conceptual and measurement framework. *Applied Development Science*, 20(3). 150-174. doi:10.1080/10888691.2015.1082429
- Stickley, A., Leinsalu, M., DeVlyder, J. E., Inoue, Y., & Koyanagi, A. (2019). Sleep problems and depression among 237 023 community-dwelling adults in 46 low- and middle-income countries. *scientific reports*, 9 (12011). Retrieved from <https://doi.org/10.1038/s41598-019-48334-7>
- Tinungki, G. M. (2018). The Application Law of Large Numbers That Predicts The Amount of Actual Loss in Insurance of Life. *Journal of Physics Conference Series*, 979(1). doi:10.1088/1742-6596/979/1/012088
- Widyaningrum, N., & Yu, J. (2018). Tobacco Use Among the Adult Muslim Population in Indonesia: A Preliminary Study on Religion, Cultural, and Socioeconomic Factors. *Journal of Drug Issues*. Retrieved from <https://doi.org/10.1177/0022042618789491>
- World Health Organization. (2017). *Depression and Other Common Mental Disorders: Global Health Estimates*. Retrieved from <https://apps.who.int/iris/bitstream/handle/10665/254610/WHO-MSD-MER-2017.2-eng.pdf>;
- Xu, Y., Qi, J., Yang, Y., & Wen, X. (2016). The contribution of lifestyle factors to depressive symptoms: A cross-sectional study in Chinese College students. *Psychiatry Research*, 245, 243-249. doi:10.1016/j.psychres.2016.03.009
- Yilmaz, D., Tanrikulu, F., & Dikmen, Y. (2017). Research on Sleep Quality and the Factors Affecting the Sleep Quality of the Nursing Students. *Current Health Sciences Journal*, 43(1), 20-24. doi:10.12865/CHSJ.43.01.03
- Zhu, Z. et al. (2019). Frequency of breakfast consumption is inversely associated with the risk of depressive symptoms among Chinese university students: A cross-sectional study. *PLoS One*, 14(8). doi:10.1371/journal.pone.0222014