



DAFTAR PUSTAKA

- Abhari, R., and Havlik, P., 2011, *United States of America, Patent No. 8026401.*
- Albayanti, T.M., and Doyle, A.M., 2014, SBA-15 Supported Bimetallic Catalysts for Enhancement Isomers Production During N-Heptane Decomposition, *int. J. Chem. React. Eng.*, 12(1), 345-354.
- Amiruddin, 2002, Preparasi dan Karakterisasi Katalis Logam Ni, Mo, Cr dan Modifikasinya Menggunakan Pengembangan γ -Al₂O₃ untuk Hidrorengkah Fraksi Aspalten dari Aspal Buton, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Anonim, 2019, *Laporan Badan Pusat Statistik Tahun 2018*, Badan Pusat Statistik Indonesia, Jakarta.
- Arwiyansyah, D., 2010, Preparasi CMWM-41, H-CMWM-41 dan Ni/CMWM-41 untuk Perengkahan Minyak Jagung menjadi Fraksi Biogasolin, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Augustine, R.L., 1996, *Heterogeneous Catalysis for the Synthetic Chemist*, Marcel Dekker Inc., New York.
- Ayanoğlu, A., and Yumrutas, R., 2016, Production of gasoline and diesel like fuels from waste tire oil by using catalytic pyrolysis, *Energy*, 103, 456–468.
- Aydın, H., and İlkılıç, C., 2012, Optimization of fuel production from waste vehicle tires by pyrolysis and resembling to diesel fuel by various desulfurization methods, *Fuel*, 102, 605-612.
- Aylón, E., Fernández-Colino, A., Murillo, R., Navarro, M.V., García, T., and Mastral, A.M., 2010, Valorisation of waste tyre by pyrolysis in a moving bed reactor, *Waste Manag.*, 30(7), 1220-1224.
- Badriyah, L., Kadarwati, S., dan Harjito, 2012, Pengaruh Temperatur pada Reaksi Hidrodenitrogenasi Piridin dengan Katalis NiMo/Zeolit Alam, *Indo. J. Chem. Sci.*, 1(1), 61-67.
- Banar, M., Akyıldız, V., Özkan, A., Çokaygil, Z., and Onay, Ö., 2012, Characterization of pyrolytic oil obtained from pyrolysis of TDF (Tire Derived Fuel), *Ener. Conver. Manag.*, 62, 22-30.
- Barbooti, M.M., Mohamed, T.J., Hussain, A.A., and Abas, F.O., 2004, Optimization of pyrolysis conditions of scrap tires under inert gas atmosphere, *J. Anal. Appl. Pyrolysis*, 72(1), 165-170.



- Borchardt-Ott, W., 1995, *Crystallography*, Second Edition, Springer, Berlin.
- Borowiecki, T., Denis, A., Gac, W., Dziembaj, R., Piwowarska, Z., and Drozdek, M., 2004, Oxidation-reduction of Ni/Al₂O₃ steam reforming catalysts promoted with Mo, *Appl. Catalysis A: General*, 274(1–2), 259–267.
- Cinibulk, J., Kooyman, P.J., Vit, Z., and Zdražil, M., 2003, Magnesia-supported Mo, CoMo and NiMo sulfide catalysts prepared by nonaqueous impregnation: parallel HDS/HDN of thiophene and pyridine and TEM microstructure, *Catal. lett.*, 89(1-2), 147-152.
- Ciriminna, R., Lomeli-Rodriguez, M., Cara, P.D., Lopez-Sanchez, J.A., and Pagliaro, M., 2014, Limonene: a versatile chemical of the bioeconomy, *Chem. Communications*, 50(97), 15288-15296.
- Costa, G. A., and Santos, R.G.dos., 2019, Fractionation of tire pyrolysis oil into a light fuel fraction by steam distillation, *Fuel*, 241, 558–563.
- Coulier, L., 2001, *Hydrotreating model catalysts: from characterization to kinetics*, Technische Universiteit Eindhoven, Eindhoven.
- Crowell, P.L., Lin, S., Vedejs, E., and Gould, M.N., 1992, Identification of metabolites of the antitumor agent d-limonene capable of inhibiting protein isoprenylation and cell growth, *Cancer Chemo. Pharma.*, 31(3), 205-212.
- Cunliffe, A.M., and Williams, P.T., 1998, Composition of oils derived from the batch pyrolysis of tyres, *J. Anal. Appl. Pyrolysis*, 44(2), 131-152.
- Dai, X., Yin, X., Wu, C., Zhang, W., and Chen, Y., 2001, Pyrolysis of waste tires in a circulating fluidized-bed reactor, *Energy*, 26(4), 385-399.
- Danon, B., Van Der Gryp, P., Schwarz, C. E., and Görgens, J.F., 2015, A review of dipentene (dl-limonene) production from waste tire pyrolysis, *J. Anal. Appl. Pyrolysis*, 112, 1-13.
- Digne, M., Sautet, P., Raybaud, P., Toulhoat, H., Artacho, E., 2002, Structure and Stability of Aluminium Hydroxides, *a theoretical study*. *J. Catal.*, 166, 340–346.
- Düng, N. A., Mhodmonthin, A., Wongkasemjit, S., and Jitkarnka, S., 2009, Effects of ITQ-21 and ITQ-24 as zeolite additives on the oil products obtained from the catalytic pyrolysis of waste tire, *J. Anal. Appl. Pyrolysis*, 85(1–2), 338–344.
- Eijsbouts, S., Van den Oetelaar, L.C.A., and Van Puijenbroek, R.R. 2005, MoS₂ morphology and promoter segregation in commercial Type 2 NiMo/Al₂O₃ and CoMo/Al₂O₃ hydroprocessing catalysts, *J. Catal.*, 229(2), 352-364.



- Fessenden, R.J., and Fessenden, J.S., 1986, *Organic Chemistry*, 3rd Ed., Wadsworth, California.
- Fessendens, R.J., and Fessendens, J.S., 1979, *Organic Chemistry*, Williard Grand Press, Singapore.
- Fitrianto, J.K., 2005, Karakter dan Uji Aktivitas Katalis Zeolit Alam Aktif (ZAA), Ni/ZAA, Mo/ZAA, NiMo/ZAA Pada Hidrorengkah Tir Batubara, *Skripsi*. UNS, Surakarta.
- Foger, K., 1984, Dispersed Metal Catalysts dalam J. R. Anderson dan M. Boudart (Editor), *Catalyst: Science and Technology Volume 6*, Springer-Verlag, Berlin.
- Franck, H.G., and Stadelhofer, J.W., 1988, Production of benzene, toluene, and xylenes, *Industrial Aromat. Chem.*, 99-131.
- Fuentes, E., Salbidegoitia, A., Gonzalez-Marcos, M.P., dan Gonzales-Velasco, J.R., 2011, Polystirene Hydrocracking in Solution over Bifunctional Catalysts, *Proceeding of 6th International Symposium on Feedstock Recycling Polymeric Materials ISFR*, Spanyol.
- Gamboa, A.R., Rocha, A.M.A., Santos, L.R.dos., and Carvalho, J.A.de., 2020, Tire pyrolysis oil in Brazil: Potential production and quality of fuel, *Renew. and Sustainable Energy Reviews*, 120.
- Gate, B.C., Katzer, J.R., and Schuit, G.C.A, 1979, *Chemistry of Catalytic Processes*, McGraw Hill, New York.
- Guisnet, M., Gnepp, N.S.M., and Morin, S., 2000, Mechanism of Xylene Isomerization over Acidic Solid Catalyst, *Micro. Meso. Mater.*, 35, 47-59.
- Isa, M., 2014, Preparasi dan Karakterisasi Katalis NiMo/ γ -Al₂O₃ dengan Metode Impregnasi, *Skripsi*, Universitas Islam Negeri Syarif Hidayatullah, Jakarta.
- Kobayashi, K., dan Nagai, M., 2017, Active sites of sulfided NiMo/Al₂O₃ catalysts for 4,6-dimethylbenzothiophene hydrodesulfurization-effects of Ni and Mo components, sulfidation, citric acid, and phosphate addition, *Catal. Today*, 292, 74–83.
- Laresgoiti, M.F., de Marco, I., Torres, A., Caballero, B., Cabrero, M.A., and Chomón, M.J., 2000, Chromatographic analysis of the gases obtained in tyre pyrolysis, *J. Anal. Appl. Pyrolysis*, 55(1), 43-54.
- Lee, J.D., 1984, *A New Concise In Organic Chemistry*, 3rd Edition. English Language Book Society and Van Nostrand Reinhold Co. Ltd., UK.



- Lestari, H.D., Subagjo, & IGBN Makertihartha. 2006. Sintesis Katalis NiMo Untuk Hydrotreating Coker Nafta. *J. Tek. Kim. Indo.*, 5(1):365-373.
- Li, D., Lei, S., Lin, F., Zhong, L., Ma, W., and Chen, G., 2020, Study of scrap tires pyrolysis – Products distribution and mechanism, *Energy*, 213.
- Madsen, A.T., 2011, *Catalytic Production of Biodiesel*, Centre or Catalysts and Sustainable Chemistry.
- Mkhize, N.M., Van Der Gryp, P., Danon, B., and Görgens, J.F., 2016, Effect of temperature and heating rate on limonene production from waste tyre pyrolysis, *J. Anal. Appl. Pyrolysis*, 120, 314-320.
- Muelas, Á., Callén, M.S., Murillo, R., and Ballester, J., 2019, Production and droplet combustion characteristics of waste tire pyrolysis oil, *Fuel Proces. Tech.*, 196.
- Muis, L., Prabasari, I. G., dan Suyana, N., 2019, Pengaruh Berat Katalis Zeolit Alam terhadap Pencairan Limbah Ban dalam Bekas Kendaraan Bermotor Roda Dua Menjadi Bahan Bakar Cair, *J. Daur Lingkungan*, 2(2), 63–67.
- Nasikin, M., dan Sutanto, B.H., 2010, *Katalis Heterogen*, UI Press, Depok.
- Okamoto, Y., Arima, Y., Nakai, K., Umeno, S., Katada, N., Yoshida, H., Tanaka, T., Yamada, M., Akai, Y., Segawa, K., Nishijima, A., Matsumoto, H., Niwa, M., and Uchijima, T., 1998, A Study on The Preparation of Supported Metal Oxide Catalysts Using JRC-Reference Catalysts. I. Preparation of a Molybdena-Alumina Catalyst. Part 1. Surface Area of Alumina, *Appl. Catal. A General* 170(2), 315-328.
- Olah, G.A., and Molnár, Á., 2003, *Hydrocarbon chemistry*. John Wiley and Sons.
- Pakdel, H., Pantea, D.M., and Roy, C., 2001, Production of dl-limonene by vacuum pyrolysis of used tires, *J. Anal. Appl. Pyrolysis*, 57(1), 91-107.
- Pudjaatmaka, A.H., 1988, *Kimia Organik*, Jilid 1, Edisi Ke-2, Erlangga, Jakarta.
- Putra, R.A., 2012, Hidrogenasi Minyak Jarak dengan Menggunakan Katalis Nikel Zeolit Alam Pada Tekanan Rendah Untuk Pembuatan Asam 1-2 Hidroksistearat, *Skripsi*, Universitas Indonesia, Jakarta.
- Prins, R., 2020, On the structure of γ -Al₂O₃, *J. Catal.*, 392, 336–346.
- Radiansono, Trisunaryanti, W., dan Triyono, 2007, Pembuatan, Karakterisasi dan Uji Aktivitas Katalis NiMo/Z dan NiMo/Z-Nb₂O₅ pada Reaksi Hidrorengkah Fraksi Sampah Plastik menjadi Fraksi Bensin, *Berkala MIPA*, Universitas Gadjah Mada, Yogyakarta.



- Rohmah, E.N., Rochmat, A. and Sumbogo, S.D., 2012, Biogasoline from Catalytic Hydrocracking Reaction of Waste Cooking Oil using Bayah Natural Zeolite, *Inter. J. Environment and Bioenergy*, 3(3), 201-209.
- Sahouli, B., Blacher, S., Brouers, F., Darmstadt, H., Roy, C., and Kaliaguine, S., 1996, Surface morphology and chemistry of commercial carbon black and carbon black from vacuum pyrolysis of used tyres, *Fuel*, 75(10), 1244-1250.
- Salim, 2001, Preparasi, Karakterisasi, dan Uji Efektivitas Katalis Ni-Y dan Ni-Zeolit Alam Pada Proses Perengkahan-Hidro n-Heksadekan, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Satterfield, C.N., 1980, *Heterogenous Catalyst In Practice*, McGraw Hill Book Company, New York.
- Satterfield, C.N., 1991, *Heterogeneous Catalysis in Industrial Practice*, 2nd Ed, McGraw-Hill, New York.
- Savitri, Nasikin, M., Rinaldi, N., and Rahmadi, D., 2013, Synthesis of Cumene (Isopropyl Benzene) from Rosin Oil Through Cracking and Dehydrogenation, *Tekno. Indo.*, 36(3), 154-160.
- Syamsiro, M., Sulistiawati, Y., Ridwan, M., dan Dwicahyo, M.S., 2016, Studi Pirolisis Sampah Ban untuk Produksi Bahan Bakar Minyak Alternatif bagi Industri Kecil dan Menengah, *J. Riset Daerah*, 15(3), 2511–2522.
- Syukri, S., Hijazi, A.K., Sakthivel, A., Al-Hmaideen, A.I., dan Kühn, F.E., 2007, Heterogenization of Solvent-ligated Copper (II) Complexes On Poly (4-vinylpyridine) for The Catalytic Cyclopropanation of Olefins. *Inorganica. Chem. Acta*, 360(1), 197–202.
- Tanabe, K., 1970, *Solid Acid and Bases: their Catalytic Properties*, Kodansha Catalyst, Scientific Books, Japan.
- Tartaj, P., and Tartaj, J., 2002, Microstructural evolution of iron-oxide-doped alumina nanoparticles synthesized from microemulsions, *Chem. materials*, 14(2), 536-541.
- Trisunaryanti, W., 1991, Modifikasi Karaterisasi dan Pemanfaatan Zeolit Alam, *Tesis*, FMIPA, Univrsitas Gadjah Mada, Yogyakarta.
- Trisunaryanti, W., 2015, *Material Katalis dan Karakterisasinya*, Universitas Gadjah Mada Press, Yogyakarta.



- Trisunaryanti, W., Punvono, S., and Putranto, A., 2008, Catalytic Hydrocracking of Waste Lubricant Oil into Liquid Fuel Fraction using Zn, Nb₂O₅, Activated Natural Zeolite and Their Modification, *Indo. J. Chem. Eng.*, 7, 175-180.
- Trisunaryanti, W., Triyono, and Fibirna, D.A., 2003, Preparation of Ni-Mo/Isolordenite Catalysts Under the Variation of Monti Ratio and Their Characterizations for Stearic Acid Conversion, *Ind. J. Chem.*, 3(2), 80-90.
- Trisunaryanti, W., Triyono, Mudasir, Nuryanto, R., Nomura, M., Miura, M., Satoh, T., and Kidena, K., 2003, Hydrocracking Process of Butonian Asphalt-driven Asphaltene using a Mo-Ni/ γ -Al₂O₃ Catalyst, *3rd Asia Pacific Congr. Catalyst*, Dalian, China.
- Trisunaryanti, W., Triyono, Wijaya, K., Majid, A.B., Priastomo, Yoga, Febriyanti, E., Syafitri, Hasyyati, dan Nugroho, A., 2012, Karakterisasi dan Uji Aktivitas Katalis Mordenit dan Zeolit-Y Pada Hidrorengkah Ban Bekas menjadi Fraksi Bahan Bakar, *Prosiding Seminar Nasional Kimia Unesa*, 978–979.
- Triyono, 1994, *Kimia Fisika Dasar-dasar Kinetika dan Katalis*, Depdikbud Dirjen Pendidikan Tinggi.
- Umeki, E.R., Oliveira, C.F.de, Torres, R.B., and Santos, R.G.dos., 2016, Physico-chemistry properties of fuel blends composed of diesel and tire pyrolysis oil, *Fuel*, 185, 236–242.
- Vonortas, A., Kubicka, D., and Papayannakos, N., 2012, Catalytic Co-hydroprocessing of Gasoil–Palm Oil/AVO Mixtures Over a NiMo/ γ -Al₂O₃ catalyst, *Fuel*, 116, 49-55.
- Wang, J., Zhao, D., Zhou, G., Zhang, C., Zhang, P., and Hou, X., 2020, Synthesis of nano-sized γ -Al₂O₃ with controllable size by simple homogeneous precipitation method, *Materials Lett.*, 279.
- Wang, S., Li, X., Wang, S., Li, Y., and Zhai, Y., 2008, Synthesis of γ -alumina via precipitation in ethanol, *Materials Lett.*, 62(20), 3552-3554.
- Waseda, Y., Matsubara, E., and Shinoda, K., 2011, *X-Ray Diffraction Crystallography: Introduction, Examples and Solved Problems*, Springer-Verlag Berlin Heidelberg, London.
- Widi, R.K., 2018, *Pemanfaatan Material Anorganik: Pengenalan dan Beberapa Inovasi di Bidang Penelitian*, Ed.1, Deepublish, Yogyakarta.
- Wilkinson, Cotton. 1984. In Organic Chemistry. John Willey and Son Ltd. New York.



UNIVERSITAS
GADJAH MADA

Preparasi dan Karakterisasi Katalis Ni/&lcirc;³-Al₂O₃, Mo/&lcirc;³-Al₂O₃ dan
NiMo/&lcirc;³-Al₂O₃ Untuk Hidrorengkah Limbah Ban Bekas Menjadi Fraksi Bensin
MOHAMMAD ALI' GHONI, Prof. Dr. Wega Trisunaryanti, M.S., Ph.D., Eng. ; Prof. Dr. Triyono, S.U.^{J.O}

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Williams, P.T., and Brindle, A.J., 2003, Aromatic chemicals from the catalytic pyrolysis of scrap tyres, *J. Anal. Appl. Pyrolysis*, 67(1), 143-164.
- Widyawati Y., 2007, Disain proses dua tahap esterifikasi-transesterifikasi (estrans) pada pembuatan metil ester (biodiesel) dari minyak jarak pagar (*Jatropha curcas*,L), *Tesis*, Institut Pertanian Bogor, Bogor.
- Yu, Z., Chen, L., Zong, Z., dan Wu, Q., 2011, The Effects of Temperature and Hydrogen Partial Pressure on Hydrocracking of Phenanthrene, *Int. J. Chem.*, 3(2), 67-73.
- Zhang, G., Chen, F., Zhang, Y., Zhao, L., Chen, J., Cao, L., Gao, J., and Xu, C., 2021, Properties and utilization of waste tire pyrolysis oil: A mini review, *Proces. Tech.*, 211.
- Zhu, L., Pu, S., Liu, K., Zhu, T., Lu, F., and Li, J., 2012, Preparation and characterizations of porous γ -Al₂O₃ nanoparticles, *Materials Lett.*, 83, 73-75.