

REFERENCES

- Aide, T. M., Corrada-Bravo, C., Campos-Cerqueira, M., Milan, C., Vega, G., & Alvarez, R. (2013). Real-time bioacoustics monitoring and automated species identification. *PeerJ*, 2013(1), 1–19. <https://doi.org/10.7717/peerj.103>
- Balliet, D., Li, N. P., Macfarlan, S. J., & Van Vugt, M. (2011). Sex Differences in Cooperation: A Meta-Analytic Review of Social Dilemmas. *Psychological Bulletin*, 137(6), 881–909. <https://doi.org/10.1037/a0025354>
- Bergman, T. J., Beehner, J. C., Painter, M. C., & Gustison, M. L. (2019). The speech-like properties of nonhuman primate vocalizations. *Animal Behaviour*, 151, 229–237. <https://doi.org/10.1016/j.anbehav.2019.02.015>
- Bernstein, I. S., Gordon, T. P., & Gordon, P. (1974). The Function of Aggression Primate Societies in Uncontrolled aggression may threaten human. *The Scientific Research Society*, 62, 403–311.
- Bobay, L. R., Taillie, P. J., & Moorman, C. E. (2018). Use of autonomous recording units increased detection of a secretive marsh bird. *Journal of Field Ornithology*, 89(4), 384–392. <https://doi.org/10.1111/jof.12274>
- Bono, A. E. J., & Zuberbu, K. (2019). *Correlates of social role and conflict severity in wild vervet monkey agonistic screams*. 1–20. <https://doi.org/10.6084/m9.figshare.5413975>
- Ceugniet, M., & Izumi, A. (2004). Différences vocales individuelles du cri de recherche de contact chez les macaques japonais. *Comptes Rendus - Biologies*, 327(2), 149–157. <https://doi.org/10.1016/j.crv.2003.11.008>
- Clark, T. W. (1978). Agonistic behavior in a transplanted troop of Japanese macaques: Arashiyama west. *Primates*, 19(1), 141–151. <https://doi.org/10.1007/BF02373231>
- Enari, H., Enari, H., Okuda, K., Yoshita, M., Kuno, T., & Okuda, K. (2017). Feasibility assessment of active and passive acoustic monitoring of sika deer populations. *Ecological Indicators*, 79(January), 155–162. <https://doi.org/10.1016/j.ecolind.2017.04.004>



- Enari, H., Enari, H. S., Okuda, K., Maruyama, T., & Okuda, K. N. (2019). An evaluation of the efficiency of passive acoustic monitoring in detecting deer and primates in comparison with camera traps. *Ecological Indicators*, 98(November 2018), 753–762. <https://doi.org/10.1016/j.ecolind.2018.11.062>
- Enari, H., & Suzuki, T. (2010). Risk of agricultural and property damage associated with the recovery of Japanese monkey populations. *Landscape and Urban Planning*, 97(2), 83–91. <https://doi.org/10.1016/j.landurbplan.2010.04.014>
- Ey, E., & Fischer, J. (2009). The International Journal of Animal Sound and its Recording THE “ ACOUSTIC ADAPTATION HYPOTHESIS ”— A REVIEW OF THE EVIDENCE FROM BIRDS , ANURANS AND MAMMALS. *The International Journal of Animal Sound and Its Recording*, 4622. <https://doi.org/10.1080/09524622.2009.9753613>
- Fedurek, P., & Slocombe, K. E. (2011). Primate vocal communication: A useful tool for understanding human speech and language evolution? *Human Biology*, 83(2), 153–173. <https://doi.org/10.3378/027.083.0202>
- Furuyama, T., Kobayasi, K. I., & Riquimaroux, H. (2017). Acoustic characteristics used by Japanese macaques for individual discrimination. *Journal of Experimental Biology*, 220(19), 3571–3578. <https://doi.org/10.1242/jeb.154765>
- Hanya, G. (2009). Effects of food type and number of feeding sites in a tree on aggression during feeding in wild *Macaca fuscata*. *International Journal of Primatology*, 30(4), 569–581. <https://doi.org/10.1007/s10764-009-9361-2>
- Hauser, M. D., & Marler, P. (1993). Food-associated calls in rhesus macaques (*Macaca mulatta*): I. Socioecological factors. *Behavioral Ecology*, 4(3), 194–205. <https://doi.org/10.1093/beheco/4.3.194>
- Hedwig, D., Robbins, M. M., Mundry, R., Hammerschmidt, K., & Boesch, C. (2014). Acoustic structure and variation in mountain and western gorilla close calls: A syntactic approach. *Behaviour*, 151(8), 1091–1120. <https://doi.org/10.1163/1568539X-00003175>



- Heinicke, S., Kalan, A. K., Wagner, O. J. J., Mundry, R., Lukashevich, H., & Köhl, H. S. (2015). Assessing the performance of a semi-automated acoustic monitoring system for primates. *Methods in Ecology and Evolution*, 6(7), 753–763. <https://doi.org/10.1111/2041-210X.12384>
- Hill, C. M. (1998). Conflicting attitudes towards elephants around the Budongo Forest Reserve, Uganda. *Environmental Conservation*, 25(3), 244–250. <https://doi.org/10.1017/S0376892998000307>
- Hiroki Koda, H. S. (2010). The Ecological Design of the Affiliative Vocal Communication Style in Wild Japanese Macaques: Behavioral Adjustments to Social Contexts and Environments. *The Japanese Macaques Pp 165-190*, 165–190.
- Honda, T., Yoshida, Y., & Nagaike, T. (2009). Predictive Risk Model and Map of Human-Asiatic Black Bear Contact in Yamanashi Prefecture, Central Japan. *Mammal Study*, 34(2), 77–84. <https://doi.org/10.3106/041.034.0203>
- Honess, P. E., & Marin, C. M. (2006). Behavioural and physiological aspects of stress and aggression in nonhuman primates. *Neuroscience and Biobehavioral Reviews*, 30(3), 390–412. <https://doi.org/10.1016/j.neubiorev.2005.04.003>
- Ihobe, H. (1989). *How Social Relationships Influence a Monkey 's Choice of Feeding Sites in the Troop of Japanese Macaques (Macaca fuscata fuscata) on Koshima Islet*. 30(January), 17–25.
- Imaki, H., Koganezawa, M., & Maruyama, N. (2006). Habitat Selection and Forest Edge Use by Japanese Monkeys in the Nikko and Imaichi Area, Central Honshu, Japan. *Biosphere Conservation : For Nature, Wildlife, and Humans*, 7(2), 87–96. https://doi.org/10.20798/biospherecons.7.2_87
- Izumiyama, S., Mochizuki, T., & Shiraishi, T. (2003). Troop size, home range area and seasonal range use of the Japanese macaque in the Northern Japan Alps. *Ecological Research*, 18(5), 465–474. <https://doi.org/10.1046/j.1440-1703.2003.00570.x>
- Kalan, A. K., Piel, A. K., Mundry, R., Wittig, R. M., Boesch, C., & Köhl, H. S. (2016). Passive acoustic monitoring reveals group ranging and territory use:



- A case study of wild chimpanzees (*Pan troglodytes*). *Frontiers in Zoology*, 13(1), 1–11. <https://doi.org/10.1186/s12983-016-0167-8>
- Katsu, N., Yamada, K., & Nakamichi, M. (2014). Development in the usage and comprehension of greeting calls in a free-ranging group of Japanese macaques (*Macaca fuscata*). *Ethology*, 120(10), 1024–1034. <https://doi.org/10.1111/eth.12275>
- Kitchen, D. M., Seyfarth, R. M., Fischer, J., & Cheney, D. L. (2003). Loud calls as indicators of dominance in male baboons (*Papio cynocephalus ursinus*). *Behavioral Ecology and Sociobiology*, 53(6), 374–384. <https://doi.org/10.1007/s00265-003-0588-1>
- Knight, Elly C., Hannah, K. C., Foley, G. J., Scott, C. D., Brigham, R. M., & Bayne, E. (2017). Recommendations pour l'évaluation des performances de reconnaissance acoustique et application à cinq programmes courants de reconnaissance automatisée de signaux sonores. *Avian Conservation and Ecology*, 12(2). <https://doi.org/10.5751/ACE-01114-120214>
- Knight, Elly Caitlin, Brigham, R. M., & Bayne, E. M. (2017). *Recommendations for acoustic recognizer performance assessment with application to five common automated signal recognition programs Recommendations for acoustic recognizer performance assessment with*. (December). <https://doi.org/10.5751/ACE-01114-120214>
- Kondo, N. (2009). *Contact calls : Information and social function*. 51(3), 197–208. <https://doi.org/10.1111/j.1468-5884.2009.00399.x>
- Marques, T. A., Thomas, L., Martin, S. W., Mellinger, D. K., Ward, J. A., Moretti, D. J., ... Tyack, P. L. (2013). Estimating animal population density using passive acoustics. *Biological Reviews*, 88(2), 287–309. <https://doi.org/10.1111/brv.12001>
- Maruhashi, T. (1982). An ecological study of troop fissions of Japanese monkeys (*Macaca fuscata yakui*) on Yakushima Island, Japan. *Primates*, 23(3), 317–337. <https://doi.org/10.1007/BF02381317>
- Mccomb, K., & Semple, S. (2005). *Coevolution of vocal communication and sociality in primates*. (July), 381–385. <https://doi.org/10.1098/rsbl.2005.0366>



- Micheletta, J. (2012). Social communication in crested macaques (*Macaca nigra*). Dissertation, *University of Portsmouth*, (November), 1–206.
- Mochizuki, S., & Murakami, T. (2011). International Journal of Applied Earth Observation and Geoinformation Change in habitat selection by Japanese macaques (*Macaca fuscata*) and habitat fragmentation analysis using temporal remotely sensed data in Niigata. *International Journal of Applied Earth Observation and Geoinformation*, 13(4), 562–571. <https://doi.org/10.1016/j.jag.2011.02.006>
- Mochizuki, S., & Takuhiko Murakami and Tomo Shibahara. (2009). The effect of corridor to crop damage by Japanese macaques. *景觀生態学*, 1, 109–118.
- Muroyama, K. S. and Y. (2010). Resolution of Human-Macaque Conflicts: Changing from Top-Down to Community-Based Damage Management. *Springer*, 359–373. <https://doi.org/10.1007/978-4-431-53886-8>
- Naguib, M. (2006). Animal Communication: Overview. *Encyclopedia of Language & Linguistics*, (2004), 276–284. <https://doi.org/10.1016/b0-08-044854-2/00804-x>
- Neumann, C., Assahad, G., Hammerschmidt, K., Perwitasari-Farajallah, D., & Engelhardt, A. (2010). Loud calls in male crested macaques, *Macaca nigra*: a signal of dominance in a tolerant species. *Animal Behaviour*, 79(1), 187–193. <https://doi.org/10.1016/j.anbehav.2009.10.026>
- Peter Maciej, Ibrahima Ndao, K. H. and J. F. (2013). Vocal communication in a complex multi-level society. *Frontiers in Zoology*, 1–15.
- Rendall, D., Cheney, D. L., & Seyfarth, R. M. (2000). Proximate factors mediating “contact” calls in adult female baboons (*Papio cynocephalus ursinus*) and their infants. *Journal of Comparative Psychology*, 114(1), 36–46. <https://doi.org/10.1037/0735-7036.114.1.36>
- Ridout, M. S., & Linkie, M. (2009). Estimating overlap of daily activity patterns from camera trap data. *Journal of Agricultural, Biological, and Environmental Statistics*, 14(3), 322–337. <https://doi.org/10.1198/jabes.2009.08038>
- Roch, M. A., Batchelor, H., Baumann-Pickering, S., Berchok, C. L., Cholewiak,



- D., Fujioka, E., ... Soldevilla, M. S. (2016). Management of acoustic metadata for bioacoustics. *Ecological Informatics*, 31, 122–136. <https://doi.org/10.1016/j.ecoinf.2015.12.002>
- Schel, A. M., Tranquilli, S., & Zuberbühler, K. (2009). The Alarm Call System of Two Species of Black-and-White Colobus Monkeys (*Colobus polykomos* and *Colobus guereza*). *Journal of Comparative Psychology*, 123(2), 136–150. <https://doi.org/10.1037/a0014280>
- Sidie-slettedahl, A. A. M., Jensen, K. C., Johnson, R. R., Arnold, T. W., Austin, J. E., & Stafford, J. D. (2015). *Evaluation of Autonomous Recording Units for Detecting 3 Species of Secretive Marsh Birds*. 39(3), 626–634. <https://doi.org/10.1002/wsb.569>
- Stiffler, L. L., Anderson, J. T., & Katzner, T. E. (2018). *Occupancy Modeling of Autonomously Recorded Vocalizations to Predict Distribution of Rallids in Tidal Wetlands*. 605–612.
- Sugai, L. S. M., & Llusia, D. (2019). Bioacoustic time capsules: Using acoustic monitoring to document biodiversity. *Ecological Indicators*, 99(December 2018), 149–152. <https://doi.org/10.1016/j.ecolind.2018.12.021>
- Sugiura, H., Tanaka, T., & Masataka, N. (2006). Sound transmission in the habitats of Japanese macaques and its possible effect on population differences in coo calls. *Behaviour*, 143(8), 993–1012. <https://doi.org/10.1163/156853906778623617>
- Suzuki, T. N., & Kutsukake, N. (2017). Foraging intention affects whether willow tits call to attract members of mixed-species flocks. *Royal Society Open Science*, 4(6). <https://doi.org/10.1098/rsos.170222>
- Teixeira, D., Maron, M., & Rensburg, B. J. (2019). Bioacoustic monitoring of animal vocal behavior for conservation. *Conservation Science and Practice*, (April), e72. <https://doi.org/10.1111/csp2.72>
- Thirgood, S., Woodroffe, R., & Rabinowitz, A. (2009). The impact of human–wildlife conflict on human lives and livelihoods. *People and Wildlife*, (May), 13–26. <https://doi.org/10.1017/cbo9780511614774.003>
- Thompson, M. E., Schwager, S. J., Payne, K. B., & Turkalo, A. K. (2010).

- Acoustic estimation of wildlife abundance: Methodology for vocal mammals in forested habitats. *African Journal of Ecology*, 48(3), 654–661. <https://doi.org/10.1111/j.1365-2028.2009.01161.x>
- Tweheyo, M., Hill, C. M., & Obua, J. (2005). Patterns of crop raiding by primates around the Budongo Forest Reserve, Uganda. *Wildlife Biology*, 11(3), 237–247. [https://doi.org/10.2981/0909-6396\(2005\)11\[237:POCRBP\]2.0.CO;2](https://doi.org/10.2981/0909-6396(2005)11[237:POCRBP]2.0.CO;2)
- Uddin, M. M., Ahsan, M. F., & Lingfeng, H. (2020). Human – primates conflict in Bangladesh: A review. *Journal of Animal and Plant Sciences*, 30(2), 280–287. <https://doi.org/10.36899/JAPS.2020.2.0055>
- Ueda, Y., Kiyono, M., Nagano, T., Mochizuki, S., & Murakami, T. (2018). Damage Control Strategies Affecting Crop-Raiding Japanese Macaque Behaviors in a Farming Community. *Human Ecology*, 46(2), 259–268. <https://doi.org/10.1007/s10745-018-9994-x>
- Vallee, M. (2018). The Science of Listening in Bioacoustics Research: Sensing the Animals’ Sounds. *Theory, Culture and Society*, 35(2), 47–65. <https://doi.org/10.1177/0263276417727059>
- Wallace, G. E., & Hill, C. M. (2012). Crop Damage by Primates: Quantifying the Key Parameters of Crop-Raiding Events. *PLoS ONE*, 7(10). <https://doi.org/10.1371/journal.pone.0046636>
- Yamada, A., & Muroyama, Y. (2010). Effects of vegetation type on habitat use by crop-raiding Japanese macaques during a food-scarce season. *Primates*, 51(2), 159–166. <https://doi.org/10.1007/s10329-009-0183-9>
- Yasuyuki Muroyama, A. Y. (2010). Conservation: Present Status of the Japanese macaque Population and Its Habitat. *Springer*, (7), 143–164. <https://doi.org/10.1007/978-4-431-53886-8>
- Zhu, P., Grueter, C. C., Garber, P. A., Li, D., Xiang, Z., Ren, B., & Li, M. (2018). Seasonal changes in social cohesion among males in a same-sex primate group. *American Journal of Primatology*, 80(11). <https://doi.org/10.1002/ajp.22914>