

- Abraham, E., Deepa, B., & Pothan, L. (2016). Extraction of nanocellulose fibrils from lignocellulosic fibres: a novel approach. *Carbohydrate Polymer*, 86, 1468–1475.
- Aini, N., Ab, N., Husin, M., Yury, N., Othman, M., & Shariff, Z. M. (2019). Cellulose Isolation From *Leucaena leucocephala* Seed: Effect On Concentration Sodium Hydroxide. *Journal of Academia UiTM Negeri Sembilan*, 7(2), 36–45.
- Asim, M., Abdan, K., & Jawaidd, M. (2015). A review on pineapple leaves fibre and its composites. *International Journal Polymer Science*, 2015, 16.
- Ali, S. A., Rachman, I. B., & Saleh, T. A. (2017). Simultaneous trapping of Cr(III) and organic dyes by a pH-responsive resin containing zwitterionic aminomethylphosphonate ligands and hydrophobic pendants. *Chemical Engineering Journal*, 330, 663–674.
- Araki, J. (2013). Electrostatic or steric-preparations and characterizations of well-dispersed systems containing rod-like nanowhiskers of crystalline polysaccharides. *Soft Matter*, 9(16), 4125–4141.
- Azizi, S., Alloin, F., & Dufresne, A. (2005). Review of recent research into cellulosic whiskers, their properties and their application in nanocomposite field. *Biomacromolecules*, 6, 612–626.
- Bali, G., Meng, X., Deneff, J. I., Sun, Q., & Ragauskas, A. J. (2014). The Effect of Alkaline Pretreatment Methodes on Cellulose Structure and Accessibility. *ChemPubSacEurope*, 8(2), 275-279.
- Bing, T. K., Reza, A. K., Abdullah, A. Z., Horri, B. A., & Salamatinia, B. (2018). Development os self assembled nancrystalline cellulose as a promising practical adsorbent for methylene blue removal. *Carbohydrate Polymers*, 199, 92-101.
- Börjesson, M., Westman, G. (2019). Nanocellulose — Preparation , Modification , and Properties. *Intech*, chap 7.
- Candani, D., Ulfah, M., & Noviana, W. (2019). *Pemanfaatan Teknologi Sonikasi*. Tesis Universitas Negeri Padang.
- Chakrabarty, A., Teramoto, Y. (2018). Recent advances in nanocellulose composites with polymers: A guide for choosing partners and how to incorporate them. *Polymers*, 10 (5).
- Chen, J. (2013). One-step fabrication of sub-10-nm plasmonic nanogaps for reliable SERS sensing of microorganisms. *Biosens Bioelectron*, 44, 191-197
- Ciftci, D., Flores, R. A., & Saldana, M. A. (2018). Cellulose Fiber Isolation and CHaracterization from Sweet Blue Lupin Hull and Canola Straw. *Journal of Polymers and the Environment* 26, 2773-2781.

- Daud, M., Syafii, W., & Syamsu, K. (2013). Pemanfaatan Batang Kelapa Sawit (*Elaeis guineensis Jacq*) Menjadi Bioetanol dengan Perlakuan Pendahuluan Menggunakan Proses Kraft. *Researchgate*, 2013.
- Douissa, N. B., Dridi, D. S., & Mhenni, M. F. (2016). Spectrophotometric investigation of the interactions between cationic (CI basic Blue 9) and anionic (CI acid Blue 25) dyes in adsorption onto extracted cellulose from *Posidonia oceanica* in single and binary system. *Water Science and Technology*, 73(9), 2211–2221.
- Dwi, H., Setyo, A., (2014). *Biodegradasi Pewarna Metilen Biru oleh Daedalea dickinsii*. *Jurnal Seni dan Sains ITS*, 2(1), 1–5.
- Elenga, R. G., Djemia, P., Tingaud, D., Chauveau, T., Maniongaui, J. G., & Dirras, G. (2013). Effect of Alkali Treatment on the Microstructure, Composition, and Properties of *Raffia textilis* Fiber. *BioResources* 8(2), 2934–2949.
- Fard, G. C., Mirjalili, M., & Najafi, F. (2018). Preparation of nano-cellulose / A-Fe₂O₃ hybrid nanofiber for the cationic dyes removal: optimization characterization, kinetic, isotherm and error analysis. *Researchgate*, 50(L), 251–261.
- Feng, Y. H., Cheng, T. Y., Yang, W. G., Ma, P. T., He, H. Z., Yin, X. C., & Yu, X. X. (2018). Characteristics and environmentally friendly extraction of cellulose nanofibrils from sugarcane bagasse. *Industrial Crops and Products*, 111, 285–291.
- Filson, P. B., Dawson, A. B. E. (2009). Sono-chemical preparation of cellulose nanocrystals from lignocellulose derived materials. *Bioresourch Technology*, 100, 2259–2264.
- Fars, K. A., Awwad, A. R., & Ibrahim, A. A. (2010). Biopharmaceutical applications of nanogold. *Saudi Pharm Journal*, 18, 179–193.
- Hameed, B. H., Krishni, R. R., & Sata, S. A. (2009). A novel agricultural waste adsorbent for the removal of cationic dye from aqueous solutions. *Journal of Hazardous Material*, 162, 305–311.
- Holman, J.P. (1980). Transport processes and unit operations. *McGraw-Hill Companies Inc., USA*.
- Guan, Y., Yu, H., Yassin, S., & Abdalkarim, H. (2019). Green one-step synthesis of ZnO/cellulose nanocrystal hybrids with modulated morphologies and superfast absorption of cationic dyes. *International Journal of Biological Macromolecules*, 132, 51–62.
- Huang, J., Rodriguess, D., Wheelis, E. S., Gindri, I., & Valderrama, P. (2018). Effect of decontamination solution on the surface of titanium investigation of surface morphology, composition and roughness. *Published by John Wiley & Sons Ltd*, 27(3), 329–340.
- Hart, P. W., Rudie, Alan W. (2012). The Bleaching of Pulp. *TAPPI Press*
- Ho, Y. S., Mc, K. G. (1999). Pseudo second order model for sorption processes. *Process Biochemistry* 34, 451–465.

- Iswanto, A. H., Sucipto, T., Azhar, I., Coto, Z., & Febrianto, F. (2015). Sifat Fisis Dan Mekanis Batang Kelapa Sawit (*Elaeis guineensis* Jacq) Asal Kebun Aek Pancur-Sumatera Utara Physical and Mechanical Properties of Palm Oil Trunk from Aek Pancur Farming-North Sumatera. *Jurnal Ilmu dan Teknologi Hasil Hutan*, 3(1), 1-7.
- Jawaid, M., Abdul, Khalil. H. (2011). Cellulosic/synthetic fibre reinforced polymer hybrid composites: a review. *Carbohydrate Polymer*, 86, 1–18.
- Jiang, F., Hsieh, Y.L. (2015). Cellulose nanocrystal isolation from tomato peels and assembled nanofibers. *Carbohydrate Polymer*, 122, 60-68.
- Kemendag. (2016). Tekstil dan Produk Kreatif Indonesia. *Warta Ekspor: Ditjen PEN/MJL/19/IV/2016 edisi April*. Kementerian Perdagangan : Jakarta.
- Kemenperin. (2018). Kebijakan Sektor Industri Kimia dan Tekstil dalam Rangka Implementasi Roadmap Industri 4.0. *Jurnal Implementasi Industri 4.0 dalam rangka Transformasi Lanskap Industri Nasional menuju Top 10 Ekonomi Dunia 2030*. Kementrial Perindustrian : Jakarta.
- Kondo, T., & Sawatari, C. (1996). A Fourier transform infra-red spectroscopic analysis of the character of hydrogen bonds in amorphous cellulose. *Polymer*, 37(3), 393-399.
- Lamaming, J., Hashim, R., Leh, C. P., Sulaiman, O., Sugimoto, T., & Nasir M. (2015). Isolation and characterization of cellulose nanocrystals from parenchyma and vascular bundle of oil palm trunk (*Elaeis guineensis*). *Carbohydrate Polymer*, 134, 534–540.
- Latip, N. A., Sofian, A. H., Ali, M. F., Ismail, S. N., & Idris, D. M. N. D. (2019). Structural and morphological studies on alkaline pre-treatment of oil palm empty fruit bunch (OPEFB) fiber for composite production. *Materials Today: Proceedings*, 17, 1105–1111.
- Lavoine, N., Desloges, I., Dufresne, A., & Bras, J. (2012). Microfibrillated cellulose—its barrier properties and applications in cellulosic materials: a review. *Carbohydrate Polymer*, 90, 735–764.
- Levan, M. D., Yon, C. M., & Plaines, D. (1999). *Adsorption (Book Chapter)*. 16–23.
- Lu, P., Hsieh, Y. L. (2012). Preparation and characterization of cellulose nanocrystals from rice straw. *Carbohydrate Polymer*, 87, 564–573.
- Marchessault, R., Deslandes, Y. (1959). Crystalline conformation of homo- and regular heteroglucan chains. *Carbohydrate Polymers*, 1, 31-38.
- Makhado, E., Pandey, S., Nomngongo, P. N., & Ramontja, J. (2017). Fast microwave-assisted green synthesis of xanthan gum grafted acrylic acid for enhanced methylene blue dye removal from aqueous solution. *Carbohydrate Polymers*, 176, 315–326.
- M, L.Yola., V, K. Gupta., T, Eren., A, E. Sen., & N, Atar. (2014). A novel electro analytical nanosensor nanoparticles based on graphene oxide/silver for simultaneous determination of quercetin and morin. *Electrochim Acta*, 120, 204–211.

- Masoud, S. N., Mahnaz, D., & Fatemeh, D. (2009). Synthesis and characterization of pure cubic zirconium oxide nanocrystals by decomposition of bis-aqua, tris-acetylacetonato zirconium (IV) nitrate as new precursor complex. *Inorganic Chim Acta*, 362, 3969–3974.
- Mohammed, N., Grishkewich, N., Berry, R. M., & Chiu, K. (2015). Cellulose nanocrystal – alginate hydrogel beads as novel *adsorbents* for organic dyes in aqueous solutions. *Cellulose*, (Ahuja 2009).
- Moniruzzaman, M., Ono T. (2013). Separation and characterization of cellulose fibers from cypress wood treated with ionic liquid prior to laccase treatment. *Bioresour Technol*, 127, 132–137.
- MSDS. (2016). Safety Data Sheet Methylene Blue. *Regulation (EC) No. 1907/ 2006 , Annex II, Revisi 8*, 1-10
- MSDS. (2012). *Safety data sheet methylene blue*. Annex II, 77(58), 1–11.
- Nourali, M., Hadi, K., Vinod, K. G., Ehsanollah, A., & Shilpi, A. (2011). Adsorption process of methyl orange dye onto mesoporous carbon material–kinetic and thermodynamic studies. *J. Colloid Interface Sci*, 362, 457–462.
- Patra, R., Bhattacharya, D., Mukhopadhyay, P., & Mukherjee. (2010). Fabrication of gold nanoparticles for targeted therapy in pancreatic cancer. *National Library of Medicine*, 62, 346–361.
- Payen A. (1838). Mémoire sur la composition du tissu propre des plantes et du ligneux. *Comptes Rendus*, 7, 1052–1056.
- Peng, B. L., Liu, N., Dhar, H. L., & Tam, Kam. (2011) Chemistry and applications of nanocrystalline cellulose and its derivatives : A nanotechnology perspective. *The Canadian Journal of Chemical Engineering*, 89(5), 1191-1206.
- Pires, W., Neto, F. (2017). Morphological investigation of cellulose nanocrystals and nanocomposite applications. *Universite Grenoble Alpes : These*
- Saravanan, R., Gupta, V. K., Prakash, T., Narayanan, V., & Stephen, A. (2013). Synthesis, characterization and photocatalytic activity of novel Hg doped ZnO nanorods prepared by thermal decomposition method. *J. Mol. Liq*, 178, 88–93.
- Ranby (1950). Fibrous macromolecular systems. Cellulose and muscle. The colloidal properties of cellulose micelles. *Journal : Discussions of Faraday Society*, 11
- Revol, J. F., Bradford, H., Giasson, J., Marchessault, R. H., & Gray, D. G. (1990). *Int. J. Biol. Macromol.*, 14, 170.
- Roco, M. C., Williams, R. S., & Alivisatos, P. (1999). Nanotechnology Research Directions: IWGN Research Report. *Committee on Technology, Interagency Working Group on Nanoscience, Engineering and Technology (IWGN), National Science and Technology Council*

Ruthven, D. M. (1984). Principles of Adsorption & Adsorption Processes. Wiley-Interscience Publications, Canada.

Sair, S., Abboud, Y., Qushabi, A., & Hassani, F. O. (2017). The effect of alkali treatment on mechanical, morphological and thermal properties of date palm fibres (DPFs) : Study of the interface of DPF-Polyurethane composite. *South African Journal of Chemical Engineering*, 23, 116-123.

Senja, R. Y., Issusilaningtyas, E., Nugroho, A. K., & Setyowati, E. P. (2014). The Comparison of Extraction Method and Solvent Variation on Yield and Antioxidant Activity of Brassica oleracea L. var. capitata f. rubra Extract. *Traditional Medicine Journal*, 19, 43–48.

Schenzel, K., Fischer, S., & Brendler E. (2019). New method for determining the degree of cellulose I crystallinity by means of FT Raman spectroscopy. *Cellulose*, 12, 223–31.

Shanmugarajah, B., Chew, I. M. L., Mubarak, N. M., Choong, T. S. Y., Yoo, C. K., & Tan, K. W. (2019). Valorization of palm oil agro-waste into cellulose biosorbents for highly effective textile effluent remediation. *Journal of Cleaner Production*, 210, 697–709.

Sharma, A., Thakur, M., Bhattacharya, M., Mandal, T., & Goswami, S. (2019). Latest patents trends on cellulose nanocomposites SC. *Biotechnology Reports*, 316.

Shapira, P., Jan, Y. (2011). "Introduction to the symposium issue: nanotechnology innovation and polycycurrent strategies and future trajectories. *The Journal of Technology Transfer* 36(6), 581-586.

Smith, R. (2014). Chemical Process Design and Integration. In *School of Chemical Engineering and Analytical Science, University of Manchester* (Vol. 68).

Sumari, S. (2013). Effect of Ultrason on the morphology, particle size, crystallinity, and crystallite size of cellulose. *Journal Chemistry and Chemical Engineering, Biotechnology, Food Industry*, 14(4), 229-239.

Supian, M. A. F., Amin, K. N. M., Jamari, S. S., & Mohamad, S. (2017). Investigation on Pre-Treatment Process In Microcrystalline Cellulose (MCC) From Oil Palm Empty Fruit Bunch (EFB). *Journal of Chemical Engineering and Industrial Biotechnology*, 3, 87-96.

Tawfik, A. S., Vinod, K. G.(2012). Photo-catalyzed degradation of hazardous dye methyl orange by use of a composite catalyst consisting of multi-walled carbon nanotubes and titanium dioxide. *Journal Colloid Interface Sci*, 371, 101–106.

Tan, K. B., Reza, A. K., Abdullah, A. Z., Horri, B. M., & Salamatinia, B. (2018). Development of self-assembled nanocrystalline cellulose as a promising practical adsorbent for methylene blue removal. *Carbohydrate Polymers*, 199, 92-101.

Tang, Y., Yang, M., Dong, W., Tan, L., Zhang, X., Zhao, P., & Wang, G. (2015). Temperature difference effect induced self-assembly method for Ag/SBA-15 nanostructures and their catalytic properties for epoxidation of styrene. *Microporous and Mesoporous Materials*, 215, 199–205.

Tomas B., Sanna, S. (2018). Cellulose nanomaterial processing methodes and applications. *Tampere University of Technology*.

Wang, G. (2018). Nanotechnology : The New Features. *University of Connecticut : Dept. of Computer Science and Engineering*

Weber Jr. (1985). Adsorption theory, concepts, and models. In: Slejko, F.L. (Ed.), Adsorption Technology: A Step by Step Approach to Process Evaluation and Application. *Marcel Dekker, Inc., United States of America*, 3–18.

Wong, S., Ngadi, N., Inuwa, I. M., & Hassa, O. (2018). Recent advances in application of activated carbon from biowaste for waste water treatment : a short review. *Journal Clean Production*, 175, 361-375

Wunna K., Nakasaki, K., Auresenia, J. L., Abella, L. C., & Gaspilo, P. D. (2017). Effect of Alkali Pretreatment on Removal of Lignin from Sugarcane Bagasse. *Chemical Engineering Transaction*, 56, 2017

Gupta, V. K., Nayak, A. (2012). Cadmium removal and recovery from aqueous solutions by novel adsorbents prepared from orange peel and Fe₂O₃ nanoparticles. *Chem. Eng. J*, 180, 81–90.

Ren, X., Chen, C., Nagatsu, M., Wang, X. (2011). Carbon nanotubes as adsorbents in environmental pollution management: a review. *Chem. Eng. J*, 170, 395–410.

Yuliana, A., Pradecta, L., Savitri, E., Hendratari, A. R., & Sumarno. (2012). The Effect of Sonication on The Characteristic of Chitosan. *Proceeding of International Conference Chemical and Material Eningeering*, 978, 602-697.

Zare, E., Mansour, M., & Kasirian, N. (2018). Development of effective nano-biosorbent based on poly m-phenylenediamine grafted dextrin for removal of Pb (II) and methylene blue from water. *Carbohydrate Polymers*, 201, 539–548.

Agroindustri. (2017). Batang Kelapa Sawit. [online] <http://www.agroindustri.id/klasifikasi-tanaman-kelapa-sawit/>. Diakses pada Juli 2019

Susanto, I. (2013). Batang Sawit Bernilai Tinggi. Kompas.com : 23 Mei 2013. [online] diakses pada Mei 2019.