

DAFTAR PUSTAKA

- Akdogan, M., Ustundag-Bidak, Y. and Huysal, K. (2016) 'The association of hematologic inflammatory markers with atherogenic index in type 2 diabetic retinopathy patients', *Clin Ophthalmol*, pp. 1797–1801.
- Amoorthy, R. K. K. *et al.* (2017b) 'Apolipoproteins an Early and Better Diagnostic Marker for Diabetic Retinopathy', *J Clin Diagn Res*, 11(10), pp. NC01–NC05.
- Ankit, B. *et al.* (2017a) 'Stronger relationship of serum apolipoprotein A-1 and B with diabetic retinopathy than traditional lipids', *Indian J Endocr Metab*, 21(1), p. 102.
- Atalay, H. *et al.* (2015) 'Effect of The Atherogenic Index of Plasma on Microvascular Complications Associated with Type 2 Diabetes Mellitus', *Istanbul Med J*, (June 2014), pp. 111–115.
- Bai, H. *et al.* (2015) 'Association Analysis of Genetic Variants with Type 2 Diabetes in a Mongolian Population in China', *Hindawi Publishing Corporation*. Hindawi Publishing Corporation, 2015.
- Behzad, H. (2015) 'Obesity and diabetic retinopathy : What is the association ?', *Caspian J Intern Med*, 6(4), pp. 184–186.
- Chew, E. Y. *et al.* (1996) 'Association of Elevated Serum Lipid Levels With Retinal Hard Exudate in Diabetic Retinopathy', *Arch Ophthalmol*, pp. 1079–1084.
- Cho, N. H. *et al.* (2013) 'Optimal HbA1c cutoff for detecting diabetic retinopathy', *Acta Diabetologica*.
- Cochran, B. J. *et al.* (2014) 'Apolipoprotein A-I Increases Insulin Secretion and Production From Pancreatic β -Cells via a G-Protein-cAMP-PKA-FoxO1-Dependent Mechanism', *Arterioscler Thromb Vasc Biol*, 34, pp. 2261–2267.
- Crosby-Nwaobi, R. *et al.* (2015) 'Cross talk between lipid metabolism and inflammatory markers in patients with diabetic retinopathy', *J. Diabetes Res*. Hindawi Publishing Corporation, 2015.
- Dionyssiou-Asteriou, A. *et al.* (2002) 'Serum Apolipoprotein AI Levels in Atherosclerotic and Diabetic Patients'.
- Emtage, N. P. *et al.* (2014) 'Preferred Practice Pattern: Diabetic retinopathy', *AJO*, p. <http://www.aao.org/preferred-practice-pattern/diab>.
- Fernandez, J. *et al.* (2004) 'Risk factors for diffuse and focal macular edema', *J Diabetes Complications*, 18, pp. 211–215.
- Frank, P. G. and Marcel, Y. L. (2000) 'Apolipoprotein A-I: structure – function relationships', *J. Lipid Res.*, 41, pp. 853–872.
- Frondelius, K. *et al.* (2017) 'Lifestyle and Dietary Determinants of Serum Apolipoprotein A1 and Apolipoprotein B Concentrations: Cross-Sectional Analyses within a Swedish Cohort of 24 , 984 Individuals', *Nutrients*, 9(Cvd), pp. 1–13.
- Ghanchi, F. *et al.* (2013) 'The Royal College of Ophthalmologists Diabetic Retinopathy Guidelines', in *Diabetic Retinopathy Guidelines*.
- Hargrove, G. M., Junco, A. and Wong, N. C. W. (1999) 'Hormonal Regulation of

- Apolipoprotein AI', *J. Mol. Endocrinol.*, 2, pp. 103–111.
- Hwang, Y. *et al.* (2014) 'Association of HDL-C and apolipoprotein A-I with the risk of type 2 diabetes in subjects with impaired fasting glucose', *Eur. J. Endocrinol.*, (6), pp. 1–6.
- Idiculla, J. *et al.* (2012) 'Serum lipids and diabetic retinopathy : A cross-sectional study', *Indian J Endocr Metab*, 16, pp. 492–495.
- Kirk, J. K. *et al.* (2008) 'Disparities in A1C Levels Between Hispanic and Non-Hispanic White Adults With Diabetes', *Diabetes Care*, 31(2), pp. 240–246.
- Klein, R. *et al.* (2016) 'Serum Lipids and Proliferative Diabetic Retinopathy and Macular Edema in Persons with Long Term Type 1 Diabetes: The Wisconsin Epidemiologic Study of Diabetic Retinopathy', *JAMA Ophthalmol*, 133(5), pp. 503–510. doi: 10.1001/jamaophthalmol.2014.5108.Serum.
- Klein, R., Klein, B. E. K. and Moss, S. E. (1989) 'The Wisconsin Epidemiological Study of Diabetic Retinopathy : A Review', *Diabetes/Metabolism Reviews*, 5.
- Krishnamoorthy, R. (2017) 'Apolipoproteins an Early and Better Diagnostic Marker for Diabetic Retinopathy', *Journal of Clinical and Diagnostic Research*, pp. 1–5.
- Lee, R., Wong, T. Y. and Sabanayagam, C. (2015) 'Epidemiology of diabetic retinopathy , diabetic macular edema and related vision loss', *Eye and Vision*. Eye and Vision, pp. 1–25.
- Leske, M. C. *et al.* (2005) 'Hyperglycemia , Blood Pressure , and the 9-Year Incidence of Diabetic Retinopathy', *Ophthalmology*, pp. 799–805.
- Lokesh, S. and Shivaswamy, S. (2018) 'Study of HbA1C levels in patients with type 2 diabetes mellitus in relation to diabetic retinopathy in Indian population', *Int J adv Med*, 5(6), pp. 1397–1401.
- Ma, R. C. W. and Chan, J. C. N. (2013) 'Type 2 diabetes in East Asians : similarities and differences with populations in Europe and the United States', *Ann. N.Y.Acad.Sci*, 1281, pp. 64–91.
- Manaviat, M. R. and Rashidi, M. (2008) 'Four years incidence of diabetic retinopathy and effective factors on its progression in type II diabetes', *Eur. J.Ophthalmol*, 18(4), pp. 572–577.
- Miljanovic, B. *et al.* (2004) 'A Prospective Study of Serum Lipids and Risk of Diabetic Macular Edema in Type 1 Diabetes', *Diabetes*, pp. 2883–2892.
- Mooradian, A. D. (2009) 'Dyslipidemia in type 2 diabetes mellitus', *Endocrinology & metabolism*, 5(3), pp. 150–159.
- Moss, S. E., Klein, R. and Klein, B. E. K. (1991) 'Association of Cigarette Smoking With Diabetic Retinopathy', *Diabetes Care*, 14(FEBRUARY), pp. 119–126.
- Moss, S. E., Klein, R. and Klein, B. E. K. (1996) 'Cigarette Smoking and Ten-year Progression of Diabetic Retinopathy', *Ophthalmology*. American Academy of Ophthalmology, Inc, 103(9), pp. 1438–1442.
- Namitha D *et al.* (2017) 'Apolipoprotein A-I and Apolipoprotein B: Better Indicators of Dyslipidemia in Diabetic Retinopathy Patients?', *Indian J Med Biochem*, 21(2), pp. 142–146.

- Nentwich, M. M. (2015) 'Diabetic Retinopathy - Ocular Complications of Diabetes Mellitus', *World J Diabetes*, 6(3), p. 489. doi: 10.4239/wjd.v6.i3.489.
- Ory, D. S. and Schaffer, J. E. (2010) 'ApoA-1 in diabetes: Damaged goods', *Diabetes*.
- Papastamatiou, M. and Vatalas, I. (2002) 'Serum Apolipoprotein AI Levels in Atherosclerotic and Diabetic Patients', *Eur J Vasc Endovasc Surg* 24, 165, pp. 0–4.
- Praidou, A. *et al.* (2016) 'Physical activity and its correlation to diabetic retinopathy', *JDC*. Elsevier Inc.
- Prakash, G., Agrawal, R., Satsangi, S. K., *et al.* (2016) 'Comparison of Serum Apolipoproteins and Traditional Lipids in Eyes with Diabetic Retinopathy in Indian Population : A Case Series', *Middle East Afr J ophthalmol*, 23(2), pp. 212–214.
- Ramachandran, A. *et al.* (2016) 'Diabetes in Asia and the Pacific : Implications for the Global Epidemic', *Diabetes Care*, 39(March), pp. 472–485.
- Rasoulinejad, S. A., Hajian-Tilaki, K. and Mehdipour, E. (2015) 'Associated factors of diabetic retinopathy in patients that referred to teaching hospitals in Babol', *Caspian J Intern Med*, 4(July), pp. 224–228.
- Romero-Aroca, P. *et al.* (2016) 'Diabetic Macular Edema Pathophysiology: Vasogenic versus Inflammatory', *J. Diabetes Res*. Hindawi Publishing Corporation, 2016.
- Sasongko, M. B. *et al.* (2011a) 'Serum apolipoprotein AI and B are stronger biomarkers of diabetic retinopathy than traditional lipids', *Diabetes Care*, 34(2), pp. 474–479.
- Sasongko, M. B. *et al.* (2012) 'Serum Apolipoproteins Are Associated With Systemic and Retinal Microvascular Function in People With Diabetes', *Diabetes*, 61, pp. 1785–1792.
- Sharma, Y. *et al.* (2017) 'Apolipoprotein A-I and B and Subjective Global Assessment relationship can reflect lipid defects in diabetic retinopathy', *Nutrition*. Elsevier Ltd, 33, pp. 70–75.
- Simo, R. (2008) 'Elevation of Apolipoprotein A-I and Apolipoprotein H Levels in the Vitreous Fluid and Overexpression in the Retina of Diabetic Patients', *Arch Ophthalmol*, 126(8), pp. 1076–1081.
- Tarr, J. M. *et al.* (2013) 'Pathophysiology of Diabetic Retinopathy', *hindawi Publishing Corporation*, 2013, p. 13. Available at: <https://www.google.co.id/search?q=patophysiology+of+diabetic+retinopathy.pdf&oq=patophysiology+of+diabetic+retinopathy.pdf&aqs=chrome..69i57j0l2.13239j0j8&sourceid=chrome&ie=UTF-8#>.
- Trajkovska, K. T. and Topuzovska, S. (2017) 'High-density lipoprotein metabolism and reverse cholesterol transport : strategies for raising HDL cholesterol', *Anatol J Cardiol*, 18(22), pp. 149–154.
- Tserentsoodol, N. *et al.* (2006) 'Intraretinal lipid transport is dependent on high density lipoprotein-like particles and class B scavenger receptors', *Molecular Vision*, 12(April), pp. 1319–33.
- Varma, R., Bressler, Neil M., *et al.* (2014) 'Prevalence of and risk factors for

- diabetic macular edema in the United States', *JAMA Ophthalmology*, 132(11), pp. 1334–1340.
- Varma, R., Bressler, Neil M, *et al.* (2014) 'Prevalence of and Risk Factors for Diabetic Macular Edema in the United States', *JAMA Ophthalmol*, 132(11), pp. 1334–1340.
- Vinodhini, V. M. *et al.* (2013) 'A Study on the Pattern of Lipid Profile and Apolipoproteins in Patients With Diabetic Retinopathy', *Int. J. Pharm. Clin. Res*, 5(1), pp. 1–3.
- Vislisel, J. and Oetting, T. (2010) *Diabetic Retinopathy: From One Medical and Tomas Oetting, University of IOWA Health Care.*
- Yazdani, R. and Marefati, H. (2018) 'Effect of Aerobic Exercises on Serum Levels of Apolipoprotein A1 and Apolipoprotein B , and Their Ratio in Patients with Chronic Obstructive Pulmonary Disease', *Tanaffos*, 17(2), pp. 82–89.
- Zhang, X. *et al.* (2014) 'Diabetic Macular Edema: New Concepts in Pathophysiology and Treatment', *Cell & Bioscience*, 4(1), p. 27.
- Zhu, W. *et al.* (2018) 'Association of obesity and risk of diabetic retinopathy in diabetes patients', *Medicine*, 97, p. 32.