

DAFTAR PUSTAKA

- Abdel-Aal, E. S. M., Young, J. C., & Rabalski, I. (2006). Anthocyanin composition in black, blue, pink, purple, and red cereal grains. *Journal of Agricultural and Food Chemistry*, 54(13), 4696–4704. <https://doi.org/10.1021/jf0606609>
- Abdullah, B. (2017). Peningkatan kadar antosianin beras merah dan beras hitam melalui biofortifikasi / Increasing Anthocyanin of Red and Black Rice through Biofortification. *Jurnal Penelitian Dan Pengembangan Pertanian*, 36(2), 91. <https://doi.org/10.21082/jp3.v36n2.2017.p91-98>
- Afrin, S., Nuruzzaman, M., Zhu, J., & Luo, Z. (2014). Combinatorial interactions of MYB and bHLH in flavonoid biosynthesis and their function in plants. *Journal of Plant Biology Research*, 3(2), 65–77. <https://www.semanticscholar.org/paper/Combinatorial-interactions-of-MYB-and-bHLH-in-and-Afrin-Nuruzzaman/3dbb4320d158f2507d93814141797fffa70dd0ed>
- Allan, A. C., Hellens, R. P., & Laing, W. A. (2008). MYB transcription factors that colour our fruit. *Trends in Plant Science*, 13(3), 99–102. <https://doi.org/10.1016/j.tplants.2007.11.012>
- Ao, Y. A. N. G. Y., Ang, W. E. I. S., Hou, M. E. Z., & En, G. U. R. (2010). *Antioxidant and r -Glucosidase Inhibitory Activity of Colored Grains in China*. 770–774. <https://doi.org/10.1021/jf903234c>
- Apridamayanti, P., Pratiwi, R., Purwestri, Y. A., Sri Tunjung, W. A., & Rumiati, R. (2018). Anthocyanin, nutrient contents, and antioxidant activity of black rice bran of *Oryza sativa* L. ‘Cempo Ireng’ from Sleman, Yogyakarta, Indonesia. *Indonesian Journal of Biotechnology*, 22(1), 49. <https://doi.org/10.22146/ijbiotech.26401>

- Bertoia, M. L., Rimm, E. B., Mukamal, K. J., Hu, F. B., Willett, W. C., & Cassidy, A. (2016). Dietary flavonoid intake and weight maintenance: Three prospective cohorts of 124 086 US men and women followed for up to 24 years. *BMJ (Online)*, 352. <https://doi.org/10.1136/bmj.i17>
- Bong, G. K., Jeong, H. K., Shin, Y. M., Shin, K. H., Ji, H. K., Hong, Y. K., Su, N. R., & Ahn, J. H. (2007). Anthocyanin content in rice is related to expression levels of anthocyanin biosynthetic genes. *Journal of Plant Biology*, 50(2), 156–160. <https://doi.org/10.1007/BF03030624>
- Boss, P. K., Davies, C., & Robinson, S. P. (1996). Analysis of the Expression of Anthocyanin Pathway Genes. *Plant Physiology*, 111(1 996), 1059–1066.
- Cevallos-Casals, B. A., & Cisneros-Zevallos, L. (2003). Stoichiometric and kinetic studies of phenolic antioxidants from Andean purple corn and red-fleshed sweetpotato. *Journal of Agricultural and Food Chemistry*, 51(11), 3313–3319. <https://doi.org/10.1021/jf034109c>
- Chem, F. (2002). *Anthocyanins from Black Currants (Ribes nigrum L .)*. 3228–3231. <https://doi.org/10.1021/jf011581u>
- Chen, X. Q., Nagao, N., Itani, T., & Irifune, K. (2012). Anti-oxidative analysis, and identification and quantification of anthocyanin pigments in different coloured rice. *Food Chemistry*, 135(4), 2783–2788. <https://doi.org/10.1016/j.foodchem.2012.06.098>
- Chetry, U., Chrungoo, N. K., & Kulkarni, K. (2019). Comparative transcriptomics approach in elucidation of carotenoid biosynthesis regulation in grains of rice (Oryza sativa L.). *Scientific Reports*, 9(1), 1–12. <https://doi.org/10.1038/s41598-018-38233-8>

- Fedriana, V. 2018. Ekspresi Gen Phytoene Synthase dan Lycopene Beta-cyclase dalam Jalur Biosintesis Karotenoid pada Lima Tahap Perkembangan Biji Beras Hitam (*Oryza sativa* L. "Cempo Ireng). Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Fibriyanti, Y.W. 2012. Kajian Kualitas Kimia dan Biologis Beras Merah (*Oryza nivara*) dalam Beberapa Pewadahan Selama Penyimpanan. Skripsi. Universitas Sebelas Maret. Surakarta.
- Hao, J., Zhu, H., Zhang, Z., Yang, S., & Li, H. (2015). Identification of anthocyanins in black rice (*Oryza sativa* L.) by UPLC/Q-TOF-MS and their in vitro and in vivo antioxidant activities. *Journal of Cereal Science*, 64, 92–99. <https://doi.org/10.1016/j.jcs.2015.05.003>
- Huang, W., Zhu, Y., Li, C., Sui, Z., & Min, W. (2016). Effect of blueberry anthocyanins malvidin and glycosides on the antioxidant properties in endothelial cells. *Oxidative Medicine and Cellular Longevity*, 2016. <https://doi.org/10.1155/2016/1591803>
- International Rice Research Institute (IRRI). 2013. Standard Evaluation System for Rice. 5th Edition. Manila.
- Jaakola, L. (2013). New insights into the regulation of anthocyanin biosynthesis in fruits. *Trends in Plant Science*, 18(9), 477–483. <https://doi.org/10.1016/j.tplants.2013.06.003>
- Jennings, A., MacGregor, A., Spector, T., & Cassidy, A. (2017). Higher dietary flavonoid intakes are associated with lower objectively measured body composition in women: Evidence from discordant monozygotic twins. *American Journal of Clinical Nutrition*, 105(3), 626–634. <https://doi.org/10.3945/ajcn.116.144394>

- Jenshi, J., Saravanakumar, M., Aravindhan, K. M., & Suganya, P. (2011). *The effect of light , temperature , ph on stability of anthocyanin pigments in Musa acuminata bract. 1(5), 5–12.*
- Kalt, W., Cassidy, A., Howard, L. R., Krikorian, R., Stull, A. J., Tremblay, F., & Zamora-Ros, R. (2020). Recent Research on the Health Benefits of Blueberries and Their Anthocyanins. *Advances in Nutrition, 11(2), 224–236.* <https://doi.org/10.1093/advances/nmz065>
- Kaplan, D. R. (2001). The science of plant morphology: Definition, history, and role in modern biology. *American Journal of Botany, 88(1–12), 1711–1741.* <https://doi.org/10.2307/3558347>
- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). Anthocyanidins and anthocyanins: Colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food and Nutrition Research, 61(1).* <https://doi.org/10.1080/16546628.2017.1361779>
- Kim, C. K., Cho, M. A., Choi, Y. H., Kim, J. A., Kim, Y. H., Kim, Y. K., & Park, S. H. (2011). Identification and characterization of seed-specific transcription factors regulating anthocyanin biosynthesis in black rice. *Journal of Applied Genetics, 52(2), 161–169.* <https://doi.org/10.1007/s13353-011-0027-3>
- Kim, M.-K., Kim, H., Koh, K., Kim, H.-S., Lee, Y. S., & Kim, Y. H. (2008). Identification and quantification of anthocyanin pigments in colored rice. *Nutrition Research and Practice, 2(1), 46.* <https://doi.org/10.4162/nrp.2008.2.1.46>
- Kristantini, Taryono, Panjisakti, B., & Murti, R. H. (2017). Korelasi Kandungan Antosianin Total dengan Peubah Warna (L*a dan b*) dan Penanda Mikrosatelit Pada Beras Hitam. *Penelitian Pertanian Tanaman Pangan, 1(Chaudhary 2003),*

115–124.

Kumar, D., Sarmah, B. K., & Das, P. K. (2019). Ethylene mediates repression of anthocyanin accumulation in black rice pericarps in the absence of light. *Journal of Plant Physiology*, 236(March 2018), 34–38. <https://doi.org/10.1016/j.jplph.2019.02.011>

Laokuldilok, T., Shoemaker, C. F., Jongkaewwattana, S., & Tulyathan, V. (2011). Antioxidants and antioxidant activity of several pigmented rice brans. *Journal of Agricultural and Food Chemistry*, 59(1), 193–199. <https://doi.org/10.1021/jf103649q>

Lee, J. H. (2010). Identification and quantification of anthocyanins from the grains of black rice (*Oryza sativa* L.) varieties. *Food Science and Biotechnology*, 19(2), 391–397. <https://doi.org/10.1007/s10068-010-0055-5>

Liu, Y., Tikunov, Y., Schouten, R. E., Marcelis, L. F. M., Visser, R. G. F., & Bovy, A. (2018). Anthocyanin biosynthesis and degradation mechanisms in Solanaceous vegetables: A review. *Frontiers in Chemistry*, 6(MAR). <https://doi.org/10.3389/fchem.2018.00052>

Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2- $\Delta\Delta$ CT method. *Methods*, 25(4), 402–408. <https://doi.org/10.1006/meth.2001.1262>

Ma, Y. J., Duan, H. R., Zhang, F., Li, Y., Yang, H. S., Tian, F. P., Zhou, X. H., Wang, C. M., & Ma, R. (2018). Transcriptomic analysis of *Lycium ruthenicum* Murr. During fruit ripening provides insight into structural and regulatory genes in the anthocyanin biosynthetic pathway. *PLoS ONE*, 13(12), 1–22. <https://doi.org/10.1371/journal.pone.0208627>

- Makarim, A. K., & Suhartatik, E. (2009). *Morfologi dan Fisiologi Tanaman Padi* (pp. 297–330).
- Moriwaki, S., Suzuki, K., Muramatsu, M., Nomura, A., Inoue, F., Into, T., Yoshiko, Y., & Niida, S. (2014). Delphinidin, one of the major anthocyanidins, prevents bone loss through the inhibition of excessive osteoclastogenesis in osteoporosis model mice. *PLoS ONE*, *9*(5). <https://doi.org/10.1371/journal.pone.0097177>
- Nakajima, J. I., Tanaka, Y., Yamazaki, M., & Saito, K. (2001). Reaction Mechanism from Leucoanthocyanidin to Anthocyanidin 3-Glucoside, a Key Reaction for Coloring in Anthocyanin Biosynthesis. *Journal of Biological Chemistry*, *276*(28), 25797–25803. <https://doi.org/10.1074/jbc.M100744200>
- Niu, J., Zhang, G., Zhang, W., Goltsev, V., Sun, S., Wang, J., Li, P., & Ma, F. (2017). Anthocyanin concentration depends on the counterbalance between its synthesis and degradation in plum fruit at high temperature. *Scientific Reports*, *7*(1), 1–16. <https://doi.org/10.1038/s41598-017-07896-0>
- Oancea, A. N. A. M., & Bahrim, G. (2015). *with functional properties*. *39*, 9–24.
- Oikawa, T., Maeda, H., Oguchi, T., Yamaguchi, T., Tanabe, N., & Ebana, K. (2015). *The Birth of a Black Rice Gene and Its Local Spread by Introgression*. *27*(September), 2401–2414. <https://doi.org/10.1105/tpc.15.00310>
- Olivas-aguirre, F. J., Rodrigo-garcía, J., Martínez-ruiz, N. R., Cárdenas-robles, A. I., Mendoza-díaz, S. O., Álvarez-parrilla, E., González-aguilar, G. A., Rosa, L. A. De, Ramos-jiménez, A., & Wall-medrano, A. (n.d.). *Cyanidin-3- O -glucoside: Physical-Chemistry, Foodomics and Health Effects*. 1–30. <https://doi.org/10.3390/molecules21091264>
- Petroni, K., & Tonelli, C. (2011). Plant Science Recent advances on the regulation of

anthocyanin synthesis in reproductive organs. *Plant Science*, 181(3), 219–229.
<https://doi.org/10.1016/j.plantsci.2011.05.009>

Pratiwi, R., & Purwestri, Y. A. (2017). *Black rice as a functional food in Indonesia*. 7(3), 182–194.

Reddy, A. M., Reddy, V. S., Scheffler, B. E., Wienand, U., & Reddy, A. R. (2007). *Novel transgenic rice overexpressing anthocyanidin synthase accumulates a mixture of flavonoids leading to an increased antioxidant potential*. 9, 95–111.
<https://doi.org/10.1016/j.ymben.2006.09.003>

Rice annotation project database. (2008). *The Rice Annotation Project Database*. 36(December 2007), 1028–1033. <https://doi.org/10.1093/nar/gkm978>

Santoso. (2008). *Kajian Morfologis dan Fisiologis Beberapa Varietas Padi Gogo (Oryza sativa L.) terhadap Cekaman Kekeringan*. Universitas Sebelas Maret.

Seeram, N. P., Momin, R. A., Nair, M. G., & Bourquin, L. D. (2001). Cyclooxygenase inhibitory and antioxidant cyanidin glycosides in cherries and berries. *Phytomedicine*, 8(5), 362–369. <https://doi.org/10.1078/0944-7113-00053>

Shao, Y., Hu, Z., Yu, Y., Mou, R., Zhu, Z., & Beta, T. (2018). minerals and their correlations in non-pigmented , red , and black rice. *Food Chemistry*, 239, 733–741. <https://doi.org/10.1016/j.foodchem.2017.07.009>

Shao, Y., Xu, F., Sun, X., Bao, J., & Beta, T. (2013). Phenolic acids, anthocyanins, and antioxidant capacity in rice (*Oryza sativa* L.) grains at four stages of development after flowering. *FOOD CHEMISTRY*.
<https://doi.org/10.1016/j.foodchem.2013.07.042>

Shao, Y., Xu, F., Sun, X., Bao, J., & Beta, T. (2014). Identification and quantification of phenolic acids and anthocyanins as antioxidants in bran , embryo and

- endosperm of white , red and black rice kernels (*Oryza sativa* L .). *Journal of Cereal Science*, 59(2), 211–218. <https://doi.org/10.1016/j.jcs.2014.01.004>
- Shoeva, O. Y., Mock, H., Kukoeva, T. V., & Bo, A. (2016). *Regulation of the Flavonoid Biosynthesis Pathway Genes in Purple and Black Grains of Hordeum vulgare*. 1–16. <https://doi.org/10.1371/journal.pone.0163782>
- Springob, K., Nakajima, J., Yamazaki, M., & Saito, K. (2003). *Recent advances in the biosynthesis and accumulation of anthocyanins*. 288–303. <https://doi.org/10.1039/b109542k>
- Suhartini, T., & K., D. S. (2010). Potensi Beras Hitam Lokal Indonesia. *Warta Penelitian Dan Pengembangan Pertanian*, 32(1), 9–10.
- Sun, H., Zhang, P., Zhu, Y., Lou, Q., & He, S. (2018). Antioxidant and prebiotic activity of five peonidin-based anthocyanins extracted from purple sweet potato (*Ipomoea batatas* (L .) Lam .). *Scientific Reports*, March, 1–12. <https://doi.org/10.1038/s41598-018-23397-0>
- Tsago, Y., Wang, Z., Liu, J., Sunusi, M., Eshag, J., & Akhter, D. (2019). *Morphological Characteristics and Gene Mapping of Purple Apiculus Formation in Rice*.
- United States Department of Agriculture (USDA). 2019. Diunduh dari <https://plants.usda.gov/core/profile?symbol=orsa> pada 20 Agustus 2020
- Uniprot. 2020. Diunduh dari <https://www.uniprot.org/uniprot/Q2R3A1> pada 23 Desember 2020
- Uniprot 2020. Diunduh dari <https://www.uniprot.org/uniprot/A2WQ39> pada 23 Desember 2020
- Xie, X. Bin, Li, S., Zhang, R. F., Zhao, J., Chen, Y. C., Zhao, Q., Yao, Y. X., You, C.

- X., Zhang, X. S., & Hao, Y. J. (2012). The bHLH transcription factor MdbHLH3 promotes anthocyanin accumulation and fruit colouration in response to low temperature in apples. *Plant, Cell and Environment*, 35(11), 1884–1897. <https://doi.org/10.1111/j.1365-3040.2012.02523.x>
- Xu, W., & Dubos, C. (2015). *Transcriptional control of flavonoid biosynthesis by MYB – bHLH – WDR complexes*. 20(3). <https://doi.org/10.1016/j.tplants.2014.12.001>
- Xu, Z., Feng, K., Que, F., Wang, F., & Xiong, A. (2017). A MYB transcription factor , DcMYB6 , is involved in regulating anthocyanin biosynthesis in purple carrot taproots. *Nature Publishing Group, February*, 1–9. <https://doi.org/10.1038/srep45324>
- Yang, Y., Cui, B., Tan, Z., Song, B., Cao, H., & Zong, C. (2018). *RNA sequencing and anthocyanin synthesis-related genes expression analyses in white-fruited Vaccinium uliginosum*. 1–11.
- Zheng, J., Wu, H., Zhu, H., Huang, C., Liu, C., Chang, Y., Kong, Z., Zhou, Z., Wang, G., Lin, Y., & Chen, H. (2019). Determining factors, regulation system, and domestication of anthocyanin biosynthesis in rice leaves. *New Phytologist*, 223(2), 705–721. <https://doi.org/10.1111/nph.15807>