



## DAFTAR PUSTAKA

- Ambesh, S., Singh, N. and Srivastava, K. (2008) ‘Fentanyl Induced Coughing Caused Life-threatening Airway Obstruction in a patient with arteriovenous malformation of tongue and hypopharynx’, p. 4.
- Çoruh, B., Tonelli, M. R. and Park, D. R. (2013) ‘Fentanyl-Induced Chest Wall Rigidity’, *Chest*, 143(4), pp. 1145–1146. doi: 10.1378/chest.12-2131.
- Du, Bo Xiang., Cao, Ling., Zhao, Win.-Liau., Xu, Zhen Han., Song, Ju. and Shi, Xio.-Yao. (2014) ‘Pre-emptive small dose of fentanyl suppresses fentanyl-induced cough: a meta-analysis of randomized controlled trials’, p. 11.
- Fitri, L. and Uyun, Y. (2016) ‘Perbandingan Insidensi Batuk Akibat Pemberian Fentanil 2 µg/kgbb Iv dengan Perlakuan Huffing Manoeuvre dan Tanpa Perlakuan’, 3, p. 7.
- Gu, Chen., Zhou, Mao., Wu, H., Li, F. and Tang, Q. (2012) ‘Effects of different priming doses of fentanyl on fentanyl-induced cough: a double-blind, randomized, controlled study’, *Pharmacological Reports*, 64(2), pp. 321–325. doi: 10.1016/S1734-1140(12)70771-5.
- Haji, A., Kimura, S. and Ohi, Y. (2013) ‘A Model of the Central Regulatory System for Cough Reflex’, *Biological and Pharmaceutical Bulletin*, 36(4), pp. 501–508. doi: 10.1248/bpb.b13-00052.
- Han, J. I. (2011) ‘Should the clinical study on opioid-induced cough continue?’, *Korean Journal of Anesthesiology*, 60(6), p. 391. doi: 10.4097/kjae.2011.60.6.391.
- Hung, K.-C., Chen, C.-W., Lin, V. C.-H., Weng, H.-C. and Hsieh, S.-W. (2010) ‘The effect of pre-emptive use of minimal dose fentanyl on fentanyl-induced coughing: Pre-emptive minimal dose fentanyl and coughing’, *Anesthesia*, 65(1), pp. 4–7. doi: 10.1111/j.1365-2044.2009.06109.x.
- Lim, K. J., Lee, S. K., Lee, H. M., Park, E. Y., Kim, M. H., Kim, Y. S., et al. (2013) ‘Aspiration pneumonia caused by fentanyl-induced cough -a case report-’, *Korean Journal of Anesthesiology*, 65(3), p. 251. doi: 10.4097/kjae.2013.65.3.251.
- Lin, J.-A., Yeh, C.-C., Lee, M.-S., Wu, C.-T., Lin, S.-L. and Wong, C.-S. (2005) ‘Prolonged Injection Time and Light Smoking Decrease the Incidence of Fentanyl-Induced Cough’, *Anesthesia & Analgesia*, 101(3), pp. 670–674. doi: 10.1213/01.ANE.0000159161.31276.DB.
- Millqvist, E. and Bende, M. (2001) ‘Capsaicin cough sensitivity is decreased in smokers’, *Respiratory Medicine*, 95(1), pp. 19–21. doi: 10.1053/rmed.2000.0965.
- Phua, C. K., Wee, A., Lim, A., Abisheganaden, J. and Verma, A. (2017) ‘Fentanyl-induced chest wall rigidity syndrome in a routine bronchoscopy’, *Respiratory Medicine Case Reports*, 20, pp. 205–207. doi: 10.1016/j.rmcr.2017.02.012.
- Phua, W. T., Teh, B. T., Jong, W., Lee, T. L. and Tweed, W. A. (1991) ‘Tussive effect of a fentanyl bolus’, *Canadian Journal of Anaesthesia*, 38(3), pp. 330–334. doi: 10.1007/BF03007623.



UNIVERSITAS  
GADJAH MADA

EFEK PEMBERIAN PRIMING FENTANIL 1mcg/kgbb TERHADAP INSIDENSI BATUK PASCA

PREEEMPTIF ANALGESIA

FENTANIL 2mcg/kgbb DI RSUP DR SARDJITO

NUR HAMAM PRAKOSA, Dr. dr. Yusmein Uyun Sp. An, KAO ; dr. Yunita Widayastuti Sp. An, KAP, M.Kes, Ph.D

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Santiago, J., Santos, L. J. and Giron, J. (2009) ‘Low-dose, low-concentration spinal anesthesia may help to detect surgery-related nerve injury’, *Acta Anaesthesiologica Scandinavica*, 53(9), pp. 1229–1230. doi: 10.1111/j.1399-6576.2009.02053.x.

Sastroasmoro, S. and Ismael, S. (2016) *Dasar-dasar Metodologi Penelitian Klinis*. 5th ed. Jakarta: Sagung Seto.

Schäpermeier, U. and Hopf, H.-B. (2008) ‘Fentanyl-induced cough does not depend on injection speed: a randomized study: Cough after intravenous fentanyl’, *Acta Anaesthesiologica Scandinavica*, 52(8), pp. 1071–1075. doi: 10.1111/j.1399-6576.2008.01721.x.

Shuying, L., Ping, L., Juan, N. and Dong, L. (2016) ‘Different interventions in preventing opioid-induced cough: a meta-analysis’, *Journal of Clinical Anesthesia*, 34, pp. 440–447. doi: 10.1016/j.jclinane.2016.05.034.

Stoelting, R. (2012) *Handbook of Pharmacology and Physiology in Anesthetic Practice*. Wolters Kluwer Health. Available at: <https://books.google.co.id/books?id=ALv3JVWCMfQC>.

Tan, W., Li, S., Liu, X., Gao, X., Huang, W., Guo, J., et al. (2018) ‘Prophylactic Intravenous Lidocaine at Different Doses for Fentanyl-Induced Cough (FIC): A Meta-Analysis’, *Scientific Reports*, 8(1), p. 9946. doi: 10.1038/s41598-018-27457-3.

Tweed, W. A. and Dakin, D. (2001) ‘Explosive Coughing After Bolus Fentanyl Injection’:, *Anesthesia and Analgesia*, pp. 1442–1443. doi: 10.1097/00000539-200106000-00018.

Yeh, C.-C., Wu, C.-T., K Huh, B., Lee, M.-S., Lin, S.-L., J Sheen, M., et al. (2007) ‘Premedication with intravenous low-dose ketamine suppresses fentanyl-induced cough’, *Journal of Clinical Anesthesia*, 19(1), pp. 53–56. doi: 10.1016/j.jclinane.2006.05.021.