

DAFTAR PUSTAKA

- Abourawi, F. I. (2006) 'Diabetes Mellitus And Pregnancy', *Libyan Journal Of Medicine*, 1(1).
- Acharya, D. R. (2019) 'Prediction Of Preeclampsia By Waist Circumference And By Mean Arterial Pressure', *International Journal Of Medical And Biomedical Studies*, 3(10), Pp. 194–197. Doi: 10.32553/Ijmbms.V3i10.657.
- Adams, R. J. (2010) 'Improving Health Outcomes With Better Patient Understanding And Education', *Risk Management And Healthcare Policy*, 3, Pp. 61–72. Doi: 10.2147/RMHP.S7500.
- Ahmad Zamil, A. M., Areiqat, A. Y. And Tailakh, W. (2012) 'The Impact Of Health Service Quality On Patients' Satisfaction Over Private And Public Hospitals In Jordan: A Comparative Study', *International Journal Of Marketing Studies*, 4(1). Doi: 10.5539/Ijms.V4n1p123.
- Ahmed, R, J Dunford, R Mehran *Et al.* (2014) 'Pre-Eclampsia And Future Cardiovascular Risk Among Women: A Review', *Journal Of The American College Of Cardiology*, 63(18), Pp. 1815–1822. Doi: 10.1016/J.Jacc.2014.02.529.
- Ahmed, S., Bryant, L. D. And Cole, P. (2013) 'Midwives' Perceptions Of Their Role As Facilitators Of Informed Choice In Antenatal Screening.', *Midwifery*, 29(7), Pp. 745–50. Doi: 10.1016/J.Midw.2012.07.006.
- Aini, W. N. Dan S. B. (2019) 'Diagnosa Preeklampsia Pada Ibu Hamil Menggunakan Sistem Informasi Berbasis Web', *Jurnal Keperawatan Silampari*, 4(1), Pp. 75–84.
- Akeju, D. O, M Vidler, OT Oladapo. *Et al.* (2016) 'Human Resource Constraints And The Prospect Of Task-Sharing Among Community Health Workers For The Detection Of Early Signs Of Pre-Eclampsia In Ogun State , Nigeria', *Reproductive Health*, 13(Suppl 2). Doi: 10.1186/S12978-016-0216-Y.
- Akobeng, A. K. (2007) 'Understanding Diagnostic Tests 1: Sensitivity, Specificity And Predictive Values', *Acta Paediatrica, International Journal Of Paediatrics*, 96(3), Pp. 338–341. Doi: 10.1111/J.1651-2227.2006.00180.X.
- Akolekar, R. And Wright, D. (2012) 'Competing Risks Model In Early Screening For Preeclampsia By Biophysical And Biochemical Markers'. Doi: 10.1159/000341264.
- Akowuah, J. A., Agyei-Baffour, P. And Awunyo-Vitor, D. (2018) 'Determinants Of Antenatal Healthcare Utilisation By Pregnant Women In Third Trimester In Peri-Urban Ghana', *Journal Of Tropical Medicine*, 2018(2000). Doi: 10.1155/2018/1673517.
- Al-Rubaie, Z, Askie, L, Ray, J, *et al.* (2016) 'The Performance Of Risk Prediction Models For Pre-Eclampsia Using Routinely Collected Maternal Characteristics And Comparison With Models That Include Specialised Tests And With Clinical Guideline Decision Rules: A Systematic Review', *BJOG: An International Journal Of Obstetrics & Gynaecology*, 123(9), Pp. 1441–1452. Doi: 10.1111/1471-0528.14029.
- Al-Rubaie, Z. T. A, H Hudson, G Jenkins. *Et al.* (2020) 'Prediction Of Pre-Eclampsia In Nulliparous Women Using Routinely Collected Maternal Characteristics: A Model



Development And Validation Study', *BMC Pregnancy And Childbirth*, 20(1), Pp. 1–14. Doi: 10.1186/S12884-019-2712-X.

- Alemu, Y. And Aragaw, A. (2018) 'Early Initiations Of First Antenatal Care Visit And Associated Factor Among Mothers Who Gave Birth In The Last Six Months Preceding Birth In Bahir Dar Zuria Woreda North West Ethiopia', *Reproductive Health*, 15(1), Pp. 1–8. Doi: 10.1186/S12978-018-0646-9.
- Ali, S. A, A Lakhani, R Jan *Et al.* (2015) 'Enhancement Of Knowledge And Skills Of Community Midwives In Sindh, Pakistan', *Journal Of Asian Midwives*, 22(2), Pp. 36–56. Available At: <Http://Ecommons.Aku.Edu/Jam>.
- Alshaikh, B, O Salman, N Saliman *Et al.* (2017) 'Pre-Eclampsia And The Risk Of Retinopathy Of Prematurity In Preterm Infants With Birth Weight <1500 G And/Or <31 Weeks' Gestation', *BMJ Open Ophthalmology*, 1(1), P. E000049. Doi: 10.1136/Bmjophth-2016-000049.
- Amaral, L. M, K Wallace, M Owens *Et al.* (2017) 'Pathophysiology And Current Clinical Management Of Preeclampsia', *Current Hypertension Reports*, 19(8), Pp. 19–21. Doi: 10.1007/S11906-017-0757-7.
- Amorim, M. M. R., Souza, A. S. R. And Katz, L. (2017) 'Planned Caesarean Section Versus Planned Vaginal Birth For Severe Pre-Eclampsia', *Cochrane Database Of Systematic Reviews*, 2017(10). Doi: 10.1002/14651858.CD009430.Pub2.
- Anderson, K., Burford, O. And Emmerton, L. (2016) 'Mobile Health Apps To Facilitate Self-Care: A Qualitative Study Of User Experiences', *Plos ONE*, 11(5), Pp. 1–21. Doi: 10.1371/Journal.Pone.0156164.
- Aslam, H. M. Uhamma. *Et al.* (2014) 'Risk Factors Of Birth Asphyxia', *Italian Journal Of Pediatrics*, 40, P. 94. Doi: 10.1186/S13052-014-0094-2.
- Aufdenblatten, M. Baumman, L Raio *Et al.* (2009) 'Prematurity Is Related To High Placental Cortisol In Preeclampsia', *Pediatric Research*, 65(2), Pp. 198–202. Doi: 10.1203/PDR.0b013e31818d6c24.
- Backes, C. H, K Markham , P Moorehead *Et al.* (2011) 'Maternal Preeclampsia And Neonatal Outcomes', *Journal Of Pregnancy*, 2011, Pp. 1–7. Doi: 10.1155/2011/214365.
- Barjaktarovic, M, T Corevaar, V Jaddoe *Et al.* (2019) 'Human Chorionic Gonadotropin And Risk Of Pre-Eclampsia: Prospective Population-Based Cohort Study', *Ultrasound In Obstetrics And Gynecology*, 54(4), Pp. 477–483. Doi: 10.1002/Uog.20256.
- Barker, D, C Osmond, TJ Forsen. *Et al.* (2007) 'Maternal And Social Origins Of Hypertension', *Hypertension*, 50(3), Pp. 565–571. Doi: 10.1161/HYPERTENSIONAHA.107.091512.
- Barton, J. R, JM O'Brien, NK Bergau *Et al.* (2001) 'Mild Gestational Hypertension Remote From Term: Progression And Outcome', *American Journal Of Obstetrics And Gynecology*, 184(5), Pp. 979–983. Doi: 10.1067/Mob.2001.112905.
- Barton, J. R. And Sibai, B. M. (2008) 'Prediction And Prevention Of Recurrent Preeclampsia', *Obstetrics And Gynecology*, 112(2 PART 1), Pp. 359–372. Doi: 10.1097/AOG.0b013e3181801d56.
- Bartsch, E, KE Medcalf, AL Park *Et al.* (2016) 'Clinical Risk Factors For Pre-Eclampsia



Determined In Early Pregnancy: Systematic Review And Meta-Analysis Of Large Cohort Studies', *The BMJ*, 353. Doi: 10.1136/Bmj.I1753.

- Bata, V. A. And Emilia, O. (2018) 'Peran Pengambil Keputusan Dalam Keterlambatan Rujukan Maternal', In *Berita Kedokteran Masyarakat*, P. 7. Doi: 10.22146/Bkm.37716.
- Bdolah, Y, C Lam, A Rajakumar *Et al.* (2008) 'Twin Pregnancy And The Risk Of Preeclampsia: Bigger Placenta Or Relative Ischemia?', *American Journal Of Obstetrics And Gynecology*, 198(4), Pp. 428.E1-428.E6. Doi: 10.1016/J.Ajog.2007.10.783.
- Bdolah, Y, C Lam, A Rajakumar. *Et al.* (2009) 'Twin Pregnancy And The Risk Of Preeclampsia: Bigger Placenta Or Relative Ischemia?', *Obstetric Anesthesia Digest*, 29(3), P. 135. Doi: 10.1097/01.Aoa.0000358404.48037.91.
- Bdolah, Y, U Elchalal, S Natanson. *Et al.* (2014) 'Relationship Between Nulliparity And Preeclampsia May Be Explained By Altered Circulating Soluble Fms-Like Tyrosine Kinase 1', *Hypertension In Pregnancy*, 33(2), Pp. 250–259. Doi: 10.3109/10641955.2013.858745.
- Bej, P, C Chhabra, AK Sharma *Et al.* (2013) 'Determination Of Risk Factors For Pre-Eclampsia And Eclampsia In A Tertiary Hospital Of India : A Case Control Study', 2(4), Pp. 371–375. Doi: 10.4103/2249-4863.123924.
- Belay, A. S. And Wudad, T. (2019) 'Prevalence And Associated Factors Of Pre-Eclampsia Among Pregnant Women Attending Anti-Natal Care At Mettu Karl Referral Hospital, Ethiopia: Cross-Sectional Study', *Clinical Hypertension*, 25(1), Pp. 1–8. Doi: 10.1186/S40885-019-0120-1.
- Bellad, M. B., M Vidler, N Honnungar *Et al.* (2017) 'Maternal And Newborn Health In Karnataka State, India: The Community Level Interventions For Pre-Eclampsia (CLIP) Trial's Baseline Study Results', *Plos ONE*, 12(1), Pp. 1–16. Doi: 10.1371/Journal.Pone.0166623.
- Berhe, A., A Ilesanmi, C. Aimakhu. *Et al.* (2020) 'Awareness Of Pregnancy Induced Hypertension Among Pregnant Women In Tigray Regional State, Ethiopia', *Pan African Medical Journal*, 35, Pp. 1–16. Doi: 10.11604/Pamj.2020.35.71.19351.
- Bezerra, P, MD Leou, J Queiroz . *Et al.* (2010) 'Family History Of Hypertension As An Important Risk Factor For The Development Of Severe Preeclampsia', *Acta Obstetrica Et Gynecologica Scandinavica*, 89(5), Pp. 612–617. Doi: 10.3109/00016341003623720.
- Bhatta, D. N. (2013) 'Involvement Of Males In Antenatal Care, Birth Preparedness, Exclusive Breast Feeding And Immunizations For Children In Kathmandu, Nepal', *BMC Pregnancy And Childbirth*, 13(1), P. 1. Doi: 10.1186/1471-2393-13-14.
- Bhutta, Z. A, GL Darmstadt, BS Hasan. *Et al.* (2005) 'Community-Based Interventions For Improving Perinatal And Neonatal Health Outcomes In Developing Countries: A Review Of The Evidence', *Pediatrics*, 115(Supplement 2), Pp. 519–617. Doi: 10.1542/Peds.2004-1441.
- Bhutta, Z. A, M Chopra, H Axelson. *Et al.* (2010) 'Countdown To 2015 Decade Report (2000-10): Taking Stock Of Maternal, Newborn, And Child Survival', *The Lancet*, 375(9730), Pp. 2032–2044. Doi: 10.1016/S0140-6736(10)60678-2.
- Bhutta ZA, Lassi ZS, Pariyo G, H. L. (2013) *Global Experience Of Community Health Workers For Delivery Of Health Related Millennium Development Goals: A Systematic Review.*



Country Case Studies And Recommendations For Integration Into National Health Systems.

Available

At:

[Http://Www.Who.Int/Workforcealliance/Knowledge/Publications/Alliance/Global_CHW_Web.Pdf.](http://www.who.int/workforcealliance/knowledge/publications/alliance/global_chw_web.pdf)

- Bilano, V, E Ota, T Ganchimeg. *Et al.* (2014) ‘Risk Factors Of Pre-Eclampsia/Eclampsia And Its Adverse Outcomes In Low- And Middle-Income Countries: A WHO Secondary Analysis’, *Plos ONE*, 9(3), Pp. 1–9. Doi: 10.1371/Journal.Pone.0091198.
- Blanco, M, HR Vega, R Giuliano *Et al.* (2011) ‘Histomorphometry Of Umbilical Cord Blood Vessels In Preeclampsia’, *Journal Of Clinical Hypertension*, 13(1), Pp. 30–34. Doi: 10.1111/J.1751-7176.2010.00384.X.
- Blazer DG, Bazarian J, Bogner J, *Et all* (2018) *Health-Care Utilization As A Proxy In Disability Determination*, *The National Academies Press*, Eashington DC. Doi: 10.17226/24969.
- Boene, H., Vidler, M., Augusto, O., *Et al.* (2016) ‘Community Health Worker Knowledge And Management Of Pre-Eclampsia In Southern Mozambique’, *Reproductive Health*, 13(Suppl 2). Doi: 10.1186/S12978-016-0220-2.
- Boene, H., Vidler, M., Sacoor, C., *Et al.* (2016) ‘Community Perceptions Of Pre-Eclampsia And Eclampsia In Southern Mozambique’, *Reproductive Health*, 13(Suppl 1). Doi: 10.1186/S12978-016-0135-Y.
- Boyd, H. A. Tahir, H. Wohlfahrt *Et al.* (2013) ‘Associations Of Personal And Family Preeclampsia Historywith The Risk Of Early-, Intermediate- And Late-Onset Preeclampsia’, *American Journal Of Epidemiology*, 178(11), Pp. 1611–1619. Doi: 10.1093/Aje/Kwt189.
- Bramham, K., AL Brielly, P Seed *Et al.* (2011) ‘Adverse Maternal And Perinatal Outcomes In Women With Previous Preeclampsia: A Prospective Study’, *American Journal Of Obstetrics And Gynecology*, 204(6), Pp. 512.E1-512.E9. Doi: 10.1016/J.Ajog.2011.02.014.
- Breslin, E., Kaufmann, A. And Quenby, S. (2013) ‘Bilirubin Influences The Clinical Presentation Of Pre-Eclampsia’, *European Journal Of Obstetrics Gynecology And Reproductive Biology*, 170(1), Pp. 111–113. Doi: 10.1016/J.Ejogrb.2013.05.024.
- Briceno-Prez, C., Briceno-Sanabria, L. And Vigil-De Gracia, P. (2009) ‘Prediction And Prevention Of Preeclampsia’, *Hypertension In Pregnancy*, 28(2), Pp. 138–155. Doi: 10.1080/10641950802022384.
- Britta C Mullany (2006) ‘Barriers To And Attitudes Towards Promoting Husbands ’ Involvement In Maternal Health In Katmandu , Nepal’, *Social Science & Medicine*, 62, Pp. 2798–2809. Doi: 10.1016/J.Socscimed.2005.11.013.
- Brosens, I, J Muter, L Ewington. *Et al.* (2019) ‘Adolescent Preeclampsia: Pathological Drivers And Clinical Prevention’, *Reproductive Sciences*, 26(2), Pp. 159–171. Doi: 10.1177/1933719118804412.
- Brouwers, L, A Van-Dermeiden, C Savelkoul *Et al.* (2018) ‘Recurrence Of Pre-Eclampsia And The Risk Of Future Hypertension And Cardiovascular Disease: A Systematic Review And Meta-Analysis’, *BJOG: An International Journal Of Obstetrics And Gynaecology*, 125(13), Pp. 1642–1654. Doi: 10.1111/1471-0528.15394.
- Brownstein, J. N, GR Hirsch, EL Rosenthal. *Et al.* (2011) ‘Community Health Workers “101” For



- Primary Care Providers And Other Stakeholders In Health Care Systems', *Journal Of Ambulatory Care Management*, 34(3), Pp. 210–220. Doi: 10.1097/JAC.0b013e31821c645d.
- Brunelli, V. B. And Prefumo, F. (2015) 'Quality Of First Trimester Risk Prediction Models For Pre-Eclampsia: A Systematic Review', *BJOG: An International Journal Of Obstetrics And Gynaecology*, 122(7), Pp. 904–914. Doi: 10.1111/1471-0528.13334.
- Buchbinder, A, BM Sibai, S Caritis *Et al.* (2002) 'Adverse Perinatal Outcomes Are Significantly Higher In Severe Gestational Hypertension Than In Mild Preeclampsia', *American Journal Of Obstetrics And Gynecology*, 186(1), Pp. 66–71. Doi: 10.1067/Mob.2002.120080.
- Bujang, M. A. And Adnan, T. H. (2016) 'Requirements For Minimum Sample Size For Sensitivity And Specificity Analysis', *Journal Of Clinical And Diagnostic Research*, 10(10), Pp. YE01–YE06. Doi: 10.7860/JCDR/2016/18129.8744.
- Burton, G., CW Redman, JM Robert *Et al.* (2019) 'Pre-Eclampsia: Pathophysiology And Clinical Implications', *The BMJ*, 366, Pp. 1–15. Doi: 10.1136/Bmj.L2381.
- Burwick, R.A Pilliod, S Duchovny . *Et al.* (2019) 'Fetal Hydrops And The Risk Of Severe Preeclampsia', *Journal Of Maternal-Fetal And Neonatal Medicine*, 32(6), Pp. 961–965. Doi: 10.1080/14767058.2017.1396312.
- Byberg, K, K. Oymar, G Eide *Et al.* (2017) 'Exposure To Preeclampsia In Utero Affects Growth From Birth To Late Childhood Dependent On Child's Sex And Severity Of Exposure: Follow-Up Of A Nested Case-Control Study', *Plos ONE*, 12(5), Pp. 1–15. Doi: 10.1371/Journal.Pone.0176627.
- Campbell, D. M. And Macgillivray, I. (2016) 'Preeclampsia In Twin Pregnancies : Incidence And Outcome', *Hypertension In Pregnancy*, 1955(March). Doi: 10.3109/10641959909016193.
- Caradeux, J, R Serra, JK Nien *Et al.* (2013) 'First Trimester Prediction Of Early Onset Preeclampsia Using Demographic, Clinical, And Sonographic Data: A Cohort Study', *Prenatal Diagnosis*, 33(8), Pp. 732–736. Doi: 10.1002/Pd.4113.
- Carayon, P., Alvarado, C. And Hundt, A. (2003) *Reducing Workload And Increasing Patient Safety Through Work And Workspace Design*, Washington, DC: Institute Of Medicine. Available At: <http://Scholar.Google.Com/Scholar?hl=en&btnG=Search&q=intitle:Reducing+Workload+and+increasing+patient+safety+through+work+and+workspace+design#0>.
- Carroli, G, J Villar, G Piaggio *Et al.* (2001) 'WHO Systematic Review Of Randomised Controlled Trials Of Routine Antenatal Care', 357, Pp. 1565–1570.
- Carter, J, Shandall, A Shenan *Et al.* (2019) 'Mobile Phone Apps For Clinical Decision Support In Pregnancy : A Scoping Review', 1, Pp. 1–13.
- Caspi, E, A.Raziel, Sherman, D *Et al.* (1994) 'Prevention Of Pregnancy-Induced Hypertension In Twins By Early Administration Of Low-Dose Aspirin: A Preliminary Report', *American Journal Of Reproductive Immunology*, 31(1), Pp. 19–24. Doi: 10.1111/J.1600-0897.1994.Tb00842.X.
- Cavazos-Rehg, P, M Krauss, E Spitznagel *Et al.* (2016) 'Maternal Age And Risk Of Labor And Delivery Complications', 19(6), Pp. 1202–1211. Doi: 10.1007/S10995-014-1624-



- Central Java Health Office (2015) 'Health Profile Of Central Java', *Office, Central Java Provincial Health*, Pp. 48–49. Available At: [Dinkesjatengprov.Go.Id/V2015/Dokumen/Profil2015/Profil_2015_Fix.Pdf](http://dinkesjatengprov.go.id/V2015/Dokumen/Profil2015/Profil_2015_Fix.Pdf).
- Cerón-Mireles, SD Harlow, Sánchez-Carrillo *Et al.* (2001) 'Risk Factors For Pre-Eclampsia/Eclampsia Among Working Women In Mexico City', *Paediatric And Perinatal Epidemiology*, 15(1), Pp. 40–46. Doi: 10.1046/J.1365-3016.2001.00315.X.
- Chafetz, I. *Et al.* (2007) 'First-Trimester Placental Protein 13 Screening For Preeclampsia And Intrauterine Growth Restriction', *American Journal Of Obstetrics And Gynecology*, 35(July), Pp. E1–E7. Doi: 10.1016/J.Ajog.2007.02.025.
- Chaiworapongsa, T. Chaemsaitong, Korzeniewski *Et al.* (2014) 'Pre-Eclampsia Part 2: Prediction, Prevention And Management', *Nature Publishing Group*, 10(9), Pp. 531–540. Doi: 10.1038/Nrneph.2014.103.
- Chan, Y Tung, S Wang . *Et al.* (2015) 'Trends In The Incidence Of Pre-Eclampsia And Eclampsia In Taiwan Between 1998 And 2010', *Taiwanese Journal Of Obstetrics And Gynecology*, 54(3), Pp. 270–274. Doi: 10.1016/J.Tjog.2013.06.021.
- Chandiramani, M., Waugh, J. And Shennan, A. (2007) 'Management Of Hypertension And Pre-Eclampsia In Pregnancy', *Trends In Urology Gynaecology And Sexual Helath*, (June).
- Chang, P, LC Chu, WS Hsieh *Et al.* (2009) 'Working Hours And Risk Of Gestational Hypertension And Pre-Eclampsia', *Occupational Medicine*, 60(1), Pp. 66–71. Doi: 10.1093/Occmed/Kqp119.
- Charanthimath, U., M Vilder, G Katageri *Et al.* (2018) 'The Feasibility Of Task-Sharing The Identification , Emergency Treatment , And Referral For Women With Pre-Eclampsia By Community Health Workers In India', *Repdoduction Health*, 15(Suppl 1).
- Chau, K, MHS Lam, ML Cheung *Et al.* (2019) 'Smart Technology For Healthcare: Exploring The Antecedents Of Adoption Intention Of Healthcare Wearable Technology', *Health Psychology Research*, 7(1), Pp. 33–39. Doi: 10.4081/Hpr.2019.8099.
- Chen, C. P. (2009) 'Placental Abnormalities And Preeclampsia In Trisomy 13 Pregnancies', *Taiwanese Journal Of Obstetrics And Gynecology*, 48(1), Pp. 3–8. Doi: 10.1016/S1028-4559(09)60028-0.
- Chen, I., Jhangri, G. S. And Chandra, S. (2014) 'Relationship Between Interpregnancy Interval And Congenital Anomalies', *American Journal Of Obstetrics And Gynecology*, 210(6), Pp. 564.E1-564.E8. Doi: 10.1016/J.Ajog.2014.02.002.
- Cho, J. J. *Et al.* (2015) 'Prior Cesarean Section Is Associated With Increased Preeclampsia Risk In A Subsequent Pregnancy', *BMC Pregnancy And Childbirth*, 15(1), Pp. 1–6. Doi: 10.1186/S12884-015-0447-X.
- Choe, S. A., Min, H. S. And Cho, S. Il (2016) 'The Income-Based Disparities In Preeclampsia And Postpartum Hemorrhage: A Study Of The Korean National Health Insurance Cohort Data From 2002 To 2013', *Springerplus*, 5(1). Doi: 10.1186/S40064-016-2620-8.
- Churchill, L. Dulley, T Jg *Et al.* (2013) 'Interventionist Versus Expectant Care For Severe Pre-



- Eclampsia Between 24 And 34 Weeks' Gestation (Review)', *Cochrane Library*, (7). Doi: 10.1002/14651858.CD003106.Pub2.Www.Cochranelibrary.Com.
- Ciobanu, A, S Colibaba, B Cimpoca . *Et al.* (2017) 'Thrombocytopenia In Pregnancy', *Hematology*, 2017(1), Pp. 144–151. Doi: 10.1182/Asheducation-2017.1.144.
- Cnattingius, S, M Reilly, Y Pawitan *Et al.* (2004) 'Maternal And Fetal Genetic Factors Account For Most Of Familial Aggregation Of Preeclampsia: A Population-Based Swedish Cohort Study', *American Journal Of Medical Genetics*, 130 A(4), Pp. 365–371. Doi: 10.1002/Ajmg.A.30257.
- Cnossen, J, GT Riet, BW Mol . *Et al.* (2009) 'Are Tests For Predicting Pre-Eclampsia Good Enough To Make Screening Viable? A Review Of Reviews And Critical Appraisal', *Acta Obstetricia Et Gynecologica Scandinavica*, 88(7), Pp. 758–765. Doi: 10.1080/00016340903008953.
- Coiera, E. (2003) 'Communication Systems In Healthcare', *Guide To Health Informatics*, 2Ed, 27(May). Doi: 10.1201/B13618-25.
- Conde-Agudelo, A. And Belizh, J. M. (2000) 'Risk Factors For Pre-Eclampsia In A Large Cohort Of Latin American And Caribbean Women', *BJOG*, 107(1), Pp. 75–83.
- Conde-Agudelo, A., Villar, J. And Lindheimer, M. (2004) 'World Health Organization Systematic Review Of Screening Tests For Preeclampsia', *Obstetrics And Gynecology*, 104(6), Pp. 1367–1391. Doi: 10.1097/01.AOG.0000147599.47713.5d.
- Coppage, K. H. And Polzin, W. J. (2002) 'Severe Preeclampsia And Delivery Outcomes: Is Immediate Cesarean Delivery Beneficial?', *American Journal Of Obstetrics And Gynecology*, 186(5), Pp. 921–923. Doi: 10.1067/Mob.2002.124041.
- Cormick, G, A Betran, A Ciapponi *Et al.* (2016) 'Inter-Pregnancy Interval And Risk Of Recurrent Pre-Eclampsia: Systematic Review And Meta-Analysis', *Reproductive Health*, 13(1). Doi: 10.1186/S12978-016-0197-X.
- Cornelis, T, A Odutayo, J Keunen *Et al.* (2011) 'The Kidney In Normal Pregnancy And Preeclampsia', *Seminars In Nephrology*, 31(1), Pp. 4–14. Doi: 10.1016/J.Semnephrol.2010.10.002.
- Cornoiu, A. Beischer, L Donnan *Et al.* (2011) 'Multimedia Patient Education To Assist The Informed Consent Process For Knee Arthroscopy', *ANZ Journal Of Surgery*, 81(3), Pp. 176–180. Doi: 10.1111/J.1445-2197.2010.05487.X.
- Costa Fabrício Da Silva, Murth Padma, Keog Rosemary, W. N. (2011) 'Early Screening For Preeclampsia', *Ravista Brasileira De Ginecologia E Obstetricia*, 33(11), Pp. 357–75.
- Cresswell, K. M, DW Bates, R William. *Et al.* (2014) 'Evaluation Of Medium-Term Consequences Of Implementing Commercial Computerized Physician Order Entry And Clinical Decision Support Prescribing Systems In Two "Early Adopter" Hospitals.', *Journal Of The American Medical Informatics Association : JAMIA*, 21(E2). Doi: 10.1136/Amiajnl-2013-002252.
- Crossmark (2017) 'Access To Health Care', *JOGNN - Journal Of Obstetric, Gynecologic, And Neonatal Nursing*, 46(1), Pp. 114–116. Doi: 10.1016/J.Jogn.2016.11.005.
- Crovetto, F. Figueras, F.Triunfo *Et al.* (2015) 'First Trimester Screening For Early And Late Pre-



Eclampsia Based On Maternal Characteristics, Biophysical Parameters, And Angiogenic Factors', *Prenatal Diagnosis*, 35(2), Pp. 183–191. Doi: 10.1002/Pd.4519.

Cuschieri, S Vassallo, J. Calleja. *Et al.* (2017) 'The Effects Of Socioeconomic Determinants On Hypertension In A Cardiometabolic At-Risk European Country', *International Journal Of Hypertension*, 2017. Doi: 10.1155/2017/7107385.

Von Dadelszen, P. (2013) 'PRE-EMPT (PRE-Eclampsia-Eclampsia Monitoring , Prevention And Treatment): A Low And Middle Income Country Initiative To Reduce The Global Burden Of Maternal , Fetal And Infant Death And Disease Related To Pre-Eclampsia', *Pregnancy Hypertension: An International Journal Of Womens Cardiovascular Health*. Doi: 10.1016/J.Preghy.2013.06.002.

Von Dadelszen, B Payne, J Li. *Et al.* (2011) 'Prediction Of Adverse Maternal Outcomes In Pre-Eclampsia: Development And Validation Of The Fullpiers Model', *The Lancet*, 377(9761), Pp. 219–227. Doi: 10.1016/S0140-6736(10)61351-7.

Von Dadelszen, P., Ansermino, J. M., Dumont, G., Hofmeyr, G. J., Magee, L. A., Mathai, M., Sawchuck, D., Teela, K., Donnay, F. And Roberts, J. M. (2012) 'Improving Maternal And Perinatal Outcomes In The Hypertensive Disorders Of Pregnancy: A Vision Of A Community-Focused Approach', *International Journal Of Gynecology And Obstetrics*, 119(SUPPL.1), Pp. S30–S34. Doi: 10.1016/J.Ijgo.2012.03.012.

Von Dadelszen, P., Ansermino, J. M., Dumont, G., Hofmeyr, G. J., Magee, L. A., Mathai, M., Sawchuck, D., Teela, K., Donnay, F., Roberts, J. M., *Et al.* (2012) 'Improving Maternal And Perinatal Outcomes In The Hypertensive Disorders Of Pregnancy: A Vision Of A Community-Focused Approach', *International Journal Of Gynecology And Obstetrics*, 119(SUPPL.1), Pp. S30–S34. Doi: 10.1016/J.Ijgo.2012.03.012.

Von Dadelszen, P. And Magee, L. A. (2016) 'Preventing Deaths Due To The Hypertensive Disorders Of Pregnancy', *Best Practice And Research: Clinical Obstetrics And Gynaecology*, 36, Pp. 83–102. Doi: 10.1016/J.Bpobgyn.2016.05.005.

Davies, E. L., Bell, J. S. And Bhattacharya, S. (2016) 'Preeclampsia And Preterm Delivery: A Population-Based Case–Control Study', *Hypertension In Pregnancy*, 35(4), Pp. 510–519. Doi: 10.1080/10641955.2016.1190846.

Demirci, O. *Et al.* (2016) 'Effect Of Young Maternal Age On Obstetric And Perinatal Outcomes: Results From The Tertiary Center In Turkey', *Balkan Medical Journal*, 33(3), Pp. 344–349. Doi: 10.5152/Balkanmedj.2015.150364.

Depkes (2010) *Pedoman Pelayanan Antenatal Terpadu, Pedoman Pelayanan Antenatal Terpadu*. Available At: [Www.Depkes.Go.Id](http://www.depkes.go.id).

Depkes (2015) *Profil Kesehatan Indonesia*.

Dietl, A, S Cupisti, MW Backmann *Et al.* (2015) 'Pregnancy And Obstetrical Outcomes In Women Over 40 Years Of Age', *Geburtshilfe Und Frauenheilkunde*, 75(8), Pp. 827–832. Doi: 10.1055/S-0035-1546109.

Druzin, M. L., Shields, L. E. And Peterson, N. L. (2013) 'A California Toolkit To Transform Maternity Care Improving Health Care Response To Preeclampsia : A California Quality Improvement Toolkit Improving Health Care Response To Preeclampsia : A California



Quality Improvement Toolkit', *California Maternal Quality Care Collaborative*.

- Duncan, B. B. (2007) 'Waist Circumference In The Prediction Of Obesity-Related Adverse Pregnancy Outcomes Circunferência Da Cintura Na Predição De Desfechos Adversos Da Gestação Relacionados À Obesidade', *Methods*, 23(2), Pp. 391–398.
- Dunsmuir, D. T, B Payne, G Cloete. *Et al.* (2014) 'Development Of Mhealth Applications For Pre-Eclampsia Triage', *IEEE Journal Of Biomedical And Health Informatics*, 18(6), Pp. 1857–1864. Doi: 10.1109/JBHI.2014.2301156.
- El-Gilany, A. H. And Hammad, S. (2012) 'Obstetric Outcomes Of Teenagers And Older Mothers: Experience From Saudi Arabia', *International Journal Of Collaborative Research On Internal Medicine And Public Health*, 4(6), Pp. 901–909.
- Van Esch, J, A Van-Heijst, A De Haan *Et al.* (2017) 'Early-Onset Preeclampsia Is Associated With Perinatal Mortality And Severe Neonatal Morbidity', *Journal Of Maternal-Fetal And Neonatal Medicine*, 30(23), Pp. 2789–2794. Doi: 10.1080/14767058.2016.1263295.
- Eskild, A. And Vatten, L. J. (2009) 'Abnormal Bleeding Associated With Preeclampsia: A Population Study Of 315,085 Pregnancies', *Acta Obstetrica Et Gynecologica Scandinavica*, 88(2), Pp. 154–158. Doi: 10.1080/00016340802613242.
- Fadilah, D. R. And Devy, S. R. (2018) 'Antenatal Care Visits And Early Detection Of Pre-Eclampsia Among Pregnant Women', *International Journal Of Public Health Science (IJPHS)*, 7(4), P. 248. Doi: 10.11591/Ijphs.V7i4.14769.
- Faupel-Badger, J, Mcelrath, M Houghton *Et al.* (2016) 'Maternal Circulating Angiogenic Factors In Twin And Singleton Pregnancies', 212(5), Pp. 1–17. Doi: 10.1016/J.Ajog.2014.11.035.Maternal.
- Febriyanti, S. N. U. (2017) 'Peran Kader Kesehatan Dalam Mensukseskan Program Kelas Ibu Hamil Di Wilayah Kerja Puskesmas Kedungmundu Tahun 2016', *Jurnal SMART Kebidanan*, 3(1), P. 52. Doi: 10.34310/Sjkb.V3i1.52.
- Feldstein, C, M Akopian, A. Olivieriet *al.* (2005) 'A Comparison Of Body Mass Index And Waist-To-Hip Ratio As Indicators Of Hypertension Risk In An Urban Argentine Population: A Hospital-Based Study', *Nutrition, Metabolism And Cardiovascular Diseases*, 15(4), Pp. 310–315. Doi: 10.1016/J.Numeed.2005.03.001.
- Firoz, Tabassum, Sanghvi, Marshad, Meriald, Mario, El Al (2011) 'Pre-Eclampsia In Low And Middle Income Countries', *Best Practice And Research: Clinical Obstetrics And Gynaecology*, 25(4), Pp. 537–548. Doi: 10.1016/J.Bpobgyn.2011.04.002.
- Firoz, T, Shanhvi, Marshad *Et al.* (2011) 'Pre-Eclampsia In Low And Middle Income Countries', *Best Practice And Research: Clinical Obstetrics And Gynaecology*, 25(4), Pp. 537–548. Doi: 10.1016/J.Bpobgyn.2011.04.002.
- Firoz, T, M Vidler, P Makanga *Et al.* (2016) 'Community Perspectives On The Determinants Of Maternal Health In Rural Southern Mozambique: A Qualitative Study', *Reproductive Health*, 13(Suppl 2), Pp. 123–131. Doi: 10.1186/S12978-016-0217-X.
- Force, U. S. P. S. T. (2018) 'U . S . Preventive Services Task Force Screening For Vitamin D Deficiency In Adults: Recommendation Statement', *American Family Physician*, 97(2), Pp. 116A-116C.



- Fox, N. S, A Roman, D. Saltzman . *Et al.* (2014a) 'Risk Factors For Preeclampsia In Twin Pregnancies', *American Journal Of Perinatology*, 31(2), Pp. 163–166. Doi: 10.1055/S-0033-1343775.
- Fox, N. S. A Roman, D. Saltzman *Et al.* (2014b) 'Risk Factors For Preeclampsia In Twin Pregnancies', *American Journal Of Perinatology*, 31(2), Pp. 163–166. Doi: 10.1055/S-0033-1343775.
- Francisco, C. (2019) 'Pre-Eclampsia In Twin Pregnancy', *Acta Obstet Ginecol*, 13(2), Pp. 97–103.
- De Freitas Leite, J, G Rago Lobo, P Nowak *Et al.* (2019) 'Prediction Of Preeclampsia In The First Trimester Of Pregnancy Using Maternal Characteristics, Mean Arterial Pressure, And Uterine Artery Doppler Data In A Brazilian Population', *Obstetrics And Gynecology Science*, 62(6), Pp. 391–396. Doi: 10.5468/Ogs.2019.62.6.391.
- Fujiwara, K, Tsukishima , S Kasai *Et al.* (2004) 'Urinary Catecholamines And Salivary Cortisol On Workdays And Days Off In Relation To Job Strain Among Female Health Care Providers', *Scandinavian Journal Of Work, Environment And Health*, 30(2), Pp. 129–138. Doi: 10.5271/Sjweh.770.
- Gaillard, R., Bakker, R., Willemsen, S. P., *Et al.* (2011) 'Blood Pressure Tracking During Pregnancy And The Risk Of Gestational Hypertensive Disorders: The Generation R Study', *European Heart Journal*, 32(24), Pp. 3088–3097. Doi: 10.1093/Eurheartj/Ehr275.
- Gaillard, R., Bakker, R., Steegers, E. A. P., *Et al.* (2011) 'Maternal Age During Pregnancy Is Associated With Third Trimester Blood Pressure Level: The Generation R Study', *American Journal Of Hypertension*, 24(9), Pp. 1046–1053. Doi: 10.1038/Ajh.2011.95.
- Garabedian, L. F., Ross-Degnan, D. And Wharam, J. F. (2015) 'Mobile Phone And Smartphone Technologies For Diabetes Care And Self-Management', *Current Diabetes Reports*, 15(12), Pp. 1–9. Doi: 10.1007/S11892-015-0680-8.
- Gathiram, P. And Moodley, J. (2016) 'Pre-Eclampsia: Its Pathogenesis And Pathophysiology', *Cardiovascular Journal Of Africa*, 27(2), Pp. 71–78. Doi: 10.5830/CVJA-2016-009.
- Gaugler-Senden, I. (2011) *Severe Early Onset Preeclampsia*.
- Ghulmiyyah, L. And Sibai, B. (2012) 'Maternal Mortality From Preeclampsia/Eclampsia', *Seminars In Perinatology*, 36(1), Pp. 56–59. Doi: 10.1053/J.Semperi.2011.09.011.
- Gillon, T., A Pels, D Van-Dedelsen. *Et al.* (2014) 'Hypertensive Disorders Of Pregnancy: A Systematic Review Of International Clinical Practice Guidelines', *Plos ONE*, 9(12), P. E113715. Doi: 10.1371/Journal.Pone.0113715.
- Girum, T. (2016) 'Assessment Of Timing Of First Antenatal Care Visit And Associated Factors Among Pregnant Women Attending Antenatal Care In Dilla Town Governmental Health Institutions, Southern Ethiopia', *Alternative & Integrative Medicine*, 5(3). Doi: 10.4172/2327-5162.1000220.
- Gitau, T., L Kusters, M Kok *Et al.* (2016) A Baseline Study On Child Marriage, Teenage Pregnancy And Female Genital Mutilation/ Cutting In Kenya.
- GJ, H. And Manyame, S. (2014) 'Calsium Supplementastion Commencing Before Or Early In Pregnancy, Or Food Fortification With Calcium, For Preventing Hypertensive Disorders Of



Pregnancy', *Cochrane Library*, (9). Doi:
10.1002/14651858.CD011192.Pub2.Www.Cochranelibrary.Com.

- Goetzinger, K, M Tuuli, A Chahill *Et al.* (2014) 'Development And Validation Of A Risk Factor Scoring System For First-Trimester Prediction Of Preeclampsia', *American Journal Of Perinatology*, 31(12), Pp. 1049–1056. Doi: 10.1055/S-0034-1371705.
- Gomes Souna, Rodrigues Rios, M. S. Et al (2019) 'Evaluation Of Mobile Apps For Health Promotion Of Pregnant Women With Preeclampsia', 32(3), Pp. 275–281.
- Greiner, K., RJ Speranza, M Rincon *Et al.* (2020) 'Association Between Insurance Type And Pregnancy Outcomes In Women Diagnosed With Hypertensive Disorders Of Pregnancy', *Journal Of Maternal-Fetal And Neonatal Medicine*, 33(8), Pp. 1427–1433. Doi: 10.1080/14767058.2018.1519544.
- Grøndahl, V. A, J Kirchhof, K Andersen *Et al.* (2018) 'Health Care Quality From The Patients' Perspective: A Comparative Study Between An Old And A New, High-Tech Hospital', *Journal Of Multidisciplinary Healthcare*, 11, Pp. 591–600. Doi: 10.2147/JMDH.S176630.
- Grønvik, T. And Sandøy, I. F. (2018) 'Complications Associated With Adolescent Childbearing In Sub-Saharan Africa: A Systematic Literature Review And Meta-Analysis', *Plos ONE*, 13(9), Pp. 1–21. Doi: 10.1371/Journal.Pone.0204327.
- Grum, T, A Saefu, M. Abayet *al.* (2017) 'Determinants Of Pre-Eclampsia/Eclampsia Among Women Attending Delivery Services In Selected Public Hospitals Of Addis Ababa, Ethiopia: A Case Control Study', *BMC Pregnancy And Childbirth*, 17(1), Pp. 1–7. Doi: 10.1186/S12884-017-1507-1.
- Gulacti, U. Lok, S Hatipoglu *Et al.* (2016) 'An Analysis Of Whatsapp Usage For Communication Between Consulting And Emergency Physicians', *Journal Of Medical Systems*, 40(6). Doi: 10.1007/S10916-016-0483-8.
- Gunnarsdottir, J, S Cnattingius, M Lundgren *Et al.* (2018) 'Prenatal Exposure To Preeclampsia Is Associated With Accelerated Height Gain In Early Childhood', *Plos ONE*, 13(2), Pp. 1–11. Doi: 10.1371/Journal.Pone.0192514.
- Habli, M, RJ Levine, J Qian *Et al.* (2007) 'Neonatal Outcomes In Pregnancies With Preeclampsia Or Gestational Hypertension And In Normotensive Pregnancies That Delivered At 35, 36, Or 37 Weeks Of Gestation', *American Journal Of Obstetrics And Gynecology*, 197(4), Pp. 406.E1-406.E7. Doi: 10.1016/J.Ajog.2007.06.059.
- Hafner, E, M. Metzenbauer, DH Ofinger *Et al.* (2006) 'Comparison Between Three-Dimensional Placental Volume At 12 Weeks And Uterine Artery Impedance / Notching At 22 Weeks In Screening For Pregnancy-Induced Hypertension, Pre-Eclampsia And Fetal Growth Restriction In A Low-Risk Population', *Ultrasound Obstet Gynecol*, 27(March), Pp. 652–657. Doi: 10.1002/Uog.2641.
- Haram, K., Mortensen, J. H. And Nagy, B. (2014) 'Genetic Aspects Of Preeclampsia And The Hellp Syndrome', *Journal Of Pregnancy*, 2014. Doi: 10.1155/2014/910751.
- Harris, J. M, L Frank, B Green *Et al.* (2014) 'The Psychological Impact Of Providing Women With Risk Information For Pre-Eclampsia: A Qualitative Study', *Midwifery*, 30(12), Pp. 1187–1195. Doi: 10.1016/J.Midw.2014.04.006.



- Hartzler, A. L Tuzzio, C Hsu. *Et al.* (2018) 'Roles And Functions Of Community Health Workers In Primary Care', *Annals Of Family Medicine*, 16(3), Pp. 240–245. Doi: 10.1370/Afm.2208.
- Harutyunyan, A., Armenian, H. And Petrosyan, V. (2013) 'Interbirth Interval And History Of Previous Preeclampsia: A Case-Control Study Among Multiparous Women.', *BMC Pregnancy And Childbirth*, 13. Doi: 10.1186/1471-2393-13-244.
- Hastuti, D. (2019) 'Pengaruh Motivasi, Kompetensi Dan Kepuasan Terhadap Kinerja Kader Kesehatan Dengan Komitmen Kerja Sebagai Variabel Intervening (Studi Puskesmas Pagiyanten Kabupaten Tegal)', *Magisma: Jurnal Ilmiah Ekonomi Dan Bisnis*, 6(1), Pp. 23–34. Doi: 10.35829/Magisma.V6i1.16.
- Haver, J, W Brieger , J Zoungrana *Et al.* (2015) 'Experiences Engaging Community Health Workers To Provide Maternal And Newborn Health Services: Implementation Of Four Programs', *International Journal Of Gynecology And Obstetrics*, 130(S2), Pp. S32–S39. Doi: 10.1016/J.Ijgo.2015.03.006.
- Health Office Cilacap District (2014) *Health Profile Of Cilacap District 2014*.
- Henderson, J, JH Thomson, BU Burda *Et al.* (2017) 'Preeclampsia Screening Evidence Report And Systematic Review For The US Preventive Services Task Force', *JAMA - Journal Of The American Medical Association*, 317(16), Pp. 1668–1683. Doi: 10.1001/Jama.2016.18315.
- Hernández-Díaz, S., Toh, S. And Cnattingius, S. (2009) 'Risk Of Pre-Eclampsia In First And Subsequent Pregnancies: Prospective Cohort Study', *BMJ (Online)*, 339(7711), P. 34. Doi: 10.1136/Bmj.B2255.
- Hezelgrave, N. L., Duffy, S. P. And Shennan, A. H. (2012) 'Preventing The Preventable: Pre-Eclampsia And Global Maternal Mortality', *Obstetrics, Gynaecology And Reproductive Medicine*, 22(6), Pp. 170–172. Doi: 10.1016/J.Ogrm.2012.02.008.
- Hodes-Wertz, B, S Druckenmiller, M Smith *Et al.* (2013) 'What Do Reproductive-Age Women Who Undergo Oocyte Cryopreservation Think About The Process As A Means To Preserve Fertility?', *Fertility And Sterility*, 100(5), Pp. 1343-1349.E2. Doi: 10.1016/J.Fertnstert.2013.07.201.
- Hoffmann, T., P Glaziou, I Boutron . *Et al.* (2014) 'Better Reporting Of Interventions: Template For Intervention Description And Replication (Tidier) Checklist And Guide', *BMJ (Online)*, 348(March), Pp. 1–12. Doi: 10.1136/Bmj.G1687.
- Hofmeyr, G. J.AP Betran, M Singata *Et al.* (2019) 'Prepregnancy And Early Pregnancy Calcium Supplementation Among Women At High Risk Of Pre-Eclampsia: A Multicentre, Double-Blind, Randomised, Placebo-Controlled Trial', *The Lancet*, 393(10169), Pp. 330–339. Doi: 10.1016/S0140-6736(18)31818-X.
- Hofmeyr, G. J., Atallah, A. N. And Duley, L. (2006) 'Calcium Supplementation During Pregnancy For Preventing Hypertensive Disorders And Related Problems', *Cochrane Database Syst Rev*, (3), P. Cd001059. Doi: 10.1002/14651858.CD001059.Pub2.
- Howe, L, E Hanger, B Badger *Et al.* (2018) 'Effect Of Pregnancy Interval On Second Pregnancy Blood Pressure Following Prior Preeclampsia', *Reproductive Sciences*, 25(5), Pp. 727–732. Doi: 10.1177/1933719117725815.



- Huang, F., Blaschke, S. And Lucas, H. (2017) 'Beyond Pilotitis: Taking Digital Health Interventions To The National Level In China And Uganda', *Globalization And Health*, 13(1), Pp. 1–11. Doi: 10.1186/S12992-017-0275-Z.
- Hubel, C. A, S Snaedall, RB Ness. *Et al.* (2000) 'Dyslipoproteinaemia In Postmenopausal Women With A History Of Eclampsia', *British Journal Of Obstetrics And Gynaecology*, 107(6), Pp. 776–784. Doi: 10.1111/J.1471-0528.2000.Tb13340.X.
- Iacobelli, S., Bonsante, F. And Robillard, P. Y. (2017) 'Comparison Of Risk Factors And Perinatal Outcomes In Early Onset And Late Onset Preeclampsia: A Cohort Based Study In Reunion Island', *Journal Of Reproductive Immunology*, 123(June), Pp. 12–16. Doi: 10.1016/J.Jri.2017.08.005.
- Imdad, A., Jabeen, A. And Bhutta, Z. A. (2011) 'Role Of Calcium Supplementation During Pregnancy In Reducing Risk Of Developing Gestational Hypertensive Disorders: A Meta-Analysis Of Studies From Developing Countries', *BMC Public Health*, 11(SUPPL. 3), P. S18. Doi: 10.1186/1471-2458-11-S3-S18.
- Indonesiaon Health Ministry (2012) *Basic Data Primary Health Centers Central Java Province, Indonesian Health Ministry.*
- Ingleby, E. (2012) *Research Methods In Education, Professional Development In Education.* Doi: 10.1080/19415257.2011.643130.
- Irgens, H. U. Reisæter, LM Irgens *Et al.* (2001) 'Long Term Mortality Of Mothers And Fathers After Pre-Eclampsia: Population Based Cohort Study', *British Medical Journal*, 323(7323), Pp. 1213–1216. Doi: 10.1136/Bmj.323.7323.1213.
- Jabeen, M, D Akhter, S. Shimul *Et al.* (2018) 'Health Seeking Behaviour Of Women With Eclampsia Attending At Institute Of Child And Mother Health In Dhaka City', 30(02), Pp. 67–70.
- Jensen, D, P Damm, L Moelsted-Pedersen *Et al.* (2004) 'Outcomes In Type 1 Diabetic Pregnancies', *Diabetes Care*, 27(12), Pp. 2819–2823.
- Jido, T. A. (2012) 'Ecalmpsia : Maternal And Fetal Outcome', *African Helath Sciences*, 12(2), Pp. 148–152.
- Johariyah (2017) 'Analisis Faktor Penyebab Kematian Ibu Di Kabupaten Cilacap Tahun 2016', *Jurnal Ilmiah Kebidanan*, 8(2), Pp. 138–156.
- Jørgensen, J. M, PL Heidly, M Gjerris *Et al.* (2014) 'Including Ethical Considerations In Models For First-Trimester Screening For Pre-Eclampsia', *Reproductive Biomedicine Online*, 28(5), Pp. 638–643. Doi: 10.1016/J.Rbmo.2014.01.013.
- Kane, S. C., Da Silva Costa, F. And Brennecke, S. P. (2014) 'New Directions In The Prediction Of Pre-Eclampsia', *Australian And New Zealand Journal Of Obstetrics And Gynaecology*, 54(2), Pp. 101–107. Doi: 10.1111/Ajo.12151.
- Kanter, D, Lindheimer, MD , Wang, E *Et al.* (2010) 'Angiogenic Dysfunction In Molar Pregnancy', *American Journal Of Obstetrics And Gynecology*, 202(2), Pp. 184.E1-184.E5. Doi: 10.1016/J.Ajog.2009.09.005.
- Kassebaum, N. J, A Bertozzi-Villa, M Coggeshall. *Et al.* (2014) 'Global, Regional, And National



- Levels And Causes Of Maternal Mortality During 1990-2013: A Systematic Analysis For The Global Burden Of Disease Study 2013', *The Lancet*, 384(9947), Pp. 980–1004. Doi: 10.1016/S0140-6736(14)60696-6.
- Katherine R, M Tuuli, A Chalill Et al (2015) 'Development And Validation Of A Risk Factor Scoring System For First-Trimester Prediction Of Pre-Eclampsia', *NIH Public Acces*, 31(12), Pp. 1049–1056. Doi: 10.1055/S-0034-1371705.Development.
- Keighobadi Khajeh, F., Fareedalae, G. And Abbasalizadeh, F. (2015) 'Early Preeclampsia And HELLP Syndrome In A 20 Week Pregnant Patient', *Journal Of Emergency Practice And Trauma*, 3(1), Pp. 32–33. Doi: 10.15171/Jept.2017.12.
- Kemendes RI (2019) *Profil Kesehatan Indonesia 2018 Kemendes RI. (2019)*. Available At: Http://Www.Depkes.Go.Id/Resources/Download/Pusdatin/Profil-Kesehatan-Indonesia/Data-Dan-Informasi_Profil-Kesehatan-Indonesia-2018.Pdf.
- Kementrian Kesehatan RI (2020) *Buku Kesehatan Ibu Dan Anak*.
- Kenny, Louise Cblack, M. A. Et al. (2014) 'Preeclampsia Early Pregnancy Prediction Of Preeclampsia In Nulliparous'. Doi: 10.1161/HYPERTENSIONAHA.114.03578.
- Kenny, L. C, MA Black, L Poston . Et al. (2014) 'Early Pregnancy Prediction Of Preeclampsia In Nulliparous Women, Combining Clinical Risk And Biomarkers: The Screening For Pregnancy Endpoints (SCOPE) International Cohort Study', *Hypertension*, 64(3), Pp. 644–652. Doi: 10.1161/HYPERTENSIONAHA.114.03578.
- Kernbeck S, Busse TS, B. M. Et al (2020) 'Impact Of Mobile Health And Medical Applications On Clinical Practice In Gastroenterology', 9327(29).
- Khadem, N, H Ayatollahi , R Roodsari Et al. (2012) 'Comparison Of Serum Levels Of Tri-Iodothyronine (T3), Thyroxine (T4), And Thyroid-Stimulating Hormone (TSH) In Preeclampsia And Normal Pregnancy', *Iranian Journal Of Reproductive Medicine*, 10(1), Pp. 47–52.
- Khader, Y. S, A Batieha, R Al-Njarat Et al. (2017) 'Preeclampsia In Jordan: Incidence, Risk Factors, And Its Associated Maternal And Neonatal Outcomes', *The Journal Of Maternal-Fetal & Neonatal Medicine*, 0(0), Pp. 1–7. Doi: 10.1080/14767058.2017.1297411.
- Khalil, A, NJ Cowans, K Spenser Et al. (2010) 'First-Trimester Markers For The Prediction Of Preeclampsia In Women With A-Priori High Risk', *Ultrasound In Obstetrics And Gynecology*, 35(6), Pp. 671–679. Doi: 10.1002/Uog.7559.
- Khan, K. S, Wojdyla, L Say. Et al. (2006) 'WHO Analysis Of Causes Of Maternal Death: A Systematic Review', *Lancet*, 367(9516), Pp. 1066–1074. Doi: 10.1016/S0140-6736(06)68397-9.
- Khatun, S, N Kanamaya, HM Belayet Et al. (2000) 'Increased Concentrations Of Plasma Neuropeptide Y In Patients With Eclampsia And Preeclampsia', *American Journal Of Obstetrics And Gynecology*, 182(4), Pp. 896–900. Doi: 10.1016/S0002-9378(00)70342-5.
- Khowaja, A. R, C Milton, S Bryan Et al. (2015) 'Economic Evaluation Of Community Level Interventions For Pre-Eclampsia (CLIP) In South Asian And African Countries: A Study Protocol', *Implementation Science*, 10(1), Pp. 1–14. Doi: 10.1186/S13012-015-0266-5.



- Khowaja, A. R., R Qureshi, D Sawchuk *Et al.* (2016) ‘The Feasibility Of Community Level Interventions For Pre-Eclampsia In South Asia And Sub-Saharan Africa: A Mixed-Methods Design’, *Reproductive Health*, 13(1), Pp. 1–15. Doi: 10.1186/S12978-016-0133-0.
- Kinney, M. V, JM Smith, T Doherty *Et al.* (2016) ‘Feasibility Of Community Level Interventions For Pre-Eclampsia: Perspectives, Knowledge And Task-Sharing From Nigeria, Mozambique, Pakistan And India’, *Reproductive Health*, 13(1), Pp. 1–4. Doi: 10.1186/S12978-016-0245-6.
- Kok, M. C, M Dieleman, M Taegtmeier. *Et al.* (2015) ‘Which Intervention Design Factors Influence Performance Of Community Health Workers In Low- And Middle-Income Countries? A Systematic Review’, *Health Policy And Planning*, 30(9), Pp. 1207–1227. Doi: 10.1093/Heapol/Czu126.
- Kongwattanakul, K, Saksiriwuttho , S. Chaiyarach *Et al.* (2018) ‘Incidence, Characteristics, Maternal Complications, And Perinatal Outcomes Associated With Preeclampsia With Severe Features And Hellp Syndrome’, *International Journal Of Women’s Health*, 10, Pp. 371–377. Doi: 10.2147/IJWH.S168569.
- Kumari, N., Dash, K. And Singh, R. (2016) ‘Relationship Between Maternal Age And Preeclampsia .’, *Jurnal Of Dental And Medical Sciences*, 15(12), Pp. 55–57. Doi: 10.9790/0853-1512085557.
- Labrique, A. B, L Vasudevan , E Koch *Et al.* (2013) ‘Mhealth Innovations As Health System Strengthening Tools: 12 Common Applications And A Visual Framework’, *Global Health Science And Practice*, 1(2), Pp. 160–171. Doi: 10.9745/GHSP-D-13-00031.
- Laine, K, G Murzakanova, KB Sole *Et al.* (2019a) ‘Prevalence And Risk Of Pre-Eclampsia And Gestational Hypertension In Twin Pregnancies: A Population-Based Register Study’, *BMJ Open*, 9(7), Pp. 1–8. Doi: 10.1136/Bmjopen-2019-029908.
- Laine, K. G Murzakanova, KB Sole *Et al.* (2019b) ‘Prevalence And Risk Of Pre-Eclampsia And Gestational Hypertension In Twin Pregnancies: A Population-Based Register Study’, *BMJ Open*, 9(7), Pp. 1–8. Doi: 10.1136/Bmjopen-2019-029908.
- Laivuori, H, P. Lahermo, V Ollikainen *Et al.* (2003) ‘Susceptibility Loci For Preeclampsia On Chromosomes 2p25 And 9p13 In Finnish Families’, *American Journal Of Human Genetics*, 72(1), Pp. 168–177. Doi: 10.1086/345311.
- Lamminpää, R, K Vehviläinen-Julkunen, M Gissler *Et al.* (2012) ‘Preeclampsia Complicated By Advanced Maternal Age: A Registry-Based Study On Primiparous Women In Finland 1997-2008’, *BMC Pregnancy And Childbirth*, 12, Pp. 2–6. Doi: 10.1186/1471-2393-12-47.
- Lassi, Z. S., Haider, B. A. And Bhutta, Z. A. (2010) ‘Community-Based Intervention Packages For Reducing Maternal And Neonatal Morbidity And Mortality And Improving Neonatal Outcomes’, *Cochrane Database Of Systematic Reviews*, 11(11), P. CD007754. Doi: 10.1002/14651858.CD007754.Pub2.
- Lavanya, R. Y. And B, S. (2015) ‘Study Of Liver Enzymes And Proteinuria In Pregnancy Induced Hypertension’, *IOSR Journal Of Dental And Medical Sciences Ver. III*, 14(2), Pp. 2279–861. Doi: 10.9790/0853-14233436.
- Ledoux, T, P Van Der Berg, P Leung *Et al.* (2015) ‘Factors Associated With Knowledge Of



Personal Gestational Weight Gain Recommendations', *BMC Research Notes*, 8(1), Pp. 1–7. Doi: 10.1186/S13104-015-1306-6.

Lehmann, U. And Sanders, D. (2007) *Community Health Workers: What Do We Know About Them? The State Of The Evidence On Programmes, Activities, Cost And Impact On Health Outcomes Of Using Community Health Workers*.

Levine, L. D. *Et al.* (2016) 'Induction, Labor Length And Mode Of Delivery: The Impact On Preeclampsia-Related Adverse Maternal Outcomes', *Journal Of Perinatology*, 36(9), Pp. 713–717. Doi: 10.1038/Jp.2016.84.

Lewis, S., Lee, A. And Simkhada, P. (2015) 'The Role Of Husbands In Maternal Health And Safe Childbirth In Rural Nepal : A Qualitative Study', *BMC Pregnancy & Childbirth*, Pp. 1–10. Doi: 10.1186/S12884-015-0599-8.

Li, De Kun And Wi, S. (2000) 'Changing Paternity And The Risk Of Preeclampsia/Eclampsia In The Subsequent Pregnancy', *American Journal Of Epidemiology*, 151(1), Pp. 57–62. Doi: 10.1093/Oxfordjournals.Aje.A010122.

Li, D. K. And Wi, S. (2000) 'Changing Paternity And The Risk Of Preeclampsia/Eclampsia In The Subsequent Pregnancy', *American Journal Of Epidemiology*, 151(1), Pp. 57–62. Doi: 10.1097/00001648-199903000-00011.

Lim, J, G Cloete, D Dunsmuir *Et al.* (2015) 'Usability And Feasibility Of PIERS On The Move: An Mhealth App For Pre-Eclampsia Triage', *JMIR Mhealth And Uhealth*, 3(2), P. E37. Doi: 10.2196/Mhealth.3942.

Lin, T. H. And Su, Y. N. (2017) 'Early Screening And Prevention Of Preeclampsia', *Journal Of Medical Ultrasound*, 25(2), Pp. 68–70. Doi: 10.1016/J.Jmu.2015.01.001.

Linder, L, Kiowski, W Buihler, Fritz R *Et al.* (2015) 'Indirect Evidence For Release Of Endothelium-Derived Relaxing Factor In Human Forearm Circulation In Vivo Blunted Response In Essential Hypertension'.

Lindheimer, M. D., Taler, S. J. And Cunningham, F. G. (2008) 'Hypertension In Pregnancy', *Journal Of The American Society Of Hypertension*, 2(6), Pp. 484–494. Doi: 10.1016/J.Jash.2008.10.001.

Liu, C., Chang, S. And Cheng, P. (2005) 'Comparison Of Referral And Non Referral Hypertensive Disorders During Pregnancy : An Analysis Of 271 Consecutive Cases At A Tertiary Hospital Methods : Results ', *Hypertension In Pregnancy*, 28(5), Pp. 326–334.

Logan, G. Njoroge, P Nyabola, Lambert O. *Et al.* (2020) 'Determinants Of Preeclampsia And Eclampsia Among Women Delivering In County Hospitals In Nairobi , Kenya', *F1000Research*.

Lokki, A. I., Heikkinen-Eloranta, J. K. And Laivuori, H. (2018) 'The Immunogenetic Conundrum Of Preeclampsia', *Frontiers In Immunology*, 9(NOV), Pp. 1–8. Doi: 10.3389/Fimmu.2018.02630.

Love, M. B., Gardner, K. And Legion, V. (1997) 'Community Health Workers: Who They Are And What They Do', *Health Education And Behavior*, 24(4), Pp. 510–522. Doi: 10.1177/109019819702400409.



- Lovgren, T. R., Dugoff, L. And Galan, H. L. (2010) 'Uterine Artery Doppler And Prediction Of Preeclampsia', *Clinical Obstetrics And Gynecology*, 53(4), Pp. 888–898. Doi: 10.1097/GRF.0b013e3181fbb687.
- Luewan, S. Teja-Intr, S Monrudee *Et al.* (2018) 'Low Maternal Serum Pregnancy-Associated Plasma Protein-A As A Risk Factor Of Preeclampsia', *Singapore Medical Journal*, 59(1), Pp. 55–59. Doi: 10.11622/Smedj.2017034.
- Luo, Z. C, N An, H Xu. *Et al.* (2007a) 'The Effects And Mechanisms Of Primiparity On The Risk Of Pre-Eclampsia: A Systematic Review', *Paediatric And Perinatal Epidemiology*, 21(SUPPL. 1), Pp. 36–45. Doi: 10.1111/J.1365-3016.2007.00836.X.
- Luo, Z. C. N An, H Xu *Et al.* (2007b) 'The Effects And Mechanisms Of Primiparity On The Risk Of Pre-Eclampsia: A Systematic Review', *Paediatric And Perinatal Epidemiology*, 21(SUPPL. 1), Pp. 36–45. Doi: 10.1111/J.1365-3016.2007.00836.X.
- Mackay, A. P., Berg, C. J. And Atrash, H. K. (2001) 'Pregnancy-Related Mortality From Preeclampsia And Eclampsia', *Obstetrics And Gynecology*, 97(4), Pp. 533–538. Doi: 10.1016/S0029-7844(00)01223-0.
- Madazli, R. M. Yuksel, IM Aytaç *Et al.* (2014) 'Comparison Of Clinical And Perinatal Outcomes In Early- And Late-Onset Preeclampsia', *Archives Of Gynecology And Obstetrics*, 290(1), Pp. 53–57. Doi: 10.1007/S00404-014-3176-X.
- Magee, L. A, M Helewa, E Rey *Et al.* (2008) 'Diagnosis, Evaluation, And Management Of The Hypertensive Disorders Of Pregnancy', *Journal Of Obstetrics And Gynaecology Canada*, 30(3), Pp. S1–S2. Doi: 10.1016/S1701-2163(16)32776-1.
- Magnussen, E. B, L Vatten, T Lund-Nilsen *Et al.* (2005) 'Prepregnancy Cardiovascular Risk Factors As Predictors Of Pre-Eclampsia : Population Based Cohort Study', *BMJ Research*, (March), Pp. 1–9. Doi: 10.1136/Bmj.39366.416817.BE.
- Magro-Malosso, E. R, G Saccona, MD Tommaso. *Et al.* (2017) 'Exercise During Pregnancy And Risk Of Gestational Hypertensive Disorders: A Systematic Review And Meta-Analysis', *Acta Obstetrica Et Gynecologica Scandinavica*, 96(8), Pp. 921–931. Doi: 10.1111/Aogs.13151.
- Makowiecka, K, A Akhadi, Y Izat *Et al.* (2008) 'Midwifery Provision In Two Districts In Indonesia: How Well Are Rural Areas Served?', *Health Policy And Planning*, 23(1), Pp. 67–75. Doi: 10.1093/Heapol/Czm036.
- Manalu Helper Sehat, D. (2006) 'Persepsi Bidan Di Desa Terhadap Tugas Dan Fungsinya Di Kabupaten Tangerang', *Media Litbang Kesehatan*, XVI(I), Pp. 8–13.
- Manten, G. T. R, M Sikkema, H Voorbij. *Et al.* (2007) 'Risk Factors For Cardiovascular Disease In Women With A History Of Pregnancy Complicated By Preeclampsia Or Intrauterine Growth Restriction', *Hypertension In Pregnancy*, 26(1), Pp. 39–50. Doi: 10.1080/10641950601146574.
- Maria, E, D Dantas, F Venicio *Et al.* (2013) 'Preeclampsia Is Associated With Increased Maternal Body Weight In A Northeastern Brazilian Population', *BMC Pregnancy & Childbirth*, 13.
- Mariyana, K., Jati, S. P. And Purnami, C. T. (2017) 'Faktor Yang Berpengaruh Terhadap Kepatuhan Ibu Hamil Preeklamsia Dalam Pemanfaatan Layanan Anc', *Unnes Journal Of*



Public Health, 6(4), Pp. 237–244. Doi: 10.15294/Ujph.V6i4.17736.

- Martadiansyah, A., Qalbi, A. And Santoso, B. (2019) ‘Prevalensi Kejadian Preeklamsia Dengan Komplikasi Dan Faktor Risiko Yang Mempengaruhinya Di RSUP Dr. Mohammad Hoesin Palembang (Studi Prevalensi Tahun 2015, 2016, 2017)’, *Sriwijaya Journal Of Medicine*, 2(1), Pp. 231–241. Doi: 10.32539/Sjm.V2i1.53.
- Martínez-Varea, A. Pellicer, A Perales-Marrtin *Et al.* (2014) ‘Relationship Between Maternal Immunological Response During Pregnancy And Onset Of Preeclampsia’, *Journal Of Immunology Research*, 2014. Doi: 10.1155/2014/210241.
- Mashiloane, C. D. And Moodley, J. (2002) ‘Induction Or Caesarean Section For Preterm Pre-Eclampsia?’, *Journal Of Obstetrics And Gynaecology*, 22(4), Pp. 353–356. Doi: 10.1080/01443610220141245.
- Mayrink, J, RT Souza, FE Feitosa *Et al.* (2019) ‘Incidence And Risk Factors For Preeclampsia In A Cohort Of Healthy Nulliparous Pregnant Women: A Nested Case-Control Study’, (January), Pp. 1–9. Doi: 10.1038/S41598-019-46011-3.
- Mcdonald, J. C. (2005) ‘What We Know And What We Do Not Know’, *Radiation Protection Dosimetry*, 113(2), Pp. 127–128. Doi: 10.1093/Rpd/Nch491.
- Mcleod, L. (2008) ‘How Useful Is Uterine Artery Doppler Ultrasonography In Predicting Pre-Eclampsia And Intrauterine Growth Restriction?’, *Cmaj*, 178(6), Pp. 727–729. Doi: 10.1503/Cmaj.080242.
- Meher, S. And Duley, L. (2006) ‘Rest During Pregnancy For Preventing Pre-Eclampsia And Its Complications In Women With Normal Blood Pressure’, *Cochrane Database Of Systematic Reviews*, (2). Doi: 10.1002/14651858.CD005939.
- Melati, K., Wigati, P. And Arso, S. (2015) ‘Analisis Beban Kerja Bidan Desa Di Puskesmas Duren Kabupaten Semarang’, *Jurnal Kesehatan Masyarakat (E-Journal)*, 3(3), Pp. 30–40.
- Mgawadere, F, R Unkels, A Kazembe *Et al.* (2017) ‘Factors Associated With Maternal Mortality In Malawi: Application Of The Three Delays Model’, *BMC Pregnancy And Childbirth*, 17(1), Pp. 1–9. Doi: 10.1186/S12884-017-1406-5.
- Middleton, J. J. (2014) *Midwifery Consultancy Report*.
- Mikat, B, A Gellhaus, N Wagner *Et al.* (2012) ‘Early Detection Of Maternal Risk For Preeclampsia’, *ISRN Obstetrics And Gynecology*, 2012(July), Pp. 1–7. Doi: 10.5402/2012/172808.
- Mikat, B, A Zeller, A Scherag *Et al.* (2012) ‘Bhcg And PAPP-A In First Trimester: Predictive Factors For Preeclampsia?’, *Hypertension In Pregnancy*, 31(2), Pp. 261–267. Doi: 10.3109/10641955.2011.638956.
- Milne, F. Redman C, Walker, J. et al (2005) ‘The Pre-Eclampsia Community Guideline (PRECOG): How To Screen For And Detect Onset Of Pre-Eclampsia In The Community’, *Bmj*, 330(7491), Pp. 576–580. Doi: 10.1136/Bmj.330.7491.576.
- Milne, F, Redman, C, Walker, J *et al.* (2009) ‘Guidelines: Assessing The Onset Of Pre-Eclampsia In The Hospital Day Unit: Summary Of The Pre-Eclampsia Guideline (PRECOG II)’, *BMJ (Online)*, 339(7721), Pp. 626–628. Doi: 10.1136/Bmj.B3129.



- Miyaguchi, M, J Yasuoka, A Poudyal et al. (2014) 'Female Community Health Volunteers Service Utilization For Childhood Illness- Improving Quality Of Health Services Only Is Not Enough: A Cross-Sectional Study In Mid-Western Region, Nepal', *BMC Health Services Research*, 14(1), Pp. 1–10. Doi: 10.1186/1472-6963-14-383.
- Montagnoli, C. And Larciprete, G. (2014) 'Preeclampsia: Definitions, Screening Tools And Diagnostic Criteria In Supersonic Era', *World Journal Of Obstetrics And Gynecology*, 3(3), Pp. 98–109. Doi: 10.5317/Wjog.V3.I3.98.
- Van Montfort, P. *Et al.* (2020) 'Implementing A Preeclampsia Prediction Model In Obstetrics: Cutoff Determination And Health Care Professionals' Adherence', *Medical Decision Making*, 40(1), Pp. 81–89. Doi: 10.1177/0272989X19889890.
- Moresi, S. *et al.* (2020) 'Perinatal Outcome In Gestational Hypertension: Which Role For Developing Preeclampsia. A Population-Based Cohort Study', *European Journal Of Obstetrics And Gynecology And Reproductive Biology*, 251(May), Pp. 218–222. Doi: 10.1016/J.Ejogrb.2020.05.064.
- Morley, L. And Simpson, N. (2016) 'The Principles Of Screening Tests As Applied To Obstetrics And Gynaecology', *Obstetrics, Gynaecology And Reproductive Medicine*, 26(1), Pp. 1–6. Doi: 10.1016/J.Ogrm.2015.11.005.
- Mosadeghrad, A. M. (2014) 'Factors Affecting Medical Service Quality', *Iranian Journal Of Public Health*, 43(2), Pp. 210–220.
- Mostello, D. Kallogjeri, R Tungsiripat *Et al.* (2008) 'Recurrence Of Preeclampsia: Effects Of Gestational Age At Delivery Of The First Pregnancy, Body Mass Index, Paternity, And Interval Between Births', *American Journal Of Obstetrics And Gynecology*, 199(1), Pp. 55.E1-55.E7. Doi: 10.1016/J.Ajog.2007.11.058.
- Motedayen, M. Rafiei, M Tavirani, *et al.* (2019) 'The Relationship Between Body Mass Index And Preeclampsia: A Systematic Review And Meta-Analysis', *International Journal Of Reproductive Biomedicine*, 17(7), Pp. 465–474. Doi: 10.18502/Ijrm.V17i7.4857.
- Mrema, D, R Tie, T Obstye *et al.* (2018) 'The Association Between Pre Pregnancy Body Mass Index And Risk Of Preeclampsia: A Registry Based Study From Tanzania', *BMC Pregnancy And Childbirth*, 18(1), Pp. 1–8. Doi: 10.1186/S12884-018-1687-3.
- Mustofa H MD, Alaa El-Deena, Dina M El Sayeed, S. S. M. (2018) 'Effect Of Socioeconomic Status On Preeclampsia Cross Sectional Study', *The Medical Journal Of Cairo University*, 86(12), Pp. 4227–4234. Doi: 10.21608/Mjcu.2018.62808.
- Musyoka, F. M., Thiga, M. M. And Muketha, G. M. (2019) 'A 24-Hour Ambulatory Blood Pressure Monitoring System For Preeclampsia Management In Antenatal Care', *Informatics In Medicine Unlocked*, 16(May). Doi: 10.1016/J.Imu.2019.100199.
- Myatt, L., R Clifton, J Robert *et al.* (2013) 'First-Trimester Prediction Of Preeclampsia In Low-Risk Nulliparous Women', *Obstetrics And Gynecology*, 119(6), Pp. 1234–1242. Doi: 10.1097/AOG.0b013e3182571669.First-Trimester.
- Nagayama, S, A Ohkuchi, R Usui *et al.* (2014) 'The Role Of The Father In The Occurrence Of Preeclampsia', *Med J Obstet Gynecol*, 2(2), P. 1029. Available At: <https://www.jscoimedcentral.com/Obstetrics/Obstetrics-Spid-Prediction-Preeclampsia->



- Naghavi-Behzad, M, S.Vosoogh, S Azami-Aghdash, *et al.* (2013) ‘Prognostic Risk Factors For Early Diagnosing Of Preeclampsia In Nulliparas’, *Nigerian Medical Journal*, 54(5), P. 344. Doi: 10.4103/0300-1652.122368.
- Nakimuli, A, J Starling, S Nakubulwa *Et al.* (2020) ‘Relative Impact Of Pre-Eclampsia On Birth Weight In A Low Resource Setting: A Prospective Cohort Study’, *Pregnancy Hypertension*, 21(March), Pp. 1–6. Doi: 10.1016/J.Preghy.2020.04.002.
- Nankali, A, Malek-Khosravi, Sh, Zangeneh, M. *Et al.* (2013) ‘Maternal Complications Associated With Severe Preeclampsia’, *Journal Of Obstetrics And Gynecology Of India*, 63(2), Pp. 112–115. Doi: 10.1007/S13224-012-0283-0.
- Nathan, H. L, T Paul, A Greef *Et al.* (2018) ‘Maternal And Perinatal Adverse Outcomes In Women With Pre-Eclampsia Cared For At Facility-Level In South Africa : A Prospective Cohort Study’, 8(2). Doi: 10.7189/Jogh.08.020401.
- Neiger, R. (2017) ‘Long-Term Effects Of Pregnancy Complications On Maternal Health: A Review’, *Journal Of Clinical Medicine*, 6(8), P. 76. Doi: 10.3390/Jcm6080076.
- NICE (2011) ‘Hypertension In Pregnancy: Diagnosis And Management’, *NICE Guideline*.
- Norman, W. V, J Soon, D Panagiotoglou *Et al.* (2015) ‘The Acceptability Of Contraception Task-Sharing Among Pharmacists In Canada - The ACT-Pharm Study’, *Contraception*, 92(1), Pp. 55–61. Doi: 10.1016/J.Contraception.2015.03.013.
- Nugteren, J. J, CA Snijder, C Hoffman *Et al.* (2012) ‘Work-Related Maternal Risk Factors And The Risk Of Pregnancy Induced Hypertension And Preeclampsia During Pregnancy. The Generation R Study’, *Plos ONE*, 7(6). Doi: 10.1371/Journal.Pone.0039263.
- O’Brien TE, Ray JG, C. W. (2003) ‘Maternal Body Mass Index And The Risk Of Preeclampsia’, *A Systematic Overview*, 14(Epidemiology), Pp. 368–374.
- O’Leary, C. M. *Et al.* (2007) ‘Trends In Mode Of Delivery During 1984-2003: Can They Be Explained By Pregnancy And Delivery Complications?’, *BJOG: An International Journal Of Obstetrics And Gynaecology*, 114(7), Pp. 855–864. Doi: 10.1111/J.1471-0528.2007.01307.X.
- Ogunyemi, D., Benaie, J. L. And Ukatu, C. (2004) ‘Is Eclampsia Preventable? A Case Control Review Of Consecutive Cases From An Urban Underserved Region’, *Southern Medical Journal*, 97(5), Pp. 440–445. Doi: 10.1097/00007611-200405000-00005.
- Olaniran, A, B Madaj, S Bar-Zev *Et al.* (2019) ‘The Roles Of Community Health Workers Who Provide Maternal And Newborn Health Services: Case Studies From Africa And Asia’, *BMJ Global Health*, 4(4). Doi: 10.1136/Bmjgh-2019-001388.
- Olatunji, R. B., Adekanmi, A. J. And Obajimi, M. O. (2015) ‘Maternal Ophthalmic Artery Doppler Velocimetry In Pre-Eclampsia In Southwestern Nigeria’, *International Journal Of Women’s Health*, 7, Pp. 723–734.
- Oliveira, N, L Magder, M Blitzer *Et al.* (2014) ‘First-Trimester Prediction Of Pre-Eclampsia: External Validity Of Algorithms In A Prospectively Enrolled Cohort’, *Ultrasound Obstet Gynecol*, 44(3), Pp. 279–285. Doi: 10.1002/Uog.13435.



- Omotayo, M. O, L Dickin, K O Brien *Et al.* (2016) 'Calcium Supplementation To Prevent Preeclampsia: Translating Guidelines Into Practice In Low-Income Countries', *Advances In Nutrition*, 7(2), Pp. 275–278. Doi: 10.3945/An.115.010736.
- Ostlin, P, E. Eckermann, U Mishra *Et al.* (2006) 'Gender And Health Promotion: A Multisectoral Policy Approach.', *Health Promotion International*, 21 Suppl 1, Pp. 25–35. Doi: 10.1093/Heapro/Dal048.
- Osungbade, K. O. And Ige, O. K. (2011) 'Public Health Perspectives Of Preeclampsia In Developing Countries: Implication For Health System Strengthening', *Journal Of Pregnancy*, 2011, Pp. 1–6. Doi: 10.1155/2011/481095.
- Ottanelli, S, A Napoli, C Festa. *Et al.* (2019) 'Hypertension And Preeclampsia In Pregnancy Complicated By Diabetes', *Frontiers In Diabetes*, 28, Pp. 171–182. Doi: 10.1159/000480173.
- Ouasmani, F, B. Engeltjes, B. Haddou Rahou *Et al.* (2018) 'Knowledge Of Hypertensive Disorders In Pregnancy Of Moroccan Women In Morocco And In The Netherlands: A Qualitative Interview Study', *BMC Pregnancy And Childbirth*, 18(1), Pp. 1–11. Doi: 10.1186/S12884-018-1980-1.
- Ozdalga, E., Ozdalga, A. And Ahuja, N. (2012) 'The Smartphone In Medicine: A Review Of Current And Potential Use Among Physicians And Students', *Journal Of Medical Internet Research*, 14(5), Pp. 1–14. Doi: 10.2196/Jmir.1994.
- Papageorghiou, A. T, CKH Yu, IE Erasmus *Et al.* (2005) 'Assessment Of Risk For The Development Of Pre-Eclampsia By Maternal Characteristics And Uterine Artery Doppler', *BJOG An International Journal Of Obstetrics And Gynaecology*, 112(June), Pp. 703–709.
- Park, F, K Russo, P William *Et al.* (2015) 'Prediction And Prevention Of Early-Onset Pre-Eclampsia: Impact Of Aspirin After First-Trimester Screening', *Ultrasound In Obstetrics And Gynecology*, 46(4), Pp. 419–423. Doi: 10.1002/Uog.14819.
- Payne, B. A, J Hutcheon, J Ansermino *Et al.* (2014) 'A Risk Prediction Model For The Assessment And Triage Of Women With Hypertensive Disorders Of Pregnancy In Low-Resourced Settings: The Minipliers (Pre-Eclampsia Integrated Estimate Of Risk) Multi-Country Prospective Cohort Study', *Plos Medicine*, 11(1). Doi: 10.1371/Journal.Pmed.1001589.
- Pękacz, A. A Kądalska, A. Skoczylas *Et al.* (2019) 'Patient Satisfaction As An Element Of Healthcare Quality - A Single-Center Polish Survey', *Reumatologia*, 57(3), Pp. 135–144. Doi: 10.5114/Reum.2019.86423.
- Perez-Cuevas, R., W Freser, H Reyes *Et al.* (2003) 'Critical Pathways For The Management Of Preeclampsia And Severe Preeclampsia In Institutionalised Health Care Settings', *BMC Pregnancy And Childbirth*, 3(6), Pp. 1–15. Doi: 10.1186/1471-2393-3-6.
- Perski, O, A Blandford, R West *Et al.* (2017) 'Conceptualising Engagement With Digital Behaviour Change Interventions: A Systematic Review Using Principles From Critical Interpretive Synthesis', *Translational Behavioral Medicine*, 7(2), Pp. 254–267. Doi: 10.1007/S13142-016-0453-1.
- Phengsavanh, A, W. Laohasiriwong, K. Suwannaphant. *Et al.* (2018) 'Antenatal Care And Its Effect On Risk Of Pregnancy Induced Hypertension In Lao Pdr: A Case-Control Study',



F1000Research, 7, Pp. 1–11. Doi: 10.12688/F1000RESEARCH.15634.1.

- Pires De Pires, D, E. Mathos, E Pinho *Et al.* (2016) ‘New Technologies And Workloads Of Health Care Professionals’, *Digital Repository Of Technische Universität Berlin*, Pp. 1–13.
- Poon, L. C. And Nicolaides, K. H. (2014) ‘Early Prediction Of Preeclampsia’, *Obstetrics And Gynecology International*, 2014(Table 2), Pp. 1–11. Doi: 10.1155/2014/297397.
- Poon, L. C. Y, Maiz, C. Valensia *Et al.* (2009) ‘First-Trimester Maternal Serum Pregnancy-Associated Plasma Protein-A And Pre-Eclampsia’, *Ultrasound Obstet Gynecol*, 33, Pp. 23–33. Doi: 10.1002/Uog.6280.
- Poorolajal, J. And Jenabi, E. (2016) ‘The Association Between Body Mass Index And Preeclampsia: A Meta-Analysis’, *The Journal Of Maternal-Fetal & Neonatal Medicine*, 29(22), Pp. 3670–3676. Doi: 10.3109/14767058.2016.1140738.
- Prakansamut, N. And Phupong, V. (2019) ‘Serum SHARP1 And Uterine Artery Doppler For The Prediction Of Preeclampsia’, *Scientific Reports*, 9(1), Pp. 1–7. Doi: 10.1038/S41598-019-48727-8.
- Rabail Alam, T. G. M. (2019) ‘Comparative Analysis Between Pre-Test/Post-Test Model And Post-Test-Only Model In Achieving The Learning Outcomes’, *Pakistan Journal Of Ophthalmology*, 35(1). Doi: 10.36351/Pjo.V35i1.855.
- Ramadurg, U, M Vidler, U Charanthimath *Et al.* (2016) ‘Community Health Worker Knowledge And Management Of Pre-Eclampsia In Rural Karnataka State, India’, *Reproductive Health*, 13(Suppl 2), P. 8. Doi: 10.1186/S12978-016-0219-8.
- Ramesh, K., Gandhi, S. And Rao, V. (2014) ‘Socio-Demographic And Other Risk Factors Of Pre Eclampsia At A Tertiary Care Hospital, Karnataka: Case Control Study’, *Journal Of Clinical And Diagnostic Research*, 8(9), Pp. JC01–JC04. Doi: 10.7860/JCDR/2014/10255.4802.
- Rao, D. V. S. And Krishna, D. T. M. (2014) ‘A Design Of Mobile Health For Android Applications’, *American Journal Of Engineering Research*, 3(6), Pp. 20–29. Available At: [Www.Ajer.Org](http://www.ajer.org).
- Rasouli, Porheidari, G. (2019) ‘Effect Of Self-Care Before And During Pregnancy To Prevention And Control Preeclampsia In High-Risk Women’, *International Journal Of Preventive Medicine*, 8(February). Doi: 10.4103/Ijpvvm.IJPVM.
- Raymond, D. And Peterson, E. (2011) ‘A Critical Review Of Early-Onset And Late-Onset Preeclampsia’, *Obstetrical And Gynecological Survey*, 66(8), Pp. 497–506. Doi: 10.1097/OGX.0b013e3182331028.
- Rebahi, H, ME Still, Y Faouzi *Et al.* (2018) ‘Risk Factors For Eclampsia In Pregnant Women With Preeclampsia And Positive Neurosensory Signs’, *Turk Jinekoloji Ve Obstetrik Dernegi Dergisi*, 15(4), Pp. 227–234. Doi: 10.4274/TJOD.22308.
- Redman, C. W. G. (2011) ‘Hypertension In Pregnancy: The NICE Guidelines’, *Heart*, 97(23), Pp. 1967–1969. Doi: 10.1136/Heartjnl-2011-300949.
- Redman, C. W. G. And Sargent, I. L. (2010) ‘Immunology Of Pre-Eclampsia’, *American Journal Of Reproductive Immunology*, 63(6), Pp. 534–543. Doi: 10.1111/J.1600-



- Redman, C. W. G. And Staff, A. C. (2015) 'Preeclampsia, Biomarkers, Syncytiotrophoblast Stress, And Placental Capacity', *American Journal Of Obstetrics And Gynecology*, 213(4), P. S9.E1-S9.E4. Doi: 10.1016/J.Ajog.2015.08.003.
- Di Renzo, G, E Gratacos, M Kutser *Et al.* (2019) 'Good Clinical Practice Advice: First Trimester Screening And Prevention Of Pre-Eclampsia In Singleton Pregnancy', *International Journal Of Gynecology And Obstetrics*, 144(3), Pp. 325–329. Doi: 10.1002/Ijgo.12741.
- Ririn A, A. T. Dan N. L. (2016) 'The Relationship Of Antenatal Care (ANC) Visits With The Incidence Of Preeclampsia In Pregnant Women At Gynecology Polyclinic Of Immanuel Hospital Bandung', In *International Nursing Workshop And Conference*, Pp. 250–250. Doi: 10.4234/Jjoffamilysociology.28.250.
- Rizvi, S. A, J Hatscer, I Jehan *Et al.* (2007) 'Maternal Risk Factors Associated With Low Birth Weight In Karachi: A Case-Control Study', *Eastern Mediterranean Health Journal*, 13(6), Pp. 1343–1352. Doi: 10.26719/2007.13.6.1343.
- Roberts, J.M, Cooper, D. (2001) 'Pathogenesis And Genetic Of Pre-Eclampsia', *Lancet*, 357, Pp. 53–56. Doi: 10.1016/S0140-6736(00)03577-7.
- Roberts, J. M., Druzin, M. And August, Et al (2012) *ACOG Guidelines: Hypertension In Pregnancy*, *American College Of Obstetricians And Gynecologists*. Doi: Doi: 10.1097/01.AOG.0000437382.03963.88.
- Roberts, J. M. And Himes, K. P. (2017) 'Pre-Eclampsia: Screening And Aspirin Therapy For Prevention Of Pre-Eclampsia', *Nature Reviews Nephrology*, 13(10), Pp. 602–604. Doi: 10.1038/Nrneph.2017.121.
- Robillard, P. Y, T Hulsey, J Perianin *Et al.* (1995) 'Association Of Pregnancy-Induced Hypertension With Duration Of Sexual Cohabitation Before Conception', *ACOG Current Journal Review*, 8(2), P. 20.
- Robillard, P. Y, G Dekker, M Scioscia *Et al.* (2019) 'Increased BMI Has A Linear Association With Late-Onset Preeclampsia: A Population-Based Study', *Plos ONE*, 14(10), Pp. 1–14. Doi: 10.1371/Journal.Pone.0223888.
- Rosato, M, C. Wansambo, P.Kazembe *Et al.* (2006) 'Women 'S Group's Perceptions Of Maternal Health Issues In Rural Malawi', *The Lancet*, 368.
- Roth, D. M. And Mbizvo, M. T. (2019) 'Promoting Safe Motherhood In The Community : The Case For Strategies That Include Men The Case For Strategies That Include Men Promoting Safe Motherhood In The Community ', *African Journal Of Reproductive Helath*, 5(2), Pp. 10–21.
- Rowland, S. P, J Fitzgerald ,T. Holme *Et al.* (2020) 'What Is The Clinical Value Of Mhealth For Patients?', *Npj Digital Medicine*, 3(1), Pp. 1–6. Doi: 10.1038/S41746-019-0206-X.
- Rudra, P, S Basak, D. Patil *Et al.* (2011) 'Recent Advances In Management Of Pre-Eclampsia', *Bjamp*, 4(3). Available At: <Http://Www.Bjamp.Org/Content/Recent-Advances-Management-Pre-Eclampsia>.
- Salam, R, JK Des, A Ali *Et al.* (2015) 'Diagnosis And Management Of Preeclampsia In



- Community Settings In Low And Middle-Income Countries', *Journal Of Family Medicine And Primary Care*, 4(4), P. 501. Doi: 10.4103/2249-4863.174265.
- Salam, R. A, R Qureshi, S Seikh. *Et al.* (2016) 'Potential For Task-Sharing To Lady Health Workers For Identification And Emergency Management Of Pre-Eclampsia At Community Level In Pakistan', *Reproductive Health*, 13(Suppl 2). Doi: 10.1186/S12978-016-0214-0.
- Saleh, A, M Mosa, I Yoo *Et al.* (2012) 'A Systematic Review Of Healthcare Applications For Smartphones'.
- Sanga, L. A, T Mtuy, R Philemon *Et al.* (2020) 'Inter-Pregnancy Interval And Associated Adverse Maternal Outcomes Among Women Who Delivered At Kilimanjaro Christian Medical Centre In Tanzania, 2000-2015', *Plos ONE*, 15(2), Pp. 1–15. Doi: 10.1371/Journal.Pone.0228330.
- Sattar, N, P Klark, A Holmes *Et al.* (2001) 'Antenatal Waist Circumference And Hypertension Risk', *Obstetrics And Gynecology*, 97(2), Pp. 268–271. Doi: 10.1016/S0029-7844(00)01136-4.
- Savage, A. R. And Hoho, L. (2016) 'Knowledge Of Pre-Eclampsia In Women Living In Makole Ward, Dodoma, Tanzania', *African Health Sciences*, 16(2), Pp. 412–419. Doi: 10.4314/Ahs.V16i2.9.
- Scazzocchio, E, F Figueras, F Crispi *Et al.* (2013) 'Performance Of A First-Trimester Screening Of Preeclampsia In A Routine Care Low-Risk Setting', *American Journal Of Obstetrics And Gynecology*, 208(3), Pp. 203.E1-203.E10. Doi: 10.1016/J.Ajog.2012.12.016.
- Von Schmidt Auf Altnstadt, J. F. *Et al.* (2013) 'Pre-Eclampsia Increases The Risk Of Postpartum Haemorrhage: A Nationwide Cohort Study In The Netherlands', *Plos ONE*, 8(12), Pp. 2–11. Doi: 10.1371/Journal.Pone.0081959.
- Schmitt, R. *Et al.* (2011) 'Health Care Technology Management Policy Formulation And Implementation'.WHO
- Seixas Da Cruz, S. *Et al.* (2016) 'Maternal Hypertension As A Risk Factor Associated With Low Birth Weight', *Brazilian Journal Of Medicine And Human Health*, 4(2). Doi: 10.17267/2317-3386bjmhh.V4i2.948.
- Serrano, N. C. *Et al.* (2004) 'Endothelial NO Synthase Genotype And Risk Of Preeclampsia: A Multicenter Case-Control Study', *Hypertension*, 44(5), Pp. 702–707. Doi: 10.1161/01.HYP.0000143483.66701.Ec.
- Services, C. For M. & M. (2019) Improving Access To Maternal Health Care In Rural Communities: An Issue Brief, *Centre For Medicare And Medicaid Services*.
- Shah, T. J., Leik, C. E. And Walsh, S. W. (2010) 'Neutrophil Infiltration And Systemic Vascular Inflammation In Obese Women', *Reproductive Sciences*, 17(2), Pp. 116–124. Doi: 10.1177/1933719109348252.
- Shamba, D, T Tancred, C. Hanson. *Et al.* (2019) 'Delayed Illness Recognition And Multiple Referrals: A Qualitative Study Exploring Care-Seeking Trajectories Contributing To Maternal And Newborn Illnesses And Death In Southern Tanzania', *BMC Health Services Research*, 19(1), Pp. 1–10. Doi: 10.1186/S12913-019-4019-Z.



- Sharma, S, O Adetoro, M Vidler *Et al.* (2017) ‘A Process Evaluation Plan For Assessing A Complex Community-Based Maternal Health Intervention In Ogun State, Nigeria’, *BMC Health Services Research*, 17(1), Pp. 1–10. Doi: 10.1186/S12913-017-2124-4.
- Sheikh, A, T Chomford, N Barber *Et al.* (2011) ‘Implementation And Adoption Of Nationwide Electronic Health Records In Secondary Care In England: Final Qualitative Results From Prospective National Evaluation In “Early Adopter” Hospitals’, *BMJ (Online)*, 343(7829), Pp. 1–14. Doi: 10.1136/Bmj.D6054.
- Sheikh, S, R Qureshi, A Khowaja *Et al.* (2016) ‘Health Care Provider Knowledge And Routine Management Of Pre-Eclampsia In Pakistan’, *Reproductive Health*, 13(Suppl 2). Doi: 10.1186/S12978-016-0215-Z.
- Sibai, B., Dekker, G. And Kupfermanc, M. (2005) ‘Pre-Eclampsia’, *The Lancet*, 365(9461), Pp. 785–799. Doi: 10.1016/S0140-6736(05)17987-2.
- Sibai, B. M. (2006) ‘Preeclampsia As A Cause Of Preterm And Late Preterm (Near-Term) Births’, *Seminars In Perinatology*, 30(1), Pp. 16–19. Doi: 10.1053/J.Semper.2006.01.008.
- Sibai, B. M. And Stella, C. L. (2009) ‘Diagnosis And Management Of Atypical Preeclampsia-Eclampsia’, *American Journal Of Obstetrics And Gynecology*, 200(5), Pp. 481.E1-481.E7. Doi: 10.1016/J.Ajog.2008.07.048.
- Silva LM (2008) ‘Low Socioeconomic Status Is A Risk Factor For Preeclampsia: The Generation R Study’, *Journal Of Hypertension*, 26(6), Pp. 1200–1208. Available At: [Http://Www.Embase.Com/Search/Results?Subaction=Viewrecord&From=Export&Id=L351670511%5Cnhttp://Dx.Doi.Org/10.1097/HJH.0b013e3282fcc36e](http://Www.Embase.Com/Search/Results?Subaction=Viewrecord&From=Export&Id=L351670511%5Cnhttp://Dx.Doi.Org/10.1097/HJH.0b013e3282fcc36e).
- Simeone, S, L Lojo, L Garcia *Et al.* (2015) ‘Psychological Impact Of First-Trimester Prevention For Preeclampsia On Anxiety’, *Prenatal Diagnosis*, 35(1), Pp. 60–64. Doi: 10.1002/Pd.4485.
- Sina, M., Hoy, W. And Wang, Z. (2014) ‘Anthropometric Predictors Of Gestational Hypertensive Disorders In A Remote Aboriginal Community: A Nested Case-Control Study’, *BMC Research Notes*, 7(1). Doi: 10.1186/1756-0500-7-122.
- Singh, H, A. Elizabeth, M. Ccfc *Et al.* (2017) ‘Better Decision Making In Preventive Health Screening’, Pp. 521–524.
- Sittig, D. F, A Wright, E Coiera *Et al.* (2020) ‘Current Challenges In Health Information Technology–Related Patient Safety’, *Health Informatics Journal*, 26(1), Pp. 181–189. Doi: 10.1177/1460458218814893.
- Skjærven, R., Wilcox, A. J. And Lie, R. T. (2002) ‘The Interval Between Pregnancies And The Risk Of Preeclampsia’, *New England Journal Of Medicine*, 346(1), Pp. 33–38. Doi: 10.1056/Nejmoa011379.
- Skråstad, R. B, GG Hov, HGK Blaas *Et al.* (2015) ‘Risk Assessment For Preeclampsia In Nulliparous Women At 11-13 Weeks Gestational Age: Prospective Evaluation Of Two Algorithms’, *BJOG: An International Journal Of Obstetrics And Gynaecology*, 122(13), Pp. 1781–1788. Doi: 10.1111/1471-0528.13194.
- Smith, G. C. S, E. Stenhouse, J. Crossley, *Et al.* (2017) ‘Early Pregnancy Levels Of Pregnancy-Associated Plasma Protein A And The Risk Of Intrauterine Growth Restriction , Premature



Birth , Preeclampsia ’, 87(September), Pp. 1762–1767.

- Sohlberg, S, O. Stephansson, S. Cnattingius, *Et al.* (2012) ‘Maternal Body Mass Index, Height, And Risks Of Preeclampsia’, *American Journal Of Hypertension*, 25(1), Pp. 120–125. Doi: 10.1038/Ajh.2011.175.
- Soma-Pillay, P, C Nelson, H Tolpanen *Et al.* (2016) ‘Physiological Changes In Pregnancy’, *Cardiovascular Journal Of Africa*, 27(2), Pp. 89–94. Doi: 10.5830/CVJA-2016-021.
- Sotunsa, J. O, M Vidler, JO Akeju *Et al.* (2016) ‘Community Health Workers’ Knowledge And Practice In Relation To Pre-Eclampsia In Ogun State, Nigeria: An Essential Bridge To Maternal Survival.’, *Reproductive Health*, 13(Suppl 2), P. 108. Doi: 10.1186/S12978-016-0218-9.
- Staff, A. C. (2019) ‘The Two-Stage Placental Model Of Preeclampsia: An Update’, *Journal Of Reproductive Immunology*, 134–135(March), Pp. 1–10. Doi: 10.1016/J.Jri.2019.07.004.
- Standing, S. And Standing, C. (2008) ‘Mobile Technology And Healthcare: The Adoption Issues And Systemic Problems’, *International Journal Of Electronic Healthcare*, 4(3–4), Pp. 221–235. Doi: 10.1504/IJEH.2008.022661.
- Stephenson Rob, T. O. A. (2002) ‘Contextual Influences On Reproductive Health Service Use In Uttar Pradesh, India’, *Studies In Family Planning*, 33(4), Pp. 309–320.
- Steyerberg, E. , V, A. Vickers, N Cook. *Et al.* (2010) ‘Assessing The Performance Of Prediction Models: A Framework For Traditional And Novel Measures’, *Epidemiology*, 21(1), Pp. 128–138. Doi: 10.1097/EDE.0b013e3181c30fb2.
- Stevens, H., Wide-Swensson, D. And Ingemarsson, I. (2001) ‘Blood Pressure During Pregnancy In A Swedish Population; Impact Of Parity’, *Acta Obstetrica Et Gynecologica Scandinavica*, 80(9), Pp. 824–829. Doi: 10.1034/J.1600-0412.2001.080009824.X.
- Subratha (2018) ‘Hubungan Dukungan Suami Dengan Kunjungan Antenatal Care (Anc) Pada Ibu Hamil Di Kabupaten Tabanan’, *Jurnal Medika Usada*.
- Surico, D, V Bordino, V Cantaluppi. *Et al.* (2019) ‘Preeclampsia And Intrauterine Growth Restriction: Role Of Human Umbilical Cord Mesenchymal Stem Cells-Trophoblast Crosstalk’, *Plos ONE*, 14(6), Pp. 1–24. Doi: 10.1371/Journal.Pone.0218437.
- T. Henderson; Jamie H. Thompson; Brittany U. Burda, A. C. (2017) Preeclampsia Screening Evidence Report And Systematic Review For The US Preventive Services Task Force. Doi: 10.1001/Jama.2016.18315.
- Taddei, S, A Viridis, L Ghiadoni *Et al.* (2006) ‘Endothelium, Aging, And Hypertension’, *Current Hypertension Reports*, 8(1), Pp. 84–89. Doi: 10.1007/S11906-006-0045-4.
- Taddei, S. And Salvetti, A. (2002) ‘Endothelial Dysfunction In Essential Hypertension : Clinical Implications’, Pp. 1671–1674.
- Thangaratnam, S., Allotey, J. And Marlin, At Al (2017) ‘Development And Validation Of Prediction Models For Risks Of Complications In Early-Onset Pre-Eclampsia (PREP): A Prospective Cohort Study’, *Health Technology Assessment*, 21(18), Pp. 1–99. Doi: 10.3310/Hta21180.
- Thilaganathan, B. And Kalafat, E. (2019) ‘Cardiovascular System In Preeclampsia And Beyond’,



Hypertension, 73(3), Pp. 522–531. Doi: 10.1161/Hypertensionaha.118.11191.

- Townsend, R., O'Brien, P. And Khalil, A. (2016) 'Current Best Practice In The Management Of Hypertensive Disorders In Pregnancy', *Integrated Blood Pressure Control*, 9, Pp. 79–94. Doi: 10.2147/IBPC.S77344.
- Trogstad, L. I. S. *Et al.* (2001) 'Changing Paternity And Time Since Last Pregnancy; The Impact On Pre-Eclampsia Risk. A Study Of 547 238 Women With And Without Previous Pre-Eclampsia', *International Journal Of Epidemiology*, 30(6), Pp. 1317–1322. Doi: 10.1093/Ije/30.6.1317.
- Trogstad, L., Magnus, P. And Stoltenberg, C. (2011) 'Pre-Eclampsia: Risk Factors And Causal Models', *Best Practice And Research: Clinical Obstetrics And Gynaecology*, 25(3), Pp. 329–342. Doi: 10.1016/J.Bpobgyn.2011.01.007.
- Tubbergen, P, A. Lachmeijer, S. Althuisius *Et al.* (1999) 'Change In Paternity: A Risk Factor For Preeclampsia In Multiparous Women?', *Journal Of Reproductive Immunology*, 45(1), Pp. 81–88. Doi: 10.1016/S0165-0378(99)00040-6.
- Tue, S. M. (2016) 'A Systematic Review Of Treatment And Management Of Preeclampsia And Eclampsia In Nigeria', (March), Pp. 327–336.
- Tukur, J. M Ishaku, B Ahonsi *Et al.* (2016) 'Training-Of-Trainers Of Nurses And Midwives As A Strategy For The Reduction Of Eclampsia-Related Maternal Mortality In Nigeria', *Sahel Medical Journal*, 19(2), P. 63. Doi: 10.4103/1118-8561.186034.
- Turner, J. A. (2010) 'Diagnosis And Management Of Pre-Eclampsia: An Update', *International Journal Of Women's Health*, 2(1), Pp. 327–337. Doi: 10.2147/IJWH.S8550.
- Tyas, B. D., Lestari, P. And Aldika Akbar, M. I. (2020) 'Maternal Perinatal Outcomes Related To Advanced Maternal Age In Preeclampsia Pregnant Women', *Journal Of Family & Reproductive Health*, 13(8), Pp. 191–200. Doi: 10.18502/Jfrh.V13i4.2646.
- Uddin, M. N. (2013) 'Diabetes Mellitus And Preeclampsia', *Medical Journal Of Obstetrics And Gynecology*, 1(3), P. 1016. Available At: <https://www.jscimedcentral.com/Obstetrics/Obstetrics-1-1016.Php>.
- Ukah, U. V, D Silva, B Payne *Et al.* (2018) 'Prediction Of Adverse Maternal Outcomes From Pre-Eclampsia And Other Hypertensive Disorders Of Pregnancy: A Systematic Review', *Pregnancy Hypertension*, 11, Pp. 115–123. Doi: 10.1016/J.Preghy.2017.11.006.
- UNHCR (2014) 'Guideline For Reviewing Maternal Deaths', Pp. 1–3.
- Upadhyay, P, T Liabsuetrakul, A. Shrestha *Et al.* (2014) 'Influence Of Family Members On Utilization Of Maternal Health Care Services Among Teen And Adult Pregnant Women In Kathmandu , Nepal : A Cross Sectional Study', *Reproductive Health*, 11(92), Pp. 1–11.
- USAID (2015) 'Measuring Maternal Mortality', (December), Pp. 1–6. Available At: [Http://R4d.Dfid.Gov.Uk/PDF/Outputs/Immpact/Immpactmeasurementfactsheet.Pdf](http://R4d.Dfid.Gov.Uk/PDF/Outputs/Immpact/Immpactmeasurementfactsheet.Pdf).
- USAID And MCHIP (2011) 'Pre-Eclampsia / Eclampsia : Prevention , Detection And Management', Pp. 1–10.
- Vakhtangadze, T, Gakhokidze, M. Khutsishvili *Et al.* (2019) 'The Link Between Hypertension And Preeclampsia/Eclampsia-Life-Long Cardiovascular Risk For Women', *Vessel Plus*,



- Verghese, L, S Alam, S. Beski *Et al.* (2012) ‘Antenatal Screening For Pre-Eclampsia: Evaluation Of The NICE And Pre-Eclampsia Community Guidelines.’, *Journal Of Obstetrics And Gynaecology: The Journal Of The Institute Of Obstetrics And Gynaecology*, 32(2), Pp. 128–31. Doi: 10.3109/01443615.2011.635224.
- Vidler, M, U. Charantimath, G. Katageri *Et al.* (2016) ‘Community Perceptions Of Pre-Eclampsia In Rural Karnataka State , India : A Qualitative Study’, 13(Suppl 1). Doi: 10.1186/S12978-016-0137-9.
- Virga, P. H, B Jin, J. Thomas . *Et al.* (2012) ‘Electronic Health Information Technology As A Tool For Improving Quality Of Care And Health Outcomes For HIV/AIDS Patients’, *International Journal Of Medical Informatics*, 81(10), Pp. E39–E45. Doi: 10.1016/J.Ijmedinf.2012.06.006.
- Wagner, L. K. (2004) ‘Diagnosis And Management Of Preeclampsia’, 70(12), Pp. 2317–2324.
- Wallis, A. B, EZ Tsigas, AF. Saftlas *Et al.* (2013) ‘Prenatal Education Is An Opportunity For Improved Outcomes In Hypertensive Disorders Of Pregnancy: Results From An Internet-Based Survey.’, *The Journal Of Maternal-Fetal & Neonatal Medicine : The Official Journal Of The European Association Of Perinatal Medicine, The Federation Of Asia And Oceania Perinatal Societies, The International Society Of Perinatal Obstetricians*, 26(16), Pp. 1565–1567. Doi: 10.3109/14767058.2013.797403.
- Wanarni, L. P. (2007) Faktor-Faktor Yang Berhubungan Dengan Peranan Bidan Desa Dalam Upaya Menurunkan Angka Kematian Ibu Di Kabupaten Aceh Utara Tahun 2007.
- Weil, B. R., CM Westby, G Van-Guilder *Et al.* (2011) ‘Enhanced Endothelin-1 System Activity With Overweight And Obesity’, *American Journal Of Physiology - Heart And Circulatory Physiology*, 301(3). Doi: 10.1152/Ajpcheart.00206.2011.
- Weissgerber, T. L. And Mudd, L. M. (2015a) ‘Preeclampsia And Diabetes’, *Current Diabetes Reports*, 15(3), Pp. 1–16. Doi: 10.1007/S11892-015-0579-4.
- Weissgerber, T. L. And Mudd, L. M. (2015b) ‘Preeclampsia And Diabetes’, *Current Diabetes Reports*, 15(3). Doi: 10.1007/S11892-015-0579-4.
- Wen, Y. H, H Yang, H. Chou *Et al.* (2019) ‘Association Of Maternal Preeclampsia With Neonatal Respiratory Distress Syndrome In Very-Low-Birth-Weight Infants’, *Scientific Reports*, 9(1), Pp. 1–8. Doi: 10.1038/S41598-019-49561-8.
- WHO (2005) Report Of A WHO Technical Consultation On Birth Spacing, Report Of A WHO Technical Consultation On Birth Spacing. Available At: [Http://Www.Who.Int/Maternal_Child_Adolescent/Documents/Birth_Spacing.Pdf](http://www.who.int/maternal_child_adolescent/documents/birth_spacing.pdf).
- WHO (2011) *Preventing Early Pregnancy And Poor Reproductive Outcomes Among Adolescents In Developing Countries*, WHO. Doi: 10.1111/Ajpy.12118.
- WHO (2013) ‘WHO Recommendation For Prevention And Treatment Of Pre-Eclampsia Dan Eclampsia: Implications And Actions’.
- WHO (2018) ‘Global Recommendations For Routine Antenatal Care’, *World Health Organisation*, Pp. 1–10. Doi: 10.1186/1742-4755-10-19.5.



- Wijhati, E., Suryantoro, P. And Rokhanawati, D. (2017) 'Optimalisasi Peran Kader Dalam Pemanfaatan Buku KIA Di Puskesmas Tegalgrejo Kota Yogyakarta', *Jurnal Kebidanan*, 6(2), P. 112. Doi: 10.26714/Jk.6.2.2017.112-119.
- Wikström, A. K, B Haglund, M. Olovsson *Et al.* (2005) 'The Risk Of Maternal Ischaemic Heart Disease After Gestational Hypertensive Disease', *BJOG: An International Journal Of Obstetrics And Gynaecology*, 112(11), Pp. 1486–1491. Doi: 10.1111/J.1471-0528.2005.00733.X.
- Wikström, A. K., Gunnarsdóttir, J. And Cnattingius, S. (2012) 'The Paternal Role In Pre-Eclampsia And Giving Birth To A Small For Gestational Age Infant; A Population-Based Cohort Study', *BMJ Open*, 2(4), Pp. 1–9. Doi: 10.1136/Bmjopen-2012-001178.
- Woldie, M, G Feyissa, G. Admasu *Et al.* (2018) 'Community Health Volunteers Could Help Improve Access To And Use Of Essential Health Services By Communities In Lmics: An Umbrella Review', *Health Policy And Planning*, 33(10), Pp. 1128–1143. Doi: 10.1093/Heapol/Czy094.
- World Health Organization (2001) 'WHO Antenatal Care Randomized Trial: Manual For The Implementastion Of New Model', P. 45.
- World Health Organization (2012) *Optimizing Health Worker Roles To Improve Access To Key Maternal And Newborn Health Interventions Through Task Shifting*. WHO Library Cataloguing-In-Publication Data.
- World Health Organization (2016) WHO Recommendation On Antenatal Care For A Positive Pregnancy Experience. WHO Library Cataloguing-In-Publication Data.
- World Health Organization (WHO) (2018a) 'Improving Health Worker Performance: In Search Of Promising Practices', *WHO*, Pp. 374–379. Doi: 10.3969/J.Issn.1008-794X.2018.04.019.
- World Health Organization (WHO) (2018b) 'WHO Recommendations On Antenatal Care For A Positive Pregnancy Experience: Summary', *World Health Organization*, 10(January), Pp. 1–10. Doi: 10.1186/1742-4755-10-19.5.
- Wright, D, A. Syngelaki , A Akolekar *Et al.* (2015) 'Competing Risks Model In Screening For Preeclampsia By Maternal Characteristics And Medical History', *American Journal Of Obstetrics And Gynecology*, 213(1), Pp. 62.E1-62.E10. Doi: 10.1016/J.Ajog.2015.02.018.
- Wright, D, D Gallo, S. Gill *Et al.* (2016) 'Contingent Screening For Preterm Pre-Eclampsia', *Ultrasound In Obstetrics And Gynecology*, 47(5), Pp. 554–559. Doi: 10.1002/Uog.15807.
- Wu, C. S, EA Nohr, B Bech *Et al.* (2009) 'Health Of Children Born To Mothers Who Had Preeclampsia: A Population-Based Cohort Study', *American Journal Of Obstetrics And Gynecology*, 201(3), Pp. 269.E1-269.E10. Doi: 10.1016/J.Ajog.2009.06.060.
- Xiong, X, N. Demianczuk , P. Buekens *Et al.* (2000) 'Association of Preeclampsia With High Birth Weight For Gestational Age', *American Journal Of Obstetrics And Gynecology*, 183(1), Pp. 148–155. Doi: 10.1067/Mob.2000.105735.
- Yoneda, N, A. Shiozaki, K. Miura *Et al.* (2013) 'A Triploid Partial Mole Placenta From Paternal Isodisomy With A Diploid Fetus Derived From One Sperm And One Oocyte May Have Caused Angiogenic Imbalance Leading To Preeclampsia-Like Symptoms At 19 Weeks Of Gestation', *Placenta*, 34(7), Pp. 631–634. Doi: 10.1016/J.Placenta.2013.03.015.



- Yoo, J. H. (2013) 'The Meaning Of Information Technology (IT) Mobile Devices To Me, The Infectious Disease Physician', *Infection And Chemotherapy*, 45(2), Pp. 244–251. Doi: 10.3947/Ic.2013.45.2.244.
- You, S. H, P Cheng, T Chung *Et al.* (2018) 'Population-Based Trends And Risk Factors Of Early- And Late-Onset Preeclampsia In Taiwan 2001-2014', *BMC Pregnancy And Childbirth*, 18(1), Pp. 1–11. Doi: 10.1186/S12884-018-1845-7.
- Young, B. C., Levine, R. J. And Karumanchi, S. A. (2010) 'Pathogenesis Of Preeclampsia', *Annual Review Of Pathology: Mechanisms Of Disease*, 5, Pp. 173–192. Doi: 10.1146/Annurev-Pathol-121808-102149.
- Yu, L. L., JD Fasset, B Macdonald *Et al.* (2005) 'Development Of Srms 295x And 296x, Respirable Crystalline Silica On Filter', *Journal Of ASTM International*, 2(5), Pp. 429–436. Doi: 10.1016/J.Ajog.2004.12.014.
- Yu, Y, S. Zhang, E. Mallow *Et al.* (2014) 'The Combined Association Of Psychosocial Stress And Chronic Hypertension With Preeclampsia', 209(5), Pp. 1–16. Doi: 10.1016/J.Ajog.2013.07.003.The.
- Zhang, J. (2007) 'Partner Change, Birth Interval And Risk Of Pre-Eclampsia: A Paradoxical Triangle', *Paediatric And Perinatal Epidemiology*, 21(SUPPL. 1), Pp. 31–35. Doi: 10.1111/J.1365-3016.2007.00835.X.
- Zhu, S, Z. Wang, S. Heshka *Et al.* (2002) 'Waist Circumference And Obesity-Associated Risk Factors Among Whites In The Third National Health And Nutrition Examination Survey : Clinical Action Thresholds 1 – 3'.