

DAFTAR PUSTAKA

- Al-balawna, Z.A., M. Rushdi, O. Saleh, & M. Enamat. 2019. Removal Techniques of Nitrate from Water by Duckweeds (*Spirodela polyrhiza*). *Acta Scientific Agriculture*. 4(1).
- Angilletta, Jr. M. J., & A. E. Dunham, 2003. The Temperature-Size Rule in Ectotherms: Simple Evolutionary Explanations May Not Be General. *The American Naturalist*. 162(3): 332–342.
- Arán, D. S., C. A. Harguinteguy, A. Fernandez-Cirelli, & M. L. Pignata. 2017. Phytoextraction of Pb, Cr, Ni, and Zn using the aquatic plant *Limnobium laevigatum* and its potential use in the treatment of wastewater. *Environmental Science and Pollution Research*. 24(22): 18295–18308.
- Asin, L. & X. Pons. 2001. Effect of High Temperature on the Growth and Reproduction of Corn Aphids (Homoptera: Aphididae) and Implications for Their Population Dynamics on the Northeastern Iberian Peninsula. *Environmental Entomology*. 30(6): 1127–1134.
- Asmah, S., A. Ghazali, M. Syafiq, M. S. Yahya, M. T. L. Peng, A. R. Norhisham, C. L. Puan, B. Azhar, & D. B. Lindenmayer. 2016. Effects of polyculture and monoculture farming in oil palm smallholdings on tropical fruit-feeding butterfly diversity. *Agricultural and Forest Entomology*. 19(1): 70–80.
- Awmack, C. S. & S. R. Leather. 2002. Host plant quality and fecundity in herbivorous insects. *Annual Review of Entomology*. 47(1), 817–844.
- Axelsson, L., M. Franzén, M. Ostwald, G. Berndes, G. Lakshmi, & N. H. Ravindranath. 2012. Jatropha cultivation in southern India: assessing farmers' experiences Biofuels. *Bioproducts and Biorefining*. 6(3): 246–256.
- Ballou, J. K., J. H. Tsai, & T. D. Center. 1986. Effects of Temperature on the Development, Natalty, and Longevity of *Rhopalosiphum nymphaeae* (L.) (Homoptera: Aphididae). *Environmental Entomology*, 15(5): 1096–1099.
- Banerjee, B. 1987. Can Leaf Aspect Affect Herbivory? A Case Study with Tea. *Ecology*. 68(4): 839–843.
- Barbosa, L. R., F. Santos, E. P. Soliman, A. P. Rodrigues, C. F. Wilcken, J. M. Campos, A. J. V. Zanuncio, & J. C. Zanuncio. 2019. Biological parameters, life table and thermal requirements of *Thaumastocoris peregrinus* (Heteroptera: Thaumastocoridae) at different temperatures. *Scientific Reports*. 9(1).
- Beetge, L. & K. Krüger. 2019. Drought and heat waves associated with climate change affect performance of the potato aphid *Macrosiphum euphorbiae*. *Scientific Reports*. 9(1).
- Bianchi, E., A. Biancalani, C. Berardi, A. Antal, D. Fibbi, A. Coppi, L. Lastrucci, N. Bussotti, I. Colzi, L. Renai, C. Scordo, M. Del Bubba, & C. Gonnelli. 2020. Improving the efficiency of wastewater treatment plants: Bio-removal of heavy-metals and pharmaceuticals by *Azolla filiculoides* and *Lemna minuta*. *Science of the Total Environment*. 746: 141219.
- Birch, L. C. 1948. The Intrinsic Rate of Natural Increase of an Insect Population. *The Journal of Animal Ecology*. 17(1): 15.

- Blackman, R. L. & V. F. Eastop. 1994. Aphids on the world's trees: An identification and information guide. *Crop Protection*. 15(4): 400.
- Caldwell, E., J. Read, & G. D. Sanson. 2015. Which leaf mechanical traits correlate with insect herbivory among feeding guilds?. *Annals of Botany*. mcv178.
- Cao, H. H., Z.-F. Zhang, X. F. Wang, & T. X. Liu. 2018. Nutrition versus defense: Why *Myzus persicae* (green peach aphid) prefers and performs better on young leaves of cabbage. *PLOS ONE*. 13(4): e0196219.
- Center, T.D., F. Allen, Jr. Dray, G. P. Jubinsky, & M. J. Grodowitz. 2002. Insects and Other Arthropods That Feed on Aquatic and Wetland Plants. *USDA Technical Bulletin*. 1870(October): 200pp.
- Cheng, W., H. Sakai, S. Nishimura, K. Yagi, & T. Hasegawa. 2010. The lowland paddy weed *Monochoria vaginalis* emits N₂O but not CH₄. *Agriculture, Ecosystems & Environment*. 137(1-2): 219–221.
- Chisaka, H. 1966. Competition between Rice Plants and Weeds. *Journal of Weed Science and Technology*. 1966(5): 16–22.
- Choi, K. S. & D. S. Kim. 2016. Effect of Temperature on the Fecundity and Longevity of *Ascotis selenaria* (Lepidoptera: Geometridae): Developing an Oviposition Model. *Journal of Economic Entomology*. 109(3): 1267–1272.
- Clark, K. E., S. E. Hartley, & S. N. Johnson. 2011. Does mother know best? The preference-performance hypothesis and parent-offspring conflict in aboveground-belowground herbivore life cycles. *Ecological Entomology*. 36(2): 117–124.
- De Conti, B. F., V. H. P. Bueno, M. V. Sampaio & L. A. Sidney. 2010. Reprodução e Tabela de Vida de Fertilidade de Três Espécies de Afídeos (Macrosiphini) Em Diferentes Temperaturas. *Revista Brasileira de Entomologia*. 54(4): 654–60.
- Craig, T. P., J. K. Itami, & P. W. Price. 1989. A Strong Relationship Between Oviposition Preference and Larval Performance in a Shoot-Galling Sawfly. *Ecology*. 70(6): 1691–1699.
- Dong, Y., Y. X. Zhao, W. Chen, X. H. Cui, & H. W. Shang. 2008. Inhibitory Effect of *Rhopalosiphum Nymphaeae* on Growth of Water Hyacinth, *Eichhornia Crassipes*. *Journal of Ecology and Rural Environment*. 24(3): 55–59.
- Eimoori, R., J. Zolala, H. Pourmohiabadi, E. Noroozian, & H. Mansouri. 2020. Contribution of *Azolla filiculoides* to hydrazine elimination from water. *Wetlands Ecology and Management*.
- Fernández, S. J., C. B. Albornoz, K. Larsen, & R. Najle. 2018. Bioaccumulation of heavy metals in *Limnobium laevigatum* and *Ludwigia peploides*: their phytoremediation potential in water contaminated with heavy metals. *Environmental Earth Sciences*. 77(11).
- Gripenberg, S., P. J. Mayhew, M. Parnell, & T. Roslin. 2010. A meta-analysis of preference-performance relationships in phytophagous insects. *Ecology Letters*. 13(3): 383–393.
- Gusain, R. & S. Suthar. 2020. Vermicomposting of duckweed (*Spirodela polyrhiza*) by employing *Eisenia fetida*: Changes in nutrient contents, microbial enzyme activities and earthworm biodynamics. *Bioresource Technology*. 123585.

- Halder, J., A. B. Rai, S. Chakrabarti, & D. Dey. 2020. Distribution, Host Range and Bionomics of *Rhopalosiphum Nymphaeae* (Linnaeus, 1761), a Polyphagous Aphid in Aquatic Vegetables. *Defence Life Science Journal*. 5(1): 49–53.
- Hao, Z. P., H. X. Zhan, Y. L. Wang, & S. M. Hou. 2019. How Cabbage Aphids *Brevicoryne brassicae* (L.) Make a Choice to Feed on *Brassica napus* Cultivars. *Insects*. 10(3): 75.
- Hasanuzzaman, A. T. M., M. N. Islam, Y. Zhang, C. Y. Zhang, & T. X. Liu. 2016. Leaf Morphological Characters Can Be a Factor for Intra-Varietal Preference of Whitefly *Bemisia tabaci* (Hemiptera: Aleyrodidae) among Eggplant Varieties. *PLOS ONE*. 11(4): e0153880.
- Hayakawa, D. L., E. Grafius, & F. W. Stehr. 1990. Effects of Temperature on Longevity, Reproduction, and Development of the *Asparagus Aphid* (Homoptera: Aphididae) and the Parasitoid, *Diaeretiella Rapae* (Hymenoptera: Braconidae). *Environmental Entomology*. 19(6): 890–897.
- Howard, G. W., A. H. Mark, & M. G. Bingham. 2016. Alien *Limnobium Laevigatum* (Humb. & Bonpl. Ex Willd.) Heine (Hydrocharitaceae) Becoming Prevalent in Zimbabwe and Zambia. *BiolInvasions Records*. 5(4): 221–25.
- Jeffs, C. T. & S. R. Leather. 2014. Effects of extreme, fluctuating temperature events on life history traits of the grain aphid, *Sitobion avenae*. *Entomologia Experimentalis et Applicata*. 150(3): 240–249.
- Kadono, Y. 2004. Alien Aquatic Plants Naturalized in Japan: History and Present Status. *Global Environmental Research*. 8(2): 163–69.
- Kuo, M. H., C. C. Ming, & J. J. Perng. 2006. Temperature Effects on Life History Traits of the Corn Leaf Aphid, *Rhopalosiphum Maidis* (Homoptera: Aphididae) on Corn in Taiwan. *Applied Entomology and Zoology*. 41(1): 171–77.
- Li, X. W., Y. Q. Niu, & T. X. Liu. 2013. The performance of *Oomyzus sokolowskii* (Hymenoptera: Eulophidae) parasitizing *Plutella xylostella* (Lepidoptera: Plutellidae) on different host plants. *Applied Entomology and Zoology*. 49(1): 67–75.
- Li, Y., Dicke, M., J. A. Harvey, & R. Gols. 2013. Intra-specific variation in wild *Brassica oleracea* for aphid-induced plant responses and consequences for caterpillar–parasitoid interactions. *Oecologia*. 174(3): 853–862.
- Ma, C. S., B. Hau, & H.M. Poehling. 2004. Effects of pattern and timing of high temperature exposure on reproduction of the rose grain aphid, *Metopolophium dirhodum*. *Entomologia Experimentalis et Applicata*. 110(1): 65–71.
- Mehrpavar, M., & B. Hatami. 2007. Effect of Temperature on Some Biological Parameters of an Iranian Population of the Rose Aphid, *Macrosiphum Rosae* (Hemiptera: Aphididae). *European Journal of Entomology*. 104(3): 631–34.
- Nath, P., A. Kumar, P. Yadav, & R. Kumar. 2019. Estimation of losses caused by Aphid (*Rhopalosiphum nymphaeae* L.), Case worms (*Elophila depunctalis* W. & *E. crisonalis* W.) and Rib borer (*Chironomous* sp.) in Makhana Crop. In *Journal of Pharmacognosy and Phytochemistry*. 199–201.
- Nathan, A. J., A. and Scobell. 2012. How China Sees America. *Foreign Affairs* .91(5).
- Nguyen, T. T. A., D. Michaud, & C. Cloutier. 2009. A proteomic analysis of the aphid *Macrosiphum euphorbiae* under heat and radiation stress. *Insect Biochemistry and Molecular Biology*. 39(1), 20–30.

- Nikolakakis, N. N., J. T. Margaritopoulos, & J. A. Tsitsipis. 2003. Performance of *Myzus persicae* (Hemiptera: Aphididae) clones on different host-plants and their host preference. *Bulletin of Entomological Research*. 93(03).
- Nimbalkar R. K., S. S. Shinde, M. S. Wadikar, D.S. Tawar, & S. P. Muley. 2010. Effect of Constant Temperature on Development and Reproduction of the Cotton Aphid (*Aphis gossypii*) (Glover) (Hemiptera: Aphididae) on *Gossypium hirsutum* in Laboratory Conditions. *Journal of Ecobiotechnology*. 2(2004): 29–34.
- Nozoe, T., D. Aoki, H. Matsuoka, K. Matsushima, S. Miura, A. Uchino, & X. C. Wan. 2016. Relationship between physical property of soil and growth of *Monochoria vaginalis* under paddy condition of organic farming—analysis using settled soil volume in water of superficial layer. *Plant Production Science*. 19(2), 238–245.
- Nozoe, T., M. Tachibana, A. Uchino, & N. Yokogami. 2009. Effects of Ferrous Iron (Fe) on the Germination and Root Elongation of Paddy Rice and Weeds. *Weed Biology and Management*. 9(1): 20–26.
- Oraze, M. J & A. A. Grigarick. 1992. Biological Control of Ducksalad (*Heteranthera Limosa*) by the Waterlily Aphid (*Rhopalosiphum Nymphaeae*) in Rice (*Oryza Sativa*). *Weed Science*. 40(2): 333–336.
- Özderl, N., & O. Sağlam. 2013. The Effects of Temperature for Development Time, Fecundity and Reproduction on Some Ornamental Aphid Species. *Journal of Central European Agriculture*. 14(2): 149–57.
- Parajulee, M. N. 2007. Influence of Constant Temperatures on Life History Parameters of the Cotton Aphid, *Aphis Gossypii*, Infesting Cotton. *Environmental Entomology*. 36(4): 666–72.
- Peeters, P. J. 2002. Correlations between Leaf Structural Traits and the Densities of Herbivorous Insect Guilds. *Biological Journal of the Linnean Society*. 77(1): 43–65.
- Pettet, A., & S. J. Pettet. 1970. Nature Biological Control of *Pistia Stratiotes* L. in Western State, Nigeria.
- Pinero-Rodríguez, M. J., R. Fernández-Zamudio, R. Arribas, I. Gomez-Mestre, & C. Díaz-Paniagua. 2020. The invasive aquatic fern *Azolla filiculoides* negatively impacts water quality, aquatic vegetation and amphibian larvae in Mediterranean environments. *Biological Invasions*.
- Ramalho, F. S., J. B. Malaquias, A. C. S. Lira, F. Q. Oliveira, J. C. Zanuncio, & F. S. Fernandes. 2015. Temperature-Dependent Fecundity and Life Table of the Fennel Aphid *Hyadaphis foeniculi* (Passerini) (Hemiptera: Aphididae). *PLOS ONE*. 10(4): e0122490.
- Razavipour, T., S. S. Moghaddam, S. Doaei, S. A. Noorhosseini, & C. A. Damalas. 2018. *Azolla* (*Azolla filiculoides*) compost improves grain yield of rice (*Oryza sativa* L.) under different irrigation regimes. *Agricultural Water Management*. 209: 1–10.
- Rebaudo, F., Q. Struelens, F. C. Condori, & R. Quispe. 2017. Relationship between temperature and development rate of *Copitarsia incommoda* (Lepidoptera: Noctuidae) in the Bolivian Andes. *Applied Entomology and Zoology*. 52(2): 313–320.

- Salamah, L. N., & A. Kurniawan. 2018. The Influence of Waterweeds in the Removal of Phosphor in Content Aquatic Environments. *IOP Conference Series: Earth and Environmental Science*.
- Sandström, J., & J. Pettersson. 1994. Amino Acid Composition of Phloem Sap and the Relation to Intraspecific Variation in Pea Aphid (*Acyrtosiphon Pisum*) Performance. *Journal of Insect Physiology*. 40(11): 947–955.
- Satar, S., & R. Yokomi. 2002. Effect of Temperature and Host on Development of *Brachycaudus Schwartzi* (Homoptera: Aphididae). *Annals of the Entomological Society of America*. 95(5): 597–602.
- Shi, S. S., J. Cui, & L. S. Zang. 2014. Development, Survival, and Reproduction of *Megacopta cribraria* (Heteroptera: Plataspidae) at Different Constant Temperatures. *Journal of Economic Entomology*. 107(6): 2061–2066.
- Shimoji, Y. 2011. Effect of Temperature on the Development of the West Indian Sweet Potato Weevil, *Euscepes Postfasciatus* (Fairmaire) (Coleoptera: Curculionidae) on an Artificial Diet. *Applied Entomology and Zoology*. 46(1): 51–54.
- Simpson, K. L. S., G. E. Jackson, & J. Grace. 2012. The response of aphids to plant water stress - the case of *Myzus persicae* and *Brassica oleracea* var. capitata. *Entomologia Experimentalis et Applicata*. 142(3): 191–202.
- Soh, B. S. B., S. Kekeunou, S. N. Nanga. M. Dongmo, & H. Rachid. 2018. Effect of Temperature on the Biological Parameters of the Cabbage Aphid *Brevicoryne Brassicae*. *Ecology and Evolution*. 8(23): 11819–32.
- Stoetzel, M. B., & G. L. Miller. 1998. Aphids (Homoptera: Aphididae) Colonizing Peach in the United States or with Potential for Introduction. *Florida Entomologist*. 81(3): 325–45.
- Storey, M. C. 2007. Preference and Performance of the Water Lily Aphid (*Rhopalosiphum Nymphaeae*) among Native and Invasive Duckweeds (Lemnaceae). *Electronic Theses & Dissertations*. Georgia Southern University.
- Subramanian, S. K., & M. M. Turcotte. 2020. Preference, Performance, and Impact of the Water-Lily Aphid on Multiple Species of Duckweed. *Ecological Entomology*.
- Terada, K., K. Matsumura, & T. Miyatake. 2019. Effects of temperature during successive generations on life-history traits in a seed beetle *Callosobruchus chinensis* (Chrysomelidae: Coleoptera). *Applied Entomology and Zoology*.
- Tomanović, Ž., P. Starý, N. G. Kavallieratos, V. Gagić, M. Plečas, M. Janković, E. Rakhshani, A. Četkovi, & A. Petrović. 2012. Aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae) in wetland habitats in western Palaearctic: key and associated aphid parasitoid guilds. *Annales de La Société Entomologique de France (N.S.)*. 48(1-2): 189–198.
- United States Department of Agriculture, and Animal and Plant Inspection Service. 2013. Arquivos De Biologia E Tecnologia Weed Risk Assessment for *Limnobium Laevigatum* (Humb. & Bonpl. Ex Willd.) Heine *Hydrocharitaceae* – South American Spongeplant.
- Utama, I., A. Sunari, & I. Supartha. 2017. Kelimpahan Populasi dan Tingkat Serangan Kutu Daun (*Mysuz persicae* Sulzer) (Homoptera: Aphididae) pada Tanaman

Cabai Merah (*Capsicum annuum* L.). *Jurnal Agroekoteknologi Tropika (Journal Of Tropical Agroecotechnology)*. 397-404.

- Utami, S., & L. Purdyaningrum. 2012. Struktur Komunitas Gulma Padi (*Oryza sativa* L.) Sawah Organik dan Sawah Anorganik di Desa Ketapang, Kec. Susukan, Kab. Semarang. *Bioma : Berkala Ilmiah Biologi*. 14(2), 91-95.
- Wang, X., W. Cui, W. Hu, & C. Feng. 2020. Absciscic acid-enhanced starch accumulation of bioenergy crop duckweed (*Spirodela polyrrhiza*). *RSC Advances*, 10(18), 10394–10401.
- Xuan, T. D., L.H. Anh, TN. Minh, & T. D. Khanh. 2016. Factors Promote Germination and Initial Growth of *Monochoria Vaginalis*. *International Letters of Natural Sciences*. 59: 48–54.
- Yamaga, Y., & T. Ohgushi. 1999. Preference-Performance Linkage in a Herbivorous Lady Beetle: Consequences of Variability of Natural Enemies. *Oecologia*. 119(2): 183–90.
- Yao, Y., M. Zhang, Y. Tian, M. Zhao, B. Zhang, M. Zhao, K.Zeng, & B. Yin. 2017. Duckweed (*Spirodela polyrrhiza*) as green manure for increasing yield and reducing nitrogen loss in rice production. *Field Crops Research*. 214: 273–282.
- Zhaozhi, L., F. Likai, G. Guizhen, G. Ling-Ling, P. Han, S. Sharma, & M. P. Zalucki. 2016. Differences in the high-temperature tolerance of *Aphis craccivora* (Hemiptera: Aphididae) on cotton and soybean: implications for ecological niche switching among hosts. *Applied Entomology and Zoology*. 52(1): 9.