

DAFTAR PUSTAKA

- Abdel-Latif, M.E. & Osborn, D.A., 2011. Pharyngeal Instillation Of Surfactant Before The First Breath for Prevention of Morbidity & Mortality in Preterm Infants at Risk Of Respiratory Distress Syndrome. *CDSR*, (3). p1-14
- Adebami, P., Joel-Medewase, Agelebe, N., Ayeni, K., Kayode, A., Odeyemi, et al, 2017. Determinants of Outcome in Newborns with Respiratory Distress in Osogbo, Nigeria. *Int J Res Med Sci*, 5(4), p.1487.
- Aguar, J., Cernada, W., Brugada, S., Gimeno, P.S., Gutierrez, J. & Vento, R., 2014. Minimally Invasive Surfactant Therapy with A Gastric Tube Is As Effective As The Intubation, Surfactant, and Extubation Technique in Preterm Babies. *Acta Paediatr*, 103(6), pp.229–233.
- Ainswort, S., 2004. Exogenous Surfactant and Neonatal Lung Disease. *J Neo Nurs*, 10, pp.6–11.
- Aldana-Aguirre, J.C., Pinto, M., Featherstone, R.M. & Kumar, 2017. Less Invasive Surfactant Administration Versus Intubation for Surfactant Delivery in Preterm Infants with Respiratory Distress Syndrome: A systematic review and meta-analysis. *Arch Dis Child*, 102(1), pp.F17–F23.
- Alifah, A., Sumadiono & Wandita, S., 2000. Faktor Risiko Kematian Neonatus dengan Penyakit Membran Hialin. *Sar Ped*, 15(2), pp.75–81.
- American Lung Association, 2008. Lung Disease Data: 2008. *Lung USA*, 19(4), pp.41–54.
- Ammari, A., Suri, M., Milisavljevic, V., Sahni, R., Bateman, Sanocka, et al, 2005. Variables Associated with The Early Failure of Nasal CPAP in Very Low Birth Weight Infants. *J Pediatr*, 147(3), pp.341–347.
- Aslam, H.M., Saleem, Afzal, Iqbal, R., Waqas, et al, 2014. Risk Factors of Birth Asphyxia. *Ital J Pediatr*, 23(2), pp.1–9.
- Attridge, J.T., Stewart, C., Stukenborg, G.J. & Kattwinkel, 2013. Administration of rescue surfactant by Laryngeal Mask airway: Lessons from a pilot trial. *Am J Perinatol*, 30(3), pp.201–206.
- Bari, M., Ullah, I. & Khatun, 2008. Morbidity and Mortality of Low Birth Weight Baby. *TAJ*, 21(1), pp.1–5.
- Bhutta, Z.A. & Yusuf, 2013. Global Maternal, Newborn, and Child Health - So Near and Yet So Far. *New Eng J Med* 369(23), pp.2226–2235.
- Bonanno, C. & Wapner, R.J., 2009. Antenatal corticosteroid treatment: what's happened since Drs Liggins and Howie? *Am J Obstet Gynecol*, 200(4), pp.448–457.

- Brimacombe, J., Gandini, D. & Keller, J., 2004. The Laryngeal Mask Airway for Administration of Surfactant in Two Neonates with Respiratory Distress Syndrome. *Paediatr Anaesth*, 14(2), pp.188–190.
- Centre & Group, 1987. Ten Centre Trial of Artificial Surfactant (Artificial Lung Expanding Compound) in Very Premature Babies. *Br Med J*, 294(2), pp.991–996.
- Cleveland, R.H., 1995. A Radiologic Update on Medical Diseases of The Newborn Chest. *PediatrRadiol*, 25(8), pp.631–637.
- Cook, R. & Bates, S.V., 2016. Surfactant in Respiratory Distress Syndrome. *Pediatr J: The Practice-Changing Studies*, 37(3), pp.44–53.
- Dahlan, S.A., 2013. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. *Salemba Medika*, 5(3)pp.73.
- Dargaville, Aiyappan, Cornelius, Williams & De Paoli, 2011. Preliminary Evaluation of a New Technique of Minimally Invasive Surfactant Therapy. *Arch Dis Child: Fetal and Neonatal Edition*, 96(4), pp.23-34.
- Dargaville, Aiyappan, S., De Paoli, S.T., Kuschel, M., Kamlin, H., Carlin, S., et al, 2013. Minimally-Invasive Surfactant Therapy in Preterm Infants on Continuous Positive Airway Pressure. *Archi Dis Child: Fetal and neonatal edition*, 98(2), pp.17-28.
- Deselina, B., Putra, S.T & Suradi, 2004. Prevalence of Patent Ductus Arteriosus in Premature Infants at The Neonatal Ward, Cipto Mangunkusumo Hospital, Jakarta. *Paediatr Indones*, 44(11), pp.223–227.
- De Bisschop, Derriks & Cools, 2020. Early Predictors for Intubation-Surfactant-Extubation Failure in Preterm Infants with Neonatal Respiratory Distress Syndrome: A Systematic Review. *Pediatr Neonatol*, 117(1), pp.33–45.
- Dinger, J., Schwarze, R. & Rupperecht, 1997. Radiological Changes After Therapeutic Use of Surfactant in Infants with Respiratory Distress Syndrome. *Pediatr Radiol*, 27(1), pp.26–31.
- Donn, S.M., 2006. *Manual of Neonatal Respiratory Care*, 8(4), pp 567-572
- Edwards, D.K., Hilton, S., Merritt, K., Hallman, W.J., Mannino, K. & Boynton, 1985. Respiratory Distress Syndrome Treated with Human Surfactant: Radiographic Findings. *J Radiol*, 157(2), pp.329–334.
- Ethawi, R.P., 2012. Preliminary Evaluation of a New Technique of Minimally Invasive Surfactant Therapy, *J Clin Neonatol*, 1(2), pp. 21–23.
- Fajariyah, M., Bermawi & Tasli, S., 2016. Terapi Surfaktan pada Penyakit Membran Hyalin. *J Ked*, 3(3), pp.194–202.

- Fok, K.L., Al-Essa, Dolovich, M., Rasid, G.R. & Kirpalani, 1998. Nebulisation of Surfactants in An Animal Model of Neonatal Respiratory Distress. *Arch Dis Child: Fetal and Neonatal Edition*, 78(1), pp.3–9.
- Gengaimuthu, K., 2020. Minimally Invasive Surfactant Therapy: An Analytical Report of Our Prospective Dubai Cohort. *Cureus*, 12(6), pp.6–13.
- Göpel, L.M., 2011. Avoidance Of Mechanical Ventilation by Surfactant Treatment of Spontaneously Breathing Preterm Infants (AMV): An open-label, randomised, controlled trial. *The Lancet*, 378(9), pp.1627–1634.
- Horbar, K., Carpenter, W., Buzas, L.M., Soll, Suresh, K.M., Bracken, J., et al, 2004. Timing of Initial Surfactant Treatment for Infants 23 To 29 Weeks' Gestation: Is Routine Practice Evidence Based? *J Pediatr*, 113(6), pp.1593–1602.
- Janssen, K., Van Der Spil, Van Kaam, Dieleman, Andriessen, Onland, et al, 2019. Minimally Invasive Surfactant Therapy Failure: Risk Factors and Outcome. *Arch Dis Child: Fetal and Neonatal Edition*, 104(6), pp.F636–F642.
- Kanmaz, M., Erdeve, D., Canpolat, H., Mutlu, J., & Dilmen, 2013. Surfactant Administration Via Thin Catheter During Spontaneous Breathing: Randomized controlled trial. *J Pediatr*, 131(2).
- Katheria & Leone, 2013. Changes in Hemodynamics After Rescue Surfactant administration. *J Perinatol*, 33(7), pp.525–528.
- Kaufman, L., Boyle, M., Hazen, G., Patrie, S., Robinson & Donowitz, 2001. Fluconazole Prophylaxis Against Fungal Colonization and Infection in Preterm Infants. *New Eng J Med*, 345(23), pp.1660–1666.
- Klebermass-Schrehof, 2013. Less Invasive Surfactant Administration in Extremely Preterm Infants: Impact on Mortality and Morbidity. *J Neonatol*, 103(4), pp.252–258.
- Kribs, K.L., 2016. Minimally Invasive Surfactant Therapy and Noninvasive Respiratory Support. *J Perinatol*, 43(4), pp.755–771.
- Kribs, K.L., 2015. Nonintubated Surfactant Application Vs Conventional Therapy in Extremely Preterm Infants: A randomized clinical trial. *JAMA Pediatr*, 169(8), pp.723–730.
- Kribs, K.L., Pillekamp, Hünseler, H., Vierzig, E. & Roth, 2007. Early Administration of Surfactant in Spontaneous Breathing with Ncpap: Feasibility and Outcome in Extremely Premature Infants (postmenstrual age ≤ 27 weeks). *Paed Anaesth*, 17(4), pp.364–369.
- Krouskop, Brown & Sweet, 1975. The Early Use of Continuous Positive Airway Pressure in The Treatment of Idiopathic Respiratory Distress Syndrome. *J Pediatr*, 87(2), pp.263–267.
- Kumar, M. & Bhat, L., 1996. Epidemiology of Respiratory Distress of Newborns. *Indian J Pediatr*, 63(1), pp.93–98.

- Kumar, M., Lakkundi, Mcnamara. K. & Sehgal, 2010. Surfactant and Patent Ductus Arteriosus *Indian J Pediatr*, 77(3), pp51-60.
- Landry, 2014. The Long-term Impacts of Birth Weight and Respiratory Complications after a Preterm Birth. *J Neonat Bio* 3(2), pp.56-63.
- Liava'a, Krishnamurthy & Chai, 2019. Low Birth Weight and Other High-Risk Conditions Third Edit., Elsevier Inc. 45(2), pp23-29.
- Luo, Z.,K.,Yu, C.K., Chen, C., Li, F.,C. & Feng, 2019. Prevalence and Predictors of Infant Mortality of Respiratory Distress Syndrome in Beijing and Jiangxi Provinces of PR China: A Retrospective Cohort Analysis. *Iran Red Crescent Med J*, 21(6), pp 56-64.
- Martin, Abu-shaweesh & Baird, 2004. Apnoea of Prematurity. *J Pediatr*, 5, pp.377-382.
- Mathew & Kopelman, 2015. Common Disorders Newborn., *Pediatr Rev* 16(6), pp 209-217
- Mehrabadi, Lisonkova & Joseph, 2016. Heterogeneity of Respiratory Distress Syndrome: Risk Factors and Morbidity Associated with Early and Late Gestation Disease. *BMC*, 16(1), pp.1-10.
- More, Sakhuja & Shah, 014. Minimally Invasive Surfactant Administration in Preterm Infants: A meta-narrative review. *JAMA Pediatr*, 168(10), pp.901-908.
- Morley, 1997. Systematic Review of Prophylactic Vs Rescue Surfactant. *Arch Dis in Child: Fetal and Neonatal Edition*, 77(1), pp.70-74.
- Mosayebi, P., Kadivar, M., Taheri-Derakhsh, Nariman, Marashi, E.L. & Farsi, M., 2017. A Randomized Trial Comparing Surfactant Administration Using INSURE Technique and The Minimally Invasive Surfactant Therapy in Preterm Infants (28 To 34 Weeks Of Gestation) with Respiratory Distress Syndrome. *J Comp Pediatr*, 8(4), pp.1-8.
- Nelson, 2012. *Nelson Ilmu Kesehatan Anak*, 1 (15), pp 234-256, EGC.Jakarta.
- Pawar, 2016. Etiology and clinical outcomes of neonatal and pediatric sepsis, *Arch Ped Infec Dis*, 4(2),pp.76-90.
- Robertson, Watt, M. & Dinu, 2009. Outcomes for the Extremely Premature Infant : What Is New ? and Where Are We Going ? *Pediatr Neuro*, 40(3), pp.189-196.
- Saeidi, H.K., Hamed, M., Gholami, D., Javadi, B.M., 2011. Comparing Effects of Beractant and Poractant Alfa in Decreasing Mortality Rate Due To Respiratory Distress Syndrome in Premature Infants. *Tehran Univ Med J*, 68(11), pp.644-648.
- Simonsen, K. A., 2014. Early-onset Neonatal Sepsis. *Clin Micr Rev*, 27(1), pp.21-47.

- Skinner, 1997. The Effects of Surfactant on Haemodynamics in Hyaline Membrane Disease. *Arch Dis in Child: Fetal and Neonatal Edition*, 76(2), pp.67–69.
- Stokowski, P., 2005. A Primer on Apnea of Prematurity. *Adv Neo Car*, 5(3), pp.155–170.
- UNICEF & WHO, 2015. A Decade of Tracking Progress for Maternal, Newborn, and Child Survival: *2015 Report*, pp.4-79
- Utami, L.& Huang, C.N., 2019. Health Care Providers' Perception, Knowledge, Barriers and Practice of Kangaroo Care for Preterm Baby in Indonesia. *J Neo Nurs*, 4(8), pp.1-7
- Verder, L., Agertoft, S.M., Albertsen, D., Christensen, L., Curstedt, W., Ebbesen, K.P., et al, 1992. Surfactant Treatment of Newborn Infants with Respiratory Distress Syndrome Primarily Treated with Nasal Continuous Positive Air Pressure. A Pilot Study. *Europepmc*, 154(31), pp.2136–2139.
- Vidyasagar, H., Velaphi, T. & Bhat, 2011. Surfactant Replacement Therapy in Developing Countries. *J Neonatol*, 99(4), pp.355–366.
- Wardhani & Wandita, S., 2008. Risk Factors of Neonatal Mortality of Referred Babies with Birthweight. *Berkala Ilmu Ked.*, 41(2), pp.143–51.
- Warren, D. & Anderson, M., 2009. Core concepts: Respiratory distress syndrome. *NeoReviews*, 10(7), pp79-86.
- WHO Reproductive Health Library, 2015. WHO recommendation on the type of surfactant for surfactant replacement therapy in newborns with respiratory distress syndrome. *The WHO Reproductive Health Library; Geneva: World Health Organization*, 3(10), pp.1–6.
- Wood, J.L., 1993. The Newborn Chest. *Radiol Clin North Am*, 31(3), pp.667–76.
- Wood, J.L., Sinkin, Kendig, A., Notter, M. & Shapiro, 1987. Exogenous lung surfactant: Effect on Radiographic Appearance in Premature Infants. *J Radiol*, 165(1), pp.11–13.
- Yadav & Damke, S., 2017. Study of Risk Factors in Children With Birth Asphyxia. *Int J Contemp Pediatr*, 4(2), pp.518–526.