

DAFTAR PUSTAKA

- Akuli, A., Pal, A., Bej, G., Dey, T., Ghosh, A., Tudu, B., Bhattacharyya, N., dan Bandyopadhyay, R. 2016. A Machine Vision System for Estimation of Theaflavins and Thearubigins in Orthodox Black Tea. *International Journal on Smart Sensing and Intelligent Systems* 9(2):709-731.
- Akter, M., Islam, N. N., Sumit, A. F., Ahsan, N., Hossain, S., Ahmed, M., dan Akhand, A. A. 2015. Tea Extract Prevents Arsenic-mediated DNA Damage and Death of Murine Thymocytes in vitro. *Journal of Pharmacy Science* 14(1): 79-85.
- Alasalvar, C., Topal, B., Serpen, A., Bahar, B., Pelvan, E., dan Gokmen, V. 2012. Flavor Characteristics of Seven Grades of Black Tea Produced in Turkey. *Journal of Agricultural and Food Chemistry* 60:6323-6332.
- Anggraini, T. 2017. Proses dan Manfaat Teh. Penerbit Erka. Padang.
- Apriyani, T. W. 2020. Peningkatan Aktivitas Antioksidan, Profil Senyawa Fenolik, dan Sifat Sensoris Ekstrak Teh Hitam Klon Unggulan PT. Pagilaran dengan Perlakuan Enzim Tannase. [Tesis]. Yogyakarta: Fakultas Teknologi Pertanian Universitas Gadjah Mada,
- Ariviani, S., Raharjo, S., dan Hastuti, P. 2011. Aplikasi Mikroemulsi β -karoten untuk Menghambat Kerusakan Fotooksidasi Vitamin C pada Sari Buah Jeruk. *Agritech* 31(3):180-189.
- Auldridge, M. E. 2004. The Carotenoid Cleavage Dioxygenases of *Arabidopsis thaliana*.
- Badan Pusat Statistik. 2018. Statistik Teh di Indonesia 2018. www.bps.go.id. Diakses pada tanggal 11 Januari 2021 pukul 10.39 WIB.
- Badran, M. 2014. Formulation and In vitro evaluation of flufenamic acid loaded deformable liposomes for improved skin delivery. *Journal of Nanomaterials and Biostructures* 9(1):83-91. [Dissertation]. Florida: University of Florida.
- Baldermann, S., Naim, M., dan Fleischmann, P. 2005. Enzymatic Carotenoid Degradation and Aroma Formation in Nectarines (*Prunus persica*). *Food Research International* 38:833-836.
- Baldermann, S., Wickel, S., Watanabe, N., dan Fleischmann, P. 2008. Substrate Usage and Related Reaction Products of Carotenoid Cleavage Enzymes Isolated from Japanese Green Tea (*Camellia sinensis*). *Carotenoid Science* 12:69.
- Baldermann, S., Fleischmann, P., Bolten, M., Watanabe, N., Winterhalter, P., dan Ito, Y. 2009. Centrifugal Precipitation Chromatography, a Powerful Technique for The Isolation of Active Enzymes from Tea Leaves (*Camellia sinensis*). *Journal of Chromatography A* 1216:4263-4267.
- Baldermann, S., Kato, M., Kurosawa, M., Kurobayashi, Y., Fujita, A., Fleischmann, P., dan Watanabe, N. 2010. Functional Characterization of a Carotenoid Cleavage Dioxygenase 1 and Its Relation to the Carotenoid Accumulation and Volatile Emission during the Floral Development of *Osmanthus fragrans* Lour. *Journal of Experimental Botany* 61(11):2967-2977.
- Baldermann, S., Mulyadi, A. N., Yang, Z., Murata A., Fleischmann, P., Winterhalter, P., Knight, M., Finn, T. M., dan Watanabe, N. 2011. Application of Centrifugal Precipitation Chromatography and High-Speed Counter-Current Chromatography Equipped with a Spiral Tubing Support Rotor for The Isolation and Partial

- Characterization of Carotenoid Cleavage-like Enzymes in *Enteromorpha compressa* (L.) Nees. *Journal of Separation Science* 34:2759–2764.
- Belitz, H. D., Grosch, W., dan Schieberle, P. 2009. *Food Chemistry*. Springer. Switzerland AG.
- Bezman, Y., Bilkis, I., Winterhalter, P., Fleischmann, P., Rouseff, R. L., Baldermann, S., dan Naim, M. 2005. Thermal Oxidation of 9'-cis-Neoxanthin in a Model System Containing Peroxyacetic Acid Leads to the Potent Odorant β -Damascenone. *Journal of Agricultural and Food Chemistry* 53:9199-9206.
- Britton, G., Liaaen-Jensen, S., dan Pfander, H. 1995. *Carotenoids Volume 1*. Birkhauser, Basel, Switzerland.
- Cao, G., Sofic, E. dan Prior, R.L. 1996. Antioxidant Capacity of Tea and Common Vegetables. *Journal of Agricultural and Food Chemistry* 44:3426–3431.
- Chaturvedula, V. S. P., dan Prakash, I. 2011. The Aroma, Taste, Color, and Bioactive Constituents of Tea. *Journal of Medicinal Plants Research* 5(11):2110-2124.
- Cho, Y. H., Kim, S., Bae, E. K., Mok, C. K., dan Park, J. 2008. Formulation of a Cosurfactant-Free O/W Microemulsion Using Nonionic Surfactant Mixture. *Journal of Food Science* 73(3):115-121.
- Cleverdon, R., Elhalaby, Y., McAlpine, M., Gittings, W., dan Ward, W. 2018. Total Polyphenol Content and Antioxidant Capacity of Tea Bags: Comparison of Black, Green, Red Rooibos, Chamomile and Peppermint over Different Steep Times. *Beverages* 4(15):1–13.
- De Garmo, E.P., W.G. Sullivan, dan C.R Candra. 1984. *Engineering Economy*. 7th edition Mc Millan Publ. Co. New York.
- Dockrall, S. J. 2012. Carotenoid Cleavage Dioxygenases (CCDs) of Grape. Thesis of Stellenbosch University, South Africa.
- Du, L., Li, J., Li, W., Li, Y., Li, T., dan Ziao, D. 2014. Characterization of Volatile Compounds of Pu-erh Tea Using Solid-Phase Microextraction and Simultaneous Distillation–Extraction Coupled with Gas Chromatography–Mass Spectrometry. *Food Research International* 57:61-70.
- Fleischmann, P., Watanabe, N., dan Winterhalter, P. 2003. Enzymatic Carotenoid Cleavage in Star Fruit (*Averrhoa carambola*). *Phytochemistry* 63:131-137.
- Ghosh, A., Tudu, B., Tamuly, P., Bhattacharyya, N., dan Bandyopadhyay, R. 2012. Prediction of Theaflavin and Thearubigin Content in Black Tea Using a Voltammetric Electronic Tongue. *Chemometrics and Intelligent Laboratory Systems* 116:57-66.
- Gonzalez-Jorge, S., Ha, S., Magallanes-Lundback, M., Gilliland, L. U., Zhou, A., E.Lipka, A., Nguyen, Y., Angelovici, R., Lin, H., Capela, J., Little, H., Buell, C. R., A.Gore, M., dan DellaPenna, D. 2013. Carotenoid Cleavage Dioxygenase4 is a Negative Regulator of β -carotene Content in Arabidopsis Seeds. *Plant Cell* 25:4812–4826.
- Gupta A., Eral, H. B., Hatton, T. A., dan Doyle, P. S. 2016. Nanemulsions: Formation, Properties and Applications. *Soft Matter* 12:2826-2841.
- Hayat, K., Iqbal, H., Malik, U., Bilal, U., dan Mushtaq, S. 2015. Tea and Its Consumption: Benefits and Risks. *Critical Review in Food Science and Nutrition* 55(7):939-954.
- Henning, S.M., Fajardo-Lira, C., Lee, H.W., Youssefian, A.A., Go, V.L.W. dan Heber, D. 2003. Catechin Content of 18 Teas and A Green Tea Extract Supplement Correlates with The Antioxidant Capacity. *Nutrition and Cancer* 45:226–235.

- Huang, F. C., Horvath, G., Molnar, P., Turcsi, E., Deli, J., Schrader, J., Sandmann, G., Schmidt, H., dan Schwab, W. 2009. Substrate Promiscuity of RdCCD1, a Carotenoid Cleavage Oxygenase from *Rosa damascene*. *Phytochemistry* 70:457-464.
- Ho, C., Zheng, X., and Li, S. 2015. Tea Aroma Formation. *Food Science and Human Wellness* 4:9–27.
- Ichsan, O. A. N. 2019. Seleksi Klon Teh Unggulan PT Pagilaran sebagai Bahan Baku Teh Hitam Kualitas Premium. [Tesis]. Yogyakarta: Fakultas Teknologi Pertanian Universitas Gadjah Mada,
- Ilg, A., Beyer, P., dan Al-Babili, S. 2009. Characterization of The Rice Carotenoid Cleavage Dioxygenase 1 Reveals a Novel Route for Geraniol Biosynthesis. *FEBS Journal* 276(3):736–747.
- Karori, S.M, Wachira F.N, Ngure, R.M dan Mireji, P.O. 2014. Polyphenolic Composition and Antioxidant Activity of Kenyan Tea Cultivars. *Journal of Pharmacognosy and Phytochemistry* 3(4):105-116.
- Kawakami, M., Ganguly, S. N., Banerjee, J., dan Kobayashi, A. 1995. Aroma Composition of Oolong Tea and Black Tea by Brewed Extraction Method and Characterizing Compounds of Darjeeling Tea Aroma. *Journal of Agricultural and Food Chemistry* 43:200–207.
- Kawakami, M., dan Kobayashi, A. 2001. Carotenoid-Derived Aroma Compounds in Tea. Carotenoid-Derived-Aroma Compounds. *ACS National Meeting Book of Abstracts* 802:145-159.
- Khanum, H., Faiza, S., Sulochanamma, G., dan Borse, B. B. 2017. Quality, Antioxidant Activity and Composition of Indian Black Teas. *Journal of Food Science Technology* 54(4):1266-1272.
- Kumazawa, K., dan Masuda, H. 2002. Identification of Potent Odorants in Different Green Tea Varieties Using Flavor Dilution Technique. *Journal of Agricultural and Food Chemistry* 50:5660–5663.
- Leung, L. K., Su, Y., Chen, R., Zhang, Z., Huang, Y., dan Chen, Z. Y. 2001. Theaflavins in Black Tea and Catechins in Green Tea Are Equally Effective Antioxidants. *American Society for Nutritional Sciences* 2248-2251.
- Li, Y., Shibahara, A., Matsuo, Y., Tanaka, T., dan Kuono, I. 2010. Reaction of The Black Tea Pigment Theaflavin during Enzymatic Oxidation of Tea Catechins. *Journal of Natural Product* 73(1):33-39.
- Li, N-N., Lu, J-L., dan Liang, Y-R. 2013. Tea Processing and Carotenoids. *Tea in Health and Disease Prevention* 17:207-212.
- Liu, L., Gao, Y., McClements, D. J., dan Decker, E, A. 2016. Role of Continuous Phase Protein, (-) Epigallocatechin-3-Gallate and Carrier Oil on β -carotene Degradation in Oil-in-Water Emulsions. *Food Chemistry* 210:242-248.
- Lv, H. P., Zhong, Q. S., Lin, Z., Wang, L., Tan, J. F., dan Guo, L. 2012. Aroma Characterisation of Pu-erh Tea Using Headspace-Solid Phase Microextraction Combined with GC/MS and GC-Olfactometry. *Food Chemistry* 130:1074–1081.
- Lv, S., Wu, Y., Li, C., Xu, Y., Liu, L., dan Meng, Q. 2014. Comparative Analysis of Pu-erh and Fuzhuan Teas by Fully Automatic Headspace Solid-Phase Microextraction Coupled with Gas Chromatography-Mass Spectrometry and Chemometric Methods. *Journal of Agricultural and Food Chemistry* 62:1810-1818.

- Maci, S., 2010. Lutein and Zeaxanthin in The Eye: from Protection to Performance. *Agro Food Industry Hi-Tech* 21(5):18-20.
- Meng, Q., Long, P., Zhou, J., Ho, C., Zou, X., Chen, B., dan Zhang, L. 2019. Improved Absorption of β carotene by Encapsulation in an Oil-in-Water Nanoemulsion Containing Tea Polyphenols in the Aqueous Phase. *Food Research International* 116:731-736.
- Mahattanatawee, K., Rouseff, R., Valim, M. F., dan Naim, M. 2005. Identification and Aroma Impact in Orange Juice. *Journal of Agricultural and Food Chemistry* 53:393-397.
- Mitrowihardjo, S., Mangoendidjojo, W., Hartiko, H., dan Yudono, P. 2012. Kandungan Katekin dan Kualitas (Warna Air Seduhan, Flavor, Kenampakan) Enam Klon Teh (*Camellia sinensis* (L.) O. Kuntze) di Ketinggian yang Berbeda. *Agritech*, 32(2):199–206.
- Ngure, F. M., Wanyoko, J. K., Mahungu, S. M., dan Shitandi, A. A. 2009. Catechins Depletion Patterns in Relation to Theaflavin and Thearubigins Formation. *Food Chemistry* 115(1):8–14.
- Ningrum, A., dan Schreiner, M. 2014. Carotenoid-Cleavage Activities of Crude Enzyme from *Pandanous amryllifolius*. *Chemistry and Biodiversity* 11:1871-1881.
- Ningrum A., Minh, N. N., dan Schreiner, M. 2015. Carotenoids and Norisoprenoids as Carotenoid Degradation Products in Pandan Leaves (*Pandanus amaryllifolius* Roxb.). *International Journal of Food Properties* 18(9):1905-1914.
- Oenojo, M dan Pastore, G. M. 2010. β -carotene Biotrasformation to Obtain Aroma Compounds. *Ciência e Tecnologia de Alimentos* 30(3):822-827.
- Pou, K. R. J. 2016. Fermentation: The Key Step I the Processing of Black Tea. *Journal of Biosystem Engineering* 41(2):85-92.
- Qin, Z., Pang, X., Chen, D., Cheng, H., Hu, X., dan Wu, J. 2013. Evaluation of Chinese Tea by The Electronic Nose and Gas Chromatography-Mass Spectrometry: Correlation with Sensory Properties and Classification according to Grade Level. *Food Research International* 53:864-874.
- Rahdari, P. 2015. Research on the Effect of Pigments Rate on Quality and Quantity of Secondary Metabolites in *Camellia sinensis* L. in 13 Experimental Clones and Comparison in Two Times of Spring and Summer. *Annual Research and Review in Biology* 6(3):191-201.
- Rao, J. dan McClements, D.J. 2012. Food-Grade Microemulsions and Nanoemulsions: Role of Oil Phase Composition on Formation and Stability. *Food Hydrocolloids* 29:326-334.
- Ravichandran, R. 2002. Carotenoid Composition, Distribution and Degradation to Flavour Volatiles during Black Tea Manufacture and The Effect of Carotenoid Supplementation on Tea Quality and Aroma. *Food Chemistry* 78:23–28.
- Rodriguez-Amaya, D. B. 2001. *A Guide to Carotenoid Analysis in Food*. ILSI Press. United State of America.
- Schuh, C., dan Schieberle, P. 2006. Characterization of The Key Aroma Compounds in Beverage Prepared from Darjeeling Black Tea: Quantitative Differences between Tea Leaves and Infusion. *Journal of Agricultural and Food Chemistry* 54(3):916–924.
- Shitandi, A. A., Ngure, F. M., dan Mahungu, S. M. 2013. Tea Processing and its Impact on Catechins, Theaflavin and Thearubigin Formation. *Tea in Health and Disease Prevention* 16:193-205.

- Susanti, E., Ciptati., Ratnawati, R., Aulanni'am., dan Rudijanto, A. 2015. Qualitative Analysis of Catechins from Green Tea GMB-4 Clone using HPLC and LC-MS/MS. *Asian Pacific Journal of Tropical Biomedicine* 5(12):1046-1050.
- Tjitrosoepomo, G. 2004. *Taksonomi Tumbuhan (spermatophyta)*. Gadjah Mada University Press. Yogyakarta.
- Toomey, M.B., Butler, M.W., dan McGraw, K.J., 2010. Immune-System Activation Depletes Retinal Carotenoids in House Finches (*Carpodacus mexicanus*). *Journal of Experimental Biology* 213:1709-1716.
- Ullah, M. R. 1986. A Rapid Procedure for Estimating Theaflavins and Thearubigins of Black Tea. *Two and a Bud* 33:46-48.
- Vogel, J. T., Tan, B. C., McCarty, D. R., dan Klee, H. J. 2008. The Carotenoid Cleavage Dioxygenase 1 Enzyme has Broad Substrate Specificity, Cleaving Multiple Carotenoids at Two Different Bond Positions. *Journal of Biological Chemistry* 283(17):11364–11373.
- Wagiman, F. X. dan Triman, B. 2011. Ketahanan Relatif Enam Belas Nomor Klon Teh PGL terhadap Serangan *Empoasca sp.* *Jurnal Perlindungan Tanaman Indonesia* 17(2):60–65.
- Wang, L. F., Lee, J. Y., Chung, J. O., Baik, J. H., So, S., dan Park, S. K. 2008. Discrimination of Teas with Different Degrees of Fermentation by SPME–GC Analysis of the Characteristic Volatile Flavour Compounds. *Food Chemistry* 109:196-206.
- Wang, X., Wang, Y. W., dan Huang, Q. 2009. Enhancing Stability and Oral Bioavailability of Polyphenols Using Nanoemulsions. *American Chemical Society* 198-212.
- Wang, C., Lv, S., Wu, Y., Lian, M., Gao, X., dan Meng, Q. 2016. Study of Aroma Formation and Transformation During the Manufacturing Process of Biluochun Green Tea in Yunnan Province by HS-SPME and GC-MS. *Journal of the Science of Food and Agriculture* 96:4492–4498.
- Wang, C., Zhang, C., Kong, Y., Peng, Z., Li, C., Liu, S., Du, L., Xiao, D., dan Xu, Y. 2017. A Comparative Study of Volatile Components in Dianhong Teas from Fresh Leaves of Four Tea Cultivars by Using Chromatography-Mass Spectrometry, Multivariate Data Analysis, and Descriptive Sensory Analysis. *Food Research International* 100:267-275.
- Winterhalter, P dan Rouseff, R. 2002. Carotenoid-Derived Aroma Compounds: An Introduction. *American Chemical Society* 219:1-17.
- Xu, Y. Q., Wang, C., Li, C. W., Liu, S. H., Zhang, C. X., Li, L. W., dan Jiang, D. H. 2015. Characterization of Aroma-Active Compounds of Pu-erh Tea by Headspace Solid-Phase Microextraction (HS-SPME) and Simultaneous Distillation-Extraction (SDE) Coupled with GC-Olfactometry and GC–MS. *Food Analytical Methods* 9:1188–1198.
- Yang, Z., Baldermann, S., dan Watanabe, N. 2013. Recent Studies of Volatile Compounds in Tea. *Food Research International* 53:585-599.
- Yang, Z., Baldermann, S., dan Watanabe, N. 2013. Formation of Damascenone and Its Related Compounds from Carotenoids in Tea. *Tea in Health and Disease Prevention* 31:375-383.
- Yao, S. S., Guo, W. F., Lu, Y., dan Jiang, Y. X. 2005. Flavor Characteristics of Lapsang Souchong and Smoked Lapsang Souchong, a Special Chinese Black Tea with Pine Smoking Process. *Journal of Agricultural and Food Chemistry* 53:9699-8693.

- Yuliana, R. A., Indradewa, D., dan Ambarwati, E. 2013. Potensi Hasil dan Tanggapan Sembilan Klon Teh (*Camelia sinensis* (L.) O. Kuntze) PGL terhadap Variasi Curah Hujan di Kebun Bagian Pagilaran. *Vegetalika* 2(3):54-67.
- Zhong, J., Liu, X., Wang, Y., Qin, X., dan Li, Z. 2017. γ -Oryzanol Nanoemulsions Produced by a Low Energy Emulsification Method: An Evaluation of Process Parameters and Physicochemical Stability. *Journal Food and Function* 8(6):2202-2211.
- Zhu, J. C., Chen, Y., Wang, L. Y., Niu, Y. W., Yu, D., Shu, C., Chen, H. X., Wang, H. L., dan Xiao, Z. B. 2015. Comparison of Aroma-Active Volatiles in Oolong Tea Infusions Using GC-Olfactory, GC-FPD and GC-MS. *Journal of Agricultural and Food Chemistry* 63:7499-7510.