



DAFTAR PUSTAKA

- Amerah, A. M., and V. Ravindran. 2009. Influence of maize particle size and microbial phytase supplementation on the performance, nutrient utilization and digestive tract parameters of broiler starters. *Anim. Prod. Sci.* 49:704–710.
- Anonim. 2020. Kementan Pastikan Produksi Jagung Nasional Surplus. <<https://www.pertanian.go.id/home/?show=news&act=view&id=3395>> (diakses 15 Januari 2020).
- Arianingrum, R. 2004. Kandungan Kimia Jagung Dan Manfaatnya Bagi Kesehatan. *Budidaya Pertanian.* 1: 128-130.
- Bae, H. D., Yanke, L. J., Cheng, K. J., & Selinger, L. B. 1999. A novel staining method for detecting phytase activity. *Journal of Microbiological Methods*, 39(1), 17–22. [https://doi.org/10.1016/S0167-7012\(99\)00096-2](https://doi.org/10.1016/S0167-7012(99)00096-2)
- Benfey Philip N, & Chua Nam-Hai. 1989. The Cauliflower Mosaic Virus 35S Promoter Combinatorial Regulation of Transcription in Plants. *Science*, 250, 959–966.
- Berger, J. 1962. Maize Production and The Manuring of Maize. Centre d'Etude de l'Azote, Geneva. Conzett and Huber, Zürich, Switzerland.
- Bevan, M.W., Flavell, R.B., Chilton, M.D. 1983. A chimeric antibiotic resistance gene as a selectable marker for plant cell transformation. *Nature* 304:184-187.
- Binns, A. and A. Campbell. 2001. *Agrobacterium tumefaciens* mediated transformation of plant cell. Encyclopedia of life. *Nature Publishing Groups/ www. Els.net*.
- Bradford, MM. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 72:248–254.
- Chen, R., Xue, G., Chen, P., Yao, B., Yang, W., Ma, Q., Fan, Y., Zhao, Z., Tarczynski, M. C., & Shi, J. 2008. Transgenic maize plants expressing a fungal phytase gene. *Transgenic Research*, 17(4), 633–643. <https://doi.org/10.1007/s11248-007-9138-3>
- Cheng-Chih T, Lai CH, Yang CS, Lin CK, Tsen HY. 2008. Toxicological evaluation of transgenic rice flour with an Escherichia coli phytase gene appA by subchronic feeding study in Wistar rats. *J Sci Food Agric* 3:382–388
- Chiera, J. M., Finer, J. J., & Grabau, E. A. 2004. Ectopic expression of a soybean phytase in developing seeds of Glycine max to improve phosphorus availability. *Plant Molecular Biology*, 56(6), 895–904. <https://doi.org/10.1007/s11103-004-5293-6>
- Deroles. C., Gardner C. 1988. Expression and interheritance of kanamycin resistance in a large number of transgenik petunias generated by agrobacterium mediated transformation. *Plant Mol. Biol.* 11: 355-364.
- Doyle, J.J., dan Doyle J.L. 1990. A rapid total DNA preparation procedure for fresh plant tissue. *Focus.* 12: 13-15.
- Gonzales dan Cubero. 1993. Selection strategies and choice of breeding methods. Plant breeding: Principles and prospects. Chapman & Hall, London
- Fraley, R.T., Rogers, S.G., Horsch, R.B., Sanders, P.R., Flick, J.S., Adam, S.P., Bittner, M.L., Brand, L.A., Fink, C.L., Fry, J.S., Galluppi, G.R., Goldberg, S.B., Hoffman, N.L., Woo, S.C. 1983. Expression of bacterial genes in plant cells. *Proc Natl Acad Sci USA* 80:4803-4807.
- Frame, B.R., Marcy, M., Rosemarie, S., dan Wang, K. 2011. Genetic Transformation Using Maize Immature Zygotic Embryos. *Plant Embryo*



- Culture: Methods and Protocols. *Molecular Biology*, vol. 710, DOI 10.1007/978-1-61737-988-8_22
- Frame, B.R., Zhang, H., Coccilone, S.M., Sidorenko, L.V., Dietrich, C.R., Pegg, S.E., Zhen, S., Schnable, P.S., Wang, K. 2000. Production of transgenic maize from bombarded type II callus: effect of gold particle size and callus morphology on transformation efficiency. *In Vitro Cell Dev Biol Plant* 36:21-29.
- Gadaleta A, Giancaspro A, Cardone MF, Blanco A . 2011. Real-time PCR for the detection of precise transgene copy number in durum wheat. *Cell Mol Biol Lett* 16(4):652–668
- Gelvin, S.B. 2000. Agrobacterium and plant genes involved in T-DNA transfer and integration. *Annu Rev Plant Physiol Plant Mol Biol* 51:223-256.
- Greiner. 1997. Purification and characterization of phytase from *Klebsiella terrigena*. *Arch Biochem Biophys.* 15;341(2):201-6.
- Grotewold, Erich , Joseph C., Elizabeth A. K., Donald, D. 2015. Plant Genes, Genomes and Genetics. John Wiley & Sons ,Ltd. The Atrium, Southern Gate, Chichester, West Sussex, PO198SQ, UK. p:233
- Guo, X., Yuan, L., Chen, H., Sato, S. J., Clemente, T. E., & Holding, D. R. 2013. Nonredundant Function of Zeins and Their Correct Stoichiometric Ratio Drive Protein Body Formation in. 162, 1359–1369. <https://doi.org/10.1104/pp.113.218941>
- Haefner, S., Knietsch, A., Scholten, E., Braun, J., Lohscheidt, M., & Zelder, O. 2005. Biotechnological production and applications of phytases. *Applied Microbiology and Biotechnology*, 68(5), 588–597.<https://doi.org/10.1007/s00253-005-0005-y>
- Hallauer, A. R., Kendall R. L., Paul R. W. 1997. Registration of Five Inbred Lines of Maize: B102, B103, B104, B105, and B106. Iowa State University
- Hardman, L.L dan J.L. Gunsolus. 1998. Corn Growth and Development. Extension Service. University of Minesota. P.5.
- Herrera-Estrella, L., Depicker, A., Van Montagu, M., Schell, J. 1983. Expression of chimaeric genes transferred into plant cells using a Ti-plasmid-derived vector. *Nature* 300:209-213.
- Hoopes, L. 2008. Introduction to the gene expression and regulation topic room. *Nature Education* 1(1):160
- Iriany, R.N dan T. M. Andi. 2007. Jagung Hibrida Unggul Baru. Warta Penelitian dan Pengembangan Pertanian, 29 (4): 26-39.
- Ishida, Y., Saito, H., Ohta, S., Hiei, Y., Komari, T., Kumashiro, T. 1996. High efficiency transformation of maize (*Zea mays L.*) mediated by *Agrobacterium tumefaciens*. *Nat Biotechnol* 14:745-750.
- Johnson, L.A., 2000. Corn, the major cereal of the Americas. In Kulp K, Ponte J. (Eds). *Handbook of cereal science and technology*. Deijer, New York, pp 31-80.
- Joong, et al., 2000 . Characterizing of phytase from bran and various wheat kultivar. *American association of cereal chemists* 9:5-6
- Jose, J. and R. Usha. 2000. Extraction of Geminiviral DNA from a Aightly Mucilaginous Plant (*Abelmoschus esculentus*). *Plant Mol. Biol. Rep.* 18: 349-355.
- Kasryno, F. 2002. Perkembangan Produksi dan Konsumsi Jagung Dunia Selama Empat Dekade yang Lalu dan Implikasinya Bagi Indonesia. Badan Litbang: Nasional Agribisnis Jagung.
- Kornegay. 2001. Digestion of phosphorus and other nutrients: the role of phytases and factors influencing their activity. In: Bedford MR, Partridge GG (eds) *Enzymes in farm animal nutrition. CABI Publishing*, pp 237–272.



- Maenz, D. D., 2005. Enzymatic Characteristic of Phytases as They Relate to Their Use in Animal Feeds. In E-Book: Enzyme in Animal Nutrition. M. R. Bedford dan G. G. Partridge, Eds. CABI Pub., UK.
- Maniatis, T., and Reed, R. 2002. An extensive network of coupling among gene expression machines. *Nature* 416, 499–506.
- Mata, J., Marguerat, S., and Bāhler, J. 2005. Post-transcriptional control of gene expression: A genome-wide perspective. *Trends Biochem. Sci.* 30, 506–514
- Mawgood, A. L. A., Gassem, M. A., Abdullah, A. A., Salem, S. A. 2010. Monitoring of genetically modified food in Saudi arabia. *Afr.J Foof Sci.*, 4, 536-540.
- McKee, A. E., and Silver, P. A. 2007. Systems perspectives on mRNA processing. *Cell Res.* 17, 581–590.
- Moeller L, Gan Q, Wang K. 2009. A bacterial signal peptide is functional in plants and directs proteins to the secretory pathway. *J Exp Bot* 60(12):3337–3352
- Nafziger, E. D. 2016. Maize Agronomy. Reference Module in Food Science. doi:10.1016/b978-0-08-100596-5.00241-9.
- Nahampun, H. N., C. J. Lee, J.L. Jane, and K. Wang. 2013. Ectopic expression of bacterial amyllopullulanase enhances bioethanol production from maize grain. *Plant Cell Rep.* doi 10.1007/s00299-013-1453-y
- Pen J, Verwoerd TC, van Pardin PA, Beukeder RF, van der Elzen PJM, Geerse K. 1993. Phytase-containing transgenic seed as a novel feed additive for improved phosphorus utilization. *Bio/Technol* 11:811–814
- Poehlman, J. M. and D. Borthakur. 1969. Breeding Asian Field Crops with Special Reference to Crop of India. Oxford & IBH Publishing Co. New. Delhi.
- Poliana J, MacCabe AP. 2007. Industrial Enzymes : Structure, Function and Application. Dordrecht : Springer. 505-508
- Pawlowski. P., dan Somers. A. 1996. Transgene Inheritance in plant genetically engineered by microprojectile bombardment. *Mol. Biotechnol.* 6(1): 17-30
- Rahmawati, S. 2006. Status perkembangan perbaikan sifat genetik padi menggunakan transformasi agrobacterium. *Jurnal Agrobiogen* 2(1):36-44.
- Ravindran *et al.*, 1995. Phytase occurrence bioavailability and implication in poultry nutrition. Department of animal science. University of Sydney Camden Australia
- Schouten,H. J. , Krens F. A. ,and Jacobsen, E. 2006. Cisgenic plants are similar to traditionally bred plants: International regulations for genetically modified organisms should be altered to exempt cisgenesis. *EMBO Rep.* 2006 Aug; 7(8): 750–753. doi: 10.1038/sj.embo.7400769.
- Scott, M. P., & Emery, M. 2016. Maize: Overview. Reference Module in Food. Science. doi:10.1016/b978-0-08-100596-5.00022-6.
- Selle. 2006. Phytate degrading enzyme in pig nutrition. *Livestock science* 115:99-122.
- Selle, P.H., and Ravindran. 2007. Phytate-degrading enzymes in pig nutrition. *Livestock Science*, 113(2-3), 99–122.doi: 10.1016/j.livsci.2007.05.014.
- Shin, S., Ha, N.C., Oh, B.C. . 2001. Enzyme mechanism and catalytic property of beta propeller phytase. *Structure* 9 (9): 851–858.
- Smith, E.F., Townsend, C.O. 1907. A plant tumor of bacterial origin. *Science* 25:671-673.
- Sokrab, A.M., Mohamed, A. I.A.,and Babiker,E.E. 2012. Effect of germination on antinutritional factors, total, and extractable minerals of high and low phytate corn (*Zea mays L.*) genotypes. *Journal of the Saudi Society of*



- Agricultural Sciences*, 11(2), 123–128. doi.org/10.1016/j.jssas.2012.02.002.
- Sunilkumar, G., Mohr, L. A., Lopata-Finch, E., Emani, C., & Rathore, K. S. 2002. Developmental and tissue-specific expression of CaMV 35S promoter in cotton as revealed by GFP. *Plant Molecular Biology*, 50(3), 463–479. <https://doi.org/10.1023/A:1019832123444>
- Surzycki, S. 2000. Basic Techniques in Molecular Biology. Springer-Verlag, Berlin, Heidelberg, New York.
- Steinbrecher, R.A., 2002. The CaMV 35S Promoter Government and Corporate Scientific Incompetence: Failure to assess the safety of GM crops
- Steiner, C., Glaser, B., Teixeira, W.G., Lehmann, J., Blum, W.E.H. and Zech, W. 2008. Nitrogen retention and plant uptake on a highly weathered central Amazonian Ferraisol amended with compost and charcoal. *Journal of Plant Nutrition and Soil Science* 171: 893–899.
- Terada, R., dan Shimamoto, K. 1990. Expression of CaMV 35S-GUS gene in transgenic rice plants. *MGG Molecular & General Genetics*, 220(3), 389–392. <https://doi.org/10.1007/BF00391743>
- Thellin O, Zorzi W, Lakaye B, Borman BD, Coumans B, Hennen G, Grisar T, Igout A, Heinen E. 1999 . Housekeeping genes as internal standards: use and limits. *J Biotechnol* 75:291-295
- Thompson GA, Larkins BA. 1989. Structural elements regulating zein gene expression. *Bioessays* 10: 108–113
- Torney, F., Frame, B.R., Wang, K. 2007. Maize. In E.C Pua and M.R. Davey (Eds), Transgenic crops IV. Springer, Berlin Heidelberg. p.p. 73-105.
- Torney, F., Moeller, L., Scarpa, A., & Wang, K. 2007. Genetic engineering approaches to improve bioethanol production from maize. *Biotechnology*, 18(3), 193–199.doi:10.1016/j.copbio.2007.03.006.
- Ullah, A.H., Sethumadhavan, K., Lei, X.G., and Mullaney, E.J. 2000. Biochemical characterization of cloned *Aspergillus fumigatus* phytase (phyA). *Biochem. Biophys. Res. Commun.* 275: 279–285.
- Viveros, A., Centeno, C., Brenes, A., Canales, R., & Lozano, A. 2000. Phytase and Acid Phosphatase Activities in Plant Feedstuffs. *Journal of Agricultural and Food Chemistry*, 48(9), 4009–4013. doi:10.1021/jf991126m
- Wang, Y., Nsibo, D. L., Juhar, H. M., Govers, F., & Bouwmeester, K. 2016. Ectopic expression of *Arabidopsis* L-type lectin receptor kinase genes LecRK-I.9 and LecRK-IX.1 in *Nicotiana benthamiana* confers Phytophthora resistance. *Plant Cell Reports*, 35(4), 845–855. <https://doi.org/10.1007/s00299-015-1926-2>
- Warisno. 1998. Budidaya Jagung Hibrida. Kanisius, Yogyakarta.
- Waldroup, P.W., J.H. Kersey, E.A. Saleh, C.A. Fritts, F. Yan, H.L. Stilborn, R.C. Crum Jr and V. Raboy, 2000. Nonphytate phosphorus requirement and phosphorus excretion of broiler chicks fed diets composed of normal or high available phosphate corn with and without microbial phytase. *Poult. Sci.*, 79: 1451-1459.
- Woo, Y.M., Hu, D.W., Larkins, B.A., and Jung, R. 2001. Genomics analysis of genes expressed in maize endosperm identifies novel seed proteins and clarifies patterns of zein gene expression. *Plant Cell* 13: 2297–2317.
- Wu, Y., Holding, D. R., & Messing, J. 2010. γ -Zeins are essential for endosperm modification in quality protein maize. *Proceedings of the National Academy of Sciences of the United States of America*, 107(29), 12810–12815. <https://doi.org/10.1073/pnas.1004721107>



ANALISIS EKSPRESI GEN FITASE PADA TANAMAN JAGUNG (*Zea mays L.*) TRANSGENIK DENGAN PROMOTER 27-kDa GAMMA-ZEIN dan CaMV 35S

RIRIN SEPTINA A, Rani Agustina Wulandari, S.P., M.P., Ph.D; Dr. Panjisakti Basunanda, S.P., M.P

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Yi, Chengxin and Yan Hong. 2019. Estimating the Copy Number of Transgenes in Transformed Cotton by Real-Time Quantitative PCR Editing, G., Crispr, U., & System, C.. *Chapter 8*. 1902, 95–104. <https://doi.org/10.1007/978-1-4939-8952-2>
- Zhao, Z.Y., Gu, W., Cai, T., Tagliani, L.A., Hundred, D.A., Bond, D., Krell, S., Rudert, M.L., Bruce, W.B., Pierce, D.A. 1998. Molecular analysis of T0 plants transformed by Agrobacterium and comparison of Agrobacterium-mediated transformation with bombardment transformation in maize. *Maize Genet Coop Newslett* 72: 34–37.
- Zhao, ZY, Gu, W., Cai T., Tagliani, L., Hundred, D., Bond, D., Shroeder, S., Rudert, M., Pierce, D. 2001. High throughput genetic transformation mediated by *Agrobacterium tumefaciens* in maize. *Mol Breed* 8:323–333.