



DAFTAR PUSTAKA

- Ahmad, M., Kamke, F.A. (2003). Analysis of Calcutta bamboo for structural composite materials: Surface characteristics. *Wood. Sci. Technol.*, 37, 233~240. DOI: 10.1007/s00226-003-0172-x.
- American Standard Testing and Material. (1985). Annual Book of ASTM Standards, Section Four Constructions, Vol. 04.09 Wood. Philadelphia: American Standar Testing Material.
- American Standard Testing and Material. (2001). ASTM D 1102–84 Standard test method for ash in wood. Baltimore: American Standard Testing dan Material.
- American Standard Testing and Material. (2002). Annual Book of ASTM Standards, Section Four Constructions, Vol. 04.10 Wood. Baltimore: American Standard Testing dan Material.
- Amos (2010). Kandungan katekin gambir sentra produksi di Indonesia. *Jurnal Standardisasi*, 12(3), 149~155. DOI: 10.31153/js.v12i3.152.
- Anwar, U.M.K., Paridah, M.T., Hamdan, H., Latif, A.M., Zaidon, A. (2005). Adhesion and bonding properties of plybamboo manufactured from *Gigantochloa scorchedinii*. *Am. J. Appl. Sci.*, 53~58 (special issue).
- Apelblat, A. (2014). Citric acid. Switzerland: Springer International Publishing.
- Arinasa, I.K. (2005). Keanekaragaman dan Penggunaan Jenis-jenis Bambu di Desa Tigawasa, Bali. *Biodiversity*, 6(1), 17~21.
- Arsad, E, 2014. Peningkatan daya tahan bambu dengan proses pengasapan untuk bahan baku kerajinan. *Jurnal Riset Industri Hasil Hutan*, 6(2), 31~35.
- Arsad, E, 2014. Global forest resources assessment. Indonesia country report on bamboo resources. Forest resources assessment working paper (bamboo). Jakarta: Food and Agriculture Organization of The United Nations, Forestry Departement and International Network for Bamboo and Rattan.
- Arsad, E. (2015). Teknologi pengolahan dan manfaat bambu. *Jurnal Riset Industri Hasil Hutan*, 7(1), 45~52. DOI: 10.24111/jrihh.v7i1.856.
- Asadi, M. (2007). Beet-sugar handbook. Hoboken, New Jersey: John Wiley & Sons, Inc.
- Asghari, F., Yoshida, H. (2006). Acid-catalyzed production of 5-hydroxymethyl furfural from D-fructose in subcritical water. *Industrial dan Engineering Chemistry Research*, 45(7), 2163~2173. DOI: 10.1021/ie051088y.
- Badan Pusat Statistik. (2016). Statistik Produksi Kehutanan 2015. Jakarta: Badan Pusat Statistik.
- Badan Pusat Statistik. (2017). Statistik Produksi Kehutanan 2016. Jakarta: Badan Pusat Statistik.
- Badan Pusat Statistik. (2018). Statistik Produksi Kehutanan 2017. Jakarta: Badan Pusat Statistik.
- Badan Pusat Statistik. (2019). Statistik Produksi Kehutanan 2018. Jakarta: Badan Pusat Statistik.



- Badan Pusat Staatistik. (2020). Statistik produksi kehutanan 2019. Jakarta: Badan Pusat Staatistik.
- Badan Standardisasi Nasional (1998). SNI 06-4567 (1998) Fenol formaldehida cair untuk perekat kayu lapis. Jakarta: Badan Standardisasi Nasional.
- Badan Standardisasi Nasional (2000). SNI 01-3391 (2000) Gambir. Jakarta: Badan Standardisasi Nasional.
- Badan Standardisasi Nasional (2006). SNI 03-2105 (2006) Papan partikel. Jakarta: Badan Standardisasi Nasional.
- Badan Standardisasi Nasional. (1992). SNI 01-2891 (1992) Cara uji makanan dan minuman. Jakarta: Badan Standardisasi Nasional.
- Badan Standardisasi Nasional. (1996). SNI 03-2105 (1996) Papan partikel. Jakarta: Badan Standardisasi Nasional.
- Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian. (2020). Buku saku: Bahan pangan potensial untuk anti virus dan *imun booster*. Jakarta: Balai Penelitian dan Pengembangan Pertanian, Kementerian Pertanian.
- Barbooti, M.M., Al-Sammerrai, D.A. (1986). Thermal decomposition of citric acid. *Thermochim Acta*, 98, 119~126. DOI: 10.1016/0040-6031(86)87081-2.
- Brown, P. (2009). The complete herbalist. Diakses dari www.chestpfbooks.com/health/herbs/O-Phelps-Brown/The-Complete-Herbalist/Gambir-Plants-uncaria-Gambir.html.
- Bucur, V. (2011). Delamination in wood, wood products and wood-based composites. London: Springer.
- Chaowana, P., Barbu, M.C. (2017). Bamboo: Potential material for biocomposites. In Jawaid, M., Tahir, P.M., Saba, N (eds.). *Lignocellulosic fibre and biomass-based composite materials: Processing, properties and applications*. Duxford: Woodhead Publishing Elsevier.
- Chaowana, P., Robkorb, K., Sriwilai, S., Barbu, M.C. (2012). Gluability variation of *Dendrocalamus asper* for bamboo composites. The 9th World Bamboo Congress, Belgium. Belgium: World Bamboo Organization.
- Cherrak, S.A., Mokhtari-soulimane, N., Berroukeche, F., Merzouk, H., Elhabiri, M., Bensenane, B. (2016). In vitro antioxidant versus metal ion chelating properties of flavonoids: A structureactivity investigation. *PLoS One*, 1~21. DOI: 10.1371/journal.pone.0165575.
- Chunwarin. (1985). Culm structure, composition, and physical properties of bamboo. Seminar Bamboo. Bangkok: Faculty of Forestry, Kasetsart University.
- Chuntanapum, A., Matsumura, Y. (2009). Formation of tarry material from 5-HMF in subcritical and supercritical water. *Ind. Eng. Chem. Res.*, 48, 9837~9846. DOI: 10.1021/ie900423g.
- Conner. (2001) Wood Adhesives. Encyclopedia of Materials: Science dan Technology. Amsterdam: Elsevier.
- Danielson, B., Simonson, R. (1998). Kraft lignin in fenol formaldehyde resin. Part 1. Partial replacement of fenol by kraft lignin in fenol formaldehyde adhesives for plywood. *J. Adhes. Sci. Technol.*, 12, 923~939. DOI: 10.1163/156856198X00542.



- Denian, A., Daswir, Anria, Nurmansyah, Hasan, Z., Jamalius, Kusuma, I., Jarnais, Hadad, M.A. (2004). Penampilan tiga calon variates unggul gambir di Sumatera Barat. Simposium IV Hasil Penelitian Tanaman Perkebunan. Bogor: Badan Penelitian dan Pengembangan Pertanian, Pusat Penelitian dan Perkebunan.
- Denian, A., Hadad, M., Wahyuni, S. (2008). Karakteristik pohon induk gambir (*Uncaria gambir* (Hunter) Roxb.) di sentra produksi Sumatera Barat dan Riau. *Bul. Littro*, 19(1), 18~38. DOI: 10.21082/bullitro.v19n1.2008.%25p.
- Dhyani, V., Bhaskar, T. (2019). Pyrolysis of biomass. In Pandey, A., Larroche, C., Gnansounou, E., Khanal, S.K., Dussap, C.G., Ricke, R (eds.). *Biofuels: Alternative feedstocks and conversion processes for the production of liquid and gaseous biofuels, Section III Thermochemical conversion of lignocellulosic biomass to biofuels*. London: Academic Press, Elsevier Inc.
- Dransfield, S., Widjaja, E.A. (1995). Bamboos. Plant Resources South - East Asia No. 7. Bogor: Prosea Foundation.
- Dunký, M., Pizzi, A. (2002). Chapter 23—Wood adhesives. In Dillard, D.A, Pocius, A.V, Chaudhury, M. (eds.). *Adhesion Science and Engineering*. London: Elsevier Inc.
- Eggleston, G., Trask-Morrell, B.J., Vercellotti, J.R. (1996). Use of differential scanning calorimetry and thermogravimetric analysis to characterize the thermal degradation of crystalline sucrose and dried sucrose-salt residues. *J. Agric. Food. Chem.*, 44, 3319~3325. DOI: 10.1021/jf950836z.
- Fathanah, U., Sofyana. (2013). Pembuatan papan partikel (*particle board*) dari tandan kosong sawit dengan perekat kulit akasia dan gambir. *Jurnal Rekayasa Kimia dan Lingkungan*, 9(2), 137~143. DOI: 10.23955/rkl.v9i3.783.
- Fengel, D., Wegenar, D. (1995). Kayu: Kimia, ultrastruktur, reaksi-reaksi. S. Prawirohatmojo, S., Sastroamijoyo, H. (Eds.). Yogyakarta: Gadjah Mada University Press.
- Ferdinal, N. (2014). A simple purification method of catechin from gambier. *International Journal Advance Science Engineering Information Technology*, 4, 6, 53~55. DOI: 10.18517/ijaseit.4.6.460.
- Forest Products Society. (1999). Wood handbook: Wood as an engineering material. The United States of America: Forest Products Society.
- Foyer, G., Chanfi, B.H., Virieux, D., David, G., dan Caillol, S. (2016). Aromatic dialdehyde precursors from lignin derivatives for the synthesis of formaldehyde-free dan high char yield fenolic resins. *Eur. Polym. J.*, 77, 65~74. DOI: 10.1016/j.eurpolymj.2016.02.018.
- Freeman, HG. (1959). Relationship between physical and chemical properties of wood and adhesion. *For. Prod. J.*, 9(12), 451~458. DOI: 10.1080/01694243.2019.1683325.
- Gan, W., Yang, H., Zhang, Y., Shi, S.Q., Lin, C., Pan, L., dan Huang, Z. (2016). Synthesis dan characterization of sucrose-melamine-formaldehyde adhesives. *BioResources*, 11(1), 2516~2525. DOI: 10.15376/biores.11.1.2516-2525.
- Gardner, D.J., Anido, R.L.. (2002). Adhesion between wood dan fiber reinforced polymers: Bonding Issues. Diakses dari



<http://www.umaine.edu./adhesion/gardner/5502002/wood-frp%20adhesion.Pdf>

- Gaugler, M., Grigsby, W.J. (2009). Thermal degradation of condensed tannins from radiata pine bark. *J. Wood. Chem. Technol.*, 29, 305~321. DOI: 10.1080/02773810903165671.
- Gintner, Z., Vegh, A., Ritlop, B. (1989). Determination of sucrose content of cariogenic diets by thermal analysis. *J. Thermal Analysis*, 35, 1399~1404. DOI: 10.1007/bf01912916.
- Gumbira-Sa'id, E., Syamsu, K., Mardliyanti, E., Herryandie, A., Evalia, N.A., Rahayu, D.L., Puspitarini, A.A.A.R., Ahyarudin, A., Hadiwijoyo, A., (2009a). Agroindustri dan bisnis gambir Indonesia. Bogor: IPB Press.
- Gumbira-Sa'id, E., Syamsu, K., Mardliyanti, E., Brontoadie, A.H., dan Evalia, N.A. (2009b). Perbaikan rekayasa proses, pengembangan produk dan peningkatan mutu gambir ekspor Indonesia: Pendalaman studi kasus di Kabupaten Lima Puluh Kota, Sumatera Barat, Laporan Penelitian Hibah Unggulan Strategis Nasional. Bogor: Institut Pertanian Bogor.
- Gumbira-Sa'id, E. (2009c). Review of agroindustrialstrategic studies, researches and development in Indonesia: the case of oil palm, cacao and gambir. *J. Tek. Ind. Pert.*, 19(1), 45~55.
- Hadad, M.A., Ahmad, N.R., Herman, M., Supriadi H., Hasibuan, A.M. (2007). Teknologi budidaya dan pengolahan hasil gambir. Diakses dari www.balittri.litbang.deptan.go.id/database/TEKNOLOGI%20BUDIDAYA%20DAN%20PENGOLAHAN%20GAMBIR.pdf.
- Hiller, K., Melzig, M.F. (2007). Die große Enzyklopädie der Arzneipflanzen und Drogen/ The great encyclopedia of medicinal plants and drugs. Heidelberg: Elsevier Spektrum Verlag.
- Intanwijaya International. (2019). Fenol-formaldehyde resin IP-100 type specification. Semarang: PT. Intanwijaya International, Tbk.
- Interchim. (2020). Citric acid. Product information. Diakses dari www.interchim.fr/fr/6/67341A.pdf.
- Islam, M.N., Hannan, M.O., Lahiry, A.K. (2002). Effect of age and height positions of borak, jawa and mitingabamboo on their physical properties. *J. Timber Dev. Assoc. India*, 48, 6~22.
- Jannah, M., Baharuddin, Taskirawati, I. (2019). Potensi dan pemanfaatan tanaman bambu pada lahan masyarakat di Desa Kading Kabupaten Barru. *Jurnal Perennial*, 15(2), 87~92.
- Japanese Standards Association. (2003). JIS A 5908: 2003 Particleboards. Japan: Japanese Standards Association.
- Jastrå, Y., Atman. (2016). Produksi gambir: Strategi meningkatkan produksi gambir. Yogyakarta: Plantaxia.
- Junaidi, Kasim, A., Budiman, D. (2015). Pengaruh jenis serat tandan kosong sawit (TKS) hasil defiberasi secara mekanis dan kadar perekat gambir terhadap kualitas papan komposit. Seminar Nasional Rekayasa Teknologi Industri dan Informasi ke-10. Yogyakarta: Sekolah Tinggi Teknologi Nasional.



- Kamruzzaman, M., Saha, S.K., Bose, A.K., Islam, M.N. (2008). Effect of age and height on physical and mechanical properties of bamboo. *J. Trop. For. Sci.*, 20(3), 211~217.
- Kamthai, S. (2003). Alkaline sulfite pulping and ECF- bleaching of sweet bamboo (*Dendrocalamus asper* Backer). Bangkok: Kasetsart University.
- Kamthai, S., Puthson, P. (2005). The physical properties, fiber morphology and chemical compositions of sweet bamboo (*Dendrocalamus asper* Backer). *Kasetsart J. (Nat. Sci.)*, 39, 581~587.
- Kanwil Departemen Perdagangan Sumatera Barat. (1993). Standar mutu komoditi gambir dalam menunjang peran mutu pada perdagangan internasional. Padang: Kanwil Departemen Perdagangan Sumatera Barat.
- Kasim, A., Yumarni, Fuadi, A. (2007). Pengaruh suhu dan lama pengempaan pada pembuatan papan partikel dari batang kelapa sawit (*Elaeis guineensis* Jacq.) dengan perekat gambir (*Uncaria gambir* Roxb.) terhadap sifat papan partikel. *Jurnal Ilmu dan Teknologi Kayu Tropis*, 5(1), 17~21.
- Kasmudjo. (2013). Rotan dan Bambu. Yogyakarta: Cakrawala Media.
- Keimel (1994). Historical development of adhesives and adhesive bonding, dalam Handbook of adhesives technology oleh Piaai, A., Mittal, K.L.. New York: Dekker.
- Kementerian Lingkungan Hidup dan Kehutanan. (2020). Hutan dan deforestasi indonesia tahun 2019. Jakarta: Kementerian Lingkungan Hidup dan Kehutanan. Diakses dari http://ppid.menlhk.go.id/siaran_pers/browse/2435.
- Kementerian Pertanian. (2013). Statistik Perkebunan Indonesia 2012-2014: Tanaman rempah dan penygar. Jakarta: Direktorat Jenderal Perkebunan, Kementerian Pertanian.
- Kim, S., Lee, Y., Kim, H., Lee, H. (2003). Physico-mechanical properties of particleboards bonded with pine and wattle tannin-based adhesives. *J. Adhesion Science Technology*, 17(14), 863~1875. DOI: 10.1163/156856103770572025.
- Kusumah, S.S., Umemura, K., Guswenrivo, I., Yoshimura, T., Kanayama, K. (2017). Utilization of sweet sorghum bagasse and citric acid for manufacturing of particleboard II: influences of pressing temperature and time on particleboard properties. *Wood Sci.*, 63, 161~172. DOI: 10.1007/s10086-016-1605-0.
- Laidler, K.J. (1993). The World of Physical Chemistry. Oxford: Oxford University Press.
- Lamaming, J., Sulaiman, O., Hashim, R., Said, N. (2013). Influence of Chemical Components of Oil Palm on Properties of Binderless Particleboard, *Bioresources*, 8(3), 3358~3371. DOI: 10.15376/biores.8.3.3358-3371.
- Lap, V.Q. (1999) An assessment of soda-anthraquinone pulping for mixed bamboo and hardwoods compared to kraft pulping (thesis). Tersedia dari Asian Institute of Technology, Bangkok.
- Latif, A.M, dan Liese, W. (1995), Utilization of bamboo, dalam Planting and utilization of bamboo in Peninsula Malaysia, FRIM research pamphlet No. 118, Kuala Lumpur: Forest Research Institute Malaysia.



- Latif, A.M. (1993). Effects of age and height of three bamboo species on their machining properties. *J. Trop. For. Sci.*, 5(4), 528~535.
- Latif, A.M., Liese, W., (2002a). Culm characteristics of two bamboos in relation to age, height and site. The 5th International Bamboo Congress and 6th International Bamboo Workshop, San Jose. San Jose: VSP and International Network for Bamboo and Rattan.
- Latif, A.M., Liese, W., (2002b). The moisture content of two Malaysian bamboos in relation to age, culm height, site and harvesting month. The 5th International Bamboo Congress and 6th International Bamboo Workshop, San Jose. San Jose: VSP and International Network for Bamboo and Rattan.
- Li, K., Geng, X., Simonsen, J., Karchesy, J. (2004). Novel wood adhesives from condensed tannins dan polyethylenimine. *Int. J. Adhes. Adhes.*, 24, 327~333. DOI: 10.1016/j.ijadhadh.2003.11.004.
- Li, X.B., Shupe, T.F., Peter, G.F., Hse, C.Y., Eberhardt, T.L. (2007). Chemical changes with maturation of the bamboo species *Phyllostachys pubescens*. *J. Trop. For. Sci.*, 19(1), 6~12.
- Liao, R., Xu, J., Umemura, K. (2016). Low density sugarcane bagasse particleboard bonded with citric acid and sucrose: Effect of board density and additive content. *Bioresources*, 11(10), 2174~2185. DOI: 10.1007/BF01171228.
- Liese, W. (1985). Bamboos-biology, silvics, properties, utilization. Eschborn: Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ) GmbH.
- Liese, W. (1995). Anatomy and properties of bamboo. The International Bamboo Workshops, Hangzhou. Hangzhou: The Chinese Acadamy of Forestry and Development Research Center of Canada.
- Liese, W., Tang, T.K.H. (2015) Properties of the bamboo culm, dalam Bamboo, Tropical Forestry 10. Switzerland: Springer International Publishing.
- Maloney, T.M. (1993). Modern particleboard dan dry-process fiberboard manufacturing. San Francisco: Miller Freeman.
- Manalu, D.S.T., Armyanti, T. (2019). Analisis nilai tambah gambir di Indonesia (Sebuah tinjauan literatur), *Mahatani*, 2(1), 46~67.
- Mantanis, G.I., Athanassiadou, E.T., Barbu, M.C., Wijnendaele, K. (2017). Adhesive systems used in the European particleboard, MDF and OSB industries. *Wood Material Science & Engineering*, 1~13. DOI: 10.1080/17480272.2017.1396622
- Malrianti, Y., Kasim, A., Novelina. (2018). Tannins and catechins content of gambier (*Uncaria gambier Roxb*) in relation with adhesive qualities and bonding strength of cold setting glue. *Int. J. Adv. Res.*, 6(12), 622~627. DOI: 10.21474/IJAR01/8181.
- Muchtar, H., Yusmeiarti, Yeni, G. (2008). Pengaruh jenis absorban dalam proses isolasi katechin gambir. *J. Ris. Ind.*, 2, 14~23.
- Muchtar, H., Yeni, G., Hermianti, W., Diza, Y.H. (2010). Pembuatan konsentrat polifenol gambir (*Uncaria Hunter Roxb*) sebagai bahan antioksidan pangan. *J. Ris. Ind.*, 7, 71~82.
- Murphy, R.J., Alvin, K.L. (1997). Fiber maturation in bamboos. The Bamboos Linnean Society Symposium Series No. 19. California: Academic Press.



- Nandika, D., Arinana, Kusumawardhani, D.T., Fauziyyah, S. (2019). Katekin sebagai pengawet kayu. Bogor: IPB Press.
- Nugroho, N., Ando, N. (2001). Development of structural composite products made from bamboo II: Fundamental properties of laminated bamboo lumber. *J. Wood Sci.*, 47, 237~242. DOI: 10.1007/BF01171228.
- Nuryawan, A., Singh, A.P, Park, B.D. (2015). Swelling behaviour of cured urea-formaldehyde resin adhesives with different formaldehyde to urea mole ratios. *The Journal of Adhesion*, 91:677~700. DOI: 10.1080/00218464.2014.962022.
- Palisoc, J.G., Bello, E.D. (1995). Bamboo furniture industry in the Philippines. The 5th International Bamboo Workshop and the IV International Bamboo Congress, Bali. Bali: International Network for Bamboo and Rattan.
- Pantze, A. (2006). Studies of ester formation on a cellulose matrix. Skelleftea, Sweden: Lulea University of Technology.
- Papadopoulos, A.N., Hague, J.R.B. (2003). The potential use of *Linum usitatissimum* (flax) chips as a raw lignocellulosic material for particleboards. *Ind. Crops Products*, 17(2), 143~147. DOI: 10.1016/S0926-6690(02)00094-8.
- Papadopoulos, A.N., Hill, C.A.S., Gkaraveli, A., Ntalos, G.A., Karastergiou, S.P., (2004). Bamboo chips (*Bambusa vulgaris*) as an alternative lignocellulosic raw material for particleboard manufacture. *Holz Roh Werkst*, 62, 36~39. DOI: 10.1007/s00107-003-0447-9.
- Parkkeeree, T. (1997). Physical and mechanical properties of wood from sweet-bamboo culms (*Dendrocalamus asper* Backer.) Bangkok: Kasetsart University.
- Pichelin, F., Nakatani, M., Pizzi, A. (2006). Structural beams from thick wood panels bonded industrially with formaldehyde-free tannin adhesives. *J. For Prod.*, 56, 31~36.
- Pizzi, A. (2006). Recent developments in eco-efficient bio-based adhesives for wood bonding: opportunities and issues. *J. Adhesion Sci. Technol.*, 20(8), 829~846. DOI: 10.1163/156856106777638635.
- Pizzi, A. (2008). Tannins: Major sources, properties and applications. In Belgacem, M.N., Gandini, A. (eds.). *Monomers, polymers dan composites from renewable resources*. Amsterdam: Elsevier.
- Pizzi, A. (2019). Tannins: Prospectives and actual industrial applications. *Biomolecules*, 9(344), 1~29. DOI:10.3390/biom9080344.
- Pizzi, A., Papadopoulos, A.N., Policardi, F. (2020). Wood composites and their polymer binders. *Polymers*, 12(1115), 1~27. DOI: 10.3390/polym12051115.
- Priyanto, Abdulah, L. (2014). Identifikasi dan Zonasi Kawasan Untuk Pengembangan Industri Bambu di Bali. Bogor: Pusat Penelitian dan Pengembangan Peningkatan Produktivitas Hutan Kementerian Kehutanan.
- Puls, J. (1992) α -Glucuronidases in the hydrolysis of wood xylans, dalam *Xylans and xylanases*, Progress in biotechnology Vol. 7. Amsterdam: Elsevier.
- Qisheng, Z., Shenxue, J., Yongyu, T. (2002). Industrial utilization on bamboo. Technical report No. 26. Beijing: International Network for Bamboo and Rattan.



- Rahmawati, N., Bakhtiar, A., Putra, D.P. (2011). Optimasi metoda isolasi katekin dari gambir untuk sediaan farmasi dan senyawa marker. *Jurnal Sains dan Teknologi Farmasi*, 16(2), 171~179.
- Rahmawati, N., Bakhtiar, A., Putra, D.P. (2012). Isolasi katekin dari gambir (*Uncaria gambir* (Hunter). Roxb) untuk sediaan farmasi dan kosmetik. *Jurnal Penelitian Farmasi Indonesia*, 1(1), 6~10.
- Ratanophat, C. (2004). Sustainable management and utilization from bamboo. Final technical report. Project: PD 56/59 Rev. 1(I) Promotion of the utilization of bamboo from sustainable sources in Thailand. Bangkok: Royal Forest Department and International Tropical Timber Organization.
- Razak, A.O., Latif, A.M., Liese, W., Naron, N. (1995). Planting and utilization of bamboo in Peninsular Malaysia. Technical pamphlet No. 118. Kuala Lumpur: Forest Research Institute Malaysia.
- Roos, Y.H., Franks, F., Karel, M., Labuza, T.P., Levine, H., Mathlouthi, M., Reid, D., Shalaev, E., Slade, L. (2012). Comment on the melting and decomposition of sugars. *J. Agric. Food Chem.*, 60(41), 10359~10362. DOI: 10.1021/jf3002526.
- Rowell, R.M. (1998). The state of art dan future development of bio-based composite science dan technology towards the 21st century. The Fourth Pasific Rim Bio-Based Composites Symposium, Bogor. Bogor: Institut Pertanian Bogor.
- Rowell, R.M., Pettersen, R., Tshabalala, M.A. (2012). Handbook of wood chemistry and wood composites. Boca Raton: CRC Press.
- Ruhendi, S., Koroh, D.N., Syamani, F.A., Yanti, H., Nurhaida, Saad, S., Sucipto, T. (2007). Analisis perekatan kayu. Bogor: Fakultas Kehutanan, Institut Pertanian Bogor.
- Sabarni, (2015). Teknik pembuatan gambir (*Uncaria gambir Roxb*) secara tradisional. *Elkawnie: Journal of Islamic Science and Technology*, 1(1), 105~112. DOI: 10.22373/ekw.v1i1.523.
- Sandberg, D. (2016). Additives in wood products: Today and future development. In Kutnar, A., Muthu, S.S. (eds.). *Environmental impacts of traditional and innovative forest-based bioproducts, environmental footprints and eco-design of products and processes*. Singapore: Springer Science and Business Media.
- Santoso, A. (2005). Pemanfaatan lignin dan tanin sebagai alternatif substitusi bahan perekat komposit kayu. Simposium Nasional Polimer V. Bandung: Himpunan Polimer Indonesia, 155~164.
- Santoso, A., Hadi, Y.S., Malik, J. (2012). Tannin resorcinol formaldehyde as potential glue for the manufacture of plybamboo. *Journal of Forestry Research*, 9(1), 1~6. DOI: 10.20886/ijfr.2012.9.1.10-15.
- Santoso, M., Widyorini, R., Prayitno, T.A., Sulistyo, J. (2016). Kualitas papan partikel dari pelepah nipah dengan pengikat asam sitrat dan sukrosa. *Jurnal Ilmu Kehutanan*, 10(2), 129~136. DOI: 10.22146/jik.16514.
- Sellers, T. (2001). Wood adhesive: Innovation and applications in North America. *Journal Forest Product*, 51(6), 12~22.
- Semsarzadeh, M.A., Navarchian, A.H. (2003). Effects of NCO/OH ratio and



catalyst concentration on structure, thermal stability, and crosslink density of poly(urethane-isocyanurate). *J. Appl. Polym. Sci.*, 90, 963~972. DOI: 10.1002/app.12691.

Shmulsky, R., Jones, P.D. (2019). Forest products and wood science: An introduction. Hoboken, NJ; John Wiley and Sons.

Sievers, C., Musin, I., Marzialetti, T., Olarte, M., Agrawal, P., Jones, C. (2009). Acid-catalyzed conversion of sugars dan furfurals in an ionic-liquid phase. *ChemSusChem.*, 2(7), 665~671. DOI: 10.1002/cssc.200900092.

Smook, G.A. (1997). Handbook for pulp and paper technology (2nd ed.). Vancouver: Angus Wide Publication Inc.

Sucipto, T., Ruhendi, S. (2012). Pengaruh perendaman terhadap keterbasahan tandan kosong sawit dan perbandingannya dengan keterbasahan beberapa jenis kayu. *Foresta, Indonesian Journal of Forestry*, 1(1), 30~33.

Suharman. (2018). Gambir: Peluang pasar, budidaya dan pengolahannya. Yogyakarta: Deepublish.

Surjokusumo, S., Nugroho, N. (1995). A Study on *Dendrocalamus asper* as concrete reinforcement. The 5th International Bamboo Workshop and the IV International Bamboo Congress, Bali. Bali: International Network for Bamboo and Rattan.

Tambunan, B. (2000). Bio Based Composite. Bogor: Fakultas Kehutanan, Institut Pertanian Bogor.

Taniguchi, S., Kuroda, K., Doi, K., Inada, K., Yoshikado, N., Yoneda, Y., Tanabe, M., Shibata, T., Yoshida, T., Hatano, T. (2007). Evaluation of gambir quality based on quantitative analysis of polyphenolic components. *Yakugaku Zasshi*, 127(8), 1291~1300. DOI: 10.1248/yakushi.127.1291.

TAPPI. (2002). 2002-2003 TAPPI Test Methods. Atlanta-Georgia: TAPPI Press.

Tondi, G., Wieland, S., Wimmer, T., Schnabel, T., Petutschnigg, A. (2012). Starch-sugar synergy in wood adhesion science: basic studies dan particleboard production. *Eur. J. Wood Prod.*, 70, 271~278. DOI: 10.1007/s00107-011-0553-z.

Tyner, T., Francis, J. (2017). Citric acid, anhydrous, and citric acid, monohydrate (2-Hydroxy-1,2,3-propanetricarboxylic Acid). Part 4, Monographs for reagent chemicals: General descriptions, specifications, and tests. Washington DC: ACS Reagent Chemicals, American Chemical Society.

Umemura, K., Hayashi, S., Tanaka, S., Kanayama, K. (2017). Changes in physical dan chemical properties of sucrose by the addition of ammonium dihydrogen phosphate. *Journal of The Japan Adhesive Research Society*, 53(4), 112~117. DOI: 10.11618/adhesio.53.112.

Umemura, K., Sugihara, O., Kawai, S. (2013). Investigation of a new natural adhesive composed of citric acid dan sucrose for particleboard. *J. Wood Sci.*, 59, 203~208. DOI: 10.1007/s10086-013-1326-6.

Umemura, K., Sugihara, O., Kawai, S. (2015). Investigation of a new natural adhesive composed of citric acid dan sucrose for particleboard: II. Effect of board density dan pressing temperature. *J. Wood Sci.*, 61, 40~44. DOI: 10.1007/s10086-014-1437-8.



- Umemura, K., Ueda, T., Munawar, S.S., Kawai, S. (2011). Application of citric acid as natural adhesive for wood. *Journal of Applied Polymer Science*, 123, 1991~1996. DOI: 10.1002/app.34708.
- Umemura, K., Ueda, T., Kawai, S. (2012). Characterization of wood-based molding bonded with citric acid. *J Wood Sci.*, 58, 38~45. DOI: 10.1007/s10086-011-1214-x.
- United States Department of Agriculture. (2010). Wood handbook. Wood as an engineering material. Madison, Wisconsin: Forest Products Laboratory, United States Department of Agriculture Forest Service.
- Valenzuela, J., von Leyser, E., Pizzi, A. (2012). Industrial production of pine tannin-bonded particleboard dan MDF. *Eur. J. Wood Prod.*, 70, 735~740. DOI: 10.1007/s00107-012-0610-2.
- Vena, P.F., Brienz, M., del Garcia-Aparicio, M.P., Rypstra, T. (2013). Hemicelluloses extraction from giant bamboo (*Bambusa balcooa* Roxburgh) prior to kraft or soda-AQ pulping and its effect on pulp physical properties. *Holzforschung*, 67, 863~870. DOI: 10.1515/hf-2012-0197.
- Vukusic, S.B., Katovic, D., Schramm, C., Trajkovic, J., Sefc, B. (2006). Polycarboxylic acids as non-formaldehyde anti swelling agents for wood. *Holzforschung*, 60, 439~444. DOI: 10.1515/HF.2006.069.
- Wang, S., Dai, G., Yang, H., Luo, Z. (2017). Lignocellulosic biomass pyrolysis mechanism: A state of the art review. *Prog. Energy Combust. Sci.* 62: 33~86. DOI: 10.1016/j.pecs.2017.05.004.
- Widyorini, R., Syahri, I., Dewi, G.K. (2020). Sifat papan partikel bambu petung (*Dendrocalamus asper*) dan bambu wulung (*Gigantochloa atroviolacea*) dengan perlakuan ekstraksi. *Jurnal Ilmu Kehutanan*, 14, 84~93.
- Widyorini, R., Nugraha, P.A. (2015). Sifat fisis dan mekanis papan partikel sengon dengan pengikat asam sitrat-sukrosa. *J. Ilmu Teknol. Kayu Tropis.* 13(2), 175~184.
- Widyorini, R., Nugraha, P.A., Rahman, M.Z.A., Prayitno, T.A. (2016a). Bonding ability of a new adhesive composed of citric acid-sucrose for particleboard. *BioResources*, 11(2), 4526~4535. DOI: 10.15376/biores.11.2.4526-4535
- Widyorini, R., Umemura, K., Isnain, R., Putra, D.R., Awaluddin, A., Prayitno, T.A. (2016b). Manufacturing dan properties of citric acid-bonded particleboard made from bamboo materials. *Europe Journal Wood Prod.*, 74, 57~65. DOI: 10.1007/s00107-015-0967-0.
- Widyorini, R., Yudha, A.P., Adifandi, Y., Umemura, K., Kawai, S. (2013). Characteristic of bamboo particleboard bonded with citric acid. *Wood Research Journal*, 4(1), 31~35.
- Widyorini, R., Yudha, A.P., Isnain, R., Awaluddin, A., Prayitno, T.A., Ngadianto, A., Umemura, K. (2014). Improving the physico-mechanical properties of eco-friendly composite made from bamboo. *Advanced Materials Research*, 896, 562~565. DOI: 10.4028/www.scientific.net/AMR.896.562.
- Widyorini, R., Yudha, A.P., Prayitno, T.A. (2011). Some of properties of binderless particleboard manufactured from bamboo. *Wood Research Journal*, 2(2), 89~93.



- Wyrzykowski, D., Hebanowska, E., Nowak-Wiczk, G., Makowski, M., Chmurzynski, L. (2011). Thermal behaviour of citric acid and isomeric aconitic acids. *J. Therm. Anal. Calorim.*, 104, 731~735. DOI: 10.1007/s10973-010-1015-2.
- Yeni, G., Syamsu, K., Suparno, O., Mardiyati, E., Muchtar, H. (2014). Repeated extraction process of raw gambiers (*Uncaria gambier Robx.*) for the catechin production as an antioxidant. *Int. J. Appl. Eng. Res.*, 9, 24565–24578.
- Zanetti, M., Causin, V., Saini, R., Cardin, C.R. (2014). Effect of tannin on increasing UF adhesive performance at high temperature investigated by TMA dan TGA analysis. *Eur. J. Wood Prod.*, 72, 385~392. DOI: 10.1007/s00107-014-0795-7.
- Zhao, Z., Hayashi, S., Xu, W., Wu, Z., Tanaka, S., Sun, S., Zhang, M., Kanayama, K., Umemura, K. (2018). A novel eco-friendly wood adhesive composed by sucrose and ammonium dihydrogen phosphate. *Polymers*, 10(1251), 1~14. DOI: 10.3390/polym10111251.
- Zhao, Z., Umemura, K. (2014). Investigation of a new natural particleboard adhesive composed of tanin dan sucrose. *Journal Wood Science*, 60, 269~277. DOI: 10.1007/s10086-014-1405-3.
- Zhao, Z., Umemura, K. (2015). Investigation of a new natural particleboard adhesive composed of tanin dan sucrose: 2. Effect of pressing temperature and time on board properties, and characterization of adhesive. *BioResources*, 10(2), 2444~2460. DOI: 10.15376/biores.10.2.2444-2460.
- Zhao, Z., Umemura, K., Kanayama, K. (2016). Effect of the addition of citric acid on tannin-sucrose adhesive dan physical properties of the particleboard, *BioResources*. 11(1), 1319-1333. DOI: 10.15376/biores.11.1.1319-1333.
- Zhou, F.C. (1981). Studies on physical and mechanical properties of bamboo woods. *J. Nanjing Technol. Coll. For. Prod.*, 2, 1~32.
- Zhou, X., Du, G. (2020). Applications of tannin resin adhesives in the wood industry. In Aires, A (ed.). *Tannins - Structural properties, biological properties and current knowledge*. London: IntechOpen.