

DAFTAR PUSTAKA

- Andriopulos P., Maria Lotti-Lykousa, Evelina Pappa, Angelos A. Papadopoulos, Dimitris Niakas. 2013. Depression, quality of life and primary care: A cross-sectional study. *Journal of Epidemiology and Global Health* (2013)3; 245-252.
- Arena R., Myers J., Wikkiams M. A., *et al.* 2007. *Assesment of Functional Capacity in Clinical and Research Settings*. A Scientific Statement from the American Heart Association Committee on Exercise, Rehabilitation, and Prevention of the Council on Clinical Cardiology and the Council on Cardiovascular Nursing, 116: 329-43
- Arslan, S., Erol, M. K., Gundogdu, F., Sevimli, S., Aksakal, E., Senocak, H., & Alp, N. 2007. Prognostic value of 6-minute walk test in stable outpatients with heart failure. *Texas Heart Institute Journal*, 34(2), 166.
- Ayunita, D., & Nurmala, N. 2018. Modul Uji Validitas dan Reliabilitas. *Jurnal Publication*, 16.
- Bekelman DB, Havranek EP, Becker DM, Kutner JS, Peterson PN, Wittstein Is, *et al.* 2007. Syptoms, depression, and quality of life in patients with heart failure. *Journal of Cardiac Failure*, 13:643-8.
- Belmarker, R. H., Agam, G. 2008. *Mechanisms of Disease Major Depressive Disorder* (Review Article). *N Engl J Med*; 358: 55-68.
- Boron, Walter F., Boulpaep, Emile L. 2005. *Meidcal Physiology: A Cellular and Molecular Approach*. Saunders. p. 533.
- Chapa, D.W., Akintade, B., Son, H., Woltz, P., Hunt, D., Friedmann, E., Hartung, M.K. and Thomas, S.A., 2014. Pathophysiological relationships between heart failure and depression and anxiety. *Critical care nurse*, 34(2), pp.14-25.
- Chiala, O., Vellone, E., Klompstra, L., Ortali, G. A., Stroemberg, A., & Jaarsma, T. 2018. Relationships between exercise capacity and anxiety, depression, and cognition in patients with heart failure. *Heart & Lung*, 47(5), 465-470.
- Conley, S., Feder, S., & Redeker, N. S. 2015. The relationship between pain, fatigue, depression and functional performance in stable heart failure. *Heart & Lung*, 44(2), 107-112.
- Cowie, M. R dan Dar O. 2008. *The Epidemiology and Diagnosis of Heart Failure Vol 1*. McGraw Hill. pp: 713-723.
- Crapo, R.O., Richard C., Allan L., Coates, Paul L., Enright, *et al.*, 2002. ATS Statement: Guidelines for the Six Minute Walk Test. *Am J Respir Crit Care Med* vol 166.pp 111-117.
- Dominika Z., Jerzy B., Andrzej R., Mohamed A. E. 2013. Prognostic Value of the Six-Minute Walk Test in Heart Failure Patients Undergoing Cardiac Surgery:

- A Literature Review. Hindawi Publishing Corporation. Rehabilitation Research and Practice Vol 2013.
- Dunderdale K, Thompson DR, Miles JN, Beer SF, Furze G. 2005. Quality-of-life Measurement in Chronic Heart Failure: do we take account of the patient perspective? *Eur J Heart Fail*; 7: 573.
- Enright P. L. 2003. *The Six Minute Walk Test*. *Respiratory Care* Vol 48. No 8; 783-5.
- Eric D., Malhotra S., Kathleen N. F., Tesar G., Bronson D. 2003. Heart Disease and Depression: Don't Ignore the Relationship. *Cleveland Clinic Journal of Medicine* Volume 70(9); 745-761.
- Fatimah, N. 2014, Perbedaan Antara Obesitas Dan Non Obesitas Terhadap Kejadian Depresi Pada Ibu RumahTangga Di Daerah Kelurahan Cililitan JawaTimur, accessed 02 November 2017.
- Fauci, A. S., Kasper, L. D., Longo, D. L., Braunwald, E., Hauser, L. S., Jameson, J.L., Joseph, L. 2012. *Harrison's Principle of Internal Medicine 18th edition*, McGraw-Hill Companies. Harrison's online. Chapter 234 dan 391.
- Forman, D. E., Fleg, J. L., Kitzman, D. W., Brawner, C. A., Swank, A. M., McKelvie, R.S., Bittner, V. 2012. 6-Min Walk Test Provides Prognostic Utility Comparable to Cardiopulmonary Exercise Testing in Ambulatory Outpatients With Systolic Heart Failure. *Journal of the American College of Cardiology*, 60(25), 2653–2661
- Giannitsi, S., Bougiakli, M., Bechlioulis, A., Kotsia, A., Michalis, L.K., Naka, K.K. 2019. 6-minute walking test: a useful tool in the management of heart failure patients. *Ther Adv Cardiovasc Dis*. 13:1-10
- Ginting, H., Naring, G., Veld, W.M.V.D., Srisayekti, W., Becker, E.S. (2013) 'Validating the Beck Depression Inventory-II in Indonesia's general population and coronary heart disease patients', *International Journal of Clinical and Health Psychology*, 13, pp. 235-242.
- Jefferson J. A., Santos, Paulo R. S., Brofman. 2008. Six-minute walk test and quality-of-life in heart failure A correlative study with a Brazilian sample
- Jeong, E. M., Dudley, S. C. 2014. New Diagnostic and Therapeutic Possibilities for Diastolic Heart Failure. *Rhode Island Medical Journal*; 35 – 37.
- Jiang W, Alexander J, Christopher E, Kuchibathla M, Gaulden LH, Cuffe MS. Relationship of depression to increased risk of mortality and rehospitalization in patients with congestive heart failure. *Arch Intern Med*. 2001;161(15):1849-56.
- KEMENKES RI. 2015. Pedomana Nasional Pelayanan Kedokteran Jiwa. Jakarta: 2015. p. 36.

- Kaawoan AY. Hubungan *Self Care* dan Depresi dengan Kualitas Hidup Pasien *Heart Failure* di RSUP Kandou Manado [Tesis]. Depok: Universitas Indonesia; 2012.
- Kemp, C.D. and Conte, J.V., 2012. The pathophysiology of heart failure. *Cardiovascular Pathology*, 21(5), pp.365-371.
- Kroenke K., Spitzer R. L., Williams J. B. 2001. The PHQ-9: Validity of A Brief Depression Severity Measure. *J Gen Intern Med*. 16(9): 606-616.
- Kroenke, K., & Spitzer, R. L. 2010. Instruction Manual: Instructions for Patient Health Questionnaire (PHQ) and GAD-7 measures.
- Kunal N. B., Andreas P. K., Sandra B. D., Javed B., Vasiliki V. G. 2016. Depression in Heart Failure: Can PHQ-9 Help?. *International Journal of Cardiology*. 221 (2016): 246-250.
- Kung, S., Alarcon, R. D., Williams, M. D., Poppe, K. A., Moore, M. J., & Frye, M. A. (2013). Comparing the Beck Depression Inventory-II (BDI-II) and Patient Health Questionnaire (PHQ-9) depression measures in an integrated mood disorders practice. *Journal of affective disorders*, 145(3), 341-343.
- Lilly, L. S. 2016. *Pathophysiology of Heart Disease : A Collaborative Project of Medical Students and Faculty Sixth Edition*. Philadelphia: Wolters Kluwer.
- Loscalzo, J. 2010. *Harrison's Cardiovascular Medicine*. New York: McGraw Hill.
- Marco G, Kenneth D, Marco V, Ross A. 2009. Six-Minute Walk Test and Cardiopulmonary Exercise Testing in Patients With Chronic Heart Failure A Comparative Analysis on Clinical and Prognostic Insights. *Circ Heart Fail*. 2009; 2: 549-555.
- Matheson L. 2003. The Functional Capacity Evaluation dalam G. Andersson & S. Demeter & G. Smith (Eds.). *Disability Evaluation*, 2nd Edition, Chicago, IL: Mosby Yearbook.
- Mbakwem A., Francis A., Casmir A. 2016. *Depression in Patients with Heart Failure: Is Enough Being Done?*. *Cardiac Failure Review* 2016;2(2):110–2.
- Minnesota Living with Heart Failure Questionnaire Score and 6 Minute Walk Test - Two Sides of the Same Coin? Vishal Mundra¹, Ashley Trombley², Richard Kacere²; ¹ St. John Medical Center, Tulsa, OK; ² St. John Medical Center, Tulsa, OK. 2013.
- Mozaffarian D, Benjamin EJ, Go AS, Amett DK, Blaha MJ, Cushman M, et al. Heart disease and stroke statistics-2015 update: a report from the American Heart Association. *Circulation*. 2015;131:33.
- Muna H Hammash, Lynne A Hall, Terry A Lennie, Seongkum Heo, Misook L Chung, Kyoung Suk Lee dan Debra K Moser. 2012. Psychometrics of the PHQ-9 as a Measure of Depressive Symptoms in Patients With Heart Failure. *European Journal of Cardiovascular Nursing* 12(5); 446-453.

- Nair, N., Farmer, C., Gongora, E. and Dehmer, G.J., 2012. Commonality between depression and heart failure. *The American journal of cardiology*, 109(5), pp.768-772.
- Nevid, J.S., Rathus, S.A., et al. 2005. Psikologi Abnormal, Fifth Edition. Penerjemah (Tim Fakultas Psikologi UI: Murad, J. dkk). Jakarta: Penerbit Erlangga.
- Omar H. R., Guglin M. 2017. Depression significantly reduces the 6-minute walking distance in systolic heart failure: Insights from the ESCAPE trial (Correspondence). *European Journal of Internal Medicine*.
- Panthee, B & Kripracha, C. 2011. Review : Anxiety and Quality of life Patients with Myocardial Infarction. *Nurse Media Journal of nursing*. 105-115.
- PERKI, 2015, Pedoman Tatalaksana Hipertensi pada Penyakit Kardiovaskular, edisi pert., Perhimpunan Dokter Spesialis Kardiovaskular Indonesia, Jakarta.
- Pepera, G., Ingle, L., Sandercock, G. 2015. Predictors of the 6-minute walk test in patients with chronic heart failure. *British Journal of Cardiac Nursing*. 10: 454-459
- Rabinovich R. A., Vilaro J., Roca J. 2004. Evaluation Exercise Tolerance in COPD Patients: the 6-Minute Walking Test. *Arch Bronconeumol*; 40(2): 80-5.
- Ramani, G. V., Uber, P. A., Mehra, M. R. 2010. iChronic Heart Failure: Contemporary Diagnosis and Management. *Mayo Clin Proc*; 85(2): 180-195.
- Ranchord, A. M., Spertus, J. A., Buchanan, D. M., Gosch, K. L., & Chan, P. S. 2016. Initiation of β -blocker therapy and depression after acute myocardial infarction. *American heart journal*, 174, 37-42.
- Rantanen T., Guralink J. M., Foley D., Masaki K., Leveille S., Curb J. D., et al. 1999. Midlife Hand Grip Strength as a Predictor of Old Age Disability. *JAMA*; 281: 558-560.
- Redeker N. S. 2006. Somatic Symptoms Explain Differences in Psychological Distress in Heart Failure Patients vs a Comparison Group. *Prog Cardiovasc Nurs*. 21(4): 182-9.
- Redwine LS, Mills PJ, Hong S, et al. Cardiac-related hospitalization and/or death associated with immune dysregulation and symptoms of depression in heart failure patients. *Psychosom Med*. 2007;69(1):23-29.
- Ried, L. D., McFarland, B. H., Johnson, R. E., & Brody, K. K. (1998). β -Blockers and depression: The more the murkier?. *Annals of Pharmacotherapy*, 32(6), 699-708.
- Rutledge T., Reis V. A., Linke S. E., Greenberg B. H., Mills P. J. 2006. Depression in Heart Failure. A Meta-Analytic Review of Prevalence, Intervention Effects, and Associations with Clinical Outcomes. *J Am Coll of Cardiology* 48(8): 1527-37

- Sakir A, Mustafa KE, Fuat G, Serdar S, Enbiya A, Huseyin S, et al. Prognostic Value of 6-Minute Walk Test in Stable Outpatients with Heart Failure. *Tex Heart Inst J*. 2007;34(2):166-9.
- Salzman S. H. 2007. The 6-Minute Walk Test, Clinical and Research Role, Technique, Coding and Reimbursement. *CHEST*; 135; 1345-52.
- Shatri, H. 2009. Gangguan Jantung Fungsional. Dalam: Sudoyo, A. W., Setiyohadi, B., Alwi, I., Simadibarata, K. M., Setiati, S. *Buku Ajar Ilmu Penyakit Dalam 5th ed*. Internal Publishing Departemen Ilmu Penyakit Dalam. Jakarta.
- Silbernagl, S., Lang, F. 2000. *Color Atlas of Pathophysiology*. Thieme. Stuttgart. New York.
- Siswanto BB, Hersunarti N, Erwinanto, Barack R, Pratikto RS, Nauli SE, et al. Pedoman tatalaksana gagal jantung (1st ed). Jakarta: PERKI, 2015.
- Syifa Rahmani, Erwinanto, Rudolf Andean. 2015. Correlation between Six-Minutes Walk Test and Quality of Life in Heart Failure Patients. Faculty of Medicine Universitas Padjadjaran, Department of Cardiology.
- Thomas, S. A., Chapa, D. W., Friedman, E. Durden, C., Ross, A., Lee, M. C. Y, Lee, H. J. 2008. Mechanisms and Treatment Depression in Patients with Heart Failure: Prevalence, Pathophysiological. *Crit Care Nurse* 28: 40-55.
- Mundra, V., Trombley, A., & Kacere, R. 2013. Minnesota Living with Heart Failure Questionnaire Score and 6 Minute Walk Test-Two Sides of the Same Coin?. *Journal of Cardiac Failure*, 19(8), S38.
- Wulsin L. Somoza, Heck E. J. 2002. The Feasibility of Using the Spanish PHQ-9 to Screen for Depression in Primary Care in Honduras. *Prim Care Companion J Clin Psychiatry*. 4: 191-195.