

DAFTAR PUSTAKA

- Ackerley, S.J., Stinear, C.M., Barber, P.A., Byblow, W.D., 2010. Combining thea burst stimulation with training after subcortical stroke. *Journal of Stroke*. 41: 1568-1572.
- Adeyemo B.O., Simis M., Macea D.D., & Fregni F., 2012. Systematic review of parameters of stimulation, clinical trial design characteristics, and motor outcomes in non-invasive brain stimulation in stroke. *Front. Psychiatry*. 3: 88. doi: 10.3389/fpsyt.2012.00088
- Adhikari, S.P., Tretriluxana, J., Chaipayat, P., & Jalayondeja, C., 2018. Enhanced Upper Extremity Functions with a Single Session of Action-Observation-Execution and Accelerated Skill Acquisition Program in Subacute Stroke. *Stroke Research and Treatment*. 14. doi: 10.1155/2018/1490692
- Alashram1, A.R., Annino, G., & Mercuri, N.G., 2019. Task-oriented Motor Learning in Upper Extremity Rehabilitation Post Stroke. *Journal of Stroke Medicine*. 1–10. doi: 10.1177/2516608519864760
- Aşkın, A., Tosun, A., Demirdal, Ü.S. 2017., Effects of low-frequency repetitive transcranial magnetic stimulation on upper extremity motor recovery and functional outcomes in chronic stroke patients: A randomized controlled trial. *Somatosens Mot Res*, 34(2):102-107. doi: 10.1080/08990220.2017.1316254.
- Auriat, A.M., Neva, J.L., Peters, S., Ferris, J.K., & Boyd, A.L., 2015. A review of transcranial magnetic stimulation and multimodal neuroimaging to characterize post-stroke neuroplasticity. *Frontiers*. 6: 226. doi: 10.3389/fneur.2015.00226
- Bal, A.L., Szypulka, H.J., Różycka, J., Bal, W., Holecki, M., Duława, J., & Kowalik, J.L., 2015. Low Concentration of BDNF in the Acute Phase of Ischemic Stroke as a Factor in Poor Prognosis in Terms of Functional Status of Patients. *Journal of medical science*. 21: 3900-3905. doi: 10.12659/MSM.895358
- Bariohay, B., Lebrun, B., Moyse, E., & Jean, A., 2005. Brain-Derived Neurotrophic Factor Plays a Role as an Anorexigenic Factor in the Dorsal Vagal Complex. *Journal of Endocrinology*. 146(12): 5612–5620. doi: 10.1210/en.2005-0419
- Barros, G.S.C., Borba, C.D.R., Borba, D.S.P., Cabral, M.E., Monte, S.K., 2014. Efficacy of coupling repetitive transcranial magnetic stimulation and physical therapy to reduce upper-limb spasticity in patients with stroke: A randomized controlled trial. *Arch Phys Med Rehabil*, 95(2), 222–9. doi: 10.1016/j.apmr.2013.10.023
- Bathina, S., Das, U.N., 2015. Brain-derived neurotrophic factor and its clinical implications. *Arch Med Sci*. 11(6): 1164-78. doi: 10.5114/aoms.2015.56342
- Be´jot, Y., Tessier, A.P., Cachia, C., Giroud, M., Mossiat, C., Bertrand, N., et al., 2011. Time-dependent contribution of non neuronal cells to BDNF production after ischemic stroke in rats. *Journal of Elsevier*. 58: 102–111. doi: 10.1016/j.neuint.2010.10.019

- Beukelaar, T.T.D., Alaerts, K., Swinnen, S.P., & Wenderoth, N., 2016. Motor facilitation during action observation: The role of M1 and pmv in grasp predictions. *Elsevier*. 75: 180-192. doi: 10.1016/j.cortex.2015.11.009
- Bianchetta, M.J., Lam, T.T., Jones, S.N., Morabito, M.A., 2011. Cyclin-dependent kinase 5 regulates PSD-95 ubiquitination in neurons. *J Neurosci*, 31(33):12029-35. doi: 10.1523/JNEUROSCI.2388-11.2011.
- Blesneag, A.V., Popa, L., & Stan, A.D., 2015. Non-invasive brain stimulation in early rehabilitation after stroke. *Journal of medicine and life*. 8: 52–56.
- Boehme, A.K., Esenwa, C., & Elkind, M.S.V., 2017. Stroke Risk Factors, Genetics, and Prevention. *Circ rest*. 120(3): 472–495. doi: 10.1161/CIRCRESAHA.116.308398
- Brown, D.E.V., Dudgeon, B.J., Gutman, K., Moritz, C.T., & McCoy, S.W., 2015. Understanding upper extremity home programs and the use of gaming technology for persons after stroke. *Disability and health journal*. 8(4): 507–513. doi: 10.1016/j.dhjo.2015.03.007
- Calford, M.B., 2002. Dynamic representational plasticity in sensory cortex. *Neuroscience*, 111(4), 709-738. doi:10.1016/S0306-4522(02)00022-2
- Camona, C., Wilkins, K. B., Drogos, J., Sullivan, J. E., Dewald, J., & Yao, J., 2018. Improving Hand Function of Severely Impaired Chronic Hemiparetic Stroke Individuals Using Task-Specific Training With the ReIn-Hand System: A Case Series. *Frontiers in neurology*, 9, 923. doi: 10.3389/fneur.2018.00923
- Centers for Disease Control and Prevention., 2016. *Stroke fact sheet*. (http://www.cdc.gov/dhdsr/data_statistics/fact_sheets/docs/fs_stroke)
- Chang, M.C., Kim, D.Y. & Park, D.H., 2015. Enhancement of Cortical Excitability and Lower Limb Motor Function in Patients With Stroke by Transcranial Direct Current Stimulation. *Journal of Elsevier*. 8 : 561-566. doi: 10.1016/j.brs.2015.01.411 1935-861X/ 2015
- Chen, A., Xiong, L., Tong, Y. & Mao, M., 2013. The neuroprotective roles of BDNF in hypoxic ischemic brain injury (Review). *Biomed Rep*, 1, 167-176. doi: 10.3892/br.2012.48.
- Chen, R & Petrescu, N., 2012. Diagnostic and Therapeutic Role of Magnetic Stimulation in Neurology. *Aminoff's Electrodiagnosis in Clinical Neurology*. 615-631. doi: 10.1016/B978-1-4557-0308-1.00028-5
- Chen, X., Liu, F., Yan, Z., Cheng, S., Liu, X., & Li, H., et al., 2018. Therapeutic effects of sensory input training on motor function rehabilitation after stroke. *Journal of Medicine*. 97(48): 3387. doi: 10.1097/MD.00000000000013387
- Chen, H.F., Wu, C.Y., Lin, K.C., Chen, H.C., Chen, C.P., Chen, C.K., 2012. Rasch validation of the streamlined Wolf Motor Function Test in people with chronic stroke and subacute stroke. *Journal of Phys Ther*. 92(8): 1017-1026. doi:10.2522/ptj.20110175
- Chervyakov, A.V., Chernyavsky, A.Y., Sinitsyn, D.O., & Piradov, M.A., 2015. Possible Mechanisms Underlying the Therapeutic Effects of Transcranial Magnetic Stimulation. *Journal of Frontiers*. 9: 303. doi: 10.3389/fnhum.2015.00303

- Cooke, S.F., & Bliss, T.V.P., 2006. Plasticity in the human central nervous system. *Journal of Oxford*. 129: 1659–1673. doi: 10.1093/brain/awl082
- Da Silva, P.B., Antunes, F.N., Graef, P., Cechetti, F., & Pagnussat, A.D., 2015. Strength Training Associated with Task-Oriented Training to Enhance Upper-Limb Motor Function in Elderly Patients with Mild Impairment After Stroke. *Journal of Physio Medicine. Rehabilitation*. 94(1). 11-19. doi: 10.1097/PHM.0000000000000135
- Di Pino, G., Pellegrino, G., Assenza, G., Capone, F., Ferreri, F., Formica, D., et al., 2014. Modulation of brain plasticity in stroke: a novel model for neurorehabilitation. *Nat Rev Neuronal*. 10: 597-608. doi: 10.1038/nrneurol.2014.162
- Dionísio, A., Duarte, I.C., Patrício, M., & Branco, M.C., 2018. The Use of Repetitive Transcranial Magnetic Stimulation for Stroke Rehabilitation: A Systematic Review. *Journal of Stroke and Cerebrovascular Diseases*. 31. doi: 10.1016/j.jstrokecerebrovasdis.2017.09.008
- Dourman, 2013. *Waspada Stroke Usia Muda*. Jakarta : Cerdas Sehat
- Dua, J., Yanga, F., Hub. J., Hua, J., Xub, O., Conga, N, et al., 2019. Effects of high- and low-frequency repetitive transcranial magnetic stimulation on motor recovery in early stroke patients: Evidence from a randomized controlled trial with clinical, neurophysiological and functional imaging assessments. *Elsevier*. 21 : 101620. doi: 10.1016/j.nicl.2018.101620
- Du, Y., Wang, W., Lutton, A.D., Kiyoshi, C.M., Ma, B., Taylor, A.T et al., 2018. Dissipation of transmembrane potassium gradient is the main cause of cerebral ischemia-induced depolarization in astrocytes and neurons. *Exp. Neurol*. 303: 1-11. doi: 10.1016/j.expneurol.2018.01.019
- Edemekong, P.F., Bomgaars, D.L., Sukumaran, S., Levy, S.B., 2020. *Activities of Daily Living (ADLs) In: StatPearls*. Treasure Island (FL): StatPearls.
- Eldaief, M.C., Press, D.Z., & Leone, A.P., 2013. Transcranial magnetic stimulation in neurology: A review of established and prospective applications. *J. American Academy of Neurology*. 3: 519-526. doi: 10.1212/01.CPJ.0000436213.11132.8e
- Englisha, A.W., Liua, K., Nicolinia, J.M., Mulligana, A.M., & Yeb. K., 2013. Small-molecule trkb agonists promote axon regeneration in cut peripheral nerves. 110(40): 16217–16222. *PNAS*. doi:10.1073/pnas.1303646110/-/dcsupplemental
- Emily E. Noble, Charles J. Billington, Catherine M. Kotz, and chuanfeng Wang., 2011. The lighter side of BDNF. *Journal of Physiol Regul Integr Comp Physiol* 300: 1053–1069. doi:10.1152/ajpregu.00776.2010
- Etievant, A., Manta, S., Latapy, C., Magno, L. A., Fecteau, S., & Beaulieu, J. M., 2015. Repetitive transcranial magnetic stimulation induces long-lasting changes in protein expression and histone acetylation. *Scientific reports*, 5, 16873. doi:10.1038/srep16873
- Feng, J.Y., Shan, L., Wang, B., Jia, F.Y., 2016. Effects of ultra-low frequency transcranial magnetic stimulation on motor function and intelligence of children with spastic cerebral palsy: study protocol for a randomized

- parallel-cohort controlled trial. *Asia Pac J Clin Trials Nerv Syst Dis*, 1:25–30.
- Fellin, T., Pascual, O., Gobbo, S., Pozzan, T., Haydon, P.G., & Carmignoto, G., 2004. Neural synchrony mediated by astrocytic glutamate through activation of extrasynaptic NMDA receptor. *Neuron* 43: 729-743. doi: 10.1016/j.neuron.2004.08.011
- Fisher, A., Martin, J., Srikusalaikul, W. & Davis, M., 2013. Trends in stroke survival incidence rates in older Australians in the new millennium and forecasts into the future. *Journal of Stroke Cerebrovas Dis*. 5: 1-12. doi: 10.1016/j.jstrokecerebrovasdis.2013.06.035.
- Fisicaro, F., Lanza, G., Grasso, A.A., Pennisi, G., Bella, R., Paulus., et al., 2019. Repetitive transcranial magnetic stimulation in stroke rehabilitation: review of the current evidence and pitfalls. *Journal of Sage*. 12: 1–22. doi: 10.1177/1756286419878317
- Franceschini, M., Goffredo, M., Pournajaf, S., Paravati, S., Agosti, M., De Pisi, F et al., 2018. Predictors of activities of daily living outcomes after upper limb robot-assisted therapy in subacute stroke patients. *Journal of PloS one*. 13(2). doi: 10.1371/journal.pone.0193235
- Franck, J. A., Smeets, R., & Seelen, H., 2017. Changes in arm-hand function and arm-hand skill performance in patients after stroke during and after rehabilitation. *Journal of PloS one*, 12(6): e0179453. doi: 10.1371/journal.pone.0179453
- Global Burden of Disease. 2018. *Angka Penderita Penyakit Tidak Menular di Indonesia Bertambah Angka Penderita Penyakit Tidak Menular di Indonesia Bertambah*. United States: University of Washington. (<https://kumparan.com/kumparansains/angka-penyakit-tidak-menular-di-indonesia-bertambah-2743110790535672> diakses tanggal 3 Oktober 2018)
- Goto, S., Kawakami, K., Naito, H., Katamoto, S., Radak, Z., 2015. Epigenetic Modulation of Gene Expression by Exercise. *Reaserach Gate*. 85-100. doi: 10.1007/978-3-319-14830-4_5
- Gröhn, H., Gillick, B. T., Tkáč, I., Bednařík, P., Mascali, D., Deelchand, D. K., Michaeli, S., Meekins, G. D., Leffler-McCabe, M. J., MacKinnon, C. D., Eberly, L. E., & Mangia, S., 2019. Influence of Repetitive Transcranial Magnetic Stimulation on Human Neurochemistry and Functional Connectivity: A Pilot MRI/MRS Study at 7 T. *Frontiers in neuroscience*. 13: 1260. doi: 10.3389/fnins.2019.01260
- Hatem, S.M., Saussez, G., Faille, M.S., Prist, V., Zhang, X., Dispa, D & Bleyenheuft, Y., 2016. Rehabilitation of Motor Function after Stroke: A Multiple Systematic Review Focused on Techniques to Stimulate Upper Extremity Recovery. *Journal of Frontier*. 10: 442. doi: 10.3389/fnhum.2016.00442
- Hedna, V.S., Bodhit, A.N., Ansari, S., Falchook, A.D., Stead, L., Heilman, K.M., et al., 2013. Hemispheric Differences in Ischemic Stroke: Is Left-Hemisphere Stroke More Common?. *Journal of Clin Neurol*. 9: 97-102. doi: 10.3988/jcn.2013.9.2.97

- Hirakawa, Y., Takeda, K., Tanabe, S., Koyama, S., Motoya, I., Sakurai, H., et al., 2018. Effect of intensive motor training with repetitive transcranial magnetic stimulation on upper limb motor function in chronic post-stroke patients with severe upper limb motor impairment. *Top Stroke Rehabil*, 25(5), 321-325. doi:10.1080/10749357.2018.1466971
- Hodics, T.M., Nakatsuka, K., Upreti, B., Alex, A., Smith, P.S., Pezzullo, J.C., 2012. Wolf Motor Function Test for characterizing moderate to severe hemiparesis in stroke patients. *Arch Phys Med Rehabil*. 93(11): 1963-1967. doi: 10.1016/j.apmr.2012.05.002
- Hosp, J.A. & Luft, A.R., 2011. Cortical plasticity during motor learning and recovery after ischemic stroke. *Neural Plast. Hindawi Publishing Corporation*. doi: 10.1155/2011/871296
- Hovland, A., Mundal, L.J., Igland, J., Veierød, M.B., Holven, K.B., Bogsrud, M.P., et al., 2018. Risk of Ischemic Stroke and Total Cerebrovascular Disease in Familial Hypercholesterolemia. *Journal of AHA*. 50. doi: 10.1161/STROKEAHA.118.023456
- Hui, C., Tadi, P., Patti, L., 2020. *Ischemic Stroke*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls
- Janicak, P.G., & Dokucu. M.E., 2015. Transcranial magnetic stimulation for the treatment of major depression. *Journal of Neuropsychiatric Disease and Treatment*. 11: 1549–1560. doi: 10.2147/NDT.S67477
- Kamel, H., & Healey, J.S., 2017. Cardioembolic Stroke. *Circ Res*. 120 (3): 514–526. doi: 10.1161/CIRCRESAHA.116.308407
- Kelly, K. M., Borstad, A. L., Kline, D., & Gauthier, L. V., 2018. Improved quality of life following constraint-induced movement therapy is associated with gains in arm use, but not motor improvement. *Topics in stroke rehabilitation*, 25(7), 467–474. doi: 10.1080/10749357.2018.1481605
- Khaku, A.S., Tadi, P., 2019. *Cerebrovascular Disease (Stroke)*. Statpearls. (<https://www.ncbi.nlm.nih.gov/books/NBK430927/>)
- Kim, D., 2016. The effects of hand strength on upper extremity function and activities of daily living in stroke patients, with a focus on right hemiplegia. *Journal of physical therapy science*. 28(9): 2565–2567. doi: 10.1589/jpts.28.2565
- Krakauer, J.W., Carmichael, S.T., Corbett, D., Wittenberg, G.F., 2012. Getting Neurorehabilitation Right: What Can Be Learned From Animal Models?. *Neurorehabilitation and Neural Repair*, 26(8), 923-931. doi: 10.1177/1545968312440745
- Koh, C.L., Pan, S.L., Jeng, J.S., Chen, B.B., Wang, Y.H., Hsueh, I.P., Hsieh, C.L., 2015. Predicting recovery of voluntary upper extremity movement in subacute stroke patients with severe upper extremity paresis. *PLoS One*, 10(5). doi: 10.1371/journal.pone.0126857
- Kondo, T., Yamada, N., Momosaki, R., Shimizu, M., & Abo, M., 2017. Comparison of the Effect of Low-Frequency Repetitive Transcranial Magnetic Stimulation with That of Theta Burst Stimulation on Upper Limb Motor Function in Poststroke Patients. *BioMed research international*, 2017, 4269435. doi:10.1155/2017/4269435

- Kotłęga, D., Peda, B., Łacny, A.Z., Janowska, M.G., & Nowacki, P., 2017. The role of brain-derived neurotrophic factor and its single nucleotide polymorphisms in stroke patients. *Journal of Elsevier*. 1: 240-246. doi: 10.1016/j.pjnns.2017.02.008
- Kowianski, P., Lietzau, G., Czuba, E., Was'kow, M., Steliga, A., & Morys, J., 2017. BDNF: A Key Factor with Multipotent Impact on Brain Signaling and Synaptic Plasticity. *Journal of Springer*. 15. doi:10.1007/s10571-017-0510-4
- Kawakami, M., Okuyama, K., Takahashi, Y., Hiramoto, M., Nishimura, A., Ushiba, J., et al., 2018. Change in reciprocal inhibition of the forearm with motor imagery among patients with chronic stroke. *Neural Plast.* doi: 10.1155/2018/3946367
- Lang, C.E., Bland, M.D., Bailey, R.R., Schaefer, S.Y., & Birkenmeier, R.L., 2013. Assessment of upper extremity impairment, function, and activity after stroke: foundations for clinical decision making. *Journal of hand therapy : official journal of the American Society of Hand Therapists*. 26(2), 104–115. doi: 10.1016/j.jht.2012.06.005
- Lazzaro, V.D., Pellegrino, G., Pino, G.D., Corbetta, M & Ranieri, F., 2015. Val66Met BDNF Gene Polymorphism Influences Human Motor Cortex Plasticity in Acute Stroke. *Journal of Brain Stimul.* 92-96. doi: 10.1016/j.brs.2014.08.006
- Leal, G., Afonso, P.M., Salazar, I.L., & Duarte, C.B., 2015. Regulation of hippocampal synaptic plasticity by BDNF. *Journal of Elsevier*. 1621: 82-101. doi: 10.1016/j.brainres.2014.10.019
- Lee, S., Bae, S., Jeon, D., & Kim, K.Y., 2015. The effects of cognitive exercise therapy on chronic stroke patients' upper limb functions, activities of daily living and quality of life. *Journal of physical therapy science*. 27(9): 2787–2791. doi: 10.1589/jpts.27.2787
- Lefaucheur, J.P., André, O.N., Antal, A., Ayache, S.S., Baeken, C., Benninger, D.H. et al., 2014. Evidence-based guidelines on the therapeutic use of repetitive transcranial magnetic stimulation (rTMS). *Clin Neurophysiol*, 125(11):2150-2206. doi: 10.1016/j.clinph.2014.05.021
- Lenz, M., Platschek, S., Priesemann, V., Becker, D., Willems, L.M., Ziemann, U., et al., 2015. Repetitive magnetic stimulation induces plasticity of excitatory postsynapses on proximal dendrites of cultured mouse CA1 pyramidal neurons. *Journal of Brain struct Funct*. 220: 3323-3337
- Li, J., Zhang, X.W., Zuo, Z.T., Lu, J., Meng, C.L., Fang, H.Y., et al., 2016. Cerebral Functional Reorganization in Ischemic Stroke after Repetitive Transcranial Magnetic Stimulation: An fmri Study. *Journal of CNS Neuroscience & Therapeutics*. 22: 952–960. doi: 10.1111/cns.12593
- Longa, H., Wang, H., Zhao, C., Duan, Q., Feng, F., Hui, N., et al., 2018. Effects of combining high- and low-frequency repetitive transcranial magnetic stimulation on upper limb hemiparesis in the early phase of stroke. *Journal of Restorative Neurology and Neuroscience*. 36: 21–30. doi: 10.3233/RNN-170733

- Longhi, M., Merlo, A., Prati, P., Giacobbi, M & Mazzoli, D., 2016. Instrumental indices for upper limb function assessment in stroke patients: a validation study. *Journal of neuroengineering and rehabilitation*. 13(1): 52. doi: 10.1186/s12984-016-0163-4
- Luft, A.R., Macko, C.H. & Schallert, T., 2009. *Physiological Basic of Rehabilitation Therapeutics in Stroke dalam Stroke Recovery & Rehabilitation*. Demos Medical. New York.
- Mcmanus, M., & Liebeskind, D.S., 2016. Blood Pressure in Acute Ischemic Stroke. *Journal of Clin Neurol*. 12(2): 137-146. doi: 10.3988/jcn.2016.12.2.137
- Merchant, J., Kitsos, G., Ashby, S., Kitsos, A., & Hubbard, I.J., 2016. Occupational Therapy and Physiotherapy in Acute Stroke: Do Rural Patients Receive Less Therapy?. *Journal of Stroke Research and Treatment*. 5. doi: 10.1155/2016/1582706
- Mikolajewska E., 2017. Bobath traditional approaches in post-stroke gait rehabilitation in adults. *Journal of Biomedical humankinetics*. 9(1): 27–33. DOI: 10.1515/bhk-2017-0005
- Mlinac, M.E., Feng, M.C., 2016. Assessment of Activities of Daily Living, Self-Care, and Independence . *Journal of Archives of Clinical Neuropsychology*, 31 (6): 506–516. doi: 10.1093/arclin/acw049
- Moon, J.H., Park, K.Y., Kim, H.J., & Na, C.H., 2018. The Effects of Task-Oriented Circuit Training Using Rehabilitation Tools on the Upper-Extremity Functions and Daily Activities of Patients with Acute Stroke: A Randomized Controlled Pilot Trial. *Journal of Osong public health and research perspectives*, 9(5): 225–230. doi: 10.24171/j.phrp.2018.9.5.03
- Morris, J.H., Van, W.F., Joice, S & Donaghy, M., 2013. Predicting health related quality of life 6 months after stroke: the role of anxiety and upper limb dysfunction. *Journal of Disabil Rehabil*. 35 (4): 291-299. doi: 10.3109/09638288.2012.691942
- Niimi, M., Hashimoto, K., Kakuda, W., Miyano, S., Momosaki, R., Ishima, T., et al., 2016. Role of Brain-Derived Neurotrophic Factor in Beneficial Effects of Repetitive Transcranial Magnetic Stimulation for Upper Limb Hemiparesis after Stroke. *Journal of pone*. 11(3): e0152241. doi: 10.1371/journal.pone.0152241
- Noble, E.E., Billington, C.J., Kotz, C.M., & Wang, C., 2018. The lighter side of BDNF. *Journal of Physiol Regul Integr Comp Physiol*. 300: 1053–1069. doi: 10.1152/ajpregu.00776.2010
- Nomikos, P. A., Spence, N., & Alshehri, M. A., 2018. Test-retest reliability of physiotherapists using the action research arm test in chronic stroke. *Journal of physical therapy science*. 30(10): 1271–1277. doi: 10.1589/jpts.30.1271
- Ohura, T., Hase, K., Nakajima, Y., & Nakayama, T., 2017. Validity and reliability of a performance evaluation tool based on the modified Barthel Index for stroke patients. *Journal of BMC Medical Research Methodology*. 17: 131. doi: 10.1186/s12874-017-0409-2

- Ong, C.T., Wong, Y.S., Sung, S.F., Wu, C.S., Hsu, Y.C., Su, Y.H., et al., 2017. Sex-related differences in the risk factors for in-hospital mortality and outcomes of ischemic stroke patients in rural areas of Taiwan. *Journal of pone*. 12(9): e0185361. doi: 10.1371/journal
- O'Reilly, M.R., & Mccullough, L.D., 2018. Age and Sex Are Critical Factors in Ischemic Stroke Pathology. *Journal of Endocrinology*. 23. doi: 10.1210/en.2018-00465
- Otsuko, S., Sakakima, H., Sumizono, M., Takada, S., Terashi, T & Yoshida, Y., 2015. The neuroprotective effects of preconditioning exercise on brain damage and neurotrophic factors after focal brain ischemia in rats. *Journal of Behav Brain Res*. 303: 9- 18. doi: 10.1016/j.bbr.2016.01.049.
- Pan, W., Wang, P., Song, X., Sun, X., & Xie, Q., 2019. The Effects of Combined Low Frequency Repetitive Transcranial Magnetic Stimulation and Motor Imagery on Upper Extremity Motor Recovery Following Stroke. *Frontiers in neurology*, 10, 96. doi:10.3389/fneur.2019.00096
- Park, J., 2016. Effects of task-oriented training on upper extremity function and performance of daily activities in chronic stroke patients with impaired cognition. *Journal of physical therapy science*. 28(1): 316–318. doi:10.1589/jpts.28.316
- Park, J.K., Hong, Y.P. & Lee, S.J., 2017. Effects of exercise on mature or precursor brain-derived neurotrophic factor pathways in ovariectomized rats. *Mol Med Reports*, 5, 435-440. doi:10.3892/mmr.2017.6614
- Pashut, T., Magidov, D., Ben-Porat, H., Wolfus, S., Friedman, A., Perel, E., et al., 2014. Patch-clamp recordings of rat neurons from acute brain slices of the somatosensory cortex during magnetic stimulation. *Journal of Front Cell Neurosci*. 8: 145. doi: 10.3389/fncel.2014.00145
- Petzold, A., Psotta, L., Brigadski, T., Endres, T. & Lessmann, V., 2015. Chronic BDNF deficiency leads to an age-dependent impairment in spatial learning. *Neurobiol Lear Mem*, 120, 52–60
- Pike, S., Lannin, N.A., Wales, K & Cusicks, A., 2018. A systematic review of the psychometric properties of the Action Research Arm Test in neurorehabilitation. *Australian Occupational Therapy Journal*. 65: 449–471. doi: 10.1111/1440-1630.12527
- Platz, T., 2015. Therapeutic rtms in Neurology. *Journal of Springer*. 40-42. doi: 10.1007/978-3-319-25721-1
- Purves, D., Cabezas, R., Huettel, Kevin, S.A., Labarmichael, K.S., Plattmarty, M.L., & Woldorff. M.G., 2008. *Cognitive Neuroscience Second edition*. Sinauer Associates: Sunderland
- Raghavan, P., 2015. Upper Limb Motor Impairment After Stroke. *Journal of Phys Med Rehabil Clin*. 12. doi: 10.1016/j.pmr.2015.06.008
- Ragagnin, A.M.G., Shadfar, S.V.M., Jamali, M.S., Atkin, J.D., 2019. Motor Neuron Susceptibility in ALS/FTD. *Journal of Frontiers in Neuroscience*. 13: 532. doi: 10.3389/fnins.2019.00532
- Rahayu, U.B., Wibowo, S., & Setyopranoto. I., 2019. The Effectiveness of Early Mobilization Time on Balance and Functional Ability after Ischemic

- Stroke. *Open Access Macendonian Journal of Medical Sciences*. 7(7): 1088-1092. doi: 10.3889/oamjms.2019.269
- Rahayu, U.B., Wibowo, S., Setyopranoto, I., 2019. Neurorestoration: Programme management for post-ischemic stroke patients. *International Journal of Healthcare Management*. 1-8. doi: 10.1080/20479700.2019.1656870
- Rahayu, U. B., Samekto. W., Ismail, S., Romli, H., 2020. Effectiveness of Physiotherapy Interventions in Brain Plasticity, Balance and Functional Ability in Stroke Survivors: A Randomized Controlled Trial. *Neuro Rehabilitation*, 47(4), 463 – 470. doi: 10.3233/NRE-203210
- Ramkumar, P., Dekleva, B., Cooler, S., Miller, L & Kording, K., 2016. Premotor and Motor Cortices Encode Reward. *Journal of PLoS ONE*. 11(8). doi: 10.1371/journal.pone.0160851
- Riset Kesehatan Dasar (Riskesdas). 2018. *Badan Penelitian dan Pengembangan Kesehatan Kementrian RI tahun 2018* (<http://www.depkes.go.id/resource/download/general/hasil%20Riskesdas%20>)
- Ruddy, K., Jaspers, E., Keller, M., & Wenderoth, N., 2016. Interhemispheric sensorimotor integration; an upper limb phenomenon. *Journal of Elsevier*. 333: 104-113. doi: 10.1016/j.neuroscience.2016.07.014
- Rusu, C.V., Murakami, M., Ziemann, U., & Triesch, J., 2014. A model of TMS induced I-waves in motor cortex. *Journal of Brain Stimulation*. 7: 401-414. doi: 10.1016/j.brs.2014.02.009
- Ryu, C.W., Shin, H.S., Park, S., Suh, S.H., Koh, S.J., & Choi, H.Y., 2017. Alberta Stroke Program Early CT Score in the Prognostication after Endovascular Treatment for Ischemic Stroke: A Meta-analysis. *Journal of Neurointervention*. 12: 20-30. doi: 10.5469/neuroint.2017.12.1.20
- Santisteban, L., Térémetz, M., Bleton, J.P., Baron, J.C., Maier, M.A., & Lindberg, P.G., 2016. Upper Limb Outcome Measures Used in Stroke Rehabilitation Studies: A Systematic Literature Review. *Journal of PloS one*. 11(5). doi : 10.1371/journal.pone.0154792
- Sasaki, N., Mizutani, S., Kakuda, W., & Abo, M., 2013. Comparison of the effects of high and low frequency repetitive transcranial magnetic stimulation on upper limb hemiparesis in the early phase of stroke. *Journal of Stroke Cerebrovasc Dis*. 22: 413-418
- Schroder, J., Cheng, B., Malherbe, C., Ebinger, M., Kohrmann, M., Wu, O., et al., 2018. Impact of Lesion Load Thresholds on Alberta Stroke Program Early Computed Tomographic Score in Diffusion-Weighted Imaging. *Journal of Frontiers*. 9: 273. Doi: 10.3389/fneur.2018.00273
- Singer, B., Vega, J.G., 2016. The Fulg-Meyer Upper Extremity Scale. *Journal of Physiotherapy*. 63(1): 53. doi: 10.1016/j.jphys.2016.08.010
- Smith MC, Stinear CM., 2016. Transcranial magnetic stimulation (TMS) in stroke: Ready for clinical practice. *J Clin Neurosci*, 31, 10-4. doi: 10.1016/j.jocn.2016.01.034
- Sohrabji, F., Park, M.J., & Mahnke., A.H., 2017. Sex Differences in Stroke Therapies. *Journal of Neurosci Res*. 95(1-2): 681–691. doi: 10.1002/jnr.23855

- Song, G.B. 2015. The effects of task-oriented versus repetitive bilateral arm training on upper limb function and activities of daily living in stroke patients. *Journal of physical therapy science*. 27(5): 1353–1355. doi: 10.1589/jpts.27.1353
- State of the Nation *Stroke* statistics., 2017. (https://www.stroke.org.uk/sites/default/files/state_of_the_nation_2017_final_1)
- Stein, J., Harvey, R.L., Macko, R.F., Winstein, C.J., & Zorowitz, R.D., 2009. *Stroke Recovery and Rehabilitation*. Demos Medical: New York
- Stinear, C.M., 2017. Prediction of motor recovery after stroke: advances in biomarkers. *Journal of Lancet Neurol* . 16 (10) : 826–36. doi: 10.1016/S1474-4422(17)30283-1
- Sveen, U., Thommessen, B., Bautz, H.E., Wyller, T.B. & Laake, K., 2004. Well-being and instrumental activities of daily living after stroke. *Journal of Clin Rehabil*. 18 (3): 267– 274. doi: 10.1191/0269215504cr719oa
- Takebayashi, T., Koyama, T., Amano, S., Hanada, K., et al., 2013. A 6-month follow-up after constraint-induced movement therapy with and without transfer package for patients with hemiparesis after stroke: A pilot quasi-randomized controlled trial. *Clin Rehabil*, 27(5), 418–26. doi: 10.1177/0269215512460779
- Thompson, A.G.B., Lin, G., Shiner, C.T., & McNulty, P.A., 2015. Comparison of Three Tools to Measure Improvements in Upper-Limb Function With Poststroke Therapy. *Journal of SAGE*. 1-8. doi: 10.1177/1545968314547766
- Timmermans, A. A., Lemmens, R. J., Monfrance, M., Geers, R. P., Bakx, W., Smeets, R. J., & Seelen, H. A., 2014. Effects of task-oriented robot training on arm function, activity, and quality of life in chronic stroke patients: a randomized controlled trial. *Journal of neuroengineering and rehabilitation*. 11: 45. doi: 10.1186/1743-0003-11-45
- Tun, N.N., Arunagirinathan, G., Munshi, S.K., & Pappachan, J.M., 2017. Diabetes mellitus and stroke: A clinical update. *World journal Diabetes*. 8(6): 235-248. doi: 10.4239/wjd.v8.i6.235
- Tziomalos, K., Dimitriou, P., Bouziana, S.D., Spanou, M., Kostaki, S., Angelopoulou, S.M., et al., 2016. Stress hyperglycemia and acute ischemic stroke in-hospital outcome. *Journal of Elsevier*. 67: 99–105. doi: 10.1016/j.metabol.2016.11.011
- Volz, L.J., Grefkes, C., 2016. Basic principles of rTMS in motor recovery afterstroke. In: Platz T, editor. Therapeutic rTMS in neurology. Switzerland: *Springer International Publishing*, 23–37.
- Wajngarten, M., & Silva, G.S., 2019. Hypertension and Stroke: Update on Treatment. *Journal of European Cardiology Review*. 14(2): 111–5. doi: 10.15420/ecr.2019.11.1
- Wang, F., Chang, G.M., Yu, Q., Geng, X., 2015. The neuroprotection of repetitive transcranial magnetic stimulation pre-treatment in vascular dementia rats. *J. Mol. Neurosci*. 56, 198–204. doi:10.1007/s12031-014-0480-7

- Warlow, C., Van, G.J., Dennis, M., Wardlaw, J.M., Bamford, J.M. & Hankey, G.J., 2008. *Stroke: Practical Management*. 3rd Edition. Oxford: Blackwell Publishing.
- Wei, P., Liu, Q., Li, D., Zheng, Q., Zhou, J., Li, J., 2015. Acute nicotine treatment attenuates lipopolysaccharide-induced cognitive dysfunction by increasing BDNF expression and inhibiting neuroinflammation in the rat hippocampus. *Neurosci. Lett.* 604, 161–166. doi:10.1016/j.neulet.2015.08.008
- Winstein. C. J & Wolf. S. L., 2009. *Task-Oriented training to promote upper extremity” in Stroke Recovery and Rehabilitation*. Demos Medical Publishing, New York, NY, USA.
- Winters, C., Wegen, E.E.H.V., Daffertshofer, A., & Kwakkel, G., 2015. Generalizability of the Proportional Recovery Model for the Upper Extremity After an Ischemic Stroke. *Journal of SAGE*. 29(7): 614–622. doi: 10.1177/1545968314562115
- Wu, C., Chuang, L., Lin, K. & Horng, Y., 2011. Responsiveness and validity of two outcome measures of instrumental activities of daily living in stroke survivors receiving rehabilitative therapies. *Journal of Clinical Rehabilitation*. 25 (2): 175–183. doi: 10.1177/0269215510385482.
- Wurzelmann, M., Romeika, J., & Sun, D., 2017. Therapeutic potential of brain-derived neurotrophic factor (BDNF) and a small molecular mimics of BDNF for traumatic brain injury. *Journal of Neural Regen Res*. 12(1): 7–12. doi: 10.4103/1673-5374.198964
- Xu, T., Yu, X., Ou, S., Liu, X., Yuan, J., & Chen, Y., 2017. Efficacy and Safety of Very Early Mobilization in Patients with Acute Stroke: A Systematic Review and Meta-analysis. *Journal of Nature*. 7: 6550. doi: 10.1038/s41598-017-06871-z
- Zhao, H., Alam, A., San, C.Y., Eguchi, S., Chen, Q., Lian, Q., et al., 2017. Molecular Mechanisms of Brain-Derived Neurotrophic Factor in Neuroprotection: Recent Developments. *Journal of Brain Research*. 73. doi: 10.1016/j.brainres.2017.03.029
- Zhang, J., Zhang, Y., Wang, L., Sang, L., Yang, J., Yan, R., et al., 2017. Disrupted structural and functional connectivity networks in ischemic stroke patients. *Neuroscience*, 364, 212–25. doi: 10.1016/j.neuroscience.2017.09.009
- Zhang, L., Xing, G., Shuai, S., Guo, Z., Chen, H., McClure, M.A., et al., 2017. Low-Frequency Repetitive Transcranial Magnetic Stimulation for Stroke-Induced Upper Limb Motor Deficit: A Meta-Analysis. *Neural Plast*. doi: 10.1155/2017/2758097