

DAFTAR PUSTAKA

- Abe, K., Iwamoto, S., & Yano, H., 2007. Obtaining cellulose nanofibers with a uniform width of 15 nm from wood. *Biomacromolecules*, 8(10), 3276-3278.
- Abe, K. and Yano, H., 2009. Comparison of the characteristics of cellulose microfibril aggregates of wood, rice straw and potato tuber. *Cellulose*, 16(6), pp.1017-1023.
- Abdal-Hay, A., Suardana, N. P. G., Choi, K. S., & Lim, J. K., 2012. Effect of diameters and alkali treatment on the tensile properties of date palm fiber reinforced epoxy composites. *International Journal of Precision Engineering and Manufacturing*, 13(7), 1199-1206.
- Abdel-Halim, E. S., & Al-Deyab, S. S., 2013. One-step bleaching process for cotton fabrics using activated hydrogen peroxide. *Carbohydrate polymers*, 92(2), 1844-1849.
- Agrawal, L.L. and Awadhia, A., 2004. DSC and conductivity studies on PVA based proton conducting gel electrolytes. *Bulletin of Materials Science*, 27(6), pp.523-527.
- Alam, A.M., Beg, M.D.H. and Yunus, R. M., 2017. Microstructure and fractography of multiwalled carbon nanotube reinforced unsaturated polyester nanocomposites. *Polymer Composites*, 38, pp.E462-E471.
- Alemdar, A., & Sain, M., 2008a. Biocomposites from wheat straw nanofibers: morphology, thermal and mechanical properties. *Composites Science and Technology*, 68(2), 557-565.
- Alemdar, A., & Sain, M., 2008b. Isolation and characterization of nanofibers from agricultural residues—Wheat straw and soy hulls. *Bioresource technology*, 99(6), 1664-1671.
- Anonim 2004a. Laporan Tahunan Dinas Kehutanan dan Perkebunan Sumenep, Madura. Hlm 1-20
- Anonim 2004b. Laporan Tahunan Dinas Kehutanan dan Perkebunan Pamekasan, Madura. Hlm 1-15
- Ariawan, D., & Raharjo, W. W., 2005. Penentuan Kekuatan Optimum Serat Agave Cantala Dengan Menggunakan Perlakuan Termal. *Mekanika*, 3 (1).
- ASTM D 3379-75. 1975, *Standard Test Method for Tensile Strength and Young's Modulus for High Modulus Single Filament Fibers*. ASTM International, West Conshohocken, PA
- ASTM D 882-01. 2002, *Standard Test Method for Tensile Properties of Thin Plastic Sheeting*. ASTM International, West Conshohocken, PA
- Bisanda, E. T. N., & Ansell, M. P., 1991. The effect of silane treatment on the mechanical and physical properties of sisal-epoxy composites. *Composites Science and Technology*, 41(2), 165-178.
- Bismarck, A., Springer, J., Mohanty, A. K., Hinrichsen, G., & Khan, M. A., 2000. Characterization of several modified jute fibers using zeta-potential measurements. *Colloid & polymer science*, 278(3), 229-235.
- Bledzki, A. K., & Gassan, J., 1999. Composites reinforced with cellulose based fibres. *Progress in polymer science*, 24 (2), 221-274.

- Boora, S., & Kumar, S., 2015. Evaluation the effect of machining parameters on surface temperature of mild steel. *International journal of research in aeronautical and mechanical engineering*, 3 (12), 2321-3051
- Borsoi, C., Ornaghi Jr, H. L., Scienza, L. C., Zattera, A. J., & Ferreira, C. A., 2016. Isolation and Characterisation of Cellulose Nanowhiskers From Microcrystalline Cellulose Using Mechanical Processing. *Polymers & Polymer Composites*, 25 (8).
- Brito, B. S., Pereira, F. V., Putaux, J. L., & Jean, B., 2012. Preparation, morphology and structure of cellulose nanocrystals from bamboo fibers. *Cellulose*, 19 (5), 1527-1536.
- Callister, W. D., & Rethwisch, D. G., 1991. *Materials science and engineering: an introduction*. New York: Wiley.
- Carvalho, K. C. C., Mulinari, D. R., Voorwald, H. J. C., & Cioffi, M. O. H., 2010. Chemical modification effect on the mechanical properties of HIPS/coconut fiber composites. *BioResources*, 5 (2), 1143-1155.
- Chalid, M. and Prabowo, I., 2015. The effects of alkalization to the mechanical properties of the ijuk fiber reinforced PLA biocomposites. *International Journal of Chemical, Molecular, Nuclear, Materials and Metallurgical Engineering*, 9(2), pp.342-346.
- Chen, W., Yu, H., Liu, Y., Hai, Y., Zhang, M., & Chen, P., 2011. Isolation and characterization of cellulose nanofibers from four plant cellulose fibers using a chemical-ultrasonic process. *Cellulose*, 18 (2), 433-442.
- Chirayil, C. J., Joy, J., Mathew, L., Mozetic, M., Koetz, J., & Thomas, S., 2014. Isolation and characterization of cellulose nanofibrils from *helicteres isora* plant. *Industrial Crops and Products*, (59), 27-34.
- Chirayil, C.J., Joy, J., Mathew, L., Koetz, J. and Thomas, S., 2014. Nanofibril reinforced unsaturated polyester nanocomposites: morphology, mechanical and barrier properties, viscoelastic behavior and polymer chain confinement. *Industrial Crops and Products*, 56, pp.246-254.
- Chinga-Carrasco, G., 2011. Cellulose fibres, nanofibrils and microfibrils: The morphological sequence of MFC components from a plant physiology and fibre technology point of view. *Nanoscale research letters*, 6(1), pp.1-7.
- Correa, A. C., de Moraes Teixeira, E., Pessan, L. A., & Mattoso, L. H. C., 2010. Cellulose nanofibers from curaua fibers. *Cellulose*, 17 (6), 1183-1192.
- Dahal, K. R., Utomo, B.I., Brink, M., 2003. *Agave cantala* Roxb. In: Brink, M. and Escobin, R.P. (Editors): *Plant Resources of South-East Asia.*, No 17. Fibre Plants
- Das, M., & Chakraborty, D., 2006. Influence of alkali treatment on the fine structure and morphology of bamboo fibers. *Journal of Applied Polymer Science*, 102 (5), 5050-5056.
- Darmanto, S., Rochardjo, H.S., Jamasri & Widyorini, R., 2017. Effects of alkali and steaming on mechanical properties of snake fruit (*salacca*) fiber. In *AIP Conference Proceedings*, Vol. 17(5), 977-985.
- Darabi, R.R., Jahanshahi, M. and Peyravi, M., 2018. A support assisted by photocatalytic Fe₃O₄/ZnO nanocomposite for thin-film forward osmosis membrane. *Chemical Engineering Research and Design*, 133, pp.11-25.
- Dinwoodie, J. M., 1981. Timber, its nature and behaviour. *Van Nostrand Reinhold Co*, 190, 60-1.
- Diharjo, K., 2006. Pengaruh perlakuan alkali terhadap sifat tarik bahan komposit serat rami-polyester. *Jurnal Teknik Mesin*, 8(1), pp.8-13.

- Eichhorn, S.J., Baillie, C.A., Zafeiropoulos, N., Mwaikambo, L.Y., Ansell, M.P., Dufresne, A., Entwistle, K.M., Herrera-Franco, P.J., Escamilla, G.C., Groom, L. and Hughes, M., 2001. Current international research into cellulosic fibres and composites. *Journal of materials Science*, 36(9), pp.2107-2131.
- Fahma, F., Iwamoto, S., Hori, N., Iwata, T., & Takemura, A., 2010. Isolation, preparation, and characterization of nanofibers from oil palm empty-fruit-bunch (OPEFB). *Cellulose*, 17(5), 977-985.
- Ferrer, A., Filpponen, I., Rodríguez, A., Laine, J., & Rojas, O. J., 2012. Valorization of residual Empty Palm Fruit Bunch Fibers (EPFBF) by microfluidization: production of nanofibrillated cellulose and EPFBF nanopaper. *Bioresource Technology*, 125, 249-255.
- Fukuzumi, H., Saito, T., Okita, Y. and Isogai, A., 2010. Thermal stabilization of TEMPO-oxidized cellulose. *Polymer degradation and stability*, 95(9), pp.1502-1508.
- Fortunati, E., Puglia, D., Luzi, F., Santulli, C., Kenny, J.M. and Torre, L., 2013. Binary PVA bio-nanocomposites containing cellulose nanocrystals extracted from different natural sources: Part I. *Carbohydrate polymers*, 97(2), pp.825-836.
- Frone, A. N., Panaitescu, D. M., & Donescu, D., 2011. Some aspects concerning the isolation of cellulose micro- and nano-fibers. *UPB Buletin Stiintific, Series B: Chemistry and Materials Science*, 73(2), 133-152.
- Gassan, J., & Bledzki, A. K., 1996. Influence of adhesion mediators on damp hold back natural fibres. *Die Angew Makromol. Chem*, 236(1), 129-134.
- Garcia, E. J., Wardle, B. L., & Hart, A. J., 2008. Joining prepreg composite interfaces with aligned carbon nanotubes. *Composites Part A: Applied Science and Manufacturing*, 39(6), 1065-1070.
- Ghaderi, M., Mousavi, M., Yousefi, H. and Labbafi, M., 2014. All-cellulose nanocomposite film made from bagasse cellulose nanofibers for food packaging application. *Carbohydrate polymers*, 104, pp.59-65.
- Gibson, R. F., 2012. *Principles of composite material mechanics*. CRC press, Taylor & Francis Group, LLC
- Guimarães Jr, M., Botaro, V.R., Novack, K.M., Teixeira, F.G. and Tonoli, G.H.D., 2015. Starch/PVA-based nanocomposites reinforced with bamboo nanofibrils. *Industrial Crops and Products*, 70, pp.72-83.
- Hashem, M., El-Bisi, M., Sharaf, S., & Refaie, R. 2010. Pre-cationization of cotton fabrics: An effective alternative tool for activation of hydrogen peroxide bleaching process. *Carbohydrate Polymers*, 79(3), 533-540.
- Halib, N., Perrone, F., Cemazar, M., Dapas, B., Farra, R., Abrami, M., Chiarappa, G., Forte, G., Zanconati, F., Pozzato, G. and Murena, L., 2017. Potential applications of nanocellulose-containing materials in the biomedical field. *Materials*, 10(8), p.977.
- Hestiawan, H., Jamasri, Kusmono., 2016. A Preliminary study: Influence of alkali treatment on physical and mechanical properties of agel leaf fiber (*Typha gebanga*). *In Applied Mechanics and Materials* (Vol. 842, pp. 61-66). Trans Tech Publications.
- He, W., Jiang, S., Zhang, Q. and Pan, M., 2013. Isolation and characterization of cellulose nanofibers from *Bambusa rigida*. *BioResources*, 8(4), pp.5678-5689.
- Huang, Y., Mei, L., Chen, X. and Wang, Q., 2018. Recent developments in food packaging based on nanomaterials. *Nanomaterials*, 8(10), p.830.

- Hu, Zhijun, Rui Zhai, Jing Li, Yan Zhang, and Jiang Lin., 2017. Preparation and characterization of nanofibrillated cellulose from bamboo fiber via ultrasonication assisted by repulsive effect. *International Journal of Polymer Science*.
- Inacio, W. P., Lopes, F. P. D., & Monteiro, S. N., 2010. Diameter Dependence of tensile strength by Weibull analysis: Part III sisal fiber. *Matéria (Rio de Janeiro)*, 15(2), 124-130.
- Janardhnan, S., & Sain, M. M., 2006. Isolation of cellulose microfibrils—an enzymatic approach. *Bioresources*, 1(2), 176-188.
- Joseph, K., Tolêdo Filho, R. D., James, B., Thomas, S., & Carvalho, L. H. D., 1999. A review on sisal fiber reinforced polymer composites. *Revista Brasileira de Engenharia Agrícola e Ambiental*, 3(3), 367-379.
- Johar, N., & Ahmad, I., 2012. Morphological, thermal, and mechanical properties of starch biocomposite films reinforced by cellulose nanocrystals from rice husks. *Bio Resources*, 7(4), 5469-5477.
- Johnson, R. K., Zink-Sharp, A., Rennecker, S. H., & Glasser, W. G., 2009. A new bio-based nanocomposite: fibrillated TEMPO-oxidized celluloses in hydroxypropylcellulose matrix. *Cellulose*, 16(2), 227-238.
- Jonoobi, M., Oladi, R., Davoudpour, Y., Oksman, K., Dufresne, A., Hamzeh, Y., & Davoodi, R., 2015. Different preparation methods and properties of nanostructured cellulose from various natural resources and residues: a review. *Cellulose*, 22(2), 935-969.
- Jiang, F., & Hsieh, Y. L., 2013. Chemically and mechanically isolated nanocellulose and their self-assembled structures. *Carbohydrate Polymers*, 95(1), 32-40.
- Kakroodi, R.A., Cheng, S., Sain, M. and Asiri, A., 2014. Mechanical, thermal, and morphological properties of nanocomposites based on polyvinyl alcohol and cellulose nanofiber from Aloe vera rind. *Journal of Nanomaterials*
- Kargarzadeh, H., Sheltami, R. M., Ahmad, I., Abdullah, I., & Dufresne, A., 2015. Cellulose nanocrystal: A promising toughening agent for unsaturated polyester nanocomposite. *Polymer*, 56, 346-357.
- Kargarzadeh, H., Ahmad, I., Abdullah, I., Dufresne, A., Zainudin, S. Y., & Sheltami, R. M., 2012. Effects of hydrolysis conditions on the morphology, crystallinity, and thermal stability of cellulose nanocrystals extracted from kenaf bast fibers. *Cellulose*, 19(3), 855-866.
- Khazanchi, A. C., Saxena, M., & Rao, T. C., 1990. Material science of natural organic fibers reinforced composites in polymer–cement–mud matrix for construction engineering. *A book on textile composites in building construction*. Pluralis, France, 69-76.
- Khalil, H. A., Bhat, A. H., & Yusra, A. I., 2012. Green composites from sustainable cellulose nanofibrils: A review. *Carbohydrate Polymers*, 87(2), 963-979.
- Khalil, H. A., Davoudpour, Y., Islam, M. N., Mustapha, A., Sudesh, K., Dungani, R., & Jawaid, M. 2014. Production and modification of nanofibrillated cellulose using various mechanical processes: a review. *Carbohydrate polymers*, 99, 649-665.
- Komuraiah, A., Kumar, N.S. and Prasad, B.D., 2014. Chemical composition of natural fibers and its influence on their mechanical properties. *Mechanics of composite materials*, 50(3), pp.359-376.

- Koyama, M., Helbert, W., Imai, T., Sugiyama, J. and Henrissat, B., 1997. Parallel-up structure evidences the molecular directionality during biosynthesis of bacterial cellulose. *Proceedings of the National Academy of Sciences*, 94(17), pp.9091-9095.
- Krishnadev, Paladugu, Kizhaeral S. Subramanian, Gnanaguru Janaki Janavi, Shanmugam Ganapathy, and Arunachalam Lakshmanan. 2020. Synthesis and Characterization of Nano-fibrillated Cellulose Derived from Green Agave americana L. Fiber. *BioResources* 15(2) pp. 2442-2458.
- Krumova, M., Lopez, D., Benavente, R., Mijangos, C. and Perena, J.M., 2000. Effect of crosslinking on the mechanical and thermal properties of poly (vinyl alcohol). *Polymer*, 41(26), pp.9265-9272.
- Lani, N.S., Ngadi, N., Johari, A. and Jusoh, M., 2014. Isolation, characterization, and application of nanocellulose from oil palm empty fruit bunch fiber as nanocomposites. *Journal of Nanomaterials*, 2014.
- Lavoratti, A., Scienza, L. C., & Zattera, A. J., 2016. Dynamic-mechanical and thermomechanical properties of cellulose nanofiber/polyester resin composites. *Carbohydrate polymers*, 136, 955-963.
- Lee, S.Y., Mohan, D.J., Kang, I.A., Doh, G.H., Lee, S. and Han, S.O., 2009. Nanocellulose reinforced PVA composite films: effects of acid treatment and filler loading. *Fibers and Polymers*, 10(1), pp.77-82.
- Lengowski, E. C., de Muniz, G. I. B., Nisgoski, S., & Magalhães, W. L. E., 2013. Cellulose acquirement evaluation methods with different degrees of crystallinity. *Scientia Forestalis*, 41(98), 185-194.
- Listyanda, R.F., Kusmono, Wildan, M.W. and Ilman, M.N., 2020, April. Extraction and characterization of nanocrystalline cellulose (NCC) from ramie fiber by sulphuric acid hydrolysis. In *AIP Conference Proceedings* (Vol. 2217, No. 1, p. 030069). AIP Publishing LLC.
- Liu, S., Zhang, H., Zhang, Z., Zhang, T., & Sprenger, S., 2008. Tailoring the mechanical performance of epoxy resin by various nanoparticles. *Polymers & Polymer Composites*, 16(8), 527.
- Marsh, G., 2003. Next step for automotive materials. *Materials today*, 6(4), 36-43.
- Masoodi, R., El-Hajjar, R. F., Pillai, K. M., & Sabo, R., 2012. Mechanical characterization of cellulose nanofiber and bio-based epoxy composite. *Materials & Design (1980-2015)*, 36, 570-576.
- Mishra, S., Mohanty, A.K., Drzal, L.T., Misra, M. and Hinrichsen, G., 2004. A review on pineapple leaf fibers, sisal fibers and their biocomposites. *Macromolecular Materials and Engineering*, 289(11), pp.955-974.
- Morais, J. P. S., de Freitas Rosa, M., Nascimento, L. D., do Nascimento, D. M., & Cassales, A. R., 2013. Extraction and characterization of nanocellulose structures from raw cotton linter. *Carbohydrate Polymers*, 91(1), 229-235.
- Mohanty, A.K., Misra, M. and Drzal, L.T. eds., 2005. *Natural fibers, biopolymers, and biocomposites*. CRC press.
- Mukherjee, P. S., & Satyanarayana, K. G., 1986. Structure and properties of some vegetable fibres. *Journal of Materials Science*, 21(1), 51-56.
- Nakagaito, A. N., & Yano, H., 2004. The effect of morphological changes from pulp fiber towards nano-scale fibrillated cellulose on the mechanical properties of high-strength plant fiber based composites. *Applied Physics A*, 78(4), 547-552.

- Nalbant, M., Gökkaya, H., & Sur, G., 2007. Application of Taguchi method in the optimization of cutting parameters for surface roughness in turning. *Materials & design*, 28(4), 1379-1385.
- Ochse, J.J., Soule, M.J., Dijkman, M.J., Wehlburg, C., 1961. *Tropical and subtropical agriculture*. New York The Macmillan Company. p. 117-1180.
- Olesen, P. O., & Plackett, D. V., 1999. Perspectives on the performance of natural plant fibres. In *Natural Fibres Performance Forum, May 27* (Vol. 28).
- Oushabi, A., Sair, S., Hassani, F. O., Abboud, Y., Tanane, O., & El Bouari, A., 2017. The effect of alkali treatment on mechanical, morphological and thermal properties of date palm fibers (DPFs): Study of the interface of DPF–Polyurethane composite. *south african journal of chemical engineering*, 23, 116-123.
- Panthapulakkal, S., & Sain, M., 2012. Preparation and characterization of cellulose nanofibril films from wood fibre and their thermoplastic polycarbonate composites. *International Journal of Polymer Science*, 2012.
- Patel, A.K., Bajpai, R. and Keller, J.M., 2014. On the crystallinity of PVA/palm leaf biocomposite using DSC and XRD techniques. *Microsystem technologies*, 20(1), pp.41-49.
- Parashar, V., & Purohit, R., 2017. Investigation of the effects of the machining parameters on material removal rate using taguchi method in end milling of steel grade EN19. *Materials Today: Proceedings*, 4(2), 336-341.
- Purwanto, W. D. A., Sosiati, H., & Triyana, K., 2014. Karakteristik morfologi dan strukturmikro serat kenaf (*hibiscus cannabinus l*) akibat perlakuan kimia. *Prosiding Pertemuan Ilmiah XXVII Jateng & DIY*, ISSN, 0853-0823.
- Qian, D., Dickey, E. C., Andrews, R., & Rantell, T., 2000. Load transfer and deformation mechanisms in carbon nanotube-polystyrene composites. *Applied physics letters*, 76(20), 2868-2870
- Qua, E.H., Hornsby, P.R., Sharma, H.S., Lyons, G. and McCall, R.D., 2009. Preparation and characterization of poly (vinyl alcohol) nanocomposites made from cellulose nanofibers. *Journal of Applied Polymer Science*, 113(4), pp.2238-2247.
- Ramezani Kakroodi, A., Cheng, S., Sain, M. and Asiri, A., 2014. Mechanical, thermal, and morphological properties of nanocomposites based on polyvinyl alcohol and cellulose nanofiber from Aloe vera rind. *Journal of Nanomaterials*
- Rosli, Noor Afizah, Ishak Ahmad, and Ibrahim Abdullah. 2013. Isolation and characterization of cellulose nanocrystals from Agave angustifolia fibre. *BioResources* 8(2) pp. 1893-1908.
- Rowell, R. M., Han, J. S., Rowell, J. S., Frollini, E., Leão, A. L., & Mattoso, L. H. C., 2000. Natural polymers and agrofibers based composites. *Natural Polymers and Agrofibers Based Composites*.
- Rynkowska, Edyta, Kateryna Fatyeyeva, Stéphane Marais, Joanna Kujawa, and Wojciech Kujawski, 2019. Chemically and Thermally Crosslinked PVA-Based Membranes: Effect on Swelling and Transport Behavior. *Polymers* 11(11): pp. 1799.
- Santoso Budi, 2009. Peluang pengembangan agave sebagai sumber serat alam, *Perspektif* 8(2): 84-95.
- Saxena, S.K., 2004. Chemical and Technical Assessment. *Polyvinyl Alcohol*, 61st JECFA: FAO.

- Segal, L. G. J. M. A., Creely, J. J., Martin Jr, A. E., & Conrad, C. M., 1959. An empirical method for estimating the degree of crystallinity of native cellulose using the X-ray diffractometer. *Textile Research Journal*, 29(10), 786-794.
- Setyanto, R. H., Diharjo, K., Setyono, P., & Miasa, I. M., 2013. A preliminary study: The influence of alkali treatment on physical and mechanical properties of coir fiber. *Journal of Materials Science Research*, 2(4), 80.
- Siró, I., & Plackett, D., 2010. Microfibrillated cellulose and new nanocomposite materials: a review. *Cellulose*, 17(3), 459-494.
- Sosiati, H., Muhaimin, M., Purwanto, Wijayanti, D.A and Triyana, K., 2015. Microscopic characterization of cellulose nanocrystals isolated from sisal fibers. *In Materials Science Forum*, (Vol. 827).
- Sriamornsak, P., 2003. Chemistry of pectin and its pharmaceutical uses: A review. *Silpakorn University International Journal*, 3(1-2), 206-228.
- Subyakto, H. E., Yanto. D. H. Y., Fitria, B. I., Ismadi, M. N., & Subiyanto, B. 2009, Proses pembuatan serat selulosa berukuran nano dari Sisal (Agave sisalana) dan bambu betung (*Dendrocalamus asper*). *Berita Selulosa*, 44 (2), 57-65.
- Sumadi dan Marianti, A., 2007. *Biologi Sel*. Graha Ilmu, Yogyakarta
- Surdia, T dan Saito, S., 1992. *Pengetahuan Bahan Teknik*, Pradnya Paramita, Jakarta
- Syafri, E., Kasim, A., Abral, H. and Asben, A., 2019. Cellulose nanofibers isolation and characterization from ramie using a chemical-ultrasonic treatment. *Journal of Natural Fibers*, 16(8), pp.1145-1155.
- Tibbetts, G. G., & McHugh, J. J., 1999. Mechanical properties of vapor-grown carbon fiber composites with thermoplastic matrices. *Journal of Materials Research*, 14(7), 2871-2880.
- Tonoli, G. H. D., Teixeira, E. M., Corrêa, A. C., Marconcini, J. M., Caixeta, L. A., Pereira-da-Silva, M. A., & Mattoso, L. H. C., 2012. Cellulose micro/nanofibres from eucalyptus kraft pulp: preparation and properties. *Carbohydrate polymers*, 89(1), 80-88.
- Uribe, B. E. B., Chiromito, E. M. S., Carvalho, A. J. F., & Tarpani, J. R., 2017. Low-cost, environmentally friendly route for producing CFRP laminates with microfibrillated cellulose interphase. *Express Polymer Letters*, 11(1), 47.
- Wahono, S., Irwan, A., Syafri, E. and Asrofi, M., 2018. Preparation and characterization of ramie cellulose nanofibers/CaCO₃ unsaturated polyester resin composites. *ARPN Journal of Engineering and Applied Sciences*, 13(2), pp.746-51.
- Wang, Zuo, Yaoke Ding, and Jincheng Wang, 2019. Novel Polyvinyl Alcohol (PVA)/Cellulose Nanocrystal (CNC) Supramolecular Composite Hydrogels: Preparation and Application as Soil Conditioners. *Nanomaterials* 9,(10): pp. 1397
- Westman, M.P., Fifield, L.S., Simmons, K.L., Laddha, S. and Kafentzis, T.A., 2010. *Natural fiber composites: a review* (No. PNNL-19220). Pacific Northwest National Lab.(PNNL), Richland, WA (United States).
- Wildan, A., 2010. *Studi Proses Pemutihan Serat Kelapa Sebagai Reinforced Fiber* (Doctoral dissertation, Diponegoro University).
- Xiao, S., Gao, R., Gao, L. and Li, J., 2016. Poly (vinyl alcohol) films reinforced with microfibrillated cellulose (NFC) isolated from corn husk by high intensity ultrasonication. *Carbohydrate polymers*, 136, pp.1027-1034.
- Xie, J., Hse, C. Y., Cornelis, F., Hu, T., Qi, J., & Shupe, T. F., 2016. Isolation and characterization of cellulose nanofibers from bamboo using microwave liquefaction

- combined with chemical treatment and ultrasonication. *Carbohydrate polymers*, 151, 725-734.
- Yudhanto, F., Wisnujati, A., dan Kusmono, 2016. Pengaruh perlakuan alkali terhadap kekuatan tarik dan wettability serat alam *agave sisalana perrine*. In *Prosiding Seminar Nasional ReTII*.
- Yuhazri, M., & Sihombing, H., 2010. A comparison process between vacuum infusion and hand lay-up method toward kenaf/polyester composite. In *International Journal of Basic & Applied Sciences. Vol: 10 Issue*.
- Zeronian, S. H., 1991. The mechanical properties of cotton fibers. *Journal of Applied Polymer Science*, 47(0), 445-461.
- Zhang, H., Tang, L. C., Zhang, Z., Friedrich, K., & Sprenger, S., 2008. Fracture behaviours of in situ silica nanoparticle-filled epoxy at different temperatures. *Polymer*, 49(17), 3816-3825
- Zhang, Wei, Zhennan Zhang, and Xinping Wang, 2009. Investigation on surface molecular conformations and pervaporation performance of the poly (vinyl alcohol) (PVA) membrane. *Journal of colloid and interface science* 333 (1): pp. 346-353
- Zimmermann, T., Pöhler, E., & Geiger, T., 2004. Cellulose fibrils for polymer reinforcement. *Advanced engineering materials*, 6(9), 754-761.
- Bagian-bagian dari alat uji SEM (*Scanning Electron Microscopy*). Diperoleh dari <https://science.howstuffworks.com/scanning-electron-microscope2.html>
- Bagian-bagian dari alat uji TEM (*Transmission Electron Microscopy*). Diperoleh dari <https://materialcerdas.wordpress.com/teori-dasar/transmission-electron-microscopy-tem>
- Bagian-bagian dari alat uji FTIR (*Fourier Transform Infrared*). Diperoleh dari <https://www.chem.uci.edu/~dmitryf/Library/Themes/irspectroscopy.html>
- Komponen sedan Mercedes Benz E-Class berbahan dasar serat *hemp*. Diperoleh dari <http://www.globalhemp.com/2011/02/automotive-composites.html>