

DAFTAR PUSTAKA

- Asagabaldan, M. A., Ayuningrum, D., Kristiana, R., Sabdono, A., Radjasa, K., & Trianto, A. (2017). Identification and antibacterial activity of bacteria isolated from marine sponge *Haliclona* (*Reniera*) sp. against multidrug resistant human pathogen. *IOP Conf. Series: Earth and Environmental Science*, *55*, 1–11. <https://doi.org/10.1088/1755-1315/55/1/012019> Identification
- Behera, S. S., Ray, R. C., Das, U., Panda, S. K., & Saranraj, P. (2019). Microorganisms in fermentation. In A. Berenjian (Ed.), *Essentials in Fermentation Technology* (pp. 1–39). Springer Nature Switzerland. https://doi.org/10.1007/978-3-030-16230-6_1
- Ben-Haim, Y., & Rosenberg, E. (2002). A novel *Vibrio* sp. pathogen of the coral *Pocillopora damicornis*. *Marine Biology*, *141*(1), 47–55. <https://doi.org/10.1007/s00227-002-0797-6>
- Bentley, R. (2000). Mycophenolic acid: A one hundred year odyssey from antibiotic to immunosuppressant. *Chemical Reviews*, *100*(10), 3801–3825. <https://doi.org/10.1021/cr990097b>
- Berk, Z. (2018). Food process engineering and technology. Chapter 11 - Extraction. *Food Sciences and Technology*, *3*, 289–310. <https://doi.org/10.1016/c2016-0-03186-8>
- Bhardwaj, V., Gumber, D., Abbot, V., Dhiman, S., & Sharma, P. (2015). Pyrrole: a resourceful small molecule in key medicinal hetero-aromatics. *RSC Advances*, *5*(20), 15233–15266. <https://doi.org/10.1039/c4ra15710a>
- Blunt, J. W., Carroll, A. R., Copp, B. R., Davis, R. A., Keyzers, R. A., & Prinsep, M. R. (2018). Marine natural products. *Natural Product Reports*, *35*(1), 8–53. <https://doi.org/10.1039/c7np00052a>
- Böhringer, N., Fisch, K. M., Schillo, D., Bara, R., Hertzner, C., Grein, F., Eisenbarth, J. H., Kaligis, F., Schneider, T., Wägele, H., König, G. M., & Schäberle, T. F. (2017). Antimicrobial potential of bacteria associated with marine sea slugs from North Sulawesi, Indonesia. *Frontiers in Microbiology*, *8*(JUN), 1–8. <https://doi.org/10.3389/fmicb.2017.01092>
- Buijs, Y., Bech, P. K., Vazquez-Albacete, D., Bentzon-Tilia, M., Sonnenschein, E. C., Gram, L., & Zhang, S. Da. (2019). Marine Proteobacteria as a source of natural products: Advances in molecular tools and strategies. *Natural Product Reports*, *36*(9), 1333–1350. <https://doi.org/10.1039/c9np00020h>
- Carroll, A. R., Copp, B. R., Davis, R. A., Keyzers, R. A., & Prinsep, M. R. (2019). Marine natural products. *Natural Product Reports*, *36*(1), 122–173. <https://doi.org/10.1039/c8np00092a>
- Choi, J. S., Park, N. H., Hwang, S. Y., Sohn, J. H., Kwak, I., Cho, K. K., & Choi,

- I. S. (2013). The antibacterial activity of various saturated and unsaturated fatty acids against several oral pathogens. *Journal of Environmental Biology*, 34(4), 673–676.
- Fenical, W. (1993). Chemical studies of marine bacteria: Developing a new resource. *Chemical Reviews*, 93(5), 1673–1683. <https://doi.org/10.1021/cr00021a001>
- Fleming, A. (1929). On the antibacterial action of cultures of a *Penicillium*, with special reference to their use in the isolation of *B. influenzae*. *Brit. J. Exptl. Pathol.*, 10, 226–236.
- Freiberg, C., Brunner, N. A., Schiffer, G., Lampe, T., Pohlmann, J., Brands, M., Raabe, M., Häbich, D., & Ziegelbauer, K. (2004). Identification and characterization of the first class of potent bacterial acetyl-CoA carboxylase inhibitors with antibacterial activity. *Journal of Biological Chemistry*, 279(25), 26066–26073. <https://doi.org/10.1074/jbc.M402989200>
- Ghosh, S., Chiang, P. C., Wahlstrom, J. L., Fujiwara, H., Selbo, J. G., & Roberds, S. L. (2008). Oral delivery of 1,3-dicyclohexylurea nanosuspension enhances exposure and lowers blood pressure in hypertensive rats. *Basic and Clinical Pharmacology and Toxicology*, 102(5), 453–458. <https://doi.org/10.1111/j.1742-7843.2008.00213.x>
- Gil-turnes, M. S., Hay, M. E., & Fenical, W. (1989). Symbiotic marine bacteria chemically defend crustacean embryos from a pathogenic fungus. *Science*, 246(4926), 116–118. <https://www.jstor.org/stable/1703924>
- Giordano, D., Coppola, D., Russo, R., Denaro, R., Giuliano, L., Lauro, F. M., di Prisco, G., & Verde, C. (2015). Marine Microbial Secondary Metabolites: Pathways, Evolution and Physiological Roles. In *Advances in Microbial Physiology* (1st ed., Vol. 66). Elsevier Ltd. <https://doi.org/10.1016/bs.ampbs.2015.04.001>
- Gokulan, K., Khare, S., & Cerniglia, C. (2014). Metabolic pathways: Production of secondary metabolites of bacteria. *Encyclopedia of Food Microbiology: Second Edition*, 2, 561–569. <https://doi.org/10.1016/B978-0-12-384730-0.00203-2>
- Gräfe, U. (2000). Secondary metabolites: From past to present. In S. Grabley & R. Thiericke (Eds.), *Drug Discovery from Nature* (pp. 117–123). Springer Berlin Heidelberg.
- Gustafson, K., Roman, M., & Fenical, W. (1989). The macrolactins, a novel class of antiviral and cytotoxic macrolides from a deep-sea marine bacterium. *Journal of the American Chemical Society*, 111(19), 7519–7524. <https://doi.org/10.1021/ja00201a036>
- Hall, T. (2011). BioEdit: An important software for molecular biology. *GERF Bulletin of Biosciences*, 2(1), 60–61.
- Hettiarachchi, S. A., Lee, S. J., Lee, Y., Kwon, Y. K., De Zoysa, M., Moon, S., Jo,

- E., Kim, T., Kang, D. H., Heo, S. J., & Oh, C. (2017). A rapid and efficient screening method for antibacterial compound-producing bacteria. *Journal of Microbiology and Biotechnology*, 27(8), 1441–1448. <https://doi.org/10.4014/jmb.1703.03012>
- Hibbing, M. E., Fuqua, C., Parsek, M. R., & Peterson, S. B. (2010). Bacterial competition: Surviving and thriving in the microbial jungle. *Nat Rev Microbiol*, 8(1), 15–25. <https://doi.org/1038/nrmicro2259>
- Hider, R. C., & Kong, X. (2010). Chemistry and biology of siderophores. *Natural Product Reports*, 27(5), 637–657. <https://doi.org/10.1039/b906679a>
- Hosseinzadeh, Z., Ramazani, A., Hosseinzadeh, K., Razzaghi-Asl, N., & Gouranlou, F. (2017). An overview on chemistry and biological importance of pyrrolidinone. *Current Organic Synthesis*, 15(2), 166–178. <https://doi.org/10.2174/1570179414666170908165445>
- Houck, M. M., & Siegel, J. A. (2015). Separation methods. In *Fundamentals of Forensic Science*. <https://doi.org/10.1016/b978-0-12-800037-3.00006-6>
- Huang, C. B., Alimova, Y., Myers, T. M., & Ebersole, J. L. (2011). Short- and medium-chain fatty acids exhibit antimicrobial activity for oral microorganisms. *Archives of Oral Biology*, 56(7), 650–654. <https://doi.org/10.1016/j.archoralbio.2011.01.011>
- Ibrahim, N. N. N., Usup, G., & Ahmad, A. (2018). Antimicrobial activity screening of marine bacteria isolated from Port Klang and Port Tanjung Pelepas. *AIP Conference Proceedings*, 1940. <https://doi.org/10.1063/1.5027992>
- Isnansetyo, A., Istiqomah, I., Muhtadi, Sinansari, S., Hernawan, R. K., Triyanto, & Widada, J. (2009). A potential bacterial biocontrol agent, strain S2V2 against pathogenic marine *Vibrio* in aquaculture. *World Journal of Microbiology and Biotechnology*, 25(6), 1103–1113. <https://doi.org/10.1007/s11274-009-9992-7>
- Isnansetyo, A., & Kamei, Y. (2003). *Pseudoalteromonas phenolica* sp. nov., a novel marine bacterium that produces phenolic anti-methicillin-resistant *Staphylococcus aureus* substances. *International Journal of Systematic and Evolutionary Microbiology*, 53(2), 583–588. <https://doi.org/10.1099/ijs.0.02431-0>
- Jang, K., Nam, S., Locke, J., Kauffman, C., Beatty, D., Paul, L., & Fenical, W. (2013). Anthracimycin, a potent anthrax antibiotic from a marine-derived actinomycete. *Angew Chem Int Ed Engl*, 52(30), 1–7. <https://doi.org/10.1002/anie.201302749>. Anthracimycin
- Jeganathan, P., Rajasekaran, K. M., Asha Devi, N. K., & Karuppusamy, S. (2013). Antimicrobial activity and characterization of marine bacteria. *Indian Journal of Pharmaceutical and Biological Research*, 1(04), 38–44. <https://doi.org/10.30750/ijpbr.1.4.8>
- Jimeno, J., Faircloth, G., Sousa-Faro, J., Scheuer, P., & Rinehart, K. (2004). New

- marine derived anticancer therapeutics — A journey from the sea to clinical trials. *Marine Drugs*, 2(1), 14–29. <https://doi.org/10.3390/md201014>
- Kalpana, V. N., & Rajeswari, V. D. (2019). Preservatives in beverages: Perception and needs. In *Preservatives in Beverages: Perception and needs* (pp. 1–30). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-816685-7.00001-X>
- Kaluarachchi, M., Lewis, M. R., & Lindon, J. C. (2016). Standardized protocols for MS-based metabolic phenotyping. In *Encyclopedia of Spectroscopy and Spectrometry* (3rd ed.). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-409547-2.12134-1>
- Kim, S., & Zhang, X. (2015). Discovery of false identification using similarity difference in GC-MS-based metabolomics. *Journal of Chemometrics*, 29(2), 80–86. <https://doi.org/10.1002/cem.2665>
- Kiran, G. S., Priyadharsini, S., Sajayan, A., Ravindran, A., & Selvin, J. (2018). An antibiotic agent pyrrolo[1,2-: A] pyrazine-1,4-dione, hexahydro isolated from a marine bacteria *Bacillus tequilensis* MSI45 effectively controls multi-drug resistant *Staphylococcus aureus*. *RSC Advances*, 8(32), 17837–17846. <https://doi.org/10.1039/c8ra00820e>
- Laport, M., Santos, O., & Muricy, G. (2009). Marine sponges: Potential sources of new antimicrobial drugs. *Current Pharmaceutical Biotechnology*, 10(1), 86–105. <https://doi.org/10.2174/138920109787048625>
- Lee, S. Y., Chew, K. W., & Show, P. L. (2019). Cell separation and disruption, product recovery, and purification. In A. Berenjian (Ed.), *Essentials in Fermentation Technology* (pp. 237–271). Springer Nature Switzerland. https://doi.org/10.1007/978-3-030-16230-6_8
- Madden, T. (2013). The BLAST sequence analysis tool. *The BLAST Sequence Analysis Tool*, 1–17. <http://www.ncbi.nlm.nih.gov/books/NBK153387/>
- Mansson, M., Gram, L., & Larsen, T. O. (2011). Production of bioactive secondary metabolites by marine Vibrionaceae. *Marine Drugs*, 9(9), 1440–1468. <https://doi.org/10.3390/md9091440>
- Martín, J., Da Sousa, T. S., Crespo, G., Palomo, S., González, I., Tormo, J. R., De La Cruz, M., Anderson, M., Hill, R. T., Vicente, F., Genilloud, O., & Reyes, F. (2013). Kocurin, the true structure of PM181104, an anti-methicillin-resistant *Staphylococcus aureus* (MRSA) thiazolyl peptide from the marine-derived bacterium *Kocuria palustris*. *Marine Drugs*, 11(2), 387–398. <https://doi.org/10.3390/md11020387>
- Montaser, R., & Luesch, H. (2011). Marine natural products: a new wave of drugs? *Future Med. Chem.*, 3(12), 1475–1489. <https://doi.org/10.4155/FMC.11.118>
- Moore, B S, Trischman, J. A., Seng, D., Kho, D., Jensen, P. R., & Fenical, W. (1999). Salinamides, antiinflammatory depsipeptides from a marine streptomycete. *Journal of Organic Chemistry*, 64(4), 1145–1150. <https://doi.org/10.1021/jo9814391>

- Moore, Bradley S., Carter, G. T., & Brönstrup, M. (2017). Editorial: Are natural products the solution to antimicrobial resistance? *Natural Product Reports*, 34(7), 685–686. <https://doi.org/10.1039/c7np90026k>
- Munita, J. M., Arias, C. A., Unit, A. R., & Santiago, A. De. (2016). Mechanisms of Antibiotic Resistance. *Microbiol Spectr.*, 4(2), 1–37. <https://doi.org/10.1128/microbiolspec.VMBF-0016-2015.Mechanisms>
- Nambisan, P. (2017). Biodiversity and sharing of biological resources. *An Introduction to Ethical, Safety and Intellectual Property Rights Issues in Biotechnology*, 189–209. <https://doi.org/10.1016/b978-0-12-809231-6.00008-9>
- Ngeiywa, M., Edwin, M., Liti, D., & Mutai, R. (2015). Isolation of antibiotic Vibronaceae bacteria from a community marine Silvo-Fishery Farm along Mtwapa Creek, Kenya. *OALib*, 02(01), 1–5. <https://doi.org/10.4236/oalib.1101313>
- Nhung, P. H., Shah, M. M., Ohkusu, K., Noda, M., Hata, H., Sun, X. S., Iihara, H., Goto, K., Masaki, T., Miyasaka, J., & Ezaki, T. (2007). The *dnaJ* gene as a novel phylogenetic marker for identification of *Vibrio* species. *Systematic and Applied Microbiology*, 30(4), 309–315. <https://doi.org/10.1016/j.syapm.2006.11.004>
- Noaman, M. N. (2004). Effect of potassium and nitrogen fertilizers on the growth and biomass of some halophytes grown under high levels of salinity. *Journal of Agronomy*, 3(1), 25–30. <https://doi.org/https://dx.doi.org/10.3923/ja.2004.25.30>
- Nour, M., Mastouri, M., & Nejma, M. Ben. (2005). Methicillin resistance in *Staphylococcus aureus*: Emergence and molecular basis. *Pathologie Biologie*, 53(6), 334–340. <https://doi.org/10.1016/j.patbio.2004.08.001>
- Oclarit, J., Okada, H., Ohta, S., Kaminura, K., Yamaoka, Y., Lizuka, T., Miyashiro, S., & Ikegami, S. (1994). Anti-Bacillus substance in the marine sponge, *Hyatella* species, produced by an associated *Vibrio* species bacterium. *Microbios*, 78(314), 7–16.
- Pollock, F. J., Wilson, B., Johnson, W. R., Morris, P. J., Willis, B. L., & Bourne, D. G. (2010). Phylogeny of the coral pathogen *Vibrio coralliilyticus*. *Environmental Microbiology Reports*, 2(1), 172–178. <https://doi.org/10.1111/j.1758-2229.2009.00131.x>
- Pushpangadan, P., George, V., Parambil Ijinu, T., & Ambika Chithra, M. (2018). Biodiversity, bioprospecting, traditional knowledge, sustainable development and value added products: A review. *Journal of Traditional Medicine & Clinical Naturopathy*, 07(01), 1–7. <https://doi.org/10.4172/2573-4555.1000256>
- Putra, M. Y., & Karim, F. (2020). Antibacterial and antioxidant activity-guided isolation studies on *Fusarium* sp. associated with the ascidian *Botryllus schlosseri*. *AIP Conference Proceedings*, 2243(June).

<https://doi.org/10.1063/5.0001297>

- Qian, P. Y., Li, Z., Xu, Y., Li, Y., & Fusetani, N. (2015). Mini-review: Marine natural products and their synthetic analogs as antifouling compounds: 2009–2014. *Biofouling*, *31*(1), 101–122. <https://doi.org/10.1080/08927014.2014.997226>
- Reen, F. J., Gutiérrez-Barranquero, J. A., Dobson, A. D. W., Adams, C., & O’Gara, F. (2015). Emerging concepts promising new horizons for marine biodiscovery and synthetic biology. In *Marine Drugs* (Vol. 13, Issue 5). <https://doi.org/10.3390/md13052924>
- Richards, G. P., Bono, J. L., Watson, M. A., & Needleman, D. S. (2014). Complete genome sequence for the shellfish pathogen *Vibrio coralliilyticus* RE98 isolated from a shellfish hatchery. *Genome Announcements*, *2*(6), 6–7. <https://doi.org/10.1128/genomeA.01253-14>
- Romano, G., Costantini, M., Sansone, C., Lauritano, C., Ruocco, N., & Ianora, A. (2017). Marine microorganisms as a promising and sustainable source of bioactive molecules. *Marine Environmental Research*, *128*, 58–69. <https://doi.org/10.1016/j.marenvres.2016.05.002>
- Saitou, N., & Nei, M. (1987). The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution*, *4*(4), 406–425. <https://doi.org/10.1093/oxfordjournals.molbev.a040454>
- Sass, P. (2017). Antibiotics: Precious goods in changing times. In M. Wilmes & H. Sahl (Eds.), *Antibiotics: Methods and Protocols* (Vol. 1520, pp. 3–22). Springer. https://doi.org/10.1007/978-1-4939-6634-9_1
- Scherholz, M. L., & Curtis, W. R. (2013). Achieving pH control in microalgal cultures through fed-batch addition of stoichiometrically-balanced growth media. *BMC Biotechnology*, *13*(39), 1–15. <https://doi.org/10.1186/1472-6750-13-39>
- Schinke, C., Martins, T., Queiroz, S. C. N., Melo, I. S., & Reyes, F. G. R. (2017). Antibacterial Compounds from Marine Bacteria, 2010-2015. *Journal of Natural Products*, *80*(4), 1215–1228. <https://doi.org/10.1021/acs.jnatprod.6b00235>
- Ser, H. L., Palanisamy, U. D., Yin, W. F., Abd Malek, S. N., Chan, K. G., Goh, B. H., & Lee, L. H. (2015). Presence of antioxidative agent, Pyrrolo[1,2-a]pyrazine-1,4-dione, hexahydro- in newly isolated *Streptomyces mangrovisoli* sp. nov. *Frontiers in Microbiology*, *6*(AUG), 1–11. <https://doi.org/10.3389/fmicb.2015.00854>
- Smaoui, S., Mellouli, L., Lebrihi, A., Coppel, Y., Fguira, L. F. Ben, & Mathieu, F. (2011). Purification and structure elucidation of three naturally bioactive molecules from the new terrestrial *Streptomyces* sp. TN17 strain. *Natural Product Research*, *25*(8), 806–814. <https://doi.org/10.1080/14786410902986225>

- Sparkman, O. D., Penton, Z. E., & Kitson, F. G. (2011). Introduction and history. In *The Fundamentals of GC/MS* (pp. 2–13). <https://doi.org/10.1016/b978-0-12-373628-4.00001-0>
- Stratev, D., & Odeyemi, O. A. (2016). Antimicrobial resistance of *Aeromonas hydrophila* isolated from different food sources: A mini-review. *Journal of Infection and Public Health*, 9(5), 535–544. <https://doi.org/10.1016/j.jiph.2015.10.006>
- Sunagawa, S., Coelho, L. P., Chaffron, S., Kultima, J. R., Labadie, K., Salazar, G., Djahanshiri, B., Zeller, G., Mende, D. R., Alberti, A., Cornejo-Castillo, F. M., Costea, P. I., Cruaud, C., D'Ovidio, F., Engelen, S., Ferrera, I., Gasol, J. M., Guidi, L., Hildebrand, F., ... Bork, P. (2015). Structure and function of the global ocean microbiome. *Science*, 348(6237), 1–10. <https://doi.org/10.1126/science.1261359>
- Sussman, M., Willis, B. L., Victor, S., & Bourne, D. G. (2008). Coral pathogens identified for White Syndrome (WS) epizootics in the Indo-Pacific. *PLoS ONE*, 3(6). <https://doi.org/10.1371/journal.pone.0002393>
- Tareq, F. S., Kim, J. H., Lee, M. A., Lee, H., Lee, J., Lee, Y., & Shin, H. J. (2013). Antimicrobial Gageomacrolactins characterized from the fermentation of the marine-derived bacterium *Bacillus subtilis* under optimum growth conditions. *Journal of Agricultural and Food Chemistry*, 61, 3428–3434. <https://doi.org/10.1021/jf4009229>
- Tareq, F. S., Lee, M. A., Lee, H. S., Lee, J. S., Lee, Y. J., & Shin, H. J. (2014). Gageostatins A-C, noncytotoxic antimicrobial linear lipopeptides from a marine bacterium *Bacillus subtilis*. *Organic Letters*, 16, 928–931. <https://doi.org/10.3390/md12020871>
- Thompson, F. L., Gevers, D., Thompson, C. C., Dawyndt, P., Naser, S., Hoste, B., Munn, C. B., & Swings, J. (2005). Phylogeny and molecular identification of *Vibrios* on the basis of multilocus sequence analysis. *Applied and Environmental Microbiology*, 71(9), 5107–5115. <https://doi.org/10.1128/AEM.71.9.5107-5115.2005>
- Thompson, J. D., Higgins, D. G., & Gibson, T. J. (1994). CLUSTAL W: Improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Research*, 22(22), 4673–4680. <https://doi.org/10.1093/nar/22.22.4673>
- Tocher, D. R. (2003). Chromatography/Thin-layer chromatography. In B. Caballero (Ed.), *Encyclopedia of Food Sciences and Nutrition (Second Edition)*. Elsevier Science Ltd. <https://doi.org/10.1016/B0-12-227055-X/00231-5>.
- Trischman, J. A., Tapiolas, D. M., Jensen, P. R., Dwight, R., & Fenical, W. (1994). Salinamides A and B: Anti-inflammatory depsipeptides from a marine Streptomyces. *J. Am. Chem. Soc.*, 116, 757–758. <https://doi.org/10.1021/jo01040a059>

- Ventola, C. L. (2015). The antibiotic resistance crisis: Part 1: causes and threats. *P & T: A Peer-Reviewed Journal for Formulary Management*, 40(4), 277–283. <https://doi.org/10.24911/ijmdc.51-1549060699>
- Vizcaino, M. I., Johnson, W. R., Kimes, N. E., Williams, K., Torralba, M., Nelson, K. E., Smith, G. W., Weil, E., Moeller, P. D. R., & Morris, P. J. (2010). Antimicrobial resistance of the coral pathogen *Vibrio coralliilyticus* and Caribbean sister phylotypes isolated from a diseased octocoral. *Microbial Ecology*, 59(4), 646–657. <https://doi.org/10.1007/s00248-010-9644-3>
- Wiese, J., & Imhoff, J. F. (2018). Marine bacteria and fungi as promising source for new antibiotics. *Drug Development Research*, 80(1), 1–4. <https://doi.org/10.1002/ddr.21482>
- Wietz, M., Mansson, M., Gotfredsen, C. H., Larsen, T. O., & Gram, L. (2010). Antibacterial compounds from marine Vibrionaceae isolated on a global expedition. *Marine Drugs*, 8(12), 2946–2960. <https://doi.org/10.3390/md8122946>
- Wietz, M., Månsson, M., & Gram, L. (2011). Chitin stimulates production of the antibiotic andrimid in a *Vibrio coralliilyticus* strain. *Environmental Microbiology Reports*, 3(5), 559–564. <https://doi.org/10.1111/j.1758-2229.2011.00259.x>
- Wright, G. D. (2017). Opportunities for natural products in 21st century antibiotic discovery. *Natural Product Reports*, 34, 694–701. <https://doi.org/10.1039/C7NP00019G>
- Zhao, Q., Wang, L., & Luo, Y. (2019). Recent advances in natural products exploitation in *Streptomyces* via synthetic biology. *Engineering in Life Sciences*, 19(6), 452–462. <https://doi.org/10.1002/elsc.201800137>