



DAFTAR PUSTAKA

- Aryati, P. A., Margono, M., & Rita, M. (2018). The Characteristics and Knowledge Level of Mother in The Initial Handling of Toddlers' Diarrhea Incidence. *Jurnal Berkala Epidemiologi*, 6(3), 252-259.
- Abadi, M. F. K. A. & Hujail, S. A. A. R. (2019) Assessment of Mothers' Knowledge, Attitude, and Practice about Oral Rehydration Solution in Treatment of Diarrhea in Karbala. *Karbala Journal of Medicine*, 12(2): 2203-2211.
- Acharya, D., Singh, J. K., Adhikari, M., Gautam, S., Pandey, P. & Dayal, V. (2018) Association of water handling and child feeding practice with childhood diarrhoea in rural community of Southern Nepal. *Journal of infection and public health*, 11(1): 69-74.
- Ajayi, D., Bello, O., Ijaola, T., Oke, O. & Fabiyi, G. (2019) Determinants of Oral Rehydration Solution and Zinc Use Among Under-Five Children for The Management of Diarrhea in Abeokuta, Nigeria. *Archives of Basic and Applied Medicine*.
- Altomonte, S., Logan, B., Feisst, M., Rutherford, P. & Wilson, R. (2016) Interactive and situated learning in education for sustainability. *International Journal of Sustainability in Higher Education*.
- Andersen, R. M., Yu, H., Wyn, R., Davidson, P. L., Brown, E. R. & Teleki, S. (2002) Access to medical care for low-income persons: how do communities make a difference? *Medical care research and review*, 59(4): 384-411.
- Bartholomew, L. K., Pacel, G. S., G, K. & N.H, G. (2006) Planning Health promotion Programs, An Intervention Mapping Approach (first edition). USSA, Jossey-Bass A Willey imprint.
- Bartick, M. & Reinhold, A. (2010) The burden of suboptimal breastfeeding in the United States: a pediatric cost analysis. *Pediatrics*, 125(5): e1048-e1056.
- Bentley, M. E. (1988) The household management of childhood diarrhea in rural North India. *Social science & medicine*, 27(1): 75-85.
- Berde, A. S., Yalçın, S. S., Özcebe, H., Üner, S. & Karadağ-Caman, Ö. (2018) Determinants of childhood diarrhea among under-five year old children in Nigeria: A population-based study using the 2013 demographic and health survey data. *The Turkish journal of pediatrics*, 60(4): 353-360.



Bojalil, R., Guiscafré, H., Espinosa, P., Martínez, H., Palafox, M., Guillermina, R. & Gutiérrez, G. (1998) The quality of private and public primary health care management of children with diarrhoea and acute respiratory infections in Tlaxcala, Mexico. *Health policy and planning*, 13(3): 323-331.

BPS (2017) Badan Pusat Statistik, Jakarta : <https://jakarta.bps.go.id/subject/6/tenaga-kerja.html> : (diakses tanggal 4/03/2010) pukul 10.30 WITA.

Brown, K. H., Black, R. E., de Romaña, G. L. & de Kanashiro, H. C. (1989) Infant-feeding practices and their relationship with diarrheal and other diseases in Huascar (Lima), Peru. *Pediatrics*, 83(1): 31-40.

Budiarso, L. R. & Pradono, J. (1998) Prevalensi dan Perawatan Diare pada Balita Sdki 1991, 1994 dan 1997. *Indonesian Bulletin of Health Research*, 26(4): 20347.

Charyeva, Z., Cannon, M., Oguntunde, O., Garba, A. M., Sambisa, W., Bassi, A. P., Ibrahim, M. A. & Lawal, N. (2015) Reducing the burden of diarrhea among children under five years old: lessons learned from oral rehydration therapy corner program implementation in Northern Nigeria. *Journal of Health, Population and Nutrition*, 34(1): 1-8.

Datta, V., John, R., Singh, V. & Chaturvedi, P. (2001) Maternal knowledge, attitude and practices towards diarrhea and oral rehydration therapy in rural Maharashtra. *The Indian Journal of Pediatrics*, 68(11): 1035-1037.

DEPKES (2011a) Data dan Informasi: Situasi Diare di Indonesia. Jakarta. 2011

DEPKES (2011b) *Situasi Diare Di Indonesia*, Jakarta: Kementerian Kesehatan Indonesia.

Digre, P., Simpson, E., Cali, S., Lartey, B., Moodley, M. & Diop, N. (2016) Caregiver perceptions and utilization of oral rehydration solution and other treatments for diarrhea among young children in Burkina Faso. *Journal of global health*, 6(2).

Diouf, K., Tabatabai, P., Rudolph, J. & Marx, M. (2014) Diarrhoea prevalence in children under five years of age in rural Burundi: an assessment of social and behavioural factors at the household level. *Global health action*, 7(1): 24895.

Djaja, S., Ariawan, I. & Afifah, T. (2002) Perilaku Pencarian Pengobatan Diare pada Balita. *Indonesian Bulletin of Health Research*, 30(1): 66574.

Donabedian, A. (1980) The Definition of Quality and Approaches its Assesment,Ann Arbor Michigan , Health Administration Press Vol I



- Edward, G. (1986) Diarrhoea and the Social Marketing of Oral Rehydration Salt in Bangladesh, *Soc.Sci. Med.* Vol. 23 (4).
- Elliott, E. (2008) Oral rehydration therapy: applied physiology. *Clinical Medicine*, 8(3): 296.
- Evayanti, N. K. E., Purna, I. N. & Aryana, I. K. (2014) Faktor-faktor yang berhubungan dengan kejadian diare pada balita yang berobat ke Badan Rumah Sakit Umum Tabanan. *Jurnal Kesehatan Lingkungan*, 4(2): 134-139.
- Fontoura, V. M., Graepp-Fontoura, I., Santos, F. S., Neto, M. S., de Almeida Tavares, H. S., Bezerra, M. O. L., de Oliveira Feitosa, M., Neves, A. F., de Morais, J. C. M. & Nascimento, L. F. C. (2018) Socio-environmental factors and diarrheal diseases in under five-year old children in the state of Tocantins, Brazil. *PloS one*, 13(5).
- Furwanto, R. (2013) Hubungan Status Sosial Ekonomi Keluarga Dengan Penerapan Perilaku Hidup Bersih Dan Sehat Tatapan Rumah Tangga. Pekanbaru : Universitas Riau.
- Ghimire, P. R., Agho, K. E., Renzaho, A. M., Dibley, M. & Raynes-Greenow, C. (2018) Association between health service use and diarrhoea management approach among caregivers of under-five children in Nepal. *PloS one*, 13(3): e0191988.
- Gwimile, J. J., Shekalaghe, S. A., Kapanda, G. N. & Kisanga, E. R. (2012) Antibiotic prescribing practice in management of cough and/or diarrhoea in Moshi Municipality, Northern Tanzania: cross-sectional descriptive study. *Pan African Medical Journal*, 12(1).
- Hasibuan, Y. P. & Ginting, R. (2019) ANALISIS PELAKSANAAN PROGRAM DIARE DI PUSKESMAS SERING TAHUN 2019. *JURNAL KESMAS DAN GIZI (JKG)*, 2(1): 56-62.
- Havighurst, R. J. (1953) Human development and education.
- Helman, C. G. & Helman, C. (1990) Culture and pharmacology. *Culture, Health and Illness: An Introduction for Health Professionals*, 170-191.
- Hirschhorn, N., Kinzie, J. L., Sachar, D. B., Northrup, R. S., Taylor, J. O., Ahmad, S. Z. & Phillips, R. A. (1968) Decrease in net stool output in cholera during intestinal perfusion with glucose-containing solutions. *New England journal of medicine*, 279(4): 176-181.



Hudelson, P. M. (1993) ORS and the treatment of childhood diarrhea in Managua, Nicaragua. *Social Science & Medicine*, 37(1): 97-103.

Huffman, S. L. & Martin, L. H. (1994) First feedings: optimal feeding of infants and toddlers. *Nutrition research*, 14(1): 127-159.

Irianto, K. (2014) Ilmu Kesehatan Masyarakat. Bandung : Alfabeta.

Islam, M., Ercumen, A., Ashraf, S., Rahman, M., Shoab, A. K., Luby, S. P. & Unicomb, L. (2018) Unsafe disposal of feces of children< 3 years among households with latrine access in rural Bangladesh: association with household characteristics, fly presence and child diarrhea. *PLoS One*, 13(4).

Jamison, D. T., Breman, J. G., Meahsam, A. R., Alleyne, G., Claeson, L., Evans, D. B. & Musgrove, P. (2006) Diarrheal Diseases in Disease Control Priorities in Developing Countries. Eds., Dean T.Jamison and others, Published for the World Bank, Oxford University Press. 5: 103-05.

Kapti, R. E., Rustina, Y. & Widyatuti, W. (2013) Efektifitas audiovisual sebagai media penyuluhan kesehatan terhadap peningkatan pengetahuan dan sikap ibu dalam tatalaksana balita dengan diare di dua rumah sakit kota Malang. *Jurnal Ilmu Keperawatan: Journal of Nursing Science*, 1(1): 53-60.

KEMENKES (2011a) Panduan Sosialisasi Tata Laksana Diare Di Indonesia.

KEMENKES (2011b) situasi diare di Indonesia, buletin jendela data dan informasi kesehatan: Jakarta.

KEMENKES (2018) Profil Kesehatan Indonesia Tahun 2017. Jakarta: Kementerian Kesehatan RI.

Kotwani, A., Chaudhury, R. R. & Holloway, K. (2012) Antibiotic-prescribing practices of primary care prescribers for acute diarrhea in New Delhi, India. *Value in health*, 15(1): S116-S119.

Lam, F., Wentworth, L., Cherutich, P., Migiro, S., Abdala, K., Musyoka, M., Ogolla, S., Obudho, M., Mwangi, Z. & Kihoto, R. (2019) An evaluation of a national oral rehydration solution and zinc scale-up program in Kenya between 2011 and 2016. *Journal of global health*, 9(1).

Liu, L., Oza, S., Hogan, D., Chu, Y., Perin, J., Zhu, J., Lawn, J. E., Cousens, S., Mathers, C. & Black, R. E. (2016) Global, regional, and national causes of



- under-5 mortality in 2000–15: an updated systematic analysis with implications for the Sustainable Development Goals. *The Lancet*, 388(10063): 3027-3035.
- Mengistie, B., Berhane, Y. & Worku, A. (2012) Predictors of Oral Rehydration Therapy use among under-five children with diarrhea in Eastern Ethiopia: a community based case control study. *BMC public health*, 12(1): 1029.
- Misgna, H. G., Ebessa, B. & Kassa, M. (2019) Prevalence of oral rehydration therapy use and associated factors among under-five children with diarrhea in Dangure, Benishangul Gumuz Region, Ethiopia/2018. *BMC research notes*, 12(1): 67.
- Ningsih, H., Syafar, M. & Nyorong, M. (2013) Perilaku Ibu Terhadap Pencegahan dan Pengobatan Anak Balita Penderita Diare di Wilayah Kerja Puskesmas Belawa Kecamatan Belawa Kabupaten Wajo.
- Notoatmodjo (2007) Promosi Kesehatan dan Ilmu Perilaku. Jakarta: Rineka Cipta. 2007.
- Nwaozuru, U. C. (2016) Determinants of maternal use of oral rehydration solution (ORS) and visit to a medical facility for diarrhea among under-five children in Nigeria: a secondary analysis of 2013 Nigerian demographic and health survey.
- Ogbo, F. A., Agho, K., Ogeleka, P., Woolfenden, S., Page, A., Eastwood, J. & Group, G. C. H. R. I. (2017) Infant feeding practices and diarrhoea in sub-Saharan African countries with high diarrhoea mortality. *PloS one*, 12(2): e0171792.
- Ogunlesi, T. A., Olowonyo, M. T. & Runsewe-Abiodun, T. I. (2017) Pre-hospital Use of Oral Rehydration Therapy and Zinc and the Risk of Dehydration in Childhood Diarrhoea. *Journal of Advances in Medicine and Medical Research*, 1-8.
- Olson, C. K., Blum, L. S., Patel, K. N., Oria, P. A., Feikin, D. R., Laserson, K. F., Wamae, A. W., Bartlett, A. V., Breiman, R. F. & Ram, P. K. (2011) Community case management of childhood diarrhea in a setting with declining use of oral rehydration therapy: findings from cross-sectional studies among primary household caregivers, Kenya, 2007. *The American journal of tropical medicine and hygiene*, 85(6): 1134-1140.
- Onyango, A., Koski, K. G. & Tucker, K. L. (1998) Food diversity versus breastfeeding choice in determining anthropometric status in rural Kenyan toddlers. *International journal of epidemiology*, 27(3): 484-489.
- Pinzón-Rondón, Á. M., Zárate-Ardila, C., Hoyos-Martínez, A., Ruiz-Sternberg, Á. M. & Vélez-van-Meerbeke, A. (2015) Country characteristics and acute diarrhea



- in children from developing nations: a multilevel study. *BMC Public Health*, 15(1): 811.
- Pradono, J. & Budiarso, L. R. (1998) Prevalensi dan Perawatan Diare pada Balita: SDKI 1991, 1994 dan 1997. *Buletin Penelitian Kesehatan*, 26(4).
- Rahaman, M. M., Aziz, K., Munshi, M., Patwari, Y. & Rahman, M. (1982) A diarrhea clinic in rural Bangladesh: influence of distance, age, and sex on attendance and diarrheal mortality. *American journal of public health*, 72(10): 1124-1128.
- Riskesdas (2018) https://kesmas.kemkes.go.id/assets/upload/dir_519d41d8cd98f00/files/Hasil-riskesdas-2018_1274.pdf.
- Sarker, A. R., Sultana, M., Mahumud, R. A., Sheikh, N., Van Der Meer, R. & Morton, A. (2016) Prevalence and health care-seeking behavior for childhood diarrheal disease in Bangladesh. *Global pediatric health*, 32333794X16680901.
- SDKI (2017) survey Demografi Kesehatan Indonesia.
- Shah, D. & Sachdev, H. (1999) Evaluation of the WHO/UNICEF algorithm for integrated management of childhood illness between the age of two months to five years. *Indian Pediatr*, 36 (8): 767-777.
- Sood, N. & Wagner, Z. (2014) Private sector provision of oral rehydration therapy for child diarrhea in sub-Saharan Africa. *The American journal of tropical medicine and hygiene*, 90(5): 939-944.
- Sudigbia (1991) Pengantar Diare Akut Anak, Semarang.
- Sunarsih, E. (2016) Determinan Kajadian Diare pada Anak Balita di Indonesia (Analisis Lanjut Data Sdki 2012). *Jurnal Ilmu Kesehatan Masyarakat*, 7(1): 64-72.
- Tuwohingide, Y. H., Langi, F. F. G. & Pinontoan, O. R. (2019) DETERMINAN DIARE PADA BALITA DI INDONESIA. *Paradigma*, 7(4).
- Wade, C. & Tavris, C. (2007) Psikologi Edisi Kesembilan Jilid 2. Jakarta: Erlangga
- Wawan , D. (2010) *Teori dan pengukuran Pengetahuan, Sikap dan Perilaku Manusia*. Yogyakarta : Nuha Medika. [Online]. [Accessed].
- WHO (2005) Diarrhoeal disease. Newsroom:. World Health Organization.



WHO (2006) Implementing the new recommendations on the clinical management of diarrhoea: guidelines for policy makers and programme managers.

WHO (2017a) Diarrhoeal disease. Newsroom: *World Health Organization*.

WHO (2018) THE TREATMENT OF DIARRHOEA, A manual for physicians and other senior health workers,
https://www.who.int/maternal_child_adolescent/documents/9241593180/en/,
50-04.

Widowati, T., Mulyani, N. S., Nirwati, H. & Soenarto, Y. (2016) Diare rotavirus pada anak usia balita. *Sari Pediatri*, 13(5): 340-5.

Wobudeya, E., Bachou, H., Karamagi, C. K., Kalyango, J. N., Mutebi, E. & Wamani, H. (2011) Breastfeeding and the risk of rotavirus diarrhea in hospitalized infants in Uganda: a matched case control study. *BMC pediatrics*, 11(1): 17.

Yount, K. M. (2003) Provider bias in the treatment of diarrhea among boys and girls attending public facilities in Minia, Egypt. *Social science & medicine*, 56(4): 753-768.