

## DAFTAR PUSTAKA

- Alghoula, F., Albagoush, S., Buaisha, H., Walters, R., Highley, A., Gbadamosi-Akindele, M. 2019. Anemia as a prognostic factor in patients with severe sepsis and septic shock. *Diakses* 27 Januari 2021 dari <https://doi.org/10.1016/j.chest.2019.08.961>
- Angus, D.C., van der Poll, T. 2013. Severe sepsis and septic shock. *N Engl J Med.* 369(9):840-851.
- Annane, D., Bellissant, E., Cavaillon, J.M. 2005. Septic shock. *Lancet.* 365:63-78.
- Arturo, A., Zaragoza, R., Camarena, J.J., Sancho, S., Gonzalez, R., Noguiera, J.M. 2010. Prognostic factors of mortality in patients with community-acquired bloodstream infection with severe sepsis and septic shock. *Journal of Critical Care.* 25:276-281.
- Assinger, A., Schrottmaier, W.C, Salzmann, M., Rayes, J. 2019. Platelets in sepsis: an update on experimental models and clinical data. *Front. Immunol.* 10:1687.
- Bateman, R.M., Sharpe, M.D., Singer, M., & Ellis, C.G. 2017. The effect of sepsis on the erythrocyte. *Int. J. Mol. Sci.* 18:1-32.
- Bonilla, F.A., Oettgen, H.C. 2010. Adaptive immunity. *J Allergy Clin Immunol.* 125:S33-40.
- Chaplin, D.D. 2010. Overview of the immune response. *J Allergy Clin Immunol.* 125:S3-23.
- Chen, X.H, Yin, Y.J., Zhang, X.J. 2011. Sepsis and immune response, *World J EmergMe.* 2(2):88-92.
- Chen, XL., Xue, L., Wang, W., Chen, HN, Zhang, WH., Liu, K., *et al.* 2015. Prognostic significance of the combination of preoperative hemoglobin, albumin, lymphocyte and platelet in patients with gastric carcinoma: a retrospective cohort study. *Oncotarget.* 6(38):41370-41382.
- Chung, K.P., Chang, H.T., Lo, S.C., Chang, L.Y., Lin, S.Y., Cheng, A., *et al.* 2015. Severe lymphopenia is associated with elevated plasma interleukin-15 levels and increased mortality during severe sepsis. *Shock.* 43:569–575.
- Condotta, S.A., Cabrera-Perez, J., Badovinac, V.P., Griffith, T.S. 2013. T-cell mediated immunity and the role of TRAIL in sepsis-induced immunosuppression. *Crit Rev Immunol.* 33(1):23-40.
- de Jager, C., van Wijk, P., Mathoera, R.B., de Jongh-Leuvenink, J., van der Poll, T., Wever, P.C. 2010. Lymphocytopenia and neutrophil-lymphocyte count ratio predict bacteremia better than conventional infection markers in an emergency care unit. *Critical Care.* 14(5):1-8.
- Dellinger, R.P., Levy, M.M., Rhodes, A., Annane, D., Gerlach, H., Opal, S.M, *et al.* 2013. Surviving sepsis campaign: international guidelines for management of severe sepsis and septic shock: 2012. *Crit Care Med.* 41(2):580-637.
- Garcia-Rizo, C., Gernandez-Egea, E., Miller, B.J., Oliviera, C., Justicia, A., Griffith, J.K., *et al.* 2012. Abnormal glucose tolerance, white blood cell count, and

- telomere length in newly diagnosed, antidepressant-naïve patients with depression. *Brain, Behavior and Immunity*. 28:49-53.
- Gauer, R.L. 2013. Early Recognition and Management of Sepsis in Adults: The First Six Hours. *Am Fam Physician*. 88(1):44-53.
- Giamarellos-Bourboulis, E.J., Tsaganos, T., Tsangaris, I., Lada, M., Routsis, C., Sinapidis, D., *et al.* 2017. Validation of the new Sepsis-3 definitions: proposal for improvement in early risk identification. *Clin Microbiol Infect*. 23(2):104-109.
- Girardot, T., Rimmele, T., Venet, F., Monneret, G. 2017. Apoptosis-induced lymphopenia in sepsis and other severe injuries. *Apoptosis*. 22:295-305.
- Greco, E., Lupia, E., Bosco, O., Vizio, B., Montrucchio, G. 2017. Platelets and multi-organ failure in sepsis. *Int. J. Mol. Sci*. 18:1-10.
- Guo, Y., Shi, D., Zhang, J., Mao, S., Wang, L., Zhang, W., *et al.* 2019. The hemoglobin, albumin, lymphocyte, and platelet (HALP) score is a novel significant prognostic factor for patients with metastatic prostate cancer undergoing cytoreductive radical prostatectomy. *Journal of Cancer*. 10:81-91.
- Guclu, E., Durmaz, Y., Karabay, O. 2013. Effect of severe sepsis on platelet count and their indices. *African Health Sciences*. 13(2):333-338.
- Gupta, L., James, B.S. 2012. Hypoalbuminemia as a prognostic factor in sepsis, severe sepsis and septic shock. *Critical Care Medicine*. 40(12).
- Hayden, S.J., Albert, T.J., Watkins, T.R., Swenson, E.R. 2012. Anemia in critical illness: insights into etiology, consequences, and management. *Am J Respir Crit Care Med*. 185(10):1049–1057.
- Hotchkiss, R.S., Tinsley, K.W., Swanson, P.E., Schmiege, R.E.Jr., Hui, J.J., Chang K.C., *et al.* 2001. Sepsis-induced apoptosis causes progressive profound depletion of B and CD4+ T lymphocytes in humans. *J Immunol*. 166:6952–6963.
- Hutchins, N.A., Usinger, J., Hotchkiss, R.S., Ayala, A. 2014. The new normal: immunomodulatory agents against sepsis immune suppression. *Trends in molecular medicine*. 20(4):224-233.
- Jiang, H., Li, H., Li, A., Tang, E., Xu, D., Chen, Y., *et al.* 2016. Preoperative combined hemoglobin, albumin, lymphocyte and platelet levels predict survival in patients with locally advanced colorectal cancer. *Oncotarget*. 7(44):72076-72083.
- Jiang, Y., Jiang, F., Kong, F., An, M., Jin, B., Cao, D., *et al.* 2019. Inflammatory anemia-associated parameters are related to 28-day mortality in patients with sepsis admitted to the ICU: a preliminary observational study. *Ann. Intensive Care*. 9(67):1-11.
- Jung, S.M., Kim, Y.J., Ryoo, S.M., Kim, Y.W. 2019. Relationship between low hemoglobin levels and mortality in patients with septic shock. *Acute and Critical Care*. May 34(2):141-147.
- Kalil, A. 2020. Septic Shock Treatment & Management. Diakses 28 Januari 2021 dari <https://emedicine.medscape.com/article/168402-treatment>
- Kementerian Kesehatan Republik Indonesia. 2017. Keputusan menteri kesehatan Republik Indonesia nomor HK.01.07/menkes/342/2017 tentang pedoman

- nasional pelayanan kedokteran tata laksana sepsis. Diakses 20 Oktober 2020 dari [http://hukor.kemkes.go.id/uploads/produk\\_hukum/KMK\\_No.\\_HK\\_.01\\_.07-MENKES-342-2017\\_ttg\\_Pedoman\\_Pelayanan\\_Kedokteran\\_Tata\\_Laksana\\_Sepsis\\_.pdf](http://hukor.kemkes.go.id/uploads/produk_hukum/KMK_No._HK_.01_.07-MENKES-342-2017_ttg_Pedoman_Pelayanan_Kedokteran_Tata_Laksana_Sepsis_.pdf)
- Kim, H.I., Park, S. 2019. Sepsis: early recognition and optimized treatment. *Tuberc Respir Dis (Seoul)*. 82(1):6-14.
- Kurniawan, J., Asdie, R.H., Subronto, Y.W. 2020. Persistent lymphopenia as a predictor of in hospitality in septic patients at Dr. Sardjito hospital. *Acta Interna The Journal of Internal Medicine*. 10(1):37-49.
- Kral, J.B., Schrottmaier, W.C., Salzmann, M., Assinger, A. 2016. Platelet interaction with innate immune cells. *Transfus Med Hemother*. 43:78–88.
- Lee, S.M., Kang, J.W., Jo, Y.H., Kim, K., Lee, J.H., Lee, J., Rim, K.P. 2015. Underweight is associated with mortality in patients with severe sepsis and septic shock. *Intensive Care Medicine Experimental*. 3(Suppl 1):A876.
- Martin, G., Brunkhorst, F.M., Janes, J.M., Reinhart, K., Sundin, D.P., Garnett, K., Beale, R. 2009. The international PROGRESS registry of patients with severe sepsis: drotrecogin alfa (activated) use and patient outcomes. *Crit Care*. 13:R103.
- Mazza, B.F., Freitas, F.G., Barros, M.M., Azevedo, L.C., Machado, F.R. 2015. Blood transfusions in septic shock: is 7.0g/dL really the appropriate threshold. *Rev Bras Ter Intensiva*. 27(1):36-43.
- Mirsaeidi, M., Peyrani, P., Aliberti, S., Filardo, G., Bordon, J., Blasi, F., *et al.* 2010. Thrombocytopenia and thrombocytosis at time of hospitalization predict mortality in patients with community-acquired pneumonia. *Chest*. 137(2):416–420.
- Muady, G.F., Bitterman, H., Laor, A., Vardi, M., Urin, V., Ghanem-Zoubi, H. 2016. Hemoglobin levels and blood transfusion in patients with sepsis in Internal Medicine Departments. *BMC Infectious Diseases*. 16(569):1-8.
- Nasir, N., Jamil, B., Siddiqui, S., Talat, N., Khan, F.A., Hussain, R. 2015. Mortality in sepsis and its relationship with gender. *Pak J Med Sci*. 31(5):1 201-1206.
- Peng, D., Zhang, C., Gong, Y., Haol, H., Guan, B., Li1, X., *et al.* 2018. Prognostic significance of HALP (hemoglobin, albumin, lymphocyte and platelet) in patients with bladder cancer after radical cystectomy. *Scientific reports*. 8(794): 1-9.
- Polat, G., Ugan, R.A., Cardici, E., Halici, Z. 2017. Sepsis and septic shock: current treatment strategies and new approaches. *The Eurasian Journal of Medicine*. 49:53-58.
- Provan, D., Singer, C.R.J., Baglin, T., Lilleyman, J. 2004. *Reduced White Blood Count in Oxford Handbook of Clinical Haematology* (2<sup>nd</sup> ed), pp 16-19. *Oxford University Press*, Oxford.
- Rannikko, J., Syrjänen, J., Seiskari, T., Aittoniemi, J., Huttunen, R. 2017. Sepsis-related mortality in 497 cases with blood culture-positive sepsis in an emergency department. *International Journal of Infectious Diseases*. 58:52–57

- Reinhart, K., Bloos, F., Brunkhorst, F.M. 2005. Pathophysiology of sepsis and multiple organ dysfunction. In *Textbook of Critical Care*. Fifth Edition. pp1249-58. Elsevier Saunders. Philadelphia.
- Roger, P.M., Hyvernart, H., Breittmayer, J.P., Dunais, B., Dellamonica, J., Bernardin, G., *et al.* 2009. Enhanced T-cell apoptosis in human septic shock is associated with alteration of the costimulatory pathway. *Eur. J. Clin. Microbiol. Infect. Dis.* 28:575–584.
- Schattner, A., Kadi, J., Dubin, I. 2019. Reactive thrombocytosis in acute infectious diseases: prevalence, characteristics and timing. *Eur J Intern Med.* 5(63):42-45.
- Serafim, R., Gomes, J., Salluh, J., Póvoa, P. 2017. A comparison of the quick-SOFA and systemic inflammatory response syndrome criteria for the diagnosis of sepsis and prediction of mortality. *Chest.* 153(3):646-655.
- Seymour, C.W., Liu, V.X., Iwashyna, T.J., Brunkhorst, F.M., Rea, T.D., Scherag, A. 2016. Assessment of clinical criteria for sepsis. *JAMA.* 315(8):762-774.
- Shen, Y., Huang, X., Zhang, W. 2019. Platelet-to-lymphocyte ratio as a prognostic predictor of mortality for sepsis: interaction effect with disease severity—a retrospective study. *BMJ Open.* 9(1):e022896.
- Shen, X.B., Zhang, Y.X., Wang, W., & Pan, Y.Y. 2019. The hemoglobin, albumin, lymphocyte, and platelet (HALP) score in patients with small cell lung cancer before first-line treatment with etoposide and progression-free survival. *Med Sci Monit.* 25:5630-5639.
- Singer, M., Deutschman, C.S., Seymour, C.W., Shankar-Hari, M., Annane, D., Bauer, M., *et al.* 2016, The third international consensus definitions for sepsis and septic shock (Sepsis-3). *J Am Med Assoc.* 315:801–810.
- Stearns-Kurosawa, D.J., Osuchowski, M.F., Valentine, C., Kurosawa, S., Remick, D.G., 2011. The Pathogenesis of sepsis. *Annu. Rev. Pathol. Mech. Dis.* 6:19-48.
- Sucu, M., Gokcinar, D., Lafci, A., Dag, O., Turan, I., Gogus, N. 2019. The prognostic value of lymphopenia in adult intensive care patients in critical condition. *Acta Medica Mediterranea.* 35:1359-1365.
- Takegawa. R., Kabata, D., Shimizu, K., Hisanob, S., Ogura, H., Shintani, A., & Shimazu, T. 2019. Serum albumin as a risk factor for death in patients with prolonged sepsis: an observational study. *Journal of Critical Care.* 51:139–144.
- Thiery-Antier, N., Binquet, C., Vinault, S., Meziani, F., Boisramé-Helms, J., Quenot, J.P., *et al.* 2016. Is thrombocytopenia an early prognostic marker in septic shock. *Crit Care Med.* 44(4):764-772.
- Vahedi, H., Bagheri, A., Jahanshir, A., Seyedhosseini, J., Vahidi, E., *et al.* 2019. Association of lymphopenia with short term outcomes of sepsis patients; a brief report. *Archives of Academic Emergency Medicine.* 7(1):e14-19.
- Venet, F., Davin, F., Guignant, C., Larue, A., Cazalis, M.A., Darbon, R., *et al.* 2010. Early assessment of leukocyte alterations at diagnosis of septic shock. *Shock.* 34:358–363.

- Viasus, D., Garcia-Vidal, C., Simonetti, A., Manresa, F., Dorca, J., Gudiol, F., *et al.* 2013. Prognostic value of serum albumin levels in hospitalized adults with community-acquired pneumonia. *Journal of Infection*. 66:415-423.
- Vieira-de-Abreu, A., Campbell, R.A., Weyrich, A.S., Zimmerman, G.A. 2012. Platelets: versatile effector cells in hemostasis, inflammation, and the immune continuum. *Semin Immunopathol*. 34(1):5-30.
- Vincent, J.L., Moreno, R., Takala, J., Willatts, S., De Mendonça, A., Bruining, H., *et al.* 1996. The SOFA (Sepsis-related Organ Failure Assessment) score to describe organ dysfunction/failure. On behalf of the Working Group on Sepsis-Related Problems of the European Society of Intensive Care Medicine. *Intensive Care Med*. 22(7):707-710.
- Wang, H.E, Shapiro, N.I., Griffin, R., Safford, M.M., Judd, S., Howard, G. 2012. Chronic medical conditions and risk of sepsis. *PLoS ONE*. 7(10):e48307.
- Yin, M., Si, L., Qin, W., Li, C., Zhang, J., Yang, H., *et al.* 2018. Predictive value of serum albumin level for the prognosis of severe sepsis without exogenous human albumin administration: a prospective cohort study. *Journal of Intensive Care Medicine*. 33(12):687-694.
- Zahar, J.R., Timsit, J.F., Garrouste-Orgeas, M., Francais, A., Vesim, A., Descorps-Declere, A., *et al.* 2011. Outcomes in severe sepsis and patients with septic shock: pathogen species and infection sites are not associated with mortality. *Crit Care Med*. 39(8):1886-1895.
- Zhao, H., Heard, S.O., Mullen, M.T., Crawford, S., Goldberg, R.J., Frendl, G., *et al.*, 2012. An evaluation of the diagnostic accuracy of the 1991 American College of Chest Physicians/Society of Critical Care Medicine and the 2001 Society of Critical Care Medicine/European Society of Intensive Care Medicine/American College of Chest Physicians/American Thoracic Society/Surgical Infection Society sepsis definition. *Crit Care Med*. 40(6):1700–1706.
- Zhou, Q., Wang, M., Li, S., Jing Zhang, J., Ma, Q., Ding, Y., *et al.* 2018. Impact of body mass index on survival of medical patients with sepsis: a prospective cohort study in a university hospital in China. *BMJ Open*. 8:e021979.