



DAFTAR PUSTAKA

- ADA (2005) *American Diabetes Association (ADA)*. Available at: <http://www.diabetes.org/>.
- Agustina, R. et al. (2018) ‘Review Universal health coverage in Indonesia : concept , progress , and challenges’.
- Ahmad, M. et al. (2017) ‘PROLANIS IMPLEMENTATION EFFECTIVE TO CONTROL FASTING BLOOD SUGAR, HbA1c AND TOTAL CHOLESTEROL LEVELS IN PATIENTS WITH TYPE 2 DIABETES’, *Jurnal Ners*, 12(1), p. 88. doi: 10.20473/jn.v12i1.2750.
- Al-khawaldeh, O. A., Al-hassan, M. A. and Froelicher, E. S. (2012) ‘Journal of Diabetes and Its Complications’, 26, pp. 10–16. doi: 10.1016/j.jdiacomp.2011.11.002.
- Al-qazaz, H. K. et al. (2011) ‘Perception and knowledge of patients with type 2 diabetes in Malaysia about their disease and medication : A qualitative study’, *Research in Social and Administrative Pharmacy*. Elsevier Inc, 7(2), pp. 180–191. doi: 10.1016/j.sapharm.2010.04.005.
- Bains, S. S. and Egede, L. E. (2011) ‘Associations Between Health Literacy , Diabetes Knowledge ’, 13(3). doi: 10.1089/dia.2010.0160.
- Banarer, S. and Cryer, P. E. (2004) ‘Hypoglycemia in type 2 diabetes’, *The Medical Clinics of North America*, 88, pp. 1107–1116. doi: 10.1016/j.mcna.2004.04.003.
- Barron, E. (2020) ‘The Lancet Diabetes & Endocrinology Type 1 and Type 2 diabetes and COVID-19 related mortality in England : a whole population study’, *The Lancet Diabetes & Endocrinology Type*.
- Basuki, E. (2015) ‘Teknik Penyuluhan Diabetes Melitus’, in Soegondo, S., Soewondo, P., and Subekti, I. (eds) *Penatalaksanaan Diabetes Melitus Terpadu*. Balai Penerbit FKUI, pp. 135–150.
- Berz, J. P. B. and Orlander, J. D. (2007) ‘Prolonged Cerebellar Ataxia : An Unusual Complication of Hypoglycemia’, *JGIM*, pp. 6–8. doi: 10.1007/s11606-007-0407-x.
- Bloomgarden, Z. T. (2020) ‘Diabetes and COVID-19’, pp. 2018–2019. doi: 10.1111/1753-0407.13027.



Braun, V. and Clarke, V. (2006) 'Using thematic analysis in psychology.', *Qualitative Research in Psychology*, 3, pp. 77–101.

Cep, M. J. A. et al. (2013) 'Physical Activity and Diabetes', *Canadian Journal of Diabetes*. Canadian Diabetes Association, 37, pp. S40–S44. doi: 10.1016/j.jcjd.2013.01.018.

Champion, V. L. and Skinner, C. S. (2008) *Health Behavior and Health Education: Theory, Research, and Practice 4th Edition*. 4th edn. Edited by K. Glanz, B. K. Rimer, and K. Viswanath. United States of America: Jossey-Bass.

Chao, C. Y. L. and Cheing, G. L. Y. (2009) 'Microvascular dysfunction in diabetic foot disease and ulceration', (August), pp. 604–614. doi: 10.1002/dmr2.

Chen, J. et al. (2010) 'A new phragmalin-type limonoid and anti-inflammatory constituents from the fruits of Swietenia macrophylla', *Food Chemistry*. Elsevier Ltd, 120(2), pp. 379–384. doi: 10.1016/j.foodchem.2009.09.093.

Christensen, A. S. et al. (2013) 'Effect of fruit restriction on glycemic control in patients with type 2 diabetes – a randomized trial', pp. 1–6.

Creswell, J. W. (2007) *Qualitative inquiry and research design: Choosing among five approaches*. 2nd ed. Sage Publication.

Cryer, P. E. (2007) 'Hypoglycemia , functional brain failure , and brain death', *The Journal of Clinical Investigation*, 117(4), pp. 868–870. doi: 10.1172/JCI31669.868.

Daniulaityte, R. (2004) 'Making sense of diabetes : cultural models , gender and individual adjustment to Type 2 diabetes in a Mexican community', 59, pp. 1899–1912. doi: 10.1016/j.socscimed.2004.03.001.

De, P., Banu, S. and Muthukumar, D. (2018) 'Predictors of poor glycemic control in type 2 diabetic patients in South Indian population', 6(2), pp. 545–550.

Dinas Kesehatan Kota Malang (2018) *Profil Kesehatan KOTA Malang Tahun 2017*.

Endeveldt, R. and Gesser-Edelsburg, A. (2014) 'A qualitative study of adherence to nutritional treatment : perspectives of patients and dietitians', *Dovepress*, pp. 147–154. doi: <https://doi.org/10.2147/PPA.S54799>.

Fatimah, R. N. (2015) 'DIABETES MELLITUS TIPE 2', *Indonesian Journal of*



Pharmacy, 4(5), p. 74. doi: 10.14499/indonesianjpharm27iss2pp74.

Fidler, C., Christensen, T. E. and Gillard, S. (2011) ‘Hypoglycemia: An overview of fear of hypoglycemia, quality-of-life, and impact on costs’, *Journal of Medical Economics*, 14(5), pp. 646–655. doi: 10.3111/13696998.2011.610852.

Gomersall, T., Madill, A. and Summers, L. K. M. (2011) ‘A Metasynthesis of the Self-Management of Type 2 Diabetes’. doi: 10.1177/1049732311402096.

Gonzalez, J. S. et al. (2016) ‘Psychosocial Factors in Medication Adherence and Diabetes Self-Management : Implications for Research and Practice’, 71(7), pp. 539–551.

Gucciardi, E. et al. (2014) ‘The Intersection between Food Insecurity and Diabetes : A review’, *Curr Nutr Rep*, pp. 324–332. doi: 10.1007/s13668-014-0104-4.

Gugus Tugas Percepatan Penanganan Covid-19 (2020). Available at: <https://covid19.go.id/>.

Halonen, D. and J. Santrock (1995) *Psychology: Contexts of Behavior*. Madison, WI: Brown & Benchmark.

Hamzah, A. and Sulistiadi, W. (2017) ‘Analisis Implementasi Kebijakan Rujuk Balik Diabetes Melitus di Puskesmas X Kota Tangerang Selatan’, *Jurnal Ekonomi Kesehatan Indonesia*, 1(3), pp. 146–151. doi: 10.7454/eki.v1i3.1780.

Hartmann-boyce, J. et al. (2020) ‘Diabetes and COVID-19 : Risks , Management , and Learnings From Other National Disasters’, *Diabetes Care*, 43(August), pp. 1695–1703. doi: 10.2337/dc20-1192.

Hashim, M. A. et al. (2013) ‘Anti-hyperglycaemic activity of swietenia macrophylla king (meliaceae) seed extracts in normoglycaemic rats undergoing glucose tolerance tests’, *Chinese Medicine*, 8(11), pp. 1–8.

Idris, F. (2014) ‘Pengintegrasian Program Preventif Penyakit Diabetes Melitus Tipe 2 PT Askes (Persero) ke Badan Penyelenggara Jaminan Sosial Kesehatan (BPJS Kesehatan)’, pp. 115–121.

Ilyas, E. I. (2015) ‘Olahraga Bagi Diabetisi’, in Soegondo, S., Soewondo, P., and Subekti, I. (eds) *Penatalaksanaan Diabetes Melitus Terpadu*. Balai Penerbit FKUI, pp. 69–83.



Jansiraninatarajan (2013) ‘Diabetic compliance : A qualitative study from the patient’s perspective in developing countries’, 1(4), pp. 29–38.

Jaworski, M. et al. (2018) ‘Adherence to dietary recommendations in diabetes mellitus : disease acceptance as a potential mediator’, *Dovepress : PAtient Preference and Adherence*, 12, pp. 163–174.

Joseph, B. and Jini, D. (2013) ‘Antidiabetic effects of Momordica charantia (bitter melon) and its medicinal potency’, *Asian Pacific Journal of Tropical Disease*. Asian Pacific Tropical Medicine Press, 3(2), pp. 93–102. doi: 10.1016/S2222-1808(13)60052-3.

Kainuma, M. et al. (2016) ‘Medicinal Plants of Sandy Shores : A Short Review on Calophyllum inophyllum and Thespesia populnea’, *International Journal of Pharmacognosy and Phytochemical Research*, 8(12), pp. 2056–2062.

Kalra, S. et al. (2013) ‘Review Article Hypoglycemia : The neglected complication’, *Indian Journal of Endocrinology and Metabolism*, 17(5). doi: 10.4103/2230-8210.117219.

Keating, N. L. et al. (2004) ‘Patient Characteristics and Experiences Associated With Trust in Specialist Physicians’, *American Medical Association*, 164.

Kemenkes RI (2012) *Petunjuk Teknis Pos Pembinaan Terpadu Penyakit Tidak Menular*. Jakarta.

Kemenkes RI (2018) *Laporan Nasional RISKESDAS 2018*.

Keppres No 12 (2020) *Tentang penetapan bencana nonalam penyebaran Covid-19 sebagai bencana nasional*. Jakarta.

Kompas (2020) *Rekap Kasus Corona Indonesia Selama Maret dan Prediksi di Bulan April*, *Kompas.com*. Available at: <https://www.kompas.com/tren/read/2020/03/31/213418865/rekap-kasus-corona-indonesia-selama-maret-dan-prediksi-di-bulan-april?page=all> (Accessed: 21 December 2020).

Kugbey, N. et al. (2015) ‘T2DM Patients ’ Demographic Characteristics as Moderators of the Relationship between Diabetes Perception and Psychological Distress’, (May). doi: 10.5923/j.ijap.20150503.01.

Kugbey, N., Asante, K. O. and Adulai, K. (2017) ‘Illness perception , diabetes knowledge and self - care practices among type - 2 diabetes patients : a cross



- sectional study', *BMC Research Notes*. BioMed Central, pp. 1–7. doi: 10.1186/s13104-017-2707-5.
- Kumar, D., Kumar, S. and Shekhar, C. (2020) 'Role of Bitter gourd (*Momordica charantia L.*) in human health strengthening and regulate different diseases', *Journal of Pharmacognosy and Phytochemistry*, 9(5), pp. 895–899.
- Lawton, J. et al. (2006) “ I can ” t do any serious exercise ': barriers to physical activity amongst people of Pakistani and Indian origin with Type 2 diabetes', *Health Education Research*, 21(1), pp. 43–54. doi: 10.1093/her/cyh042.
- Leung, L. et al. (2009) 'Anti-diabetic and hypoglycaemic effects of *Momordica charantia* (bitter melon): a mini review', *British Journal of Nutrition*, 102, pp. 1703–1708. doi: 10.1017/S0007114509992054.
- Low, L. L. et al. (2011) 'Extent and Determinants of Patients ' Unvoiced Needs', *Asia-Pacific Journal of Public Health*, 23(5), pp. 690–702. doi: 10.1177/1010539511418354.
- Low, L. L., Tong, S. F. and Low, W. Y. (2016) 'Social Influences of Help-Seeking Behaviour Among Patients With Type 2 Diabetes Mellitus in Malaysia', *Asia-Pacific Journal of Public Health*, 28(1S), p. 17S–25S. doi: 10.1177/1010539515596807.
- Lund, C. et al. (2010) 'Social Science & Medicine Poverty and common mental disorders in low and middle income countries : A systematic review q', *Social Science & Medicine*. Elsevier Ltd, 71(3), pp. 517–528. doi: 10.1016/j.socscimed.2010.04.027.
- Lupia, T. et al. (2020) '2019 novel coronavirus (2019-nCoV) outbreak : A new challenge', *Journal of Global Antimicrobial Resistance*. Taibah University, 21, pp. 22–27. doi: 10.1016/j.jgar.2020.02.021.
- Maiman, L. A. and Becker, M. H. (1974) 'The Health Belief Model : Origins and Correlates in Psychological Theory', *Health Education Monographs*, 2(4).
- Manne-goehler, J. et al. (2019) 'Health system performance for people with diabetes in 28 low- and middle-income countries : A cross-sectional study of nationally representative surveys', *PLoS Medicine*, 16(3), pp. 1–21.
- Marques-vidal, P. et al. (2014) 'Socioeconomic determinants of dietary patterns in low- and middle-income countries : a systematic review 1 – 4'. doi: 10.3945/ajcn.114.089029.Socioeconomic.



Mayberry, L. S. and Osborn, C. Y. (2012) ‘Family Support, Medication Adherence, and Glycemic Control Among Adults With Type 2 Diabetes’, *Diabetes Care*, 35, pp. 1239–1245. doi: 10.2337/dc11-2103.

Melita and Nadjib, M. (2018) ‘Faktor-faktor yang berhubungan dengan kunjungan lansia ke posbindu lansia di wilayah kerja puskesmas kelurahan bintara kota bekasi tahun 2017’, *Jurnal Kebijakan Kesehatan Indonesia (JKKI)*, 07(04), pp. 158–167.

Mendenhall, E. et al. (2017) ‘Syndemics 2 Non-communicable disease syndemics : poverty , depression , and diabetes among low-income populations’, *The Lancet*. Elsevier Ltd, 389(10072), pp. 951–963. doi: 10.1016/S0140-6736(17)30402-6.

Mercado-martinez, F. J. and Ramos-herrera, I. M. (2002) ‘Diabetes : The Layperson ’ s Theories of Causality’, 12(6), pp. 792–806.

Mohammed, S. et al. (2015) ‘Diabetes knowledge and glycemic control among patients with type 2 diabetes in Bangladesh’, *SpringerPlus*. Springer International Publishing. doi: 10.1186/s40064-015-1103-7.

Mohammed, S. et al. (2017) ‘Patients ’ perspective of disease and medication adherence for type 2 diabetes in an urban area in Bangladesh : a qualitative study’, *BMC Research Notes*. BioMed Central, pp. 1–8. doi: 10.1186/s13104-017-2454-7.

Moleong, L. J. (2010) *Metodologi Penelitian Kualitatif*. Bandung: PT. Remaja Rosdakarya.

Moucheraud, C. et al. (2019) ‘The costs of diabetes treatment in low- and middle-income countries : a systematic review’, *BMJ Global Health*, 4, pp. 1–12. doi: 10.1136/bmjgh-2018-001258.

Murphy-chutorian, B., Han, G. and Cohen, S. R. (2013) ‘Dermatologic Manifestations of Diabetes Mellitus : A Review’, *Endocrinol Metab Clin N Am*, 42, pp. 869–898. doi: 10.1016/j.ecl.2013.07.004.

Mustafa, A. et al. (2013) ‘A REVIEW ON THE PHYTOPHARMACOLOGICAL EFFECT OF SWIETENIA MACROPHYLLA’, *International Journal of Pharmacy and Pharmaceutical Sciences*, 5(3).

Nelson, L. A. et al. (2018) ‘Assessing barriers to diabetes medication adherence using the Information-Motivation- Behavioral skills model’, *Diabetes*



Research and Clinical Practice. Elsevier B.V., 142, pp. 374–384. doi: 10.1016/j.diabres.2018.05.046.

Notoadmodjo, S. (2012) *Ilmu Perilaku Kesehatan*. PT. Rineka Cipta.

Notoadmodjo, S. (2014) *Ilmu Perilaku Kesehatan*. kedua. Jakarta: Rineka Cipta.

Notoatmodjo, S. (2010) *Promosi Kesehatan : Teori dan Aplikasi*. Revisi. Jakarta: Rineke Cipta.

Pavicic, T. and Korting, H. C. (2006) ‘Xerosis and callus formation as a key to the diabetic foot syndrome: Dermatologic view of the problem and its management Xerosis und Kallusformation als Schlüssel für das diabetische Fußsyndrom : Problemstellung und Management aus dermatologischer’, 2006(Band 4), pp. 935–941. doi: 10.1111/j.1610-0387.2006.06123.x.

Peek, M. E. et al. (2013) ‘Patient Trust in Physicians and Shared Decision-Making Among African-Americans With Diabetes Patient Trust in Physicians and Shared Decision-Making Among African-Americans With Diabetes’, *Health Communication*, 28(6), pp. 616–623. doi: 10.1080/10410236.2012.710873.

Peel, E. et al. (2004) ‘Diagnosis of type 2 diabetes : a qualitative analysis of patients ’ emotional reactions and views about information provision’, 53, pp. 269–275. doi: 10.1016/j.pec.2003.07.010.

PERKENI (2015) *KONSENSUS PENGELOLAAN DAN PENCEGAHAN DIABETES MELITUS TIPE 2 DI INDONESIA 2015*.

PERKENI (2020) ‘Pernyataan Resmi dan Rekomendasi Penanganan Diabets Mellitus di Era Pandemi Covid-19’.

Perwitasari, D. A. et al. (2016) ‘Illness Perceptions and Quality of Life in Patients with Diabetes Mellitus Type 2’, *Indonesian Journal of Clinical Pharmacy*, 6(3), pp. 190–199. doi: 10.15416/ijcp.2017.6.3.190.

Polzer, R. L. and Miles, M. S. (2007) ‘Spirituality in African Americans With Diabetes : Self-Management Through a Relationship With God’, *Qualitative Health Research*, 17(2), pp. 176–188.

Prasad, J. et al. (2012) ‘Phytomedicine Antidyslipidemic and antioxidant activity of the constituents isolated from the leaves of Calophyllum inophyllum’, *European Journal of Integrative Medicine*. Elsevier GmbH., 19(14), pp. 1245–1249. doi: 10.1016/j.phymed.2012.09.001.



Ranasinghe, P. *et al.* (2015) ‘Knowledge and perceptions about diet and physical activity among Sri Lankan adults with diabetes mellitus : a qualitative study’, *BMC Public Health*. BMC Public Health, pp. 1–10. doi: 10.1186/s12889-015-2518-3.

Reisi, M. *et al.* (2016) ‘Impact of health literacy, self-efficacy, and outcome expectations on adherence to self-care behaviors in iranians with type 2 diabetes’, *Oman Medical Journal*, 31(1), pp. 52–59. doi: 10.5001/omj.2016.10.

Rosenstock, I. M., Strecher, V. J. and Becker, M. H. (1988) ‘Social Learning Theory and The Health Belief Model’, *Health Education Behavior*, 15, pp. 175–183. doi: 10.1177/109019818801500203.

Satgas Covid 19 UB (2020) *Manual PSBB Kampung Tangguh*. Malang: Universitas Brawijaya.

Sebire, S. J. *et al.* (2018) “‘ I ’ ve made this my lifestyle now ”: a prospective qualitative study of motivation for lifestyle change among people with newly diagnosed type two diabetes mellitus’. *BMC Public Health*, pp. 1–10. doi: 10.1186/s12889-018-5114-5.

Setyoadi, Ahsan and Abidin, A. Y. (2013) ‘Hubungan peran kader kesehatan dengan tingkat kualitas hidup lanjut usia’, *Jurnal Ilmu Keperawatan*, (2), pp. 183–192.

Shafiee, G. *et al.* (2012) ‘The importance of hypoglycemia in diabetic patients’, *Journal of Diabetes & Metabolic Disorders*, 11(17).

Sharry, J. M. and Kendrick, T. (2011) ‘Review Article Illness perceptions and glycaemic control in diabetes : a systematic review with meta-analysis’, pp. 1300–1310. doi: 10.1111/j.1464-5491.2011.03298.x.

Shiraev, E. B. and Levy, D. A. (2012a) ‘Emosi’, in *Psikologi Lintas Kultural : Pemikiran Kritis dan Terapan Modern*. Edisi keem. Prenadamedia Group.

Shiraev, E. B. and Levy, D. A. (2012b) ‘Kognisi : Sensasi, Persepsi, dan Keadaan Kesadaran’, in *Psikologi Lintas Kultural : Pemikiran Kritis dan Terapan Modern*. 4th edn. Prenadamedia Group, pp. 127–166.

Soegondo, S. (2015) ‘Diagnosis dan Klasifikasi Diabetes Melitus Terkini’, in *Penatalaksanaan Diabetes Melitus Terpadu*. Kedua. Jakarta: FKUI, pp. 19–30.



Sowattanangoon, N., Kotchabhakdi, N. and Petrie, K. J. (2009) ‘and Clinical Practice The influence of Thai culture on diabetes perceptions and management’, 84, pp. 245–251. doi: 10.1016/j.diabres.2009.02.011.

Stretcher, V. and Rosenstock, I. M. (1997) ‘The Health Belief Model’, *Health Behavior and Health Education: Theory, Research and Practice*, pp. 31–36. doi: 10.1111/j.1365-2648.2010.05450.x.

Sugiyono (2005) *Memahami Penelitian Kualitatif*. Bandung.: CV. Alfabeta.

Sukardji, K. (2015) ‘Penatalaksanaan Gizi pada Diabetes Melitus’, in Soegondo, S., Soewondo, P., and Subekti, I. (eds) *Penatalaksanaan Diabetes Melitus Terpadu*. Balai Penerbit FKUI, pp. 47–68.

Sun, F., Norman, I. J. and While, A. E. (2013) ‘Physical activity in older people : a systematic review’, (April 2011).

Suparee, N., Mcgee, P. and Khan, S. (2015) ‘Life-long battle : Perceptions of Type 2 diabetes in Thailand’, *Chronic Illness*, 11(1), pp. 56–68. doi: 10.1177/1742395314526761.

Susanti, M. L. and Sulistyarini, T. (2013) ‘Dukungan Keluarga Meningkatkan Kepatuhan Diet Pasien Diabetes Mellitus Di Ruang Rawat Inap Rs. Baptis Kediri Family Support Increasing the Diet Compliance Diabetes Mellitus Patients in Inpatient Ward of Kediri Baptist Hospital Ward’, *Jurnal STIKES*, 6(1).

Suyono, S. (2015) ‘Diagnosis dan Klasifikasi Diabetes Melitus Terkini’, in Soegondo, S., Soewondo, P., and Subekti, I. (eds) *Penatalaksanaan Diabetes Melitus Terpadu*. 15th edn. Jakarta: Balai Penerbit FKUI, pp. 19–30.

Tan, S.-K. *et al.* (2009) ‘Antimicrobial and antioxidant activities of Swietenia macrophylla leaf extracts’, *Asian Journal of Food and Agro-Industry*, 2(02), pp. 181–188.

Tjia, J. *et al.* (2008) ‘Beneath the surface : discovering the unvoiced concerns of older adults with Type 2 diabetes mellitus’, *Health Education Research*, 23(1), pp. 40–52. doi: 10.1093/her/cyl161.

Tjokroprawiro, A. (2011) *Hidup Sehat Bersama Diabetes : Panduan Lengkap Pola Makan untuk Penderita Diabetes*. Jakarta: PT Gramedia Pustaka Utama.

Walgitto, B. (2010) *Pengantar Psikologi Dasar*. Yogyakarta: Andi Offset.



Waspadji, S. (2015) ‘Diabetes Melitus: Mekanisme Dasar dan Pengelolaannya yang Rasional’, in Soegondo, S., Soewondo, P., and Subekti, I. (eds) *Penatalaksanaan Diabetes Melitus Terpadu*. Balai Penerbit FKUI, pp. 31–45.

Whitmer, R. A. et al. (2009) ‘Hypoglycemic Episodes and Risk of Dementia in Older Patients With Type 2 Diabetes Mellitus’, *American Medical Association*, 301(15).

Widayanti, A. W. et al. (2020) ‘Lay perceptions and illness experiences of people with type 2 diabetes in Indonesia : a qualitative study’, *Health Psychology and Behavioral Medicine*, 8(1), pp. 1–15. doi: 10.1080/21642850.2019.1699101.

Widyastuti, Y., E. al. (2009) *Komunikasi dan Informasi*. Jakarta: Fitramaya.

Wu, Z. and McGoogan, J. M. (2020) ‘Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China Summary of a Report of 72 314 Cases From the Chinese Center for Disease Control and Prevention’, *Journal American Medical Association*, 323(13), pp. 19–22.

Yamaoka, H. et al. (2010) ‘Truncal Pruritus of Unknown Origin May Be a Symptom of Diabetic Polyneuropathy’, *Diabetes Care*, 33(1). doi: 10.2337/dc09-0632.

Yarnell, E. and Abascal, K. (2005) ‘Using Bitter Melon to Treat Diabetes’, *Alternative and Complementary Therapies*.

Yin, J., Zhang, H. and Ye, J. (2008) ‘Traditional Chinese Medicine in Treatment of Metabolic Syndrome’, *Endocrine, Metabolic & Immune Disorders - Drug Targets*, 8(225), pp. 99–111.

Yin, R. V et al. (2014) ‘The effect of bitter melon (*Mormordica charantia*) in patients with diabetes mellitus : a systematic review and meta-analysis’, *Nutrition & Diabetes*. Nature Publishing Group, 4(12), pp. e145-5. doi: 10.1038/nutd.2014.42.

Zammitt, N. N. and Frier, B. M. (2005) ‘Hypoglycemia in Type 2 Diabetes’, *Diabetes Care*, 28(12).

Zhang, X. et al. (2008) ‘The Missed Patient With Diabetes’, *Diabetes Care*, 31(9). doi: 10.2337/dc08-0572.



PERSEPSI SAKIT DAN PENYAKIT, SERTA GAMBARAN DIET PENYANDANG DIABETES MELLITUS TIPE 2 PADA ERA

COVID-19 (STUDI KASUS PADA KAMPUNG TANGGUH DI MALANG RAYA)

HAYU IYAKA NASTAINA, Dr. Dra. Retna Siwi Padmawati, MA ; Martalena Br Purba, MCN, Ph.D

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhao, G. *et al.* (2011) ‘Physical Activity in U.S. Older Adults with Diabetes Mellitus: Prevalence and Correlates of Meeting Physical Activity Recommendations’, pp. 132–137. doi: 10.1111/j.1532-5415.2010.03236.x.