

DAFTAR PUSTAKA

- Adiyoga, W. and Nurmalinda, N., 2013. Analisis Konjoin Preferensi Konsumen terhadap Atribut Produk Kentang, Bawang Merah, dan Cabai Merah. *Jurnal Hortikultura*, 22(3), pp.292-302. Available through: Repositori Publikasi Kementerian Pertanian - Republik Indonesia Website <media.neliti.com> [Accessed 5 Oktober 2020].
- Afonso, P.C., Correa, P.C., Pinto, F.A.C. and Sampaio, C.P., 2003. Shrinkage evaluation of five different varieties of coffee berries during the drying process. *Biosystems Engineering*, [e - journal] 86 (4), pp. 481 - 4 85, <https://doi.org/10.1016/j.biosystemseng.2003.08.012>
- Agassi, T.N., Ushada, M. and Suyantohadi, A., 2018. User Needs Analysis for Industrial Design of Kansei Engineering-based Sensor for Agroindustry (KESAN). In: IEEE, 2018 4th International Conference on Science and Technology (ICST), 7–8 August 2018. Yogyakarta: Indonesia.
- Agassi, T.N., Ushada, M. and Suyantohadi, A., 2020. Industrial design of Kansei Engineering-based Sensor for industry. *Management and Production Engineering Review*, [e-journal] 11(1), pp.13-22, DOI 10.24425/MPER.2020.132939.
- Ahmad, S. and Butt, M.M., 2012. Can after sale service generate brand equity?. *Marketing Intelligence and Planning*, [e-journal] 30(3), pp.307-323, DOI 10.1108/02634501211226285.
- Akiyama, M., Tatsuzaki, M., Michishita, T., Ichiki, T., Sumi, M., Ikeda, M., Araki, T. and Sagara, Y., 2012. Package design of ready-to-drink coffee beverages based on food kansei model—effects of straw and cognition terms on consumer’s pleasantness. *Food and Bioprocess Technology*, [e-journal] 5(5), pp.1924-1938. DOI <https://doi.org/10.1007/s11947-011-0527-5>.
- Andueza, S., De Peña, M. P. and Cid, C., 2003. Chemical and sensorial characteristics of espresso coffee as affected by grinding and torrefacto roast. *Journal of Agricultural and Food Chemistry*, [e-journal] 51(24), pp.7034-7039. <https://doi.org/10.1021/jf034628f>.
- Archam, L. D., Rahman, A. and Setyanto, N. W., 2013. Integrasi Kansei Engineering Dan Structural Equation Modeling (Sem) Untuk Meningkatkan Kualitas Produk Shampo (Studi Kasus: Lusmas Fresh Milk Shampo). *Jurnal Rekayasa dan Manajemen Sistem Industri*, 1(1), pp.85-96. Available through: Universitas Brawijaya Library Website <<http://jrmsi.studentjournal.lub.ac.id/>> [Accessed 5 Oktober 2020].
- Aziz, T., KN, R.C. and Fresca, A., 2009. Pengaruh pelarut heksana dan etanol, volume pelarut, dan waktu ekstraksi terhadap hasil ekstraksi minyak kopi. *Jurnal Teknik Kimia*, 16(1), pp.1-8. Available through: Universitas Brawijaya Library Website <<http://jtk.unsri.ac.id/>> [Accessed 5 Oktober 2020].

- Baesso, M. L., Da Silva, E. C., Vargas, H., Cortez, J. G. and Pelzl, J., 1990. Use of electron spin resonance for the determination of staling of roast coffee in polyethylene bag packs. *Zeitschrift für Lebensmittel-Untersuchung und Forschung*, [e - journal] 191 (1), pp. 24 - 27. <https://doi.org/10.1007/BF01202360>.
- Baggenstoss, J., Perren, R., and Escher, F., 2008. Water content of roasted coffee: impact on grinding behaviour, extraction, and aroma retention. *European Food Research Technology*, [e-journal] 227, pp. 1357 - 1365. <https://doi.org/10.1007/s00217-008-0852-8>
- Bhumiratana, N., Adhikari, K. and Chambers IV, E., 2014. The development of an emotion lexicon for the coffee drinking experience. *Food Research International*, [e-journal] 61, pp.83-92. <https://doi.org/10.1016/j.foodres.2014.03.008>.
- Bilgili, B., Erciş, A. and Ünal, S., 2011. Kano model application in new product development and customer satisfaction (adaptation of traditional art of tile making to jewelries). *Procedia-Social and Behavioral Sciences*, [e-journal] 24, pp.829-846. <https://doi.org/10.1016/j.sbspro.2011.09.058>.
- Borém, F.M., Marques, E.R. and Alves, E., 2008. Ultrastructural analysis of drying damage in parchment Arabica coffee endosperm cells. *Biosystems Engineering*, [e-journal] 99 (1),pp. 62 -66. <https://doi.org/10.1016/j.biosystemseng.2007.09.027>.
- Bridges, J.F., Hauber, A.B., Marshall, D., Lloyd, A., Prosser, L.A., Regier, D.A., Johnson, F.R. and Mauskopf, J., 2011. Conjoint analysis applications in health—a checklist: a report of the ISPOR Good Research Practices for Conjoint Analysis Task Force. *Value in health*, [e-journal] 14(4), pp.403-413. <https://doi.org/10.1016/j.jval.2010.11.013>.
- Burmester, K. and Eggers, R., 2010. Heat and mass transfer during the coffee drying process. *Journal of food engineering*, [e-journal] 99(4), pp.430-436. <https://doi.org/10.1016/j.jfoodeng.2009.12.021>.
- Cendy, B.M., Sugiono, S. and Hardiningtyas, D., 2015. analisis perancangan produk long leg braces dengan pendekatan kansei words dan biomekanika. *Jurnal Rekayasa dan Manajemen Sistem Industri*, 3(2), pp.301-310. Available through: jrmsi Website < <http://jrmsi.studentjournal.ub.ac.id/>> [Accessed 5 Oktober 2020].
- Chen, C.C. and Chuang, M.C., 2008. Integrating the Kano model into a robust design approach to enhance customer satisfaction with product design. *International journal of production economics*, [e-journal] 114(2), pp.667-681. <https://doi.org/10.1016/j.jfoodeng.2009.12.021>.
- Chen, D., Zhang, D. and Liu, A., 2019. Intelligent Kano classification of product features based on customer reviews. *CIRP Annals*, [e-journal] 68(1), pp.149-152. <https://doi.org/10.1016/j.cirp.2019.04.046>.
- Chen, L.F., 2012. A novel approach to regression analysis for the classification of quality attributes in the Kano model: an empirical test in the food and beverage industry. *Omega*, [e-journal] 40(5), pp.651-659. <https://doi.org/10.1016/j.omega.2011.12.004>.

- Choi, K. and Jun, C., 2007. A systematic approach to the Kansei factors of tactile sense regarding the surface roughness. *Applied Ergonomics*, [e-journal] 38(1), pp.53-63. <https://doi.org/10.1016/j.apergo.2006.01.003>.
- Choudhary, A.I., Asif, M., Choudhry, R.M., Siddique, Z. and Mughal, A., 2011. Impact of after sale service characteristics on customer satisfaction. *Information management and business review*, (e-journal) 3(6), pp.360-365. DOI: <https://doi.org/10.22610/imbr.v3i6.952>.
- Corrêa, P. C., Resende, O. and Ribeiro, D. M., 2006. Drying characteristics and kinetics of coffee berry. *Revista Brasileira de Produtos Agroindustriais*, 8(1), pp.1-10. Available through: [semanicscholar Website <semanicscholar.com>](http://semanicscholar.com) [Accessed 5 Oktober 2020].
- Crawford, C.M., 1987. New product failure rates: a reprise. *Research management*, [e-journal] 30(4), pp.20-24. <https://doi.org/10.1080/00345334.1987.11757047>.
- Dahlgaard, J.J. and Nagamachi, M., 2008. Perspectives and the new trend of Kansei/affective engineering. *The TQM Journal*. [e-journal] 20(4), pp. 290-298. <https://doi.org/10.1108/17542730810881285>.
- de Sousa Jabbour, A.B.L., Jabbour, C.J.C., Foropon, C. and Godinho Filho, M., 2018. When titans meet—Can industry 4.0 revolutionise the environmentally-sustainable manufacturing wave? The role of critical success factors. *Technological Forecasting and Social Change*, 132, pp.18-25.
- Donovan, N.K., Foster, K.A. and Salinas, C.A.P., 2019. Analysis of green coffee quality using hermetic bag storage. *Journal of Stored Products Research*, [e-journal] 80, pp.1-9. <https://doi.org/10.1016/j.jspr.2018.11.003>.
- Drath, R. and Horch, A., 2014. Industrie 4.0: Hit or hype?[industry forum]. *IEEE industrial electronics magazine*, [e-journal] 8(2), pp.56-58. DOI: 10.1109/MIE.2014.2312079.
- Dussert, S., Davey, M.W., Laffargue, A., Doulebeau, S., Swennen, R. and Etienne, H., 2006. Oxidative stress, phospholipid loss and lipid hydrolysis during drying and storage of intermediate seeds. *Physiologia Plantarum*, [e-journal] 127(2), pp.192-204. <https://doi.org/10.1111/j.1399-3054.2006.00666.x>.
- Edytiananda, A.I., Sugandi, W.K., Thoriq, A. and Yusuf, A., 2019. Desain Alat Pemanen Buah Manggis Melalui Pendekatan Kansei Engineering. *Jurnal Sustainable: Jurnal Hasil Penelitian dan Industri Terapan*, [e-journal] 8(2), pp.75-81. DOI: <https://doi.org/10.31629/sustainable.v8i2.1453>.
- Elmogahzy, Y., 2019. *Engineering textiles: Integrating the design and manufacture of textile products*. Woodhead Publishing.
- Erdem, T. and Swait, J., 1998. Brand equity as a signaling phenomenon. *Journal of consumer Psychology*, [e-journal] 7(2), pp.131-157. https://doi.org/10.1207/s15327663jcp0702_02.
- Fazlzadeh, A., Bagherzadeh, F. and Mohamadi, P., 2011. How after-sales service quality dimensions affect customer satisfaction. *African Journal of Business Management*, [e-journal] 5(17), pp. 7658 - 7664. <https://doi.org/10.5897/AJBM11.351>.

- Florez-Lopez, R. and Ramon-Jeronimo, J.M., 2012. Managing logistics customer service under uncertainty: An integrative fuzzy Kano framework. *Information Sciences*, [e-journal] 202, pp.41-57. <https://doi.org/10.1016/j.ins.2012.03.004>.
- Golding, K. and Peattie, K., 2005. In search of a golden blend: perspectives on the marketing of fair trade coffee. *Sustainable Development*, [e-journal] 13(3), pp.154-165. <https://doi.org/10.1002/sd.274>.
- Gonzalez-Rios, O., Suarez-Quiroz, M.L., Boulanger, R., Barel, M., Guyot, B., Guiraud, J.P. and Schorr-Galindo, S., 2007. Impact of “ecological” post-harvest processing on the volatile fraction of coffee beans: I. Green coffee. *Journal of Food Composition and Analysis*, [e-journal] 20(3-4), pp.289-296. <https://doi.org/10.1016/j.jfca.2006.07.009>.
- Green, P.E. and Srinivasan, V., 1978. Conjoint analysis in consumer research: issues and outlook. *Journal of consumer research*, [e-journal] 5(2), pp.103-123. <https://doi.org/10.1086/208721>.
- Hariyati, Y., 2014. Pengembangan Produk Olahan Kopi di Desa Sidomulyo Kecamatan Silo Kabupaten Jember. *Agriekonomika*, [e-journal] 3(1), pp.81-91. DOI: <https://doi.org/10.21107/agriekonomika.v3i1.442>.
- Haryono, M. and Bariyah, C., 2014. Perancangan Konsep Produk Alas Kaki dengan Menggunakan Integrasi Metode Kansei Engineering dan Model Kano. *Jurnal Ilmiah Teknik Industri*, [e-journal] 13(1), pp.71-82. DOI: <https://doi.org/10.23917/jiti.v13i1.379>.
- Hashim, A.M. and Dawal, S.Z.M., 2012. Kano model and QFD integration approach for ergonomic design improvement. *Procedia-Social and Behavioral Sciences*, [e-journal] 57, pp.22-32. <https://doi.org/10.1016/j.sbspro.2012.09.1153>.
- Horiguchi, A. and Suetomi, T., 1995. A Kansei engineering approach to a driver/vehicle system. *International Journal of Industrial Ergonomics*, [e-journal] 15(1), pp.25-37. [https://doi.org/10.1016/0169-8141\(94\)00054-7](https://doi.org/10.1016/0169-8141(94)00054-7).
- Humphrey, J. and Schmitz, H., 2000. *Governance and upgrading: linking industrial cluster and global value chain research* (Vol. 120). Brighton: Institute of Development Studies.
- International Coffee Organization (ICO), 2020. *Monthly export data for the last six months*. [online] Available at: <http://www.ico.org/trade_statistics.asp?section=Statistics> [Accessed 30 Desember 2020].
- Ishihara, S., Ishihara, K., Nagamachi, M. and Matsubara, Y., 1995. An automatic builder for a Kansei Engineering expert system using self-organizing neural networks. *International Journal of Industrial Ergonomics*, [e-journal] 15(1), pp.13-24. [https://doi.org/10.1016/0169-8141\(94\)15053-8](https://doi.org/10.1016/0169-8141(94)15053-8).
- Ishihara, S., Ishihara, K., Nagamachi, M. and Matsubara, Y., 1997. An analysis of Kansei structure on shoes using self-organizing neural networks. *International Journal of Industrial Ergonomics*, [e-journal] 19(2), pp.93-104. [https://doi.org/10.1016/S0169-8141\(96\)00006-6](https://doi.org/10.1016/S0169-8141(96)00006-6).
- Janissen, B. and Huynh, T., 2018. Chemical composition and value-adding applications of coffee industry by-products: A review. *Resources*,

- Conservation and Recycling*, [e-journal] 128, pp.110-117. <https://doi.org/10.1016/j.resconrec.2017.10.001>.
- Jordan, P. W., 2000. *Designing Pleasurable Product: An introduction to the new human factors*. Taylor and Francis. New Fetter Lane, London.
- Junior, L.D.F. and Amaral, D.C., 2015. A full example of technical procedure to application of the Kansei Engineering. *Product: Management and Development*, 13(2), pp.103-118. <http://dx.doi.org/10.4322/pmd.2015.009>.
- Khan, R.S., Grigor, J., Winger, R. and Win, A., 2013. Functional food product development—Opportunities and challenges for food manufacturers. *Trends in food science and technology*, [e-journal] 30(1), pp.27-37. <https://doi.org/10.1016/j.tifs.2012.11.004>.
- Kilin, N. T. G. (2019). Perancangan Desain Kemasan Kopi Siap Minum Menggunakan Metode Kansei Engineering (Doctoral dissertation, Universitas Brawijaya). Available through: Universitas Brawijaya website <<http://jrmsi.studentjournal.uib.ac.id/>> [Accessed 18 Januari 2021].
- Kinzel, H., 2017. Industry 4.0—Where does this leave the Human Factor?. *Journal of Urban Culture Research*, [e-journal] 15, pp.70-83. DOI: <https://doi.org/10.14456/jucr.2017.14>.
- Kolk, A., 2005. Corporate Social Responsibility in the Coffee Sector:: The Dynamics of MNC Responses and Code Development. *European Management Journal*, [e-journal] 23(2), pp.228-236. <https://doi.org/10.1016/j.emj.2005.02.003>.
- Kotler, P. and Armstrong, G., 2010. *Principles of marketing*. 3rd Ed. Indiana:Pearson Education.
- Kreuml, M.T., Majchrzak, D., Ploederl, B. and Koenig, J., 2013. Changes in sensory quality characteristics of coffee during storage. *Food Science and Nutrition*, [e-journal] 1(4), pp.267-272. <https://doi.org/10.1002/fsn3.35>.
- Kuo, C.M., Yuo, S.H. and Lu, C.Y., 2014. Integration of the Kano and QFD model in health food development: using black beans as examples. *Quality and Quantity*, [e-journal] 48(1), pp.225-242. DOI <https://doi.org/10.1007/s11135-012-9762-8>.
- Laffargue, A., de Kochko, A. and Dussert, S., 2007. Development of solid-phase extraction and methylation procedures to analyse free fatty acids in lipid-rich seeds. *Plant Physiology and Biochemistry*, [e-journal] 45(3-4), pp.250-257. <https://doi.org/10.1016/j.plaphy.2007.01.012>.
- Laukaleja, I. and Kruma, Z., 2019. Influence of the roasting process on bioactive compounds and aroma profile in specialty coffee: a review. In *Conference Proceedings. FOODBALT 2019. 13th Baltic Conference on Food Science and Technology" FOOD, NUTRITION, WELL-BEING"*, Jelgava, Latvia, 2-3 May 2019 (pp. 7-12). Latvia University of Life Sciences and Technologies.
- Lazim, M.A. and Suriani, M., 2009. Sensory evaluation of the selected coffee products using fuzzy approach. *World Academy of Science, Engineering and Technoly International Journal of Mathematical and Computational Sciences*, 50(2), pp.133-136. Available through: World Academy of Science, Website <<http://citeseerx.ist.psu.edu>> [Accessed 5 Oktober 2020].

- Lele, M.M., 1997. After-sales service-necessary evil or strategic opportunity?. *Managing Service Quality: An International Journal*. [e-journal] 7(3), pp.141-145. <https://doi.org/10.1108/09604529710166914>.
- Li, B., Hayes, J.E. and Ziegler, G.R., 2014. Interpreting consumer preferences: Psychohedonic and psychohedonic models yield different information in a coffee-flavored dairy beverage. *Food quality and preference*, [e-journal] 36, pp.27-32. <https://doi.org/10.1016/j.foodqual.2014.03.001>.
- Li, G., Hou, Y. and Wu, A., 2017. Fourth Industrial Revolution: technological drivers, impacts and coping methods. *Chinese Geographical Science*, [e-journal] 27(4), pp.626-637. DOI <https://doi.org/10.1007/s11769-017-0890-x>.
- Lihui, S.U.I. and Lin, Z.H.U., 2014. Kano Model and Its Application to Service Quality of Coffee Shop Chains. *Journal of Shanghai Dianji University*, (6), pp.10. Available through: CNKI Website < <http://en.cnki.com.cn/> > [Accessed 18 January 2021].
- Liu, C. and Jiang, P., 2016. A cyber-physical system architecture in shop floor for intelligent manufacturing. *Procedia Cirp*, [e-journal] 56, pp.372-377. <https://doi.org/10.1016/j.procir.2016.10.059>.
- Liu, F., Tan, C.W., Lim, E.T. and Choi, B., 2017. Traversing knowledge networks: an algorithmic historiography of extant literature on the Internet of Things (IoT). *Journal of Management Analytics*, [e-journal] 4(1), pp.3-34. <https://doi.org/10.1080/23270012.2016.1214540>.
- Linares, C. and Page, A.F., 2011. Kano's model in Kansei Engineering to evaluate subjective real estate consumer preferences. *International Journal of Industrial Ergonomics*, [e-journal] 41(3), pp.233-246. <https://doi.org/10.1016/j.ergon.2011.01.011>.
- Louviere, J.J., Flynn, T.N. and Carson, R.T., 2010. Discrete choice experiments are not conjoint analysis. *Journal of Choice Modelling*, [e-journal] 3(3), pp.57-72. [https://doi.org/10.1016/S1755-5345\(13\)70014-9](https://doi.org/10.1016/S1755-5345(13)70014-9).
- Louviere, J.J., Hensher, D.A. and Swait, J.D., 2000. *Stated choice methods: analysis and applications*. Cambridge:Cambridge university press.
- Mamaghani, N.K., Rahimian, E. and Mortezaei, S.R., 2014, June. Kansei engineering approach for consumer's perception of the ketchup sauce bottle. *In KEER2014. Proceedings of the 5th Kansei Engineering and Emotion Research; International Conference; Linköping; Sweden; June 11-13* (No. 100, pp. 1487-1494). Linköping University Electronic Press.
- Manzocco, L. and Lagazio, C., 2009. Coffee brew shelf life modelling by integration of acceptability and quality data. *Food Quality and Preference*, [e-journal] 20(1), pp.24-29. <https://doi.org/10.1016/j.foodqual.2008.06.005>.
- Mastur, I. and Hadi, L., 2005. Implementasi Jaringan Syaraf Tiruan Untuk Mengidentifikasi Pola Desain Produk Berdasarkan Preferensi Pelanggan Menggunakan Kansei Engineering System. *Teknoin*, 10(3). pp.197-208. Available through: Teknoin Website < journal.uin.ac.id > [Accessed 5 Oktober 2020].

- Murthy, P.S. and Naidu, M.M., 2012. Sustainable management of coffee industry by-products and value addition—A review. *Resources, Conservation and recycling*, [e-journal] 66, pp.45-58. <https://doi.org/10.1016/j.resconrec.2012.06.005>.
- Mussatto, S.I., Machado, E.M., Martins, S. and Teixeira, J.A., 2011. Production, composition, and application of coffee and its industrial residues. *Food and Bioprocess Technology*, [e-journal] 4(5), pp. 661–672. DOI <https://doi.org/10.1007/s11947-011-0565-z>.
- Nagamachi, M., 2002. Kansei engineering as a powerful consumer-oriented technology for product development. *Applied ergonomics*, [e-journal] 33(3), pp.289-294. [https://doi.org/10.1016/S0003-6870\(02\)00019-4](https://doi.org/10.1016/S0003-6870(02)00019-4).
- Nagamachi, M., 2010. *Kansei Engineering*, 2nd ed. Boca Raton: CRC Press.
- Nagamachi, M., Okazaki, Y. and Ishikawa, M., 2006. Kansei engineering and application of the rough sets model. Proceedings of the Institution of Mechanical Engineers, Part I. *Journal of Systems and Control Engineering*, [e-journal] 220(8), pp. 763 – 768 . <https://doi.org/10.1243/09596518JSCE161>.
- Nee, A.Y., Ong, S.K., Chryssolouris, G. and Mourtzis, D., 2012. Augmented reality applications in design and manufacturing. *CIRP annals*, [e-journal] 61(2), pp.657-679. <https://doi.org/10.1016/j.cirp.2012.05.010>.
- Nikolova-Damyanova, B., Velikova, R. and Jham, G.N., 1998. Lipid classes, fatty acid composition and triacylglycerol molecular species in crude coffee beans harvested in Brazil. *Food research international*, [e-journal] 31(6-7), pp.479-486. [https://doi.org/10.1016/S0963-9969\(99\)00016-2](https://doi.org/10.1016/S0963-9969(99)00016-2).
- Oko, A.N. and Onuoha, O.A., 2013. After-sales services and consumers' perception of quality: A study of refrigerator users (consumers) in south east Nigeria. *Business and Management Horizons*, 1(2), pp.56-83. Available through: Macrothink Institute™ Website < <http://citeseerx.ist.psu.edu> > [Accessed 5 Oktober 2020].
- Penas, O., Plateaux, R., Patalano, S. and Hammadi, M., 2017. Multi-scale approach from mechatronic to Cyber-Physical Systems for the design of manufacturing systems. *Computers in Industry*, [e-journal] 86, pp.52-69. <https://doi.org/10.1016/j.compind.2016.12.001>.
- Piccarozzi, M., Aquilani, B. and Gatti, C., 2018. Industry 4.0 in management studies: A systematic literature review. *Sustainability*, [e-journal] 10(10), pp.3821. <https://doi.org/10.3390/su10103821>.
- Purwanto. and Diasmara, G., (2020). pemanfaatan limbah ampas kopi menjadi bahan komposit sebagai bahan dasar alternatif pembuatan produk dompet. *Jurnal Strategi Desain and Inovasi Sosial*, 1(2), pp.175-186. Available through: Universitas UPH School and Design Website <ojs.uph.edu> [Accessed 18 Januari 2021].
- Rahmayani, N., Yuniar, Y. and Desrianty, A., 2015. Rancangan Kemasan Bedak Tabur (Loose Powder) Dengan Menggunakan Metode Kansei Engineering. *Reka Integra*, 3(4). pp.170-179. Available through: Reka Integra Website <ejurnal.itenas.ac.id> [Accessed 5 Oktober 2020].

- Randriani, E., Dani, D., Supriadi, H., and Syafaruddin, S. 2019. Ekspresi Fenotipik Klon Kopi Robusta “Sidodadi” pada Tiga Ketinggian Tempat.
- Rendón, M.Y., Salva, T.D.J.G. and Bragagnolo, N., 2014. Impact of chemical changes on the sensory characteristics of coffee beans during storage. *Food chemistry*, [e-journal] 147, pp.279-286. <https://doi.org/10.1016/j.foodchem.2013.09.123>.
- Restantin, N.Y., Ushada, M. and Ainuri, M., 2012. Desain prototipe meja dan kursi pantai portabel dengan integrasi pendekatan ergonomi, value engineering dan kansei engineering. *Jurnal Teknik Industri*, [e-journal] 14(1), pp.53-62. DOI: <https://doi.org/10.9744/jti.14.1.53-62>.
- Risqi, R.O., Ushada, M. and Supartono, W., 2015. Analisis pengaruh kepuasan kerja terhadap kinerja karyawan Dengan pendekatan kansei engineering perusahaan XYZ. *agriTECH*, [e-journal] 35(1), pp.78-87. DOI: <https://doi.org/10.22146/agritech.9422>.
- Ryan, M. and Farrar, S., 2000. Using conjoint analysis to elicit preferences for health care. *Bmj*, [e-journal] 320(7248), pp.1530-1533. doi: <https://doi.org/10.1136/bmj.320.7248.1530>.
- Shi, F., Sun, S. and Xu, J., 2012. Employing rough sets and association rule mining in KANSEI knowledge extraction. *Information Sciences*, [e-journal] 196, pp.118-128. <https://doi.org/10.1016/j.ins.2012.02.006>.
- Siregar, K., Ginting, R. and Siregar, I., 2018. penyusunan kebutuhan perancangan mesin hemodialisis menggunakan kansei engineering serta aplikasi QFD dan TRIZ. *Media Teknika*, [e-journal] 12(1). DOI: <http://dx.doi.org/10.24071/mt.v12i1.941>.
- Spence, C. and Carvalho, F.M., 2020. The coffee drinking experience: Product extrinsic (atmospheric) influences on taste and choice. *Food Quality and Preference*, [e-journal] 80, pp.103802. <https://doi.org/10.1016/j.foodqual.2019.103802>.
- Stock, T. and Seliger, G., 2016. Opportunities of sustainable manufacturing in industry 4.0. *Procedia Cirp*, [e-journal] 40, pp.536-541. <https://doi.org/10.1016/j.procir.2016.01.129>.
- Tama, I.P., Azlia, W. and Hardiningtyas, D., 2015. Development of customer oriented product design using Kansei engineering and Kano model: Case study of ceramic souvenir. *Procedia Manufacturing*, [e-journal] 4, pp.328-335. <https://doi.org/10.1016/j.promfg.2015.11.048>.
- Theorin, A., Bengtsson, K., Provost, J., Lieder, M., Johnsson, C., Lundholm, T. and Lennartson, B., 2017. An event-driven manufacturing information system architecture for Industry 4.0. *International Journal of Production Research*, [e-journal] 55(5), pp.1297-1311. <https://doi.org/10.1080/00207543.2016.1201604>.
- Thoben, K.D., Jagdev, H. and Eschenbacher, J., 2001, June. Extended products: evolving traditional product concepts. In *Proceedings of the 7th International Conference on Concurrent Enterprising: Engineering the Knowledge Economy through Co-operation, Bremen, Germany* (pp. 27-29).

- Toci, A.T., Neto, V.J., Torres, A.G. and Farah, A., 2013. Changes in triacylglycerols and free fatty acids composition during storage of roasted coffee. *LWT-Food Science and Technology*, [e-journal] 50(2), pp.581-590. <https://doi.org/10.1016/j.lwt.2012.08.007>.
- Ulrich, K. T. and Eppinger. S. D., 2003. *“Product Design and Development”*. 3rd ed, Mc Singapore:Graw Hill.
- Urban, G. L. and Hauser, J. R., 1993. *Design and Marketing of New Products*. New Jersey:Prentice-Hall.
- Ushada, M. and Murase, H., 2008. Pattern extraction from human preference reasoning using conditional probability co-occurrences matrix of texture analysis. *Engineering in Agriculture, Environment and Food*, [e-journal] 1(2), pp.45-50. <https://doi.org/10.11165/eaef.1.45>.
- Ushada, M. and Murase, H., 2009. Design of customisable greening material using swarm modelling. *Biosystems Engineering*, [e-journal] 104(2), pp.169-183. <https://doi.org/10.1016/j.biosystemseng.2009.06.019>.
- Ushada, M. and Murase, H., 2011. Modeling consumer preference for greening material using Bayesian Belief Network and Particle Swarm Optimization. *CIGR Journal. Manuscript*, (1172). Available through: CIGR Website <www.semanticscholar.org> [Accessed 5 Oktober 2020].
- Ushada, M. and Okayama, T., 2016. Kansei Engineering for Quantification of Indigenous Knowledges in Agro-industrial Technology. *KnE Life Sciences*, [e-journal], pp.72-76. <https://doi.org/10.18502/cls.v3i3.380>.
- Ushada, M., Mulyati, G.T., Guritno, A.D. and Murase, H., 2013. Combining drum-buffer-rope Algorithm and Kansei engineering to control capacity constrained worker in a bioproduction system. *IFAC Proceedings Volumes*, [e-journal] 46(4), pp.384-389. <https://doi.org/10.3182/20130327-3-JP-3017.00085>.
- Ushada, M., Okayama, T., Suyantohadi, A., Khuriyati, N. and Murase, H., 2017. Kansei engineering-based artificial neural network model to evaluate worker performance in small-medium scale food production system. *International Journal of Industrial and Systems Engineering*, [e-journal] 27(1), pp.28-47. <https://doi.org/10.1504/IJISE.2017.085753>.
- Ushada, M., Suryandono, A. and Khuriyati, N., 2016. *KANSEI ENGINEERING untuk Agroindustri*. Sleman:Gadjah Mada University Press.
- Ushada, M., Wicaksono, A. and Murase, H., 2012. Design of moss greening material for merapi disaster prone area using kansei engineering. *Engineering in Agriculture, Environment and Food*, [e-journal] 5(4), pp.140-145. [https://doi.org/10.1016/S1881-8366\(12\)80010-3](https://doi.org/10.1016/S1881-8366(12)80010-3).
- Vieira, J., Osório, J.M.A., Mouta, S., Delgado, P., Portinha, A., Meireles, J.F. and Santos, J.A., 2017. Kansei engineering as a tool for the design of in-vehicle rubber keypads. *Applied Ergonomics*, [e-journal] 61, pp.1-11. <https://doi.org/10.1016/j.apergo.2016.12.019>.
- Wang, C.H. and Wu, C.W., 2014. Combining conjoint analysis with Kano model to optimize product varieties of smart phones: A VIKOR perspective. *Journal of Industrial and Production Engineering*, 31(4), pp.177-186. <https://doi.org/10.1080/21681015.2014.918566>.

- Wang, C.H., 2013. Incorporating customer satisfaction into the decision-making process of product configuration: a fuzzy Kano perspective. *International Journal of Production Research*, [e-journal] 51(22), pp.6651-6662. <https://doi.org/10.1080/00207543.2013.825742>.
- Wang, Z., Zhou, M. and Liu, X., 2019, October. Research on the Effectiveness of Service Design Based on the Quantitative Method of Kansei Engineering— Taking the LANNA Coffee Service Process as an Example. In IOP Conference Series: Materials Science and Engineering (Vol. 616, No. 1, p. 012035). IOP Publishing. doi: 10.1088/1757-899X/616/1/012035.
- Wijaya, P. N., Setiawati, L. and Suryani, E., 2020. Desain kemasan bubuk kopi haji yos berdasarkan kansei engineering. 16(3). Available through: Universitas Bung Hatta Website <<https://www.ejurnal.bunghatta.ac.id>> [Accessed 18 Januari 2021].
- Xu, L.D., Xu, E.L. and Li, L., 2018. Industry 4.0: state of the art and future trends. *International Journal of Production Research*, [e-journal] 56(8), pp.2941-2962. <https://doi.org/10.1080/00207543.2018.1444806>.
- Xu, Q., Jiao, R.J., Yang, X., Helander, M., Khalid, H.M. and Opperud, A., 2009. An analytical Kano model for customer need analysis. *Design studies*, [e-journal] 30(1), pp.87-110. <https://doi.org/10.1016/j.destud.2008.07.001>.
- Yan, H.B., Huynh, V.N., Murai, T. and Nakamori, Y., 2008. Kansei evaluation based on prioritized multi-attribute fuzzy target-oriented decision analysis. *Information Sciences*, [e-journal] 178(21), pp.4080-4093. <https://doi.org/10.1016/j.ins.2008.06.023>.
- Yani, F. (2019, September). Analisis tingkat kepentingan konsumen terhadap atribut minuman kopi hitam di kota medan. In *prosiding seminar nasional hasil penelitian* (Vol. 2, No. 2, pp. 1017-1021). Available through: Universitas Ciputra website <<https://dspace.uc.ac.id>> [Accessed 18 Januari 2021].
- Zhang, M., Chen, H., Mujumdar, A.S., Tang, J., Miao, S. and Wang, Y., 2017. Recent developments in high-quality drying of vegetables, fruits, and aquatic products. *Critical reviews in food science and nutrition*, [e-journal] 57(6), pp.1239-1255. <https://doi.org/10.1080/10408398.2014.979280>.
- Zheng, P., Sang, Z., Zhong, R.Y., Liu, Y., Liu, C., Mubarok, K., Yu, S. and Xu, X., 2018. Smart manufacturing systems for Industry 4.0: Conceptual framework, scenarios, and future perspectives. *Frontiers of Mechanical Engineering*, [e-journal] 13(2), pp.137-150. DOI <https://doi.org/10.1007/s11465-018-0499-5>.