

DAFTAR PUSTAKA

- Adole, T., Dash, J. & Atkinson, P. (2016). A systematic review of vegetation phenology in Africa. *Eco. Inform.* 34, 117-128.
- Artiola, J.. (2004). *Environmental Monitoring and Characterization*. New York: Academic Press.
- Balai Taman Nasional Karimunjawa. (2011). *Panduan Pendidikan dan Penelitian di Taman Nasional Karimunjawa*. Semarang: Balai Taman Nasional Karimunjawa.
- Bengen, D.G. (2002). *Ekosistem dan sumberdaya alam pesisir dan laut serta prinsip pengelolaannya*. Bogor: Pusat Kajian Sumberdaya.
- BKKBN. (2020, November 26). *Kampung Sumbermanjing Wetan*. Diambil kembali dari Kampung Sumbermanjing Wetan: <https://kampungkb.bkkbn.go.id/>
- Blasco, F., Gauquelin, T., Rasolofoharinoro, M., Denis, J., Aizpuru, M. & Caldairou, V. (1998). Recent advances in mangrove studies using remote sensing data. *Mar. Freshwater Res.* 49, 287–296.
- BMKG, 2020. Pusat Database Badan Metereologi Klimatologi dan Geofisika. diambil pada 30 Desember 2020 pada <https://dataonline.bmkg.go.id/home>.
- BPS-Malang. (2019, November 26). *Curah Hujan, Hari Hujan, Hujan Maximum dan Tanggal Hujan Maximum dari Pos Karangploso, 2015-2019*. Diambil kembali dari BPS Malang: <https://malangkab.bps.go.id/dynamictable/2017/07/11/24/curah-hujan-hari-hujan-hujan-maximum-dan-tanggal-hujan-maximum-dari-pos-karangploso-2015-2016-tabel-dinamis-.html>

- Breiman, L. (2001). Random Forest. *Machine Learning*, 45, 5–32.
- BTNKJ. (2011). *Panduan Pendidikan dan Penelitian di Taman Nasional Karimunjawa*. Semarang: Balai Taman Nasional Karimunjawa.
- BTNKJ. (2012). *Jenis-jenis Mangrove Taman Nasional Karimunjawa*. Jepara: Balai Taman Nasional Karimunjawa.
- Buyya, R., Yeo, C. S., Venogopal, S., Broberg, J., & Brandic, I. (2009). Cloud computing and emerging IT platforms: vision, hype, and reality for delivering computing as the 5th utility. *Future Generation Computer Systems*, 25 (6), 599-616.
- CEOS. (2020, 10 26). *CEOS*. Diambil kembali dari CEOS Analysis Ready Data: <http://ceos.org/ard/>
- Cleland, E., Chuine, I., Menzel, A., Mooney, H., & Schwartz, M. (2007). Shifting plant phenology in response to global change. *Trends Ecol. Evol.* 22, 357–365.
- Dahdouh, G. F. (2002). The Use of Remote Sensing and GIS in The Sustainable Management of Tropical Coastal Ecosystems. *Environ. Develop. Sustain* 4, 93-112.
- Danoedoro, P. (2012). *Penginderaan Jauh Digital*. Yogyakarta: Fakultas Geografi Universitas Gadjah Mada.
- Danoedoro, P. (2015). Pengaruh Jumlah Dan Metode Pengambilan Titik Sampel Penguji Terhadap Tingkat Akurasi Klasifikasi Citra Digital Penginderaan Jauh. *Simposium Nasional Sains Geoinformasi ke-4*, 161-171.

- Davis, B., & Jensen, J. (1998). Remote sensing of mangrove biophysical characteristics. *Geocarto Int.*, 55–64.
- Diao, C., & Wang, L. (2016). Incorporating plant phenological trajectory in exotic saltcedar detection with monthly time series of Landsat imagery. *Remote Sensing Environ.* 182, 60 – 71.
- Donato, D. K. (2011). Mangroves among the most carbon-rich forests in the tropics. *Nat. Geosci.* 4, 293–297.
- Duke, N. (1990). Phenological trends with latitude in the mangrove tree *Avicennia marina*. *J. Ecol.* 78 (1), 113–133.
- Dwyer, J. L., OrcID, D. P., Sauer, B., Jenkerson, C. B., Zhang, H. K., & Lymburner, L. (2018). Analysis Ready Data: Enabling Analysis of the Landsat Archive. *Remote Sensing*, 1363-1382.
- ESA. (2020, 10 26). *European Space Agency*. Diambil kembali dari European Space Agency: <https://www.esa.int/>
- ESA-Sentinel. (2020, 11 26). *Cloud mask*. Diambil kembali dari Cloud mask: <https://sentinel.esa.int/web/sentinel/technical-guides/sentinel-2-msi/level-1c/cloud-masks>
- Estel, S., Kuemmerle, T., Levers, C., Baumann, M., & Hostert, P. (2016). Mapping cropland-use intensity across Europe using MODIS NDVI time series. *Environmental Research Letters*, Volume 11, Number 2, 024015.
- Frananda, H., Hartono, & Jatmiko, R. H. (2015). Komparasi Indeks Vegetasi Untuk Estimasi Stok Karbon Hutan Mangrove Kawasan Segoro Anakan Taman Nasional Alas Purwo Banyuwangi, Jawa Timur. *Majalah Ilmiah Globe Volume 17*, 113-123.

- Geisen, W., Wulffraat, S., Zieren, M., & Scholten, L. (2007). *Mangrove Guide for Southeast Asia*. FAO (Food and Agriculture Organization of United Nations) and Wetlands International.
- Giri, C., Ochieng, E., Tieszen, L., Zhu, Z., Singh, A., Loveland, T., . . . Duke, N. (2011). Status and Distribution of Mangrove Forests of the World Using Earth Observation Satellite Data. *Global Ecology and Biogeography* 20, 154-159.
- Gitelson, A., Kaufman, Y., & Merzlyak, M. (1996). Use of a green channel in remote sensing of global vegetation from EOS-MODIS. *Remote Sens. Environ.* 58, 289–298.
- Gitelson, A., Kaufman, Y., & Merzlyak, M. (1996). Use of a green channel in remote sensing of global vegetation from EOS-MODIS. *Remote Sens. Environ.*, 289–298.
- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., & Moore, R. (2017). Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote Sens. Environ.*, 202 , 18-27.
- Green, E., Mumby, P., Edwards, A., Clark, C., & Ellis, A. (1998). The assessment of mangrove areas using high resolution multispectral airborne imagery. *J. Coast. Res.*, 433 - 443.
- Gupta, K., Mukhopadhyaya, A., Giri, S., Chanda, A., Majumdera, S. D., Samanta, S., Hazra, S. (2018). An index for discrimination of mangroves from non-mangroves using LANDSAT 8 OLI imagery. *MethodsX* 5, 1129–1139.

- Guzman, J. P., Jadunandan, D., & Atkinson, P. M. (2018). Remote sensing of mangrove forest phenology and its environmental drivers. *Remote Sensing of Environment* 205 (2018), 71-84.
- Hairiah, K., & Rahayu, S. (2007). *Pengukuran "Karbon Tersimpan" di Berbagai Macam Penggunaan Lahan*. Bogor: World Agroforestry Centre - CRAFT SEA Regional Office, University of Brawijaya.
- Hamilton, S., & Casey, D. (2016). Creation of a High Spatiotemporal Resolution Global Database of Continuous Mangrove Forest Cover for the 21st Century (CGMFC-21). *Journal of Global Ecology and Biogeography*.
- Harahab, N., & Setiawan. (2017). INDEKS KESESUAIAN EKOWISATA MANGROVE DI KABUPATEN MALANG. *Journal of Economic and Social of Fisheries and Marine*, 04(02): 153 - 165.
- Ho, T. K. (1995). Random Decision Forests . *Proceedings of the 3rd International Conference on Document Analysis and Recognition, Montreal, QC*, 278-282.
- Huete, A., & Glenn, E. (2011). *Remote Sensing of Ecosystem Structure and Function, Advance in Environment Remote Sensing*. Boca Raton: CRC Press.
- Huete, A., Didan, K., Miura, T., Rodriguez, E., Gao, X., & Ferreira, L. (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sens. Environ.* 83, 195–213.
- Jones, J., Dale, P., Chandica, A., & Breitfuss, M. (2004). Changes in distribution of grey mangrove *Avicennia marina* (Forsk.) using large scale aerial color infrared photographs: Are changes related to habitat modification for mosquito control? . *Estuar. Coast. Shelf Sci.*, 45 - 54.

- Kamal, M., & Phinn, S. (2011). Hyperspectral Data for Mangrove Species Mapping: A Comparison of Pixel-Based and Object-Based Approach . *Remote Sens.* , 2222-2242.
- Kamal, M., Ningam, M. U., Algorina, F., Wicaksono, P., & Murti, S. H. (2018). Combining Field and Image Spectral Reflectance for Mangrove Species Identification and Mapping using WorldView-2 image. *Proceedings of SPIE*, 107901P-1 - 107901P-9.
- Kamal, m., Phinn, S., & Johansen, K. (2013). Extraction of multiscale mangrove features from worldview-2 image data - an object based image analysis approach. *ACRS*, 2222-2242.
- Kitamura, S., Anwar, C., Chaniago, A., & S., B. (1997). *Handbook of Mangroves in Indonesia*. Tokyo: Japan International Cooperation Agency (JICA).
- KKP. (2020, November 04). *Kemujan*. Diambil kembali dari Kemujan: http://www.ppk-kp3k.kkp.go.id/direktori-pulau/index.php/public_c/pulau_info/4299
- Kuenzer, C., Bluemel, A., Gebhardt, S., Quoc, T. V., & Dech, S. (2011). Remote Sensing of Mangrove Ecosystems : A Review. *Remote Sensing*, 878-928.
- Landis, J. R., & Koch, G. G. (1977). The Measurement of Observer Agreement for Categorical Data. *Biometrics Vol. 33, No. 1* , pp. 159-174.
- LAPAN. (2015). *Pedoman Pengolahan Data Penginderaan Jauh Landsat 8 untuk Mangrove*. Jakarta: LAPAN.
- Li, H., Jia, M., Zhang, R., Ren, Y., & Wen, X. (2019). Incorporating the Plant Phenological Trajectory into mangrove Species Mapping with Dense Time

Series Sentinel-2 Imagery and the Google Earth Engine Platform. *Remote Sens.*, 11.

- Li, R., Xu, M., Chen, Z., Gao, B., Cai, J., Shen, F., . . . Chen, D. (2020). Phenology-based classification of crop species and rotation types using fused MODIS and Landsat data: The comparison of a random-forest-based model and a decision-rule-based model . *Soil & Tillage Research*, 206.
- Liaw, A., & Wiener, M. (2002). Classification and Regression by randomForest. *R News Vol. 2/3*, 18-22.
- Lillesand, T., Kiefer, R., & Chipman, J. (2008). *Remote Sensing And Image Interpretation*. New York: John Willey & Sons Inc.
- Lugo, A., & Snedaker, S. (1974). The Ecology of Mangroves. *Ann. Rev. Ecol. syst.* 5, 39 - 64.
- Mather, P. (2004). *Computer Processing of Remotely Sensed Data: An Introduction. 3rd edition*. Brisbane: John Wiley and Sons.
- Mehlig, U. (2006). Phenology of the red mangrove, *Rhizophora mangle* L., in the Caeté Estuary, Pará, equatorial Brazil. *Aquat. Bot.* 84, 158–164.
- Melaas, E. K., Friedl, M. A., & Zhu, Z. (2013). Detecting interannual variation in deciduous broadleaf forest phenology using landsat tm/etm plus data. . *Remote Sensing of Environment* 132, 176–185.
- Mell, P., & Grance, T. (2011). The NIST Definition of Cloud Computing. *National Institute of Standards and Technology*, Special Publication 800-145.

- Mell, P., & Grance, T. (2011). *The NIST Definition of Cloud Computing*. National Institute of Standards and Technology, Special Publication 800-145.
- Mohammed, M., Khan, M., & Bashier, E. (2017). *Machine learning: Introduction and Application*. New York: CRC Press.
- Mulyadi, Susanto, H., D., Y. D., & Sahwan, F. F. (2019). *Interpretasi Trekking Mangrove Taman Nasional Karimunjawa*. Kabupaten Jepara: Balai Taman Nasional Karimunjawa.
- Mustafidah, T. T., & Hidayati. (2012). *Penelitian Kuantitatif Bandung*. Bandung: Alfabeta.
- Naidoo, G. (1989). Seasonal plant water relations in a South African mangrove swamp. *Aquat. Bot.* 33, 87-100.
- Natsir, S. (2004). Ringkasan Disertasi : Pengaruh Gaya Kepemimpinan terhadap Perilaku Kerja dan Kinerja Karyawan Perbankan di Jawa Tengah. *Disertasi*.
- Njoku, E. G. (2014). *Encyclopedia of Remote Sensing, Encyclopedia of Earth Sciences Series*. New york: Springer New York.
- Nontji, A. (1987). *Laut Nusantara*. Jakarta: Penerbit Djambatan.
- Noor, Y., Khazali, M., & Suryadiputra, I. (1999). *Panduan Pengenalan Mangrove di Indonesia*. Bogor: PKA-Wetland International Indonesia Program.
- Nybakken, N. (1988). *Biologi Laut Suatu Pendekatan Biologis*. Jakarta: PT. Gramedia.

- Pal, M. (2005). Random forest classifier for remote sensing classification. *International Journal of Remote Sensing*, vol. 26, 217-222.
- Pimple, U. S., Som-ard, J., Gond, V., & Towprayoon, S. (2017). Google Earth Engine Based Three Decadal Landsat Imagery Analysis for Mapping of Mangrove Forests and Its Surroundings in the Trat Province of Thailand. *Computer and Communications*, Vol. 6.
- Qi, J., A.Chehbouni, A.R.Huete, Y.H.Kerr, & S.Sorooshian. (1994). A modified soil adjusted vegetation index. *Remote Sensing Environment*, 119-126.
- Rahmandika, M. R. (2018). Studi Zonasi Ekosistem Mangrove Di Clungup Mangrove Conservation (CMC) Sendang Biru Desa Tambakrejo Kecamatan Sumbermanjing Wetan Kabupaten Malang Jawa Timur. *Thesis*, 051800217.
- Ramsey, E., & Jensen, J. (1996). Remote Sensing of Mangrove Wetlands: Relating Canopy Spectra to Site-specific Data. *Photogramm. Eng. Remote Sensing* 62, 939-948.
- Sidik, F., Wigati, N., Zaky, A. R., Hidayat, J. j., K., H. P., & Islamy, F. (2015). *Panduan Mangrove Estuari Perancak*. Bali: Balai Riset dan Observasi Laut.
- Soerianegara, I. (1987). Masalah Penentuan Batas Lebar Jalur Hijau Hutan Mangrove. *Prosiding Seminar III Ekosistem Mangrove.*, Hal 39.
- Srirama, S. (2011). Adapting scientific computing problems to clouds using Map Reduce. *Future Generation Computer Systems (2011)*, 184-192.
- Sulistiari, D. (1989). Pemanfaatan mata pelajaran. *Floribunda 1*, 14 - 15.

Sutanto. (1994). *Penginderaan Jauh Jilid I*. Yogyakarta: Gadjah Mada.

Tamiminia, A. I., Salehi, B., Mahdianpari, M., Quackenbush, L., Adeli, S., & Brisco, B. (2020). Google Earth Engine for geo-big data applications: A meta-analysis and systematic review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 152-170.

Trisnawati. (2015). *Struktur Komunitas Ikan di estuari Clungup Desa Tambakrejo, Kecamatan Sumbermanjing Wetan, Kabupaten Malang, Jawa Timur*. Malang: FPIK UB.

Tuheteru, F. D. (2012). *Ekologi, Manfaat & Rehabilitasi, Hutan Pantai Indonesia*. Manado: Balai Penelitian Kehutanan.

Tusinski, A., & Verhagen, H. J. (2014). THE USE OF MANGROVES IN COASTAL PROTECTION . *COASTAL ENGINEERING 2014*, (34) : 45.

USA-NPN. (2020, 12 03). *Phenophase*. Diambil kembali dari Phenophase: <https://www.usanpn.org/taxonomy/term/16>

USA-NPN. (2020, 11 04). *USA National Phenology Network*. Diambil kembali dari Phenophase: <https://www.usanpn.org/taxonomy/term/16#:~:text=An%20observable%20stage%20or%20phase,a%20few%20days%20or%20weeks>.

USGS. (2020, 11 14). *Landsat Mission*. Diambil kembali dari Landsat Mission: https://www.usgs.gov/core-science-systems/nli/landsat/us-landsat-analysis-ready-data?qt-science_support_page_related_con=0#qt-science_support_page_related_con

- Vaiphasa, C., Ongsomwang, S., Vaiphasa, T., & Skidmore, A. (2005). Tropical mangrove species discrimination using hyperspectral data: A laboratory study. *Estuar. Coast. Shelf Sci.*, 371–379.
- Wang, D., Wan, B., & Qiu, P. (2018). Artificial Mangrove Species Mapping Using Pléiades-1: An Evaluation of Pixel-Based and Object-Based Classifications with Selected Machine Learning Algorithms. *Remote Sensing*, 294.
- Wang, P., Wang, J., Chen, Y., & Ni, G. (2013). Rapid processing of remote sensing images based on cloud computing. *Future Generation Computer Systems* 29, 1963–1968.
- Winarso, G., & Purwanto, A. (2014). Pendekatan Baru Indeks Kerusakan Mangrove Menggunakan Data Penginderaan Jauh. *Prosiding Seminar Nasional Penginderaan Jauh*.