

## DAFTAR PUSTAKA

- Arahal, D. R., García, M. T., Vargas, C., Cánovas, D., Nieto, J. J., & Ventosa, A. (2001). *Chromohalobacter salexigens* sp. nov., a moderately halophilic species that includes *Halomonas elongata* DSM 3043 and ATCC 33174. *International Journal Systematic Evolutionary Microbiology*, 51(4), 1457-1462.
- Baneyx, F. & Mujacic, M. (2003). Cold-inducible promoters for heterologous protein expression. *Methods in Molecular Biology*, 205, 1-18.
- Baneyx, F. & Mujacic, M. (2004). Recombinant protein folding and misfolding in *Escherichia coli*. *Nature Biotechnology*, 22(11), 1399-1408.
- Capasso, C., & Supuran, C. T. (2015). An overview of the alpha-, beta- and gamma-carbonic anhydrases from Bacteria: can bacterial carbonic anhydrases shed new light on evolution of bacteria?. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 30(2), 325-332.
- Cooper, G. M. (2000). *The Cell: A Molecular Approach*. (2nd Edition). Sunderland (MA): Sinauer Associates.
- Daniel, E., Onwukwe, G. U., Wierenga, R. K., Quaggin, S. E., Vainio, S. J., & Krause, M. (2015). ATGme: Open-source web application for rare codon identification and custom DNA sequence optimization. *BMC Bioinformatics*, 16(1), 1–6.
- De Luca, V., Del Prete, S., Supuran, C. T., & Capasso, C. (2015). Protonography, a new technique for the analysis of carbonic anhydrase activity. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 30(2), 277–282.
- Ferbitz, L., Maier, T., Patzelt, H., Bukau, B., Deuerling, E., & Ban, N. (2004). Trigger factor in complex with the ribosome forms a molecular cradle for nascent proteins. *Nature*, 431(7008), 590–596.
- Ferraroni, M., Del Prete, S., Vullo, D., Capasso, C., & Supuran, C. T. (2015). Crystal structure and kinetic studies of a tetrameric type II  $\beta$ -carbonic anhydrase from the pathogenic bacterium *Vibrio cholerae*. *Acta Crystallographica. Section D, Biological Crystallography*, 71(12), 2449–2456.
- Fu, Z., Fan, G., Zhu, Y., Teng, C., Li, H., Liu, Q., Yang, R., & Li, X. (2020). Soluble expression of a novel feruloyl esterase from *Burkholderia pyrrocinia* B1213 in *Escherichia coli* and optimization of production conditions. *Biotechnology and Biotechnological Equipment*, 34(1), 732–746.

- Kim, J. K., Lee, C., Lim, S. W., Adhikari, A., Andring, J. T., McKenna, R., Ghim, C. M., & Kim, C. U. (2020). Elucidating the role of metal ions in carbonic anhydrase catalysis. *Nature Communications*, 11(1), 1–10.
- Kumar, R. (2009). Role of naturally occurring osmolytes in protein folding and stability. *Archives of Biochemistry and Biophysics*, 491(1–2), 1–6.
- Lionetto, M. G., Caricato, R., Giordano, M. E., & Schettino, T. (2016). The complex relationship between metals and carbonic anhydrase: new insights and perspectives. *International Journal of Molecular Sciences*, 17(1), 127.
- Mogk, A., Mayer, M. P., & Deuerling, E. (2002). Mechanisms of protein folding: molecular chaperones and their application in biotechnology. *Chembiochem: a European Journal of Chemical Biology*, 3(9), 807–814.
- Nishiguchi, Y., Uchida, A., Oshima, N., & Okada, M. (2011). Expression of the Lactate Dehydrogenase Gene from *Eptatretus okinoseanus* in *Escherichia coli*. *ISRN Zoology*, 1–5.
- Pace, C. N., Treviño, S., Prabhakaran, E., & Scholtz, J. M. (2004). Protein structure, stability and solubility in water and other solvents. *Philosophical transactions of the Royal Society of London. Series B, Biological Sciences*, 359(1448), 1225–1235.
- Qing, G., Ma, L. C., Khorchid, A., Swapna, G. V., Mal, T. K., Takayama, M. M., Xia, B., Phadtare, S., Ke, H., Acton, T., Montelione, G. T., Ikura, M., & Inouye, M. (2004). Cold-shock induced high-yield protein production in *Escherichia coli*. *Nature Biotechnology*, 22(7), 877–882.
- Rabbani, G., & Choi, I. (2018). Roles of osmolytes in protein folding and aggregation in cells and their biotechnological applications. *International Journal of Biological Macromolecules*, 109, 483–491.
- Rohman, M. S., Prijambada, I. D., Indriani, Y. A., & Hendrosatrio, H. (2012). Identification of protease producing halophilic bacteria from Bledug Kuwu-Mud Volcano. *Indonesian Journal of Biotechnology*, 17(1):35–41.
- Rosano, G. L., & Ceccarelli, E. A. (2009). Rare codon content affects the solubility of recombinant proteins in a codon bias-adjusted *Escherichia coli* strain. *Microbial Cell Factories*, 8, 41.
- Saini, P., Wani, S. I., Kumar, R., Chhabra, R., Chimni, S. S., & Sareen, D. (2014). Trigger factor assisted folding of the recombinant epoxide hydrolases identified from *C. pelagibacter* and *S. nassauensis*. *Protein Expression Purification*. 104, 71–84.

- Sambrook & Russell, J., Maniatis, T. & Fritsch, E.F. (2001). *Molecular Cloning: A Laboratory Manual*. (3rd Edition). New York: Cold Spring Harbor Laboratory Press.
- Smith, K. S., & Ferry, J. G. (2000). Prokaryotic carbonic anhydrases. *FEMS Microbiology Reviews*, 24(4), 335–366.
- Sørensen, H. P., & Mortensen, K. K. (2005). Advanced genetic strategies for recombinant protein expression in *Escherichia coli*. *Journal of Biotechnology*, 115(2), 113–128.
- Sørensen, H. P., & Mortensen, K. K. (2005). Soluble expression of recombinant proteins in the cytoplasm of *Escherichia coli*. *Microbial Cell Factories*, 4(1), 1.
- Supuran, C. T., & Capasso, C. (2019). Carbonic anhydrases from pathogens, dalam *Carbonic Anhydrases: Biochemistry and Pharmacology of an Evergreen Pharmaceutical Target*, diedit oleh C. T. Supuran & A. Nocentini. Cambridge: Academic Press, hal. 387-417.
- Vargas, C., Argandoña, M., Reina-Bueno, M., Rodríguez-Moya, J., Fernández-Aunión, C., & Nieto, J. J. (2008). Unravelling the adaptation responses to osmotic and temperature stress in *Chromohalobacter salexigens*, a bacterium with broad salinity tolerance. *Saline Systems*, 4, 14.
- Young, C. L., Britton, Z. T., & Robinson, A. S. (2012). Recombinant protein expression and purification: a comprehensive review of affinity tags and microbial applications. *Biotechnology Journal*, 7(5), 620–634.